

Ramp Metals Confirms VMS Discovery at Rush Target

Drills 1.21% Cu, 9.34% Zn, 5.59g/t Ag over 3.53m in Rush-001 and 0.78% Cu, 1.91% Zn, 0.53% Pb, 12.71g/t Ag over 27m in Rush-010

Vancouver, British Columbia--(Newsfile Corp. - August 5, 2025) - Ramp Metals Inc. (TSXV: RAMP) ("**Ramp Metals**" or the "**Company**") is pleased to announce that it has received assay results from 10 of 20 holes drilled during its Rottenstone SW Spring 2025 program, confirming the discovery of a substantial copper-zinc VMS system at the Rush target.

- **Rush-001: 1.21% Cu, 9.34% Zn, 5.59 g/t Ag over 3.53m**
- **Rush-002: 0.44% Cu, 3.44% Zn, 2.84 g/t Ag over 23.70m**
- **Rush-003: 0.76% Cu, 5.42% Zn, 4.47 g/t Ag over 1.5m**
- **Rush-009: 1.29% Cu, 12.38% Zn, 0.28% Pb, 7.47 g/t Ag over 2.55m**
- **Rush-010: 0.78% Cu, 1.91% Zn, 0.53% Pb, 12.71 g/t Ag over 27.00m**

Key Highlights:

Ramp Metals is pleased to share key highlights from its ongoing exploration efforts at its flagship Rottenstone SW Saskatchewan property:

- **Rush:** Assay results for Rush-001, Rush-002, Rush-003, Rush-004, Rush-009, and Rush-010 have been received. All drill holes received, excluding Rush-004 **indicate substantial copper, zinc, and silver mineralization** within multiple lenses (*Table 1*). The Rush-001 & Rush-010 drill collars were located approximately 165m apart. These results are interpreted as evidence of a new volcanogenic massive sulphide (VMS) similar to Foran Mining's McIlvenna Bay deposit in Saskatchewan. Expanded Rush drill results, based on a 0.1% Cu cutoff grade, are available in *Table 2*.
- **Geophysics:** Initial airborne EM and Mag data for the remainder of the Rottenstone SW claim has been received, revealing multiple new high-priority targets with geophysical signatures similar to Rush, Ranger, and Rogue (*Figure 4 & 5*). The Company anticipates receiving the final airborne geophysical report in the coming weeks.
- **Field Program:** An exploration program is planned that will investigate new and existing targets across the property through prospecting, BHEM, and ground geophysics. A wildfire is currently burning within the Rottenstone SW claim block (*Figure 6*), thus fieldwork is anticipated to begin when fire risk decreases later in the summer/fall season. Prospective areas exposed by the current wildfire will also be examined during this program.

"The copper-zinc VMS discovery at Rush marks an exciting breakthrough for Ramp Metals," stated Jordan Black, the Company's CEO. "These intercepts from Rush could be compared to those from the initial phases of Foran Mining's McIlvenna Bay deposit, which is also located in Saskatchewan. Rush hosts high-grade, near-surface mineralization alongside a large, untested anomaly, with results pointing to the potential for a significant and high-impact VMS system. With numerous additional geophysical targets identified and copper market fundamentals stronger than ever, we believe the timing couldn't be better to aggressively advance this discovery. Backed by a robust treasury of over \$5 million dedicated to exploration, we are fully committed to unlocking a high-grade gold/copper system and driving the Rush target toward a substantial resource."

Drill Highlights

Table 1: Drill Result Highlights

HOLE ID	From	To	Length (m)	Cu %	Zn %	Ag g/t	Au g/t	Pb %	Co ppm
Rush-001	31.53	33.30	1.77	0.60	6.95	4.99	0.02	0.01	110
Rush-001	61.47	65.00	3.53	1.21	9.34	5.59	0.03	0.02	161
<i>including</i>	63.50	64.00	0.50	2.26	9.75	7.70	0.05	0.01	181
<i>including</i>	64.50	65.00	0.50	2.19	4.64	13.20	0.04	0.04	95
Rush-001	71.94	73.49	1.55	0.68	10.13	3.83	0.02	0.03	80
Rush-001	112.00	117.00	5.00	0.13	0.04	10.31	0.02	0.18	15
<i>including</i>	112.00	113.00	1.00	0.19	0.04	27.20	0.02	0.41	11
Rush-002	55.00	56.50	1.50	0.99	0.36	31.77	0.24	0.01	20
Rush-002	69.30	93.00	23.70	0.44	3.44	2.84	0.01	0.08	39
<i>including</i>	69.30	71.97	2.67	1.71	10.43	7.13	0.03	0.01	147
Rush-002	77.50	78.50	1.00	0.65	3.02	4.30	0.02	0.11	41
Rush-002	89.00	93.00	4.00	0.48	4.49	4.16	0.02	0.12	28
Rush-003	64.00	65.50	1.50	0.76	5.42	4.47	0.04	0.02	84
<i>including</i>	64.69	65.50	0.81	1.31	9.61	7.77	0.07	0.01	143
Rush-003	87.76	93.50	5.74	0.38	1.75	3.45	0.01	0.10	30
<i>including</i>	93.00	93.50	0.50	0.90	1.84	8.60	0.04	0.16	23
Rush-003	100.00	106.00	6.00	0.18	1.21	14.55	0.02	0.82	16
<i>including</i>	100.00	101.00	1.00	0.20	6.90	9.40	0.02	0.79	53
Rush-009	65.50	71.00	5.50	0.35	0.29	2.72	0.02	0.04	15
<i>including</i>	67.00	67.50	0.50	1.35	2.12	6.70	0.03	0.02	37
Rush-009	88.20	90.25	2.05	0.73	10.02	3.76	0.01	0.02	115
Rush-009	97.00	102.00	5.00	0.13	0.08	22.31	0.12	0.39	8
Rush-009	115.95	118.50	2.55	1.29	12.38	7.47	0.04	0.28	155
Rush-009	135.00	136.50	1.50	0.53	12.55	8.70	0.04	0.40	139
Rush-009	172.75	176.50	3.75	0.18	5.31	3.31	0.02	0.01	40
Rush-009	178.00	179.00	1.00	0.13	7.35	2.05	0.04	0.02	43
Rush-010	18.00	45.00	27.00	0.78	1.91	12.71	0.05	0.53	40
<i>including</i>	21.50	25.50	4.00	0.90	9.99	18.79	0.03	2.60	85
<i>including</i>	34.50	45.00	10.50	1.41	0.61	21.39	0.10	0.15	51
Rush-010	94.00	96.00	2.00	0.48	0.05	0.99	0.03	0.01	18

**True widths have not been determined at this time.*

Rush

The Company has received assay results for Rush-001, Rush-002, Rush-003, Rush-004, Rush-009, and Rush-010. To date, all drill holes returned at the Rush target, excluding Rush-004, have encountered significant Cu-Zn-Ag mineralization within multiple lenses (*Table 1*), which the Company considers indicative of a new VMS discovery in Saskatchewan. Rush-001, Rush-002, Rush-003, and Rush-009 were drilled at the initial discovery zone (*Figure 1*), while Rush-010 tested the NE edge of the conductive anomaly where the rock samples during the October 2024 field program were taken ([January 20, 2025 News Release](#)). *This mineralization encountered in Rush-010 represents a 165m step-out from the*

mineralization encountered in Rush-001, Rush-002, Rush-003 & Rush-009.

"We are extremely pleased with our new discovery at the Rush VMS target," commented Garrett Smith, Ramp Metals' VP of Exploration. "VMS deposits tend to form in clusters, and the recently completed geophysics highlight a number of additional targets. We look forward to expanding on this new discovery, and continuing to track down the high-grade gold encountered during last season."




Figure 1: Locations and assay status of Rush Drill Holes from the 2025 Spring Drill Program

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/8725/261254_ef0361c8e4f3e918_001full.jpg



Photo 1: Rush-001 Box 13 & 14; 57.55-66.53m

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/8725/261254_ef0361c8e4f3e918_002full.jpg




Photo 2: Rush-002 Box 15 & 16; 66.32-75.34m

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/8725/261254_ef0361c8e4f3e918_003full.jpg




Photo 3: Rush-009 Box 25 & 26; 109.43-118.70m

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/8725/261254_ef0361c8e4f3e918_004full.jpg




Photo 4: Rush-010 Box 5 & 6; 20.25-29.23m

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/8725/261254_ef0361c8e4f3e918_005full.jpg



Photo 5: Rush-010 Box 9 & 10; 38.13-47.14m

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/8725/261254_ef0361c8e4f3e918_006full.jpg




Figure 2: Rush Cross section A'-B'. Location slice can be seen in Figure 1

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/8725/261254_ef0361c8e4f3e918_007full.jpg

The Rush target is a newly identified area of interest located approximately 7.5 km NW of Ranger. Rush overlies a NE-SW striking zone of high conductivity approximately 1200m in length. The area is heavily

forested, and bedrock exposure is limited to sporadic ridges which parallel the NE-SW regional foliation. A total of 10 holes were drilled in the Spring 2025 program at Rush, and 56 rock samples were taken in Fall 2024. Disseminated Chalcopyrite and Malachite staining were noted in multiple rock samples. Rock samples returned values of up to 1.61% copper, 0.79 g/t gold, and up to 113 g/t silver across different samples. A total of 24 soil samples were also taken and returned values of up to 798.5 ppm copper and 21,152 ppb (21.15 g/t) silver ([January 20, 2025](#) News Release).

Ranger

Ranger-002, Ranger-003, Ranger-004, and Ranger-005 did not yield significant gold intercepts with assay results reaching up to 0.104g/t Au over 1m. In addition to Ranger-001, drill holes Ranger-002, Ranger-003, and Ranger-004 returned intercepts between 2 and 10 metres in length, with weakly elevated concentrations of copper, zinc, and silver mineralization. While these values are low, they are consistently observed and contextually significant in relation to the sulphide content, the geophysical signature, and the previously identified gold from earlier drilling and field programs. The Company believes that it may be on the edge of a more robust system and intends to investigate further once assays from all Ranger drill holes are returned.

Assays remain pending for Ranger-006, Ranger-007, and Ranger-008. Ranger-008 tested an EM anomaly approximately 1.5km to the NE of Ranger-001.




Figure 3: Locations and assay status of Ranger Drill Holes from the 2025 Spring Drill Program

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/8725/261254_ef0361c8e4f3e918_008full.jpg

Rogue

Three drill holes were completed at the Rogue target. Assays are currently pending for Rogue-004, Rogue-005, and Rogue-006. Drill hole locations at Rogue can be seen in the [June 6, 2025 News Release](#).

Geophysics

The Company has completed Airborne geophysics using the Xcite HTDEM system across the entire Rottenstone SW property ([April 14, 2025 News Release](#)), which generated multiple new high-priority targets with geophysical signatures similar to Rush, Ranger, and Rogue. Initial Mag and EM geophysical results for the remainder of the Rottenstone SW property have become available as seen in *Figure 4* and *Figure 5*.

Ground and BHEM geophysical surveys are scheduled at Rush to further delineate targets along the Rush anomaly. Dias Geophysical, based in Saskatoon, SK, has been contracted to conduct these surveys.




Figure 4: Updated Total Magnetic Intensity Map for Rottenstone SW

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/8725/261254_ef0361c8e4f3e918_009full.jpg




Figure 5: Airborne EM Conductivity Map

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/8725/261254_ef0361c8e4f3e918_010full.jpg

Field Program

An exploration program is planned that will assess new and existing targets across the property through prospecting, BHEM, and ground geophysics. *Currently there is a wildfire burning within the Rottenstone SW Claim block.* Fieldwork will begin when wildfire risks decrease later into the summer/fall season. Prospective areas exposed by the current fire will also be examined during this program. See Figure 6 for the current perimeter of the wildfire on the Rottenstone SW claim as of August 3, 2025.




Figure 6: Perimeter of the current wildfire burning on Rottenstone SW as of August 3, 2025.

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/8725/261254_ef0361c8e4f3e918_011full.jpg

Wildfire Data courtesy of Natural Resources Canada.

Canadian Forest Service. 2022. Canadian Wildland Fire Information System (CWFIS), Natural Resources Canada, Canadian Forest Service, Northern Forestry Centre, Edmonton, Alberta.

<http://cwfis.cfs.nrcan.gc.ca>.

Permits

The Company has submitted an amendment to its existing permits, requesting a two-year extension, authorization for an additional 30,000 metres of drilling, and approval to establish a temporary work camp.

Next Steps

- Assays pending from 10 additional drill holes
- Final airborne geophysics report expected in coming weeks
- Ground and BHEM geophysics planned to refine drill targeting
- Field program pending wildfire resolution
- Follow-up drilling anticipated upon receipt of permits pending wildfire resolution

With over \$5 million dedicated to exploration, Ramp Metals is well-capitalized to fast-track its discovery pipeline across multiple high-priority VMS and gold targets.

Expanded Results

Table 2: Expanded Results Table

*Note: a cutoff grade of 0.10% Cu was applied

HOLE #	From (m)	To (m)	Length (m)	Cu %	Zn %	Ag g/t	Au g/t	Pb %	Co ppm
Rush-001	29	30	1.00	0.11	0.03	1.50	0.01	0.03	11
Rush-001	31.53	32	0.47	0.46	9.76	4.00	0.02	0.01	123
Rush-001	32	32.5	0.50	0.59	7.34	5.30	0.03	0.01	95
Rush-001	32.5	33	0.50	0.43	7.46	4.40	0.02	0.01	129
Rush-001	33	33.3	0.30	1.12	1.02	7.00	0.01	0.02	84
Rush-001	33.3	34	0.70	0.23	0.06	2.40	0.01	0.02	19
Rush-001	49	50	1.00	0.43	0.04	36.00	0.04	1.07	15
Rush-001	50	51	1.00	0.14	0.02	11.00	0.01	0.39	17
Rush-001	55	56	1.00	0.14	0.07	2.80	0.02	0.02	15
Rush-001	56	57	1.00	0.11	0.09	1.40	0.01	0.03	15
Rush-001	61.47	62	0.53	0.34	10.36	2.50	0.04	0.01	160
Rush-001	62	62.5	0.50	0.70	9.21	2.80	0.02	0.03	163
Rush-001	62.5	63	0.50	0.93	10.91	4.10	0.02	0.03	175
Rush-001	63	63.5	0.50	1.49	9.82	6.00	0.03	0.01	178
Rush-001	63.5	64	0.50	2.26	9.75	7.70	0.05	0.01	181
Rush-001	64	64.5	0.50	0.61	10.66	3.00	0.02	0.01	177
Rush-001	64.5	65	0.50	2.19	4.64	13.20	0.04	0.04	95
Rush-001	67	68	1.00	0.27	0.08	1.30	0.01	0.05	13
Rush-001	70	70.41	0.41	0.14	3.68	1.10	0.02	0.04	71
Rush-001	71.94	72.5	0.56	0.94	11.86	4.40	0.02	0.02	128
Rush-001	72.5	73	0.50	0.59	11.66	4.00	0.01	0.05	44
Rush-001	73	73.49	0.49	0.49	6.60	3.00	0.02	0.04	63
Rush-001	88	89	1.00	0.11	0.01	1.60	0.02	0.04	4
Rush-001	112	113	1.00	0.19	0.04	27.20	0.02	0.41	11
Rush-001	116	117	1.00	0.26	0.03	14.40	0.07	0.07	16
Rush-001	134	135	1.00	0.10	0.02	0.80	0.02	0.00	10
Rush-002	23	24	1.00	0.16	0.04	6.00	0.02	0.02	31
Rush-002	31	32	1.00	0.10	0.04	1.90	0.01	0.02	28
Rush-002	32	33	1.00	0.11	0.04	1.20	0.01	0.02	13
Rush-002	34	35	1.00	0.17	0.04	1.10	0.01	0.01	20
Rush-002	35	36	1.00	0.13	0.02	1.00	0.01	0.02	15
Rush-002	43.44	44.28	0.84	0.68	0.06	51.00	0.04	2.48	13
Rush-002	50	51	1.00	0.15	0.06	5.20	0.01	0.03	9
Rush-002	54.42	55	0.58	0.28	0.14	7.20	0.01	0.03	27
Rush-002	55	55.5	0.50	1.39	0.46	37.10	0.11	0.02	27
Rush-002	55.5	56	0.50	0.81	0.33	34.30	0.49	0.01	16
Rush-002	56	56.5	0.50	0.77	0.28	23.90	0.13	0.01	18
Rush-002	58.5	59	0.50	0.30	0.18	2.50	0.01	0.03	81
Rush-002	59	59.5	0.50	0.33	0.07	2.90	0.02	0.06	16
Rush-002	59.5	60	0.50	0.21	0.05	1.50	0.01	0.03	25
Rush-002	60.5	61	0.50	0.11	0.02	1.00	0.02	0.04	10
Rush-002	61	61.5	0.50	0.11	0.04	1.10	0.02	0.03	10
Rush-002	61.5	62	0.50	0.15	0.07	1.60	0.01	0.04	17
Rush-002	69.3	70	0.70	1.83	10.68	7.40	0.03	0.01	127
Rush-002	70	70.5	0.50	1.10	9.85	5.20	0.02	0.01	163
Rush-002	70.5	71	0.50	2.65	12.73	9.00	0.02	0.01	158
Rush-002	71	71.5	0.50	1.22	10.07	6.00	0.02	0.01	171
Rush-002	71.5	71.97	0.47	1.69	8.63	8.00	0.09	0.03	122
Rush-002	71.97	73	1.03	0.28	0.30	2.40	0.01	0.07	6
Rush-002	74	75	1.00	0.13	0.08	1.10	0.00	0.07	7

Rush-002	75	75.95	0.95	0.25	0.61	3.00	0.01	0.11	28
Rush-002	75.95	76.5	0.55	0.37	8.31	3.00	0.01	0.03	70
Rush-002	76.5	77	0.50	0.27	7.97	1.90	0.01	0.02	60
Rush-002	77	77.5	0.50	0.49	12.00	3.30	0.02	0.02	88
Rush-002	77.5	78	0.50	0.74	0.98	4.60	0.02	0.12	25
Rush-002	78	78.5	0.50	0.57	5.05	4.00	0.02	0.09	56
Rush-002	78.5	79	0.50	0.20	7.54	4.00	0.02	0.21	55
Rush-002	79	79.5	0.50	0.15	6.69	6.00	0.03	0.34	78
Rush-002	79.5	80	0.50	0.28	0.25	1.50	0.02	0.05	18
Rush-002	82	82.5	0.50	2.11	6.31	8.00	0.01	0.05	52
Rush-002	82.5	83	0.50	0.11	1.10	1.00	0.00	0.07	12
Rush-002	83.5	84	0.50	0.12	0.91	0.80	0.01	0.07	27
Rush-002	84	84.5	0.50	0.19	6.73	1.60	0.02	0.05	84
Rush-002	84.5	85.26	0.76	0.30	1.92	2.00	0.01	0.07	30
Rush-002	89	90	1.00	0.31	0.12	1.60	0.01	0.07	15
Rush-002	90	90.5	0.50	1.58	6.61	7.00	0.02	0.06	44
Rush-002	91.25	92	0.75	0.83	17.08	5.30	0.03	0.06	76
Rush-002	92	93	1.00	0.14	1.65	6.00	0.01	0.23	11
Rush-002	95	96	1.00	0.10	0.09	0.80	0.01	0.09	10
Rush-003	47	48	1.00	0.25	0.06	16.10	0.03	0.48	14
Rush-003	48	49	1.00	0.20	0.02	13.40	0.02	0.47	11
Rush-003	49	50	1.00	0.22	0.02	16.20	0.03	0.47	14
Rush-003	62	63	1.00	0.10	0.02	6.70	0.01	0.37	21
Rush-003	64	64.69	0.69	0.11	0.49	0.60	0.01	0.02	15
Rush-003	64.69	65	0.31	1.19	8.67	7.40	0.13	0.01	152
Rush-003	65	65.5	0.50	1.39	10.20	8.00	0.03	0.01	138
Rush-003	76	77	1.00	0.15	0.17	1.70	0.01	0.08	12
Rush-003	84	85	1.00	0.14	0.28	0.90	0.00	0.15	11
Rush-003	87.76	89	1.24	0.43	0.50	4.70	0.01	0.15	29
Rush-003	89	90	1.00	0.18	1.32	1.40	0.01	0.08	16
Rush-003	90	90.5	0.50	0.28	1.56	1.20	0.02	0.02	51
Rush-003	90.5	91	0.50	0.47	2.28	7.00	0.03	0.16	38
Rush-003	91	91.5	0.50	0.23	6.89	2.00	0.02	0.04	71
Rush-003	91.5	92	0.50	0.87	0.98	3.50	0.01	0.06	15
Rush-003	92.5	93	0.50	0.10	1.38	1.60	0.01	0.11	29
Rush-003	93	93.5	0.50	0.90	1.84	8.60	0.04	0.16	23
Rush-003	94	94.5	0.50	0.29	0.12	27.50	0.04	0.73	18
Rush-003	94.5	95	0.50	0.14	0.07	20.20	0.04	0.81	18
Rush-003	95.5	96	0.50	0.24	0.08	4.00	0.01	0.19	11
Rush-003	96	96.5	0.50	0.19	0.04	2.10	0.01	0.03	118
Rush-003	97.5	98	0.50	0.13	0.61	1.20	0.01	0.10	8
Rush-003	98	98.5	0.50	0.21	0.99	2.80	0.01	0.12	9
Rush-003	98.5	99	0.50	0.22	1.00	3.30	0.04	0.15	7
Rush-003	99	99.5	0.50	0.20	0.17	4.90	0.01	0.28	15
Rush-003	99.5	100	0.50	0.24	0.10	4.20	0.01	0.27	14
Rush-003	100	100.5	0.50	0.18	5.18	13.00	0.02	1.01	16
Rush-003	100.5	101	0.50	0.22	8.62	5.80	0.02	0.57	89
Rush-003	102	103	1.00	0.22	0.10	18.80	0.02	0.97	13
Rush-003	103	104	1.00	0.16	0.09	10.80	0.02	0.99	12
Rush-003	104	105	1.00	0.14	0.06	10.50	0.02	0.57	9
Rush-003	105	106	1.00	0.32	0.06	35.30	0.03	1.33	7

Rush-003	107	108	1.00	0.13	0.81	1.30	0.01	0.23	17
Rush-003	108	109	1.00	0.17	0.26	14.10	0.04	0.43	9
Rush-003	110	111	1.00	0.14	1.46	1.60	0.03	0.31	9
Rush-003	120	121	1.00	0.22	0.03	12.70	0.01	0.56	12
Rush-004	41	42	1.00	0.17	0.00	0.80	0.01	0.00	17
Rush-009	22	23	1.00	0.18	0.02	7.30	0.02	0.01	18
Rush-009	41	42	1.00	0.11	0.02	1.20	0.01	0.01	15
Rush-009	51	52	1.00	0.16	0.04	1.30	0.01	0.01	13
Rush-009	52	53	1.00	0.10	0.03	1.40	0.01	0.01	12
Rush-009	62	63	1.00	0.16	0.06	2.60	0.01	0.01	21
Rush-009	65.5	66	0.50	0.34	0.09	2.90	0.03	0.03	29
Rush-009	66	66.5	0.50	0.51	0.05	5.40	0.02	0.03	33
Rush-009	66.5	67	0.50	0.29	0.24	2.10	0.01	0.04	8
Rush-009	67	67.5	0.50	1.35	2.12	6.70	0.03	0.02	37
Rush-009	68	68.5	0.50	0.28	0.24	2.30	0.05	0.03	6
Rush-009	68.5	69	0.50	0.36	0.11	5.80	0.02	0.03	13
Rush-009	70	70.5	0.50	0.12	0.08	<0.5	0.01	0.03	7
Rush-009	70.5	71	0.50	0.43	0.09	2.60	0.01	0.04	11
Rush-009	87.5	88.2	0.70	0.15	0.21	0.90	0.01	0.06	12
Rush-009	88.2	89	0.80	0.73	10.18	4.00	0.02	0.02	91
Rush-009	89	89.5	0.50	0.57	9.51	3.00	0.02	0.02	105
Rush-009	89.5	90.25	0.75	0.84	10.19	4.00	0.01	0.02	147
Rush-009	90.25	91	0.75	0.17	0.40	0.80	0.01	0.06	7
Rush-009	96	97	1.00	0.14	0.09	9.00	0.03	0.29	13
Rush-009	97	98	1.00	0.33	0.07	40.00	0.27	0.80	18
Rush-009	98	99	1.00	0.17	0.14	2.00	0.01	0.06	18
Rush-009	115.95	116.5	0.55	1.05	7.65	2.80	0.03	0.06	105
Rush-009	116.5	117	0.50	0.49	13.43	7.10	0.02	0.45	182
Rush-009	117	117.5	0.50	0.60	7.93	1.10	0.02	0.01	203
Rush-009	117.5	118	0.50	1.22	15.78	6.80	0.03	0.24	165
Rush-009	118	118.5	0.50	3.11	17.57	20.00	0.10	0.64	126
Rush-009	118.5	119	0.50	0.17	3.30	2.50	0.02	0.14	40
Rush-009	121	122	1.00	0.18	0.08	0.90	0.01	0.11	8
Rush-009	124	125	1.00	0.16	0.10	<0.5	0.01	0.07	9
Rush-009	126	127	1.00	0.10	0.07	<0.5	0.02	0.05	13
Rush-009	127	128	1.00	0.13	0.08	0.60	0.01	0.05	11
Rush-009	135	135.5	0.50	0.59	0.64	5.90	0.02	0.02	46
Rush-009	135.5	136	0.50	0.45	0.80	4.40	0.02	0.02	42
Rush-009	136	136.5	0.50	0.54	0.08	4.90	0.02	0.02	12
Rush-009	140	141	1.00	0.14	0.03	0.80	0.00	0.01	22
Rush-009	172.75	173.63	0.88	0.23	11.61	3.00	0.02	0.01	67
Rush-009	173.63	174	0.37	0.12	2.65	1.30	0.01	0.01	20
Rush-009	175	175.5	0.50	0.24	2.35	3.00	0.02	0.01	25
Rush-009	175.5	176	0.50	0.30	4.82	6.00	0.02	0.01	51
Rush-009	176	176.5	0.50	0.16	0.69	6.50	0.01	0.01	18
Rush-009	178.5	179	0.50	0.20	10.00	3.00	0.05	0.03	52
Rush-010	16	17	1.00	0.10	0.04	0.70	0.04	0.00	6
Rush-010	18	18.5	0.50	0.44	0.04	9.80	0.09	0.01	41
Rush-010	18.5	19	0.50	0.22	0.07	1.90	0.04	0.01	28

Rush-010	19	19.5	0.50	0.20	0.14	6.00	0.05	0.13	17
Rush-010	19.5	20	0.50	0.30	0.13	4.00	0.12	0.07	18
Rush-010	20.5	21	0.50	0.18	0.30	0.90	0.01	0.17	13
Rush-010	21	21.5	0.50	0.20	2.47	1.50	0.01	0.19	38
Rush-010	21.5	22	0.50	0.55	13.97	37.70	0.03	5.62	100
Rush-010	22	22.5	0.50	0.21	6.58	10.50	0.01	1.33	20
Rush-010	22.5	23	0.50	0.27	19.34	54.00	0.02	8.77	112
Rush-010	23	23.5	0.50	0.37	13.53	19.50	0.05	2.75	108
Rush-010	23.5	24	0.50	0.99	9.55	4.00	0.03	0.20	110
Rush-010	24	24.5	0.50	0.34	9.06	2.70	0.02	0.17	79
Rush-010	24.5	25	0.50	1.38	2.15	8.50	0.03	0.86	63
Rush-010	25	25.5	0.50	3.06	5.76	13.40	0.03	1.12	84
Rush-010	25.5	26	0.50	0.32	0.32	5.30	0.02	0.50	15
Rush-010	26	26.5	0.50	0.25	1.92	2.10	0.01	0.25	19
Rush-010	26.5	27	0.50	0.38	1.67	2.50	0.01	0.20	27
Rush-010	27	27.5	0.50	0.21	0.40	1.40	0.01	0.09	11
Rush-010	27.5	28	0.50	0.22	0.15	9.80	0.01	0.90	15
Rush-010	28	28.5	0.50	0.12	0.12	4.40	0.01	0.32	5
Rush-010	28.5	29	0.50	0.21	0.47	5.40	0.01	0.38	13
Rush-010	29	29.5	0.50	0.20	0.66	1.20	0.01	0.14	8
Rush-010	29.5	30	0.50	0.33	0.76	2.10	0.01	0.10	13
Rush-010	32	32.5	0.50	0.16	0.08	3.60	0.02	0.07	13
Rush-010	32.5	33	0.50	0.12	0.05	1.00	0.01	0.01	21
Rush-010	33	33.5	0.50	0.10	0.06	6.40	0.01	0.52	13
Rush-010	33.5	34	0.50	0.36	0.10	10.10	0.03	0.30	15
Rush-010	34	34.5	0.50	0.32	0.39	2.60	0.02	0.02	53
Rush-010	34.5	35	0.50	0.50	0.20	3.50	0.05	0.04	29
Rush-010	35	35.5	0.50	0.66	0.33	10.20	0.05	0.17	15
Rush-010	35.5	36	0.50	0.71	0.19	5.90	0.02	0.02	34
Rush-010	36	36.5	0.50	0.54	0.08	15.80	0.09	0.21	30
Rush-010	36.5	37	0.50	1.11	0.16	24.80	0.09	0.33	31
Rush-010	37	37.5	0.50	1.13	0.93	21.50	0.08	0.25	31
Rush-010	37.5	38	0.50	2.77	1.98	39.00	0.18	0.31	56
Rush-010	38	38.5	0.50	2.04	1.01	16.20	0.11	0.04	98
Rush-010	38.5	39	0.50	1.37	0.52	13.90	0.07	0.10	53
Rush-010	39	39.5	0.50	2.11	1.09	21.50	0.15	0.03	138
Rush-010	39.5	40	0.50	1.14	0.49	11.90	0.18	0.03	54
Rush-010	40	40.5	0.50	0.52	0.23	5.80	0.05	0.03	44
Rush-010	41	41.5	0.50	0.85	1.09	18.40	0.08	0.16	59
Rush-010	41.5	42	0.50	1.55	0.69	84.30	0.24	1.27	42
Rush-010	42	42.5	0.50	2.80	2.08	55.00	0.14	0.03	62
Rush-010	42.5	43	0.50	0.95	0.16	12.40	0.03	0.04	71
Rush-010	43	43.5	0.50	0.92	0.29	11.40	0.06	0.04	29
Rush-010	43.5	44	0.50	1.86	0.35	16.30	0.08	0.02	43
Rush-010	44	44.5	0.50	4.09	0.49	44.00	0.32	0.01	67
Rush-010	44.5	45	0.50	2.01	0.36	16.00	0.03	0.02	45
Rush-010	45	45.5	0.50	0.13	0.02	1.30	0.01	0.06	11
Rush-010	45.5	46	0.50	0.22	0.04	1.70	0.02	0.02	20
Rush-010	47	47.5	0.50	0.23	0.02	3.60	0.05	0.01	16
Rush-010	47.5	48	0.50	0.19	0.01	3.70	0.05	0.01	19
Rush-010	79	80	1.00	0.12	0.09	0.60	0.03	0.01	15
Rush-010	81	82	1.00	0.10	0.01	<0.5	0.01	0.01	6

Rush-010	82	83	1.00	0.13	0.01	<0.5	0.01	0.01	10
Rush-010	93	93.5	0.50	0.11	0.01	<0.5	0.00	0.03	4
Rush-010	93.5	94	0.50	0.28	0.09	0.60	0.03	0.01	18
Rush-010	94	94.5	0.50	0.64	0.08	1.30	0.05	0.01	19
Rush-010	94.5	95	0.50	0.56	0.04	1.30	0.03	0.01	13
Rush-010	95	95.5	0.50	0.29	0.02	<0.5	0.02	0.00	15
Rush-010	95.5	96	0.50	0.41	0.07	1.10	0.02	0.00	26
Rush-010	96	96.5	0.50	0.30	0.02	0.80	0.02	0.01	10
Rush-010	117	118	1.00	0.22	0.15	3.50	0.05	0.03	11
Rush-010	118	119	1.00	0.11	0.03	0.90	0.02	0.01	26

QA/QC and Geochemical Sampling Procedure

All drill core samples were logged, photographed, and bagged on-site. Control samples consisting of certified reference samples and blank samples were systematically inserted into the sample stream and analyzed as part of the Companies QA/QC protocol at a rate of 1:15 or better. All samples were transported by Manitoulin Transport to Bureau Veritas Commodities Canada Ltd. ("BV"), an internationally recognized and ISO 17025:2017 accredited analytical services provider, at its Vancouver, British Columbia laboratory. The Company's QA/QC protocol is in addition to BV's QA/QC standard procedure.

Drill core samples were prepared using the PRP70-250 package, where samples were weighed, dried, and crushed to greater than 70% passing a 2mm sieve, then pulverized to greater than 85% passing 75 microns. Samples from Rush and Rogue were analyzed in accordance with BV's FA330 (Au,Pt,Pd) and MA300 packages, for both gold, platinum & palladium analysis by fire assay (30g fire assay with AAS finish) and multi-element ICP analysis (0.25 g, multi-acid and ICP-ES analysis). Samples from Ranger were analyzed in accordance with BV's FA330-Au and MA300 packages, for gold by fire assay (30g fire assay with AAS finish) and multi-element ICP analysis (0.25 g, multi-acid and ICP-ES analysis). Gold returning >10ppm is automatically analyzed by gravimetric method in accordance with lab standard of practice. Copper, zinc and lead over limits were re-assayed using BV's MA370 package, a multi-acid digestion with ICP-ES finish.

Qualified Person

Brett Williams, P.Geo., VP Operations and Senior Geologist for Ramp Metals, and a "qualified person" under National Instrument 43-101 *Standards of Disclosure for Mineral Projects*, has reviewed and approved the technical content in this news release.

About Ramp Metals Inc.

Ramp Metals is a grassroots exploration company with a focus on a potential new Saskatchewan gold district. The Company currently has a new high-grade gold discovery of 73.55 g/t Au over 7.5m at its flagship Rottenstone SW property. The Rottenstone SW property comprises of 32,715 hectares and is situated in the Rottenstone Domain.

Neither TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

FORWARD-LOOKING STATEMENTS

This news release contains "forward-looking statements" within the meaning of applicable securities laws. All statements contained herein that are not clearly historical in nature may constitute forward-

looking statements. Generally, such forward-looking information or forward-looking statements can be identified by the use of forward-looking terminology such as "plans", "expects" or "does not expect", "is expected", "budget", "scheduled", "estimates", "forecasts", "intends", "anticipates" or "does not anticipate", or "believes", or variations of such words and phrases or may contain statements that certain actions, events or results "may", "could", "would", "might" or "will be taken", "will continue", "will occur" or "will be achieved". The forward-looking information and forward-looking statements contained herein include, but are not limited to, statements regarding the Company's exploration activities.

These statements involve known and unknown risks, uncertainties and other factors, which may cause actual results, performance or achievements to differ materially from those expressed or implied by such statements, including but not limited to: requirements for additional capital; future prices of minerals; changes in general economic conditions; changes in the financial markets and in the demand and market price for commodities; other risks of the mining industry; the inability to obtain any necessary governmental and regulatory approvals; changes in laws, regulations and policies affecting mining operations; hedging practices; and currency fluctuations.

Although the Company has attempted to identify important factors that could cause actual actions, events or results to differ materially from those described in forward-looking statements, there may be other factors that cause actions, events or results to differ from those anticipated, estimated or intended. Accordingly, readers should not place undue reliance on any forward-looking statements or information. No forward-looking statement can be guaranteed. Except as required by applicable securities laws, forward-looking statements speak only as of the date on which they are made and the Company does not undertake any obligation to publicly update or revise any forward-looking statement, whether as a result of new information, future events, or otherwise.

For further information, please contact:

Ramp Metals Inc.

Jordan Black
Chief Executive Officer
jordaneblack@rampmetals.com

Prit Singh
Director



To view the source version of this press release, please visit
<https://www.newsfilecorp.com/release/261254>