



---

# AGM Presentation

---

*Accelerating adoption of batteries  
for a cleaner energy future*

Thursday, 21 November 2019



- This document has been prepared by NOVONIX Limited (“the Company” or “NOVONIX”). No representation, expressed or implied, or warranty as to the accuracy or completeness of the information contained herein is made by any party and nothing contained herein shall be relied upon as a promise or representation as to the future. In all cases, recipients should conduct their own investigation and analysis of NOVONIX.
- This presentation, including the information contained in this disclaimer is not a prospectus, disclosure document, product disclosure statement or other offering document under Australian law or under any other law. It is for information purposes only and does not constitute an offer, invitation or recommendation to subscribe for or purchase any security and neither the presentation, disclaimer nor anything contained in them forms the basis of any contract or commitment. This presentation does not take into account your individual investment objectives, financial situation or particular needs. You must not act on the basis of any matter contained in this presentation, but must make your own assessment of the Company.
- All statements in this presentation, other than statements of historical facts, which address the future activities and events or developments that the Company expects to occur, are forward looking statements. Although the Company believes the expectations expressed in such statements are based on reasonable assumptions, such statements are not guarantees of future performance and actual results or developments may differ materially from those in forward-looking statements.
- Forward-looking statements involve and are subject to known and unknown risks, uncertainties and other factors which may cause the actual results, performance or achievements of the Company and/or its subsidiaries to be materially different from any future results, performance or achievements expressed or implied by the forward-looking information. Such factors include, among others, general business, economic, competitive, political and social uncertainties; the actual results of current activities; assumptions in economic valuations which prove to be inaccurate; possible variations product performance and reliability; climate events; political and regulatory changes; delays in obtaining approvals or financing or in the completion of development or construction activities.
- To the maximum extent permitted by law, none of NOVONIX or its related corporations, directors, employees or agents, nor any other person, accepts any liability, including, without limitation, any liability arising from fault or negligence, for any loss arising from the use of this presentation or its contents or otherwise arising in connection with it. Recipients should make their own enquiries in relation to any investment decisions.
- Although the Company has attempted to identify important factors that could cause actual actions, events or results to differ materially from those described in forward-looking information, there may be other factors that cause actions, events or results to differ from those anticipated, estimated or intended. Forward-looking information contained herein is current as at the date of this presentation and the Company disclaims any obligation to update any forward-looking information, whether as a result of new information, future events or results otherwise. There can be no assurance that forward-looking information or statements will prove to be accurate, as actual results and future events could differ materially from those anticipated in such information or statements. Accordingly, readers should not place undue reliance on forward-looking statements.

- Primary activities
- FY2019 highlights
- Market update
- Battery anode materials
- New intellectual property
- FY2020 outlook
- Contact information

## CORPORATE INFORMATION

### STOCK INFORMATION @ 20 November 2019

|                       |                   |
|-----------------------|-------------------|
| ASX Code              | NVX               |
| ASX Share Price       | A\$0.515          |
| 52 Week Low - High    | A\$0.36 – A\$0.73 |
| Shares on issue       | 128.14m           |
| Market Capitalisation | A\$66m            |

### CASH POSITION @ 30 September 2019

|                |         |
|----------------|---------|
| Cash available | A\$3.6m |
|----------------|---------|

### FINANCIAL INFORMATION FY2019

|                                 |          |
|---------------------------------|----------|
| FY2019 Revenue                  | A\$1.8m  |
| Total Assets @ 30 June 2019     | A\$34.9m |
| Total Liabilities @30 June 2019 | A\$19.2m |

### SHAREHOLDINGS

|                                 | (m)  | %   |
|---------------------------------|------|-----|
| Board and KMP – ordinary shares | 51.8 | 40% |




## NOVONIX is an international battery materials and technology company

- **Manufacturer of battery anode material (PUREgraphite)**




- Premium high capacity long-life graphite anode material
- Product qualified by multiple global battery makers
- Manufacturing plant being commissioned in the USA
- Commercial production to commence in Q4 2019



- **Supplier of battery technology solutions (BTS)**



- NOVONIX test equipment accelerates R&D from years to weeks
- Battery testing equipment used by battery & OEM multinationals
- Battery pilot line & lab supporting internal and customer projects
- Based in Canada with sales in 14 countries



## Corporate

- Increase ownership of PUREgraphite from 50% to 100% (FY Q3 & Q4)

## PUREgraphite

- Soft launch of first commercial product for testing by a select number of battery makers (Q3)
- Regular technical & business development meetings with global battery-makers (Q3 & Q4)
- **Product qualified with two global battery makers**
- Relocation of operations to a larger facility with substantial expansion capacity (Q4)
- Off site manufacturing of commercial processing equipment & on-site preparation (Q3 & Q4)


## Battery Technology Solutions (BTS)

- Commenced strategic battery R&D partnership with Dalhousie University (Q1)
- Filed for provisional patents for a new battery materials and associated manufacturing process
- Rapid growth in service contracts for newly offered cell design, cell building and materials evaluation
- Commercialising proprietary Differential Thermal Analysis (DTA) testing technology

## Battery price reduction driving EV sales driving battery price reduction


Volume weighted average lithium-ion pack price

Real 2018 USD




Source: BloombergNEF

A staggering 85% reduction in the volume weighted average price of a lithium-ion battery pack in just nine years and more to come.



Over 2 million electric vehicles were sold in 2018 up from just a few thousand in 2010 and there is no sign of slowing down.

Million vehicles




Source: BloombergNEF

Bloomberg NEF expect annual passenger EV sales to rise to 10 million per year in 2025, 28 million in 2028 and 56 million by 2040.

## More EV's, more batteries, more battery factories, more battery materials


Annual lithium-ion battery demand



Source: BloombergNEF, Avicenne


Demand for premium high capacity long life lithium-ion batteries is expected to grow ten-fold by 2030

Megafactory capacity forecast by tier ranking



Source: Benchmark Mineral Intelligence

There are now 99 megafactories in the pipeline with over 2,000 gigawatt hours (GWh) of capacity in the industry's pipeline for 2028.



Demand for premium high capacity long life battery materials is expected to grow ten-fold by 2030

# Battery anode materials

|                      | Artificial graphite                                                                                                                  | Natural graphite                                                                                                                     | Graphite w/silicon <small>additive</small>                                                                                                      | Silicon Dominant                                                                                                              |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| <b>Application</b>   | <ul style="list-style-type: none"> <li>Best for long life applications</li> <li>xEV and Grid</li> </ul>                              | <ul style="list-style-type: none"> <li>Best for low cost applications</li> <li>Portable electronics</li> </ul>                       | <ul style="list-style-type: none"> <li>Commercial application limited 3% - 10%</li> </ul>                                                       | <ul style="list-style-type: none"> <li>Unproven</li> <li>Very limited application</li> </ul>                                  |
| <b>Energy</b>        |  <b>More energy</b>                                |                                                                                                                                      |                                                                                                                                                 |                                                                                                                               |
| <b>Life</b>          |  <b>Longer Life</b>                                |                                                                                                                                      |                                                                                                                                                 |                                                                                                                               |
| <b>Other factors</b> | <ul style="list-style-type: none"> <li>High energy use and associated cost</li> </ul>                                                | <ul style="list-style-type: none"> <li>High chemical use or higher energy cost</li> </ul>                                            | <ul style="list-style-type: none"> <li>Low cycle life</li> <li>High expansion</li> <li>Low efficiency</li> </ul>                                | <ul style="list-style-type: none"> <li>Very low cycle life</li> <li>Extreme expansion</li> <li>Very low efficiency</li> </ul> |
| <b>Solutions</b>     | <ul style="list-style-type: none"> <li>Surface coatings</li> <li>Particle morphology</li> <li>Blending</li> <li>Additives</li> </ul> | <ul style="list-style-type: none"> <li>Surface coatings</li> <li>Particle morphology</li> <li>Blending</li> <li>Additives</li> </ul> | <ul style="list-style-type: none"> <li>Surface coatings</li> <li>Particle morphology</li> <li>Limit % silicon</li> <li>Limit voltage</li> </ul> | <ul style="list-style-type: none"> <li>Unproven</li> <li>Work in progress</li> </ul>                                          |

## Answer to a common question about our PUREgraphite business

**Question:** What is the difference between a natural graphite concentrate produced from a graphite mine and what is manufactured by NOVONIX's PUREgraphite business in the USA?

**Answer:** PUREgraphite manufactures battery anode material which is a more refined product than graphite concentrate.

- Natural graphite concentrate is not ready to go into a lithium-ion or an alkaline battery.
- Natural graphite concentrate has many uses and one is as a precursor material that can be converted into a **"Battery Ready"** material via a series of complex (often proprietary) and expensive manufacturing process steps
- The value of "Battery Ready" natural graphite based anode material is typically **5 to 10 times higher** than natural graphite concentrate from a mine and it is typically customized for a customer and battery applications
- "Battery Ready" anode material is also made from **artificial** graphite made from materials such as coal or petroleum coke
- The value of "Battery Ready" **synthetic (artificial** graphite based) anode material is typically **10 to 20 times higher** than natural graphite concentrate from a mine and it is also typically customized for a customer and battery application
- PUREgraphite is a "Battery Ready" anode material manufacturer and has capability to manufacture synthetic, natural and blended battery anode products to meet customer requirements, and
- The name **"PUREgraphite"** is a brand name for our graphite based battery materials and reflects the ultra high purity of our material being 99.999%+ pure. By comparison natural graphite concentrate from a mine averages around 95% purity


- As high-technology manufacturer and supplier, NOVONIX is investing in intellectual property and new disruptive technologies with short-to-medium term commercialisation potential
- Intellectual property development is undertaken via a significant in-house team, and via the contract R&D arrangements with Dalhousie University previously announced
- NOVONIX is investigating simple, material-efficient and environmentally friendly technologies with significant commercial potential for the global battery sector, and other industries
- New intellectual property technologies have commercial application in the cathode, anode and electrolyte markets, and potential applications in other sectors
- Early interest from potential major commercial partners

*Photo: Dr Chris Burns COO NOVONIX and Professor Mark Obrovac of Dalhousie University inspecting the electrode coating line at the NOVONIX battery cell pilot line.*




## **Dry process to aggregate small particle precursor formulations into larger spherical particles with improved properties that are useful for lithium-ion batteries and other applications** (Filing date: 29 August 2019)

- The technology underlying this patent application was developed by Professor Mark Obrovac and his team at Dalhousie University with intellectual property rights assigned exclusively to Novonix under previously announced broad research sponsorship agreement
- The invention involves a dry processing method for aggregating precursor particles into larger product particles with improved properties
- The product particles are useful in applications requiring uniform, smooth, spherical, or rounded particles such as for electrode materials in lithium batteries and other applications
- The method is simple, material-efficient, environmentally friendly and advantageous for industrial use because of the minimisation of waste material, excellent particle shaping and elimination of solvents in the process
- While the aggregation technology is at pre-commercialisation phase, NOVONIX is focused on its significant potential for the battery and other industries
- Novonix is investigating how to apply and scale the technology for commercial manufacturing of new cathode and anode products for the battery industry



## Dry process for modifying and coating polycrystalline particles to make improved materials for batteries applications (Filing date: 27 March 2019)

- The technology underlying this patent application was developed by Professor Mark Obrovac and his team at Dalhousie University with intellectual property rights assigned exclusively to Novonix under previously announced broad research sponsorship agreement
- The invention involves improved polycrystalline particulates, methods for modifying the surface of the particulates, and lithium insertion cathode and rechargeable lithium batteries comprising such particulates
- The surface layer of polycrystalline particulates are smoothed and coating layers can be applied with both coated and uncoated products showing improved performance in battery applications
- The method is simple, material-efficient, environmentally friendly and advantageous for industrial use because of the elimination of solvents
- While the photocrystalline particle modification technology is at pre-commercialisation phase NOVONIX is very excited about its potential for the battery and other industries
- Novonix is investigating how to apply and scale this technology for commercial manufacture of new cathode and anode products for the battery industry



5 μm


## DTA Overview

- **Differential thermal analysis (DTA) is a non-destructive method for studying the liquid electrolyte in a cell**
- As cells cycle, the liquid electrolyte composition and amount can change. This will be seen as specific changes in the DTA signals, which can help track the changes in electrolyte over the cell's lifespan
- Patent protected





## DTA Theory

- Energy is required for phase transitions from solid to liquid or liquid to gas
- With constant heat flow, the sample temperature remains constant across a phase transition (plateau)
- The length of the plateau is proportional to the amount of substance present.
- DTA tracks these phase transitions by **measuring the temperature difference between the sample of interest and an inert reference**



## DTA Output



- Commissioning the PUREgraphite Phase 1 Commercial Plant (500 tpa capacity)
- Announcement of first off-take contract for PUREgraphite anode with battery maker
- Commercial production ramp-up at PUREgraphite to 500 tpa rate
- Delivery of first PUREgraphite anode commercial product to customer
- Announcement of subsequent PUREgraphite collaborations and off-take contracts
- Ongoing PUREgraphite product and process improvement and development
- Preparation for rapid PUREgraphite expansion
- Filing of provisional patents for new battery materials and manufacturing methods
- Strong growth in cell design, cell making, cell testing and materials evaluation services
- Delivery of large custom testing system for global electronics company
- Expansion of strategic DTA research and development services and sales

## Corporate

### Group Managing Director

Contact: Philip St Baker

Email: [phil@novonixgroup.com](mailto:phil@novonixgroup.com)

Telephone: +1 970-376-4918

Telephone: +61 438-173-330

### Group Executive Director

Contact: Greg Baynton

Email: [greg@novonixgroup.com](mailto:greg@novonixgroup.com)

Telephone: +61 414-970-566

### Group CFO and Co Secretary

Contact: Suzanne Yeates

Email: [suzanne.yeates@oasolutions.com.au](mailto:suzanne.yeates@oasolutions.com.au)

Telephone: +61 439-310-818

## Battery Technology Solutions



### Dartmouth, Nova Scotia, CANADA

177 Bluewater Road, Bedford, NS B4B 1H1,  
Canada

### CEO - NOVONIX BTS

Contact: Dr Chris Burns

Email: [chris@novonixgroup.com](mailto:chris@novonixgroup.com)

Telephone: +1 902-449-9121

### CFO - NOVONIX BTS

Contact: Nick Liveris

Email: [nick@novonixgroup.com](mailto:nick@novonixgroup.com)

Telephone: +1 989-859-3213

## PUREgraphite



### Chattanooga, Tennessee, USA

353 Corporate Place, Chattanooga, TN,  
37419, USA

### CEO - PUREgraphite

Contact: Dr Chris Burns

Email: [chris@novonixgroup.com](mailto:chris@novonixgroup.com)

Telephone: +1 902-449-9121

### CFO - PUREgraphite

Contact: Nick Liveris

Email: [nick@novonixgroup.com](mailto:nick@novonixgroup.com)

Telephone: +1 989-859-3213