

Form 51-102F3
Material Change Report

Item 1 Name and Address of Company

Arizona Mining Inc. (“**Arizona Mining**” or the “**Company**”)
Suite 555 – 999 Canada Place, Vancouver, BC V6C 3E1

Item 2 Date of Material Change

June 8, 2016 and June 9, 2016

Item 3 News Release

A news release was disseminated on June 8, 2016 and on June 9, 2016 by Canada NewsWire (CNW Group).

Item 4 Summary of Material Change

On June 08, 2016 – Arizona Mining Inc. (TSX: AZ) (“Arizona Mining” or the “Company”) announced the results of three new exploration drill holes targeting the expansion of the Taylor Zn-Pb-Ag sulfide deposit located on its 100% owned Hermosa Project in Santa Cruz County, Arizona USA.

On June 9, 2016 – The Company announced that it has closed the previously announced private placement of 14,000,000 common shares of the Company at a price of \$1.29 per common share for aggregate gross proceeds of \$18,060,000 million.

Item 5 Full Description of Material Change

June 08, 2016

Arizona Mining Inc. announced the results of three new exploration drill holes targeting the expansion of the Taylor Zn-Pb-Ag sulfide deposit located on its 100% owned Hermosa Project in Santa Cruz County, Arizona USA.

All holes are significant expansions to the maiden resource announced on February 1, 2016 (see Map attached).

HDS-346 intersected several zones of mineralization including 183 feet of 6.2% zinc, 7.6% lead, 0.05% copper and 2.29 opt silver, which included an interval of 85 feet of 9.4% zinc, 12.8% lead, 0.09% copper, and 3.92 opt silver. This drill hole represents a 500 foot step out from the northwestern extent of the previously reported resource area.

CEO Jim Gowans commented, “These excellent drill results continue to support our view that the Taylor Deposit is going to grow in size and grade and will rank with some of the world’s largest base metal deposits. We continue to aggressively pursue drilling this project and have increased the number of drill rigs from 5 to 8 to complete the current 125,000 foot program. The deposit remains open in all directions, and to date we have drilled no blank or even weakly mineralized holes.”

For a full listing of the drill results for HDS-340; HDS-342 and HDS-346 see Table I below.

Table I. Assay summaries

DH_ID		From (feet)	To (feet)	Interval (in feet)	From (meters)	To (meters)	Interval (meters)	Ag opt	Pb%	Zn%	Cu%
HDS-340		2062	2082	10	628.5	634.6	3.0	2.08	1.35	0.60	0.11
HDS-340		2545.5	2555	9.5	775.8	778.7	2.9	1.62	1.55	2.43	0.05
HDS-340		2799	2809	10	853.1	856.1	3.0	1.16	1.49	3.10	0.01
HDS-340		3242	3272	30	988.1	997.3	9.1	9.22	22.74	2.95	1.09
HDS-340		3427	3437	10	1044.5	1047.5	3.0	0.47	0.98	3.34	0.01
HDS-342		500	517	17	152.4	157.6	5.2	0.66	0.57	3.05	0.00
HDS-342		557	570.5	13.5	169.8	173.9	4.1	1.45	1.81	2.06	0.11
HDS-342		620.5	653	32.5	189.1	199.0	9.9	1.79	0.36	0.37	0.08
HDS-342		1650.5	1698	47.5	503.0	517.5	14.5	3.59	10.16	14.15	0.86
HDS-342		1806	1820	14	550.4	554.7	4.3	0.98	2.29	3.49	0.24
HDS-342		1935	1951	16	589.8	594.6	4.9	1.36	4.01	2.11	0.06
HDS-342		1990	2010	20	606.5	612.6	6.1	0.68	1.88	1.45	0.04
HDS-342		2211.5	2382	170.5	674.0	726.0	52.0	0.80	1.83	2.39	0.09
HDS-342	Including	2285.5	2333.5	48	696.6	711.2	14.6	1.30	3.19	4.84	0.16
HDS-342		2404.5	2455	50.5	732.9	748.2	15.4	2.11	5.70	7.89	0.20
HDS-342		2559	2570	11	779.9	783.3	3.4	1.68	2.74	1.45	0.40
HDS-342		2589	2624	35	789.1	799.8	10.7	0.85	1.99	1.44	0.04
HDS-342		2816	2821.5	5.5	858.3	860.0	1.7	47.73	3.84	2.39	0.55
HDS-342		2891	2896.5	5.5	881.1	882.8	1.7	11.55	6.67	4.36	0.27
HDS-346		2078	2117	39	633.3	645.2	11.9	1.06	1.18	2.07	0.06
HDS-346		2458	2472	14	749.2	753.4	4.3	0.37	1.04	1.77	0.05
HDS-346		2699	2882	183	822.6	878.4	55.8	2.29	7.63	6.27	0.05
HDS-346	Including	2730	2815	85	832.1	858.0	25.9	3.92	12.84	9.47	0.09
HDS-346		3196	3205.5	9.5	974.1	977.0	2.9	5.77	16.79	9.20	0.95
HDS-346		3243	3267	24	988.4	995.7	7.3	2.01	5.52	4.77	0.28

(Drill intersections with combined Zinc and Lead>9.0% highlighted. Drill intervals are down the hole drill width but are considered to be within 5% of true width)

Qualified Person

The results of the Arizona Mining Inc. drilling results have been reviewed, verified and compiled by Donald R. Taylor, MSc., PG, Chief Operating Officer for Arizona Mining Inc., a qualified person as defined by National Instrument 43-101 (NI 43-101). Mr. Taylor has more than 25 years of mineral exploration and mining experience, and is a Registered Professional Geologist through the SME (registered member #4029597).

Assays and Quality Assurance/Quality Control

To ensure reliable sample results, the Company has a rigorous QA/QC program in place that monitors the chain-of-custody of samples and includes the insertion of blanks, duplicates, and certified reference standards at statistically derived intervals within each batch of samples. Core is photographed and split in half with one-half retained in a secured facility for verification purposes.

Sample preparation (crushing and pulverizing) has been performed at ALS Minerals Laboratories, an ISO/IEC accredited lab located in Tucson, Arizona. ALS Minerals Laboratories prepares a pulp of all samples and sends the pulps to their analytical laboratory in Vancouver, B.C. Canada for analysis. ALS analyzes the pulp sample by ICP following a 4-acid digestion (ME-ICP61 for 33 elements) including Cu (copper), Pb (lead), and Zn (zinc). All samples in which Cu (copper), Pb (lead), or Zn (zinc) are greater than 10,000 ppm are rerun using four acid digestion with an ICP – AES finish (Cu-OG62;Pb-OG62; and Zn-OG62) with the elements reported in percentage (%). Silver values are determined by ICP ((ME-ICP61) with all samples with silver values greater than 100 ppm repeated using four acid digestion with

an ICP-AES finish (Ag-OG62) calibrated for higher levels of silver contained. Any values over 1,500 ppm Ag triggers a fire assay with gravimetric finish analysis. Gold values are determined by a 30 gm fire assay with an ICP-AES finish (Au-ICP21).

June 9, 2016

Arizona Mining Inc. announced that it has closed the previously announced private placement of 14,000,000 common shares of the Company at a price of \$1.29 per common share for aggregate gross proceeds of \$18,060,000 million. The offering was underwritten by a syndicate of underwriters led by Scotiabank and RBC Capital Markets, acting as joint bookrunners and co-lead underwriters, and including National Bank Financial Inc. and TD Securities Inc.

Proceeds from the Offering will be used to fund an ongoing drill campaign to determine the size and extent of the Taylor Deposit at the Company's Hermosa Project and for working capital.

Item 6 Reliance on subsection 7.1(2) of National Instrument 51-102

This Report is not being filed on a confidential basis in reliance on subsection 7.1(2) of National Instrument 51-102.

Item 6 Reliance on subsection 7.1(2) of National Instrument 51-102

This Report is not being filed on a confidential basis in reliance on subsection 7.1(2) of National Instrument 51-102.

Item 7 Omitted Information

None

Item 8 Executive Officers

Purni Parikh, Vice President & Corporate Secretary (604) 638-2003
Paul Ireland, Chief Financial Officer (604) 687-1717

Item 9 Date of Report

June 10, 2016