



## **Granada Gold Mine Announces Filing of NI 43-101 Technical Report for The Granada Gold Project, Quebec, with Updated Resource Estimate**

**Rouyn Noranda, QC – August 22, 2022** – Granada Gold Mine (TSX.V: GGM) (“Granada”, “GGM” or the “Company”) is pleased to announce the filing on SEDAR ([www.sedar.com](http://www.sedar.com)) of a technical report for its Granada Gold Project. The report dated August 20, 2022, is entitled “Technical Report on the Granada Gold Project Mineral Resource Estimate Update, Rouyn-Noranda, Quebec, Canada.” The report can also be found on the Company’s website, [www.granadagoldmine.com](http://www.granadagoldmine.com).

The report was prepared following the regulations laid out in National Instrument 43-101 – Standards of Disclosure for Mineral Projects (“NI-43-101”), by Yann Camus, P.Eng. and Maxime Dupéré, géo, of SGS Canada Inc., who are independent “Qualified Persons” as defined by NI 43-101.

### **Qualified Persons**

For the purposes of this announcement, Yann Camus, P.Eng., is a Qualified Person in accordance with National Instrument 43-101 and has reviewed and approved the technical content of this news release with respect to the Mineral Resource Estimate. As independent QP, Mr. Camus was responsible for the preparation of the technical information contained within the report.

Claude Duplessis, P.Eng., of Goldminds Geoservices Inc., a geological, environmental and mining consultant and qualified person in accordance with National Instrument 43-101, has reviewed and approved the contents of this news release.

### **About Granada Gold Mine Inc.**

Granada Gold Mine Inc. continues to develop and explore its 100% owned Granada Gold Property near Rouyn-Noranda, Quebec which is adjacent to the prolific Cadillac Break. The Company owns 14.73 square kilometers of land in a combination of mining leases and claims. The company is currently undergoing a large drill program with 30,000m out of 120,000m complete. The drills are currently paused to provide the technical team with the necessary time to evaluate and assimilate existing data.

The Granada Shear Zone and the South Shear Zone contain, based on historical detailed mapping as well as from current and historical drilling, up to twenty-two mineralized structures trending east-west over five and a half kilometers. Three of these structures were mined historically from four shafts and three open pits. Historical underground grades were 8 to 10 grams per tonne gold from two shafts down to 236 m and 498 m with open pit grades from 3.5 to 5 grams per tonne gold.

### **Mineral Resource Estimate**

On August 20, 2022 the Company released an updated NI 43-101 technical report supporting the resource estimate update for the Granada Gold project (Please see July 6, 2022 news release) reporting that the Granada deposit contains an updated mineral resource, at a base case cut-off grade of 0.55 g/t Au for pit constrained mineral resources within a conceptual pit shell and at a base case cut-off grade of 2.5 g/t for underground mineral resources within reasonably mineable volumes, 543,000 ounces of gold (8,220,000 tonnes at an average grade of 2.05 g/t Au) in the Measured and Indicated category, and 456,000 ounces of gold (3,010,000 tonnes at an average grade of 4.71 g/t Au) in the Inferred category. Please see Table 1 below for full details. Report reference: Granada Gold

Project Mineral Resource Estimate Update, Rouyn-Noranda, Quebec, Canada authored by Yann Camus, P.Eng. and Maxime Dupéré, B.Sc, P.Geo., SGS Canada Inc. dated August 20th, 2022 and with an effective date of June 23rd, 2022.

Table 1: Mineral Resource Estimate Showing Tonnes, Average Grade, and Gold Ounces

Cut-Off (g/t Au)	Classification	Type	Tonnes	Au (g/t)	Gold Ounces
0.55 / 2.5	Measured <sup>1</sup>	<b>InPit+UG</b>	4,900,000	1.70	269,000
	Indicated	<b>InPit+UG</b>	3,320,000	2.57	274,000
	<b>Measured &amp; Indicated</b>	<b>InPit+UG</b>	<b>8,220,000</b>	<b>2.05</b>	<b>543,000</b>
	Inferred	<b>InPit+UG</b>	3,010,000	4.71	456,000

- (1) The 1930-1935 production was removed from these numbers (164,816 tonnes at 9.7 g/t Au / 51,400 ounces Au).
- (2) The Independent QP for this resources statement is Yann Camus, P.Eng., SGS Canada Inc.
- (3) The effective date is June 23<sup>rd</sup>, 2022.
- (4) CIM (2014) definitions were followed for Mineral Resources.
- (5) Mineral resources which are not mineral reserves do not have demonstrated economic viability. An Inferred Mineral Resource has a lower level of confidence than that applying to a Measured and Indicated Mineral Resource and must not be converted to a Mineral Reserve. It is reasonably expected that the majority of Inferred Mineral Resources could be upgraded to Indicated Mineral Resources with continued exploration.
- (6) No economic evaluation of the resources has been produced.
- (7) All figures are rounded to reflect the relative accuracy of the estimate. Totals may not add due to rounding
- (8) Composites have been capped where appropriate. The 2.5 m composites were capped at 21 g/t Au in the thin rich veins and at 7 g/t Au in the low-grade volumes.
- (9) Cut-off grades are based on a gold price of US\$1,700 per ounce, a foreign exchange rate of US\$0.78 for CA\$1, a processing gold recovery of 93%.
- (10) Pit constrained mineral resources are reported at a cut-off grade of 0.55 g/t Au within a conceptual pit shell
- (11) Underground mineral resources are reported at a cut-off grade of 2.5 g/t Au within reasonably mineable volumes.
- (12) A fixed specific gravity value of 2.78 g/cm<sup>3</sup> was used to estimate the tonnage from block model volumes
- (13) There are no mineral reserves on the Property.
- (14) The deepest resources reported are at a depth of 990 m.
- (15) SGS is not aware of any known environmental, permitting, legal, title-related, taxation, socio-political, marketing or other relevant issues that could materially affect the mineral resource estimate.
- (16) The results from the pit optimization are used solely for the purpose of testing the “reasonable prospects for economic extraction” by an open pit and do not represent an attempt to estimate mineral reserves. There are no mineral reserves on the Property. The results are used as a guide to assist in the preparation of a mineral resource statement and to select an appropriate resource reporting cut-off grade.

The property includes the former Granada Gold underground mine which produced more than 50,000 ounces of gold at 10 grams per tonne gold in the 1930’s from two shafts before a fire destroyed the surface buildings. In the 1990s, Granada Resources extracted a bulk sample (Pit #1) of 87,311 tonnes grading 5.17 g/t Au. They also extracted a bulk sample (Pit # 2) of 22,095 tonnes grading 3.46 g/t Au.

“Frank J. Basa”  
 Frank J. Basa, P. Eng.  
 Chief Executive Officer

For further information, Contact:  
 Frank J. Basa, P.Eng.  
 Chief Executive Officer  
 P: 416-625-2342

Or:

Wayne Cheveldayoff,  
Corporate Communications  
P: 416-710-2410  
E: waynecheveldayoff@gmail.com

*Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release. This news release may contain forward-looking statements which include, but are not limited to, comments that involve future events and conditions, which are subject to various risks and uncertainties. Except for statements of historical facts, comments that address resource potential, upcoming work programs, geological interpretations, receipt and security of mineral property titles, availability of funds, and others are forward-looking. Forward-looking statements are not guarantees of future performance and actual results may vary materially from those statements. General business conditions are factors that could cause actual results to vary materially from forward-looking statements.*