



#1120, 789 West Pender Street,
Vancouver, B.C.
V6C 1H2, Canada
T: +1 (604) 229-8129

E-mail: info@tnrgoldcorp.com
Website: <http://www.tnrgoldcorp.com>

NEWS RELEASE

TNR Gold NSR Royalty Update - Los Azules Copper, Gold and Silver Project: Los Azules Infill Drilling Confirmed High-Grade Copper Zone

Vancouver, British Columbia – August 14, 2024: TNR Gold Corp. (TSX-V: TNR) (“TNR”, “TNR Gold” or the “Company”) is pleased to announce that McEwen Mining Inc. (“McEwen Mining”) has provided an update on the Los Azules copper, gold and silver project in San Juan, Argentina. TNR holds a 0.4% net smelter returns royalty (“NSR Royalty”) (of which 0.04% of the 0.4% NSR Royalty is held on behalf of a shareholder) on the Los Azules Copper Project. The Los Azules project is held by McEwen Copper Inc. (“McEwen Copper”), a subsidiary of McEwen Mining.

The news release issued by McEwen Mining on August 8, 2024, stated:

“McEwen Copper Inc., 48.3% owned by McEwen Mining Inc. (NYSE, TSX), is pleased to comment on the excitement in Argentina that includes:

Infill Drill Highlights:

AZ24375: **217 meters** of **1.11 % Cu**, incl. **100 meters** of **1.32 % Cu**
AZ24335: **158 meters** of **0.84 % Cu**, incl. **78.5 meters** of **1.10 % Cu**
AZ24403: **276 meters** of **0.86 % Cu**, incl. **160 meters** of **0.96 % Cu**
AZ24320: **146 meters** of **0.89 % Cu**
AZ24332: **119.6 meters** of **0.72 % Cu**

- Remarkable new legislation introduced by President Milei to encourage large domestic and foreign investments in the country;
- A US\$4.4 Billion transaction led by BHP, the world's largest mining company, and Lundin Mining to acquire two copper deposits located in the same province in Argentina as Los Azules;
- At Los Azules, infill drilling during the 2023-24 season upgraded the resource categories, validated the geological model and confirmed the high-grade zone. Resource drilling for the Los Azules Feasibility Study is now complete, and the study remains on track for delivery in early 2025.

Remarkable and Welcoming Legislation – Milei Magic

President Milei's government introduced legislation that has rolled out the welcome mat for large-scale domestic and foreign direct investments in Argentina.

This legislation recently approved by Argentina's government is called "Bases and Starting Points for the Freedom of Argentines" and includes the Incentive Regime for Large Investors (RIGI), offering significant tax and foreign exchange incentives to encourage domestic and direct foreign investment in key sectors of the economy, including mining.

This program addresses most of all past stumbling blocks for sustained development of the mining sector in Argentina, and it's a huge step in the right direction.

We are excited about these changes as they open the door for many infrastructure investments in Argentina and significantly improve the economics of the Los Azules project and lower risks for investors. Details of the legislation are found in [Appendix A - More Information on RIGI](#) and you can click [here](#) for the official summary.

US\$4.4 Billion Copper Transaction

Last week, BHP, the world's largest mining company, and Lundin Mining announced a US\$4.4 Billion transaction through which they have agreed to jointly acquire the two copper deposits Filo del Sol and Josemaria located in the same San Juan province of Argentina as Los Azules.

We believe that this transaction is a convincing demonstration of San Juan and Argentina's attractiveness for large-scale mining projects and evidence of Argentina moving towards becoming a Tier 1 mining jurisdiction. Click on these links to read details of the transaction, in press releases by [BHP](#), [Lundin Mining](#), and [Filo Corp](#).

Los Azules Infill Drilling Highlights Confirming High Grade Copper Zone

At Los Azules, infill drilling upgraded the resource categories, validated the geological model and confirmed the high-grade zone. During the 2023-24 drilling season over 70,000 meters (m) were completed, that have strengthened the interpretation of the geological model in addition to extending the supergene enrichment zone mineralization, both at the edges and to depth.

Resource drilling for the Los Azules Feasibility Study is now complete, and the study remains on track for delivery in early 2025.

Drilling Highlights

- Hole AZ24375, drilled to a depth of 369 m, returned **217 m** of **1.11 % Cu** in the enriched zone, including **100 m** of **1.32 % Cu**.
- Hole AZ24335, drilled to a depth of 227.5 m, returned a **158 m** intercept of **0.84% Cu** within the enriched zone, including **78.5 m** of **1.10 % Cu**.
- Hole AZ24403, drilled to a depth of 427 m, returned a **276 m** intercept of **0.86% Cu** within the enriched zone, including **160 m** of **0.96 % Cu**.
- Hole AZ24320, drilled to a depth of 204 m, returned **146 m** of **0.89% Cu** in the enriched zone.
- Hole AZ24332, drilled to a depth of 255.6 m, returned **119.6 m** of **0.72% Cu** in the enriched zone.

The 2023-2024 drill campaign successfully achieved its objective of infilling existing drill hole data to support the conversion of resources to Measured or Indicated Mineral


Resources to include in the Los Azules Feasibility Study. In addition, geotechnical, metallurgical, hydrogeological and condemnation drilling was carried out.

The locations of the highlighted results are presented in 8 figures. A plan or aerial view of the resources and the outline of the PEA pit are shown in **Figure 1**. **Figures 2 to 7** show recent drilling in relation to the overburden, the leached, enriched and primary zones, and the 30-year pit shell of the 2023 Preliminary Economic Assessment (PEA) (marked by the green line in the sections). **Figure 8** represents a cross section with recent drill data and inferred geology.

Drill results and location information for this press release are available in *Appendix B - Detailed Data From the 2023-2024 Drilling Campaign at Los Azules*.

Figure 1 shows a plan view of the location of the sections and drill holes reported in this press release. All cross sections are 50 m equidistant from each other, with the lowest numbered section starting from the southern end of the deposit. Shown in blue are the collars of the drill holes included in this news release.

Figure 1 – Plan View Location of Cross-sections and Drill Holes Reported in This News Release



The section marked on **Figure 1** by the red dashed line is presented in **Figure 2** as the longitudinal view looking northeast and indicating the location of the reported holes.

Note the position of the highlighted holes within the zone of enriched (or supergene) mineralization and how they mostly ended in mineralized material, indicating the potential for mineralization to continue at depth. The length of the enriched zone on this section is 3.9 kilometers. The enriched zone now continues beyond the southern limit of the PEA mineable pit shell.

Figure 2 - Longitudinal Section (Looking Northeast)




Figure 3 shows a 217 m intercept of 1.11 % Cu (AZ24375) and includes a 100 m interval of 1.32% Cu within the enriched zone. This hole infills a data gap within the center of the deposit and confirms the continuity of higher-grade mineralization.

Figure 3 - Section 45 - Drilling, Mineralized Zones and 30-Year PEA Pitshell (Looking Northwest)




Figure 4 shows an intercept of 276 m of 0.86 % Cu (AZ24403) that includes 160 m of 0.96% Cu in the enriched zone. This hole also infills a drilling gap in the center of the deposit with higher grade mineralization.

Figure 4 - Section 43 - Drilling, Mineralized Zones and 30-Year PEA Pitshell (Looking Northwest)




Figure 5 shows a **146 m** intercept of **0.89 % Cu** (AZ24320). The drill hole extends high grade mineralization to the west of a previously drilled hole (AZ22152MET).

Figure 5 - Section 32 - Drilling, Mineralized Zones and 30-Year PEA Pitshell (Looking Northwest)




Figure 6 shows an intercept of **158 m** of **0.84 % Cu** (AZ24335) that includes **78.5 m** of **1.10% Cu** within the enriched zone. The drill hole ended in mineralized material, indicating the potential for mineralization to continue at depth within the enriched zone, as indicated by previously released drill holes.

Figure 6 - Section 31 - Drilling, Mineralized Zones and 30-Year PEA Pitshell (Looking Northwest)





Figure 7 shows a **119.6 m** intercept of **0.72 % Cu** (AZ24332) in the enriched zone. This hole extends the higher-grade mineralization seen previously in AZ23309 in the central portion of the enriched zone towards the east and at depth.

Figure 7 - Section 28 - Drilling, Mineralized Zones and 30-Year PEA Pitshell (Looking Northwest)



Geological Model - Interpretation and Its Relationship with the Copper Mineralization

Geological understanding of the Los Azules deposit has increased significantly with the drilling performed from 2022 to 2024. A series of copper-bearing early and inter-mineral porphyry dikes and hydrothermal magmatic breccias are cutting across a pre-mineral diorite intrusive. The dikes dip steeply to the east in their northwest-southeast orientations.


All rock types contain variable copper mineralization, depending on their position within the deposit's vertical profile. From top to bottom, the zoning includes leached, supergene (enriched) and primary (hypogene), which are characteristic of many porphyry copper deposits worldwide.

Hypogene mineralization, associated with the early mineral porphyry and proximal host rock, is characterized by a stockwork of abundant type A veinlets containing quartz, pyrite, and chalcopyrite. In much of the deposit's footprint, mineralization encountered at depth strongly indicates the potential to extend further, beyond 1,000 meters.

The supergene copper enrichment process created higher grades in the early mineral porphyry and associated hydrothermal magmatic breccias, and lower grades in the less permeable pre-mineral pluton and inter-mineral porphyries. The supergene mineralization will be the principal mineral feed for the leach pad for the Feasibility Study.

In **Figure 8** Section 29 shows, in its central part, the early mineral porphyry (purple color) intruding or cutting the pre-mineral diorite (light green color). To a lesser extent, thin inter-mineral porphyry dikes (light blue color), affect both the early mineral porphyry and the pre-mineral diorite. The early mineral porphyry is the primary source of copper mineralization in the deposit.

Figure 8 - Recent Drill Data and Inferred Geology in Cross Section 29



Technical Information

The technical content of this press release has been reviewed and approved by Darren King, Director of Exploration of McEwen Copper, who serves as the qualified person (QP) under the definitions of National Instrument 43-101.

All tasks, including the collection of samples for geochemical analysis, were carried out in accordance with generally accepted mining industry standards. Drill core samples were analyzed by Alex Stewart International laboratory, located in the Province of Mendoza, Argentina, whose assays consisted of: gold analysis by fire fusion assay and an atomic

absorption spectroscopy finish (Au4-30); multiple element studies by ICP-OES analysis (ICP-AR 39); determination of copper content by sequential copper analysis (Cu-Sequential LMC-140). In addition, and for samples with high sulfide content (Cu, Ag, Pb and Zn) and exceeding the limits of analysis, an ICP-ORE type analysis was performed.

The company is conducting a quality control/assurance program in accordance with NI 43-101, and industry best practices, using a combination of standards and blanks on approximately one out of every 25 samples. Results are monitored as final certificates are received and any re-assay requests are sent immediately. Analysis of pulp and preparation samples is also performed as part of the quality control process. Approximately 5% of the sample pulps are sent to a secondary laboratory for control purposes. In addition, the laboratory performs its own internal quality control checks, and the results are made available on certificates for company review.

ABOUT MCEWEN COPPER

McEwen Copper is a well-funded, private company that owns 100% of the large, advanced-stage Los Azules copper project, located in the San Juan province, Argentina. McEwen Copper is a 48.3%-owned private subsidiary of McEwen Mining, which trades under the ticker MUX on NYSE and TSX.

Los Azules is being designed to be distinctly different from a conventional copper mine by consuming significantly less water, emitting much lower carbon, progressing towards carbon neutral by 2038, and being powered by 100% renewable electricity once in operation. The updated Preliminary Economic Assessment (PEA) released in June 2023 projects a long life of mine, short payback period, low production cost per pound, high annual copper production, and a 21.2% after-tax IRR.

ABOUT MCEWEN MINING

McEwen Mining is a gold and silver producer with operations in Nevada, Canada, Mexico, and Argentina. McEwen Mining also owns a 48.3% interest in McEwen Copper, which is developing the large, advanced-stage Los Azules copper project in Argentina. The Company's objective is to improve the productivity and life of its assets with the goal of increasing the share price and providing investor yield. Rob McEwen, Chairman and Chief Owner, has a personal investment in the companies of US\$225 million. His annual salary is US\$1.

Appendix A - More Information on RIGI -

The RIGI grants a series of benefits in tax, customs and foreign exchange regulations for investment projects in the mining sector that comply with the requirements set up by the law.

The main requirements for beneficiaries of RIGI are as follows:

- The amount for an investment to qualify within the regime will be >US\$200 million, as determined for different industries by the regulations.
- Export projects with investments greater than US\$1 billion are considered strategic and have additional benefits.
- At least 40% of the minimum amount must be invested in the first two years.

- The regime will be open to applications for 2 years. The application period can be extended for 1 more year. The investment can be completed after the application period.
- The use of incentives may require collateral.

The Los Azules project is believed to be able to meet all criteria to be considered a strategic project under the terms of the RIGI legislation.

The main benefits to the beneficiaries of the RIGI are the following:

1. Income Tax

- Corporate income tax rate is reduced from the current 35% to 25%.
- Equipment is subject to accelerated depreciation in 2 years, and infrastructure and cost of mine in 60% of its useful life.
- Net Operating Losses (NOLs) can be carried forward without a time limit. After a 5-year carry forward, NOLs can be transferred (sold) to third parties. NOLs are adjusted for inflation.
- Interest is deductible without limitations during the first 5 years even when the lender is foreign related party.
- Dividend payments are subject to tax at 7%, which will be reduced to 3.5% after 7 years.
- In the case of Strategic Export projects, payments to foreign beneficiaries for technical assistance are not subject to withholding tax. Other payments to foreign beneficiaries are capped at 10.5% withholding with no grossing up.

2. Value Added Tax (VAT)

- Rather than paying VAT on purchases, the beneficiaries of the RIGI will provide its suppliers with Tax Credit Certificates. The Tax Credit Certificates can also be used to pay the VAT generated by imports of equipment. This prevents from tying up funds as VAT credits to be recovered against future exports. Implementation of this benefit will require extensive regulation.
- Suppliers may use the certificates to offset their VAT obligations and, if there is a VAT credit left to recover, they may transfer (sell) the VAT credit to third parties.

3. Other Taxes

- The beneficiaries of the regimen will have a 100% tax credit for the amounts paid for Bank Transactions Tax to offset the income tax obligations.
- Provinces and Municipalities cannot establish new taxes affecting the projects, except for service fees that do not exceed the cost of the service provided to the beneficiary.

4. Imports

- Freedom to import without quotas or restrictions.
- Exemption from import duties on capital goods, spare parts, parts, components and consumables.

5. Exports

- Freedom to export the products produced by the project.
- Exemption from export duties after three years of registration. The exemption applies for two years in Strategic Export projects.
- Maximum Principal gross revenue royalty of 5% (at the discretion of the Province).

6. Foreign Exchange Regime

- Foreign proceeds from exports are freely available: 20% of proceeds after two years of the commencement of production; 40% after three years, and 100% after four years onwards.

- In the case of a Strategic Export project, the foreign proceeds are freely available as follows: 20% of proceeds after one year of the commencement of production; 40% after two years, and 100% after three years onwards.
- Foreign proceeds from external financing are freely available. Foreign assets abroad do not generate foreign exchange restrictions.
- Free access to the foreign exchange market for the repayment of loans, repatriation of investments, payment of interests and dividends, conditional on the investment or loan having been entered through the exchange market.

7. Stability Safeguards

Beneficiaries are also granted tax, customs and foreign exchange stability for 30 years from joining the RIGI. In the case of Strategic Export projects developed in stages, stability can be extended up to 40 years from the commencement of production of the first stage.

The safeguards offered by the stability have these main features:

- Tax stability applies by tax and not by total tax burden. It also applies to withholding taxes on payments to foreign beneficiaries. In the event of an increase in taxes, the beneficiaries of the regimen may reject the payment of the tax exceeding stability or pay the tax and use the amount of the tax paid as a tax credit against any other national tax. A breach of stability is presumed (it is not necessary to prove it) if it comes from a legal or regulatory change. In the case of tax reduction, the beneficiaries can automatically take advantage of it.
- Customs stability includes a mechanism that allows the beneficiaries to make a manual self-assessment applying the stabilized duties instead of the automatic calculation by the customs system.
- Foreign exchange stability protects against regulations imposing more burdensome or restrictive conditions. The law allows beneficiaries to reject the application of the new rule. The Central Bank cannot initiate criminal proceedings without first carrying out a process to determine whether the exchange stability applies to the case.

Dispute Resolution

- Disputes can be resolved by administrative proceedings or international arbitration outside Argentina. Arbitration can be initiated, even if the administrative procedure has not been completed.
- The arbitration is to be done outside of Argentina, under the rules of the PCA, ICC or ICSID, with arbitrators who are neither Argentine nor nationals of the investor's country."

Appendix B - Detailed Data From the 2023-2024 Drilling Campaign at Los Azules -

Table 1 – Recent Los Azules Drilling Results

Hole-ID	Section	Predominant Mineral Zone	From (m)	To (m)	Length (m)	Cu (%)	Au (g/t)	Ag (g/t)	Comment
AZ24316	26	Total	111.0	315.5	204.5	0.63	0.05	1.23	Incl. 123 m of 0.8% Cu
		Enriched	111.0	293.0	182.0	0.64	0.05	1.22	
		Primary	293.0	315.5	22.5	0.26	0.00	1.70	
AZ24317	56	Total	107.0	305.0	198.0	0.18	0.03	0.61	
		Enriched	107.0	305.0	198.0	0.18	0.03	0.61	
		Primary							
AZ24318MET	50	Total	124.0	229.5	105.5	0.70	0.05	2.53	Incl. 12 m of 1.44% Cu
		Enriched	124.0	229.5	105.5	0.70	0.05	2.53	
		Primary							
AZ24319	35	Total	160.0	355.0	195.0	0.45	0.04	0.96	Incl. 84 m of 0.51% Cu
		Enriched	160.0	332.0	172.0	0.48	0.04	1.04	
		Primary	332.0	355.0	23.0	0.27	0.03	0.36	
AZ24320	32	Total	58.0	204.0	146.0	0.89	0.05	1.67	
		Enriched	58.0	204.0	146.0	0.89	0.05	1.67	

Primary									
AZ24321	30	Total	117.0	389.8	272.8	0.60	0.05	1.32	
		Enriched	117.0	389.8	272.8	0.60	0.05	1.32	Incl. 12 m of 0.85% Cu
		Primary							
AZ24322	44	Total	144.0	491.0	347.0	0.43	0.06	1.78	
		Enriched	144.0	491.0	347.0	0.43	0.06	1.78	Incl. 130 m of 0.57% Cu
		Primary							
AZ24323	26	Total	86.0	184.6	98.6	0.19	0.01	0.64	
		Enriched	86.0	184.6	98.6	0.19	0.01	0.64	
		Primary							
AZ24324	34	Total	108.0	343.0	235.0	0.37	0.02	0.36	
		Enriched	108.0	322.0	214.0	0.40	0.02	0.37	Incl. 12 m of 0.92% Cu
		Primary	322.0	343.0	21.0	0.12	0.02	0.30	
AZ24325	25	Total	76.0	338.0	262.0	0.19	0.02	0.65	
		Enriched	76.0	266.0	190.0	0.21	0.02	0.65	
		Primary	266.0	338.0	72.0	0.14	0.02	0.64	
AZ24326	26	Total	108.0	331.0	223.0	0.42	0.05	1.30	
		Enriched	108.0	256.0	148.0	0.52	0.07	1.47	Incl. 57.7 m of 0.59% Cu
		Primary	256.0	331.0	75.0	0.23	0.03	0.95	
AZ24327	31	Total	78.0	316.0	238.0	0.38	0.03	1.10	
		Enriched	78.0	316.0	238.0	0.38	0.03	1.10	
		Primary							
AZ24328	48	Total	126.0	231.0	105.0	0.08	0.02	1.13	
		Enriched	126.0	231.0	105.0	0.08	0.02	1.13	
		Primary							
AZ24329	29	Total	90.0	332.0	242.0	0.24	0.03	0.89	
		Enriched	90.0	290.0	200.0	0.25	0.03	0.96	
		Primary	290.0	332.0	42.0	0.17	0.02	0.56	
AZ24330	56	Total	164.0	185.0	21.0	0.70	0.03	1.26	
		Enriched	164.0	185.0	21.0	0.70	0.03	1.26	
		Primary							
AZ24332	28	Total	136.0	255.6	119.6	0.72	0.06	1.72	
		Enriched	136.0	255.6	119.6	0.72	0.06	1.72	
		Primary							
AZ24334	48	Total	104.0	657.0	553.0	0.42	0.07	2.94	
		Enriched	104.0	412.0	308.0	0.50	0.08	3.53	Incl. 60 m of 0.71% Cu
		Primary	412.0	657.0	245.0	0.32	0.06	2.21	
AZ24335	31	Total	69.5	227.5	158.0	0.84	0.10	0.98	
		Enriched	69.5	227.5	158.0	0.84	0.10	0.98	Incl. 78.5 m of 1.10% Cu
		Primary							
AZ24336CC	8a	Total	218.0	501.0	283.0	0.20	0.08	1.93	
		Enriched	218.0	370.0	152.0	0.25	0.14	2.76	
		Primary	370.0	501.0	131.0	0.14	0.02	0.91	
AZ24338	5a	Total	252.0	729.5	477.5	0.19	0.02	0.88	
		Enriched	252.0	490.0	238.0	0.23	0.04	0.97	
		Primary	490.0	729.5	239.5	0.14	0.01	0.78	
AZ24339CC	12a	Total	140.0	517.5	377.5	0.16	0.02	0.68	
		Enriched	140.0	470.0	330.0	0.17	0.02	0.67	
		Primary	470.0	517.5	47.5	0.11	0.01	0.74	
AZ24340	26	Total	66.0	300.5	234.5	0.50	0.04	1.04	
		Enriched	66.0	300.5	234.5	0.50	0.04	1.04	Incl. 72 m of 0.78% Cu
		Primary							
AZ24341	48	Total	87.0	261.5	174.5	0.57	0.07	1.09	
		Enriched	87.0	261.5	174.5	0.57	0.07	1.09	
		Primary							
AZ24342	28	Total	81.0	235.5	154.5	0.39	0.05	2.82	
		Enriched	81.0	235.5	154.5	0.39	0.05	2.82	
		Primary							
AZ24343	58	Total	71.0	365.6	294.6	0.17	0.01	0.67	
		Enriched	71.0	344.0	273.0	0.18	0.01	0.70	
		Primary	344.0	365.6	21.6	0.07	0.00	0.30	
AZ24344	43	Total	140.0	312.0	172.0	0.43	0.05	1.50	
		Enriched	140.0	312.0	172.0	0.43	0.05	1.50	Incl. 52 m of 0.62% Cu
		Primary							
AZ24345	44	Total	80.7	291.2	210.5	0.37	0.02	1.98	
		Enriched	80.7	190.0	109.3	0.55	0.02	1.68	Incl. 66 m of 0.66% Cu
		Primary	190.0	291.2	101.2	0.17	0.02	2.31	
AZ24346	40	Total	44.0	196.6	152.6	0.06	0.00	0.64	
		Enriched	44.0	100.0	56.0	0.07	0.00	0.33	
		Primary	100.0	196.6	96.6	0.06	0.00	0.83	

AZ24347	14	Total	88.0	295.8	207.8	0.30	0.05	0.90	
		Enriched	88.0	286.0	198.0	0.30	0.05	0.94	
		Primary	286.0	295.8	9.8	0.15	0.06	0.30	
AZ24348	40	Total	168.0	373.7	205.7	0.20	0.01	0.56	
		Enriched	168.0	373.7	205.7	0.20	0.01	0.56	
		Primary							
AZ24349	22	Total	98.0	356.0	258.0	0.44	0.04	1.27	
		Enriched	98.0	339.4	241.4	0.46	0.04	1.31	Incl. 84 m of 0.78% Cu
		Primary	339.4	356.0	16.6	0.20	0.03	0.63	
AZ24350	30	Total	96.0	224.0	128.0	0.10	0.02	1.01	
		Enriched	96.0	154.0	58.0	0.12	0.03	1.21	
		Primary	154.0	224.0	70.0	0.08	0.02	0.85	
AZ24351A	29	Total	110.0	449.4	339.4	0.29	0.03	1.52	
		Enriched	110.0	400.0	290.0	0.31	0.03	1.69	
		Primary	400.0	449.4	49.4	0.12	0.01	0.51	
AZ24352	12	Total	168.3	379.3	211.0	0.34	0.05	0.67	
		Enriched	168.3	358.0	189.7	0.36	0.05	0.56	
		Primary	358.0	379.3	21.3	0.13	0.03	1.62	
AZ24353	46	Total	90.0	338.5	248.5	0.35	0.04	1.85	
		Enriched	90.0	320.0	230.0	0.37	0.04	1.96	
		Primary	320.0	338.5	18.5	0.12	0.00	0.52	
AZ24354	42	Total	194.0	331.0	137.0	0.14	0.01	0.71	
		Enriched	194.0	331.0	137.0	0.14	0.01	0.71	
		Primary							
AZ24355	56	Total	84.5	288.5	204.0	0.23	0.01	0.87	
		Enriched	84.5	288.5	204.0	0.23	0.01	0.87	
		Primary							
AZ24356	56	Total	51.0	205.5	154.5	0.70	0.15	3.79	
		Enriched	51.0	108.0	57.0	0.17	0.04	1.43	
		Primary	108.0	205.5	97.5	1.01	0.21	5.14	Incl. 30 m of 2.84% Cu
AZ24357	22	Total	152.0	386.0	234.0	0.21	0.02	2.51	
		Enriched	152.0	302.0	150.0	0.24	0.02	0.45	
		Primary	302.0	386.0	84.0	0.17	0.02	6.18	
AZ24358	36	Total	70.2	264.5	194.3	0.23	0.01	0.57	
		Enriched	70.2	188.0	117.8	0.18	0.01	0.53	
		Primary	188.0	264.5	76.5	0.31	0.00	0.62	
AZ24360	24	Total	84.0	335.5	251.5	0.21	0.02	0.89	
		Enriched	84.0	258.0	174.0	0.25	0.02	0.87	
		Primary	258.0	335.5	77.5	0.12	0.02	0.93	
AZ24361	12	Total	220.0	335.2	115.2	0.42	0.06	1.37	
		Enriched	220.0	308.0	88.0	0.49	0.07	1.35	Incl. 28 m of 0.68% Cu
		Primary	308.0	335.2	27.2	0.17	0.03	1.45	
AZ24362	34	Total	76.0	309.0	233.0	0.34	0.01	1.01	
		Enriched	76.0	309.0	233.0	0.34	0.01	1.01	
		Primary							
AZ24363	48	Total	96.0	335.6	239.6	0.18	0.01	0.71	
		Enriched	96.0	250.0	154.0	0.20	0.00	0.57	
		Primary	250.0	335.6	85.6	0.14	0.01	0.96	
AZ24364	51	Total	92.0	215.4	123.4	0.21	0.03	0.82	
		Enriched	92.0	215.4	123.4	0.21	0.03	0.82	
		Primary							
AZ24365	55	Total	118.0	291.5	173.5	0.40	0.01	1.32	
		Enriched	118.0	291.5	173.5	0.40	0.01	1.32	Incl. 10 m of 0.89% Cu
		Primary							
AZ24366	22	Total	182.0	328.2	146.2	0.17	0.02	0.78	
		Enriched	182.0	298.0	116.0	0.19	0.02	0.91	
		Primary	298.0	328.2	30.2	0.10	0.01	0.25	
AZ24367	50	Total	94.0	433.5	339.5	0.32	0.05	1.30	
		Enriched	94.0	400.0	306.0	0.32	0.06	1.30	
		Primary	400.0	433.5	33.5	0.26	0.04	1.34	
AZ24368	4	Total	138.0	220.5	82.5	0.21	0.03	0.52	
		Enriched	138.0	220.5	82.5	0.21	0.03	0.52	
		Primary							
AZ24369A	48	Total	122.0	248.0	126.0	0.61	0.05	1.14	
		Enriched	122.0	248.0	126.0	0.61	0.05	1.14	Incl. 58 m of 1.01% Cu
		Primary							
AZ24370	8	Total	156.0	290.0	134.0	0.39	0.04	0.53	
		Enriched	156.0	262.0	106.0	0.44	0.05	0.60	Incl. 20 m of 0.81% Cu
		Primary	262.0	290.0	28.0	0.22	0.04	0.25	
AZ24371	36	Total	98.0	302.1	204.1	0.31	0.03	0.74	

		Enriched	98.0	290.0	192.0	0.32	0.03	0.77	
		Primary	290.0	302.1	12.1	0.16	0.00	0.25	
AZ24372	10	Total	155.7	298.2	142.5	0.38	0.06	0.99	
		Enriched	155.7	298.2	142.5	0.38	0.06	0.99	
		Primary							
AZ24373	54	Total	120.0	291.5	171.5	0.22	0.00	0.71	
		Enriched	120.0	264.0	144.0	0.23	0.00	0.75	
		Primary	264.0	291.5	27.5	0.13	0.00	0.53	
AZ24374	52	Total	91.3	340.6	249.3	0.35	0.01	0.54	
		Enriched	91.3	340.6	249.3	0.35	0.01	0.54	
		Primary							
AZ24375	45	Total	152.0	369.0	217.0	1.11	0.07	3.65	
		Enriched	152.0	369.0	217.0	1.11	0.07	3.65	Incl. 100 m of 1.32% Cu
		Primary							
AZ24376	4	Total	158.0	261.9	103.9	0.21	0.05	1.13	
		Enriched	158.0	193.0	35.0	0.28	0.02	0.69	
		Primary	193.0	261.9	68.9	0.18	0.06	1.35	
AZ24377	9	Total	148.0	297.5	149.5	0.40	0.04	0.89	
		Enriched	148.0	291.4	143.4	0.41	0.04	0.88	Incl. 40 m of 0.62% Cu
		Primary	291.4	297.5	6.2	0.20	0.04	0.92	
AZ24378	29	Total	174.0	454.0	280.0	0.38	0.05	1.31	
		Enriched	174.0	314.0	140.0	0.41	0.05	1.19	
		Primary	314.0	454.0	140.0	0.34	0.06	1.43	
AZ24379	24	Total	114.0	365.8	251.8	0.22	0.02	0.89	
		Enriched	114.0	365.8	251.8	0.22	0.02	0.89	
		Primary							
AZ24380	5	Total	60.0	287.5	227.5	0.16	0.01	0.62	
		Enriched	60.0	256.0	196.0	0.17	0.01	0.63	
		Primary	256.0	287.5	31.5	0.12	0.00	0.58	
AZ24381	18	Total	234.0	375.1	141.1	0.16	0.02	0.90	
		Enriched	234.0	292.0	58.0	0.22	0.02	0.90	
		Primary	292.0	375.1	83.1	0.12	0.02	0.90	
AZ24382	20	Total	194.0	385.0	191.0	0.13	0.02	0.60	
		Enriched	194.0	329.0	135.0	0.15	0.02	0.70	
		Primary	329.0	385.0	56.0	0.10	0.01	0.37	
AZ24383	50	Total	74.2	371.7	297.5	0.38	0.01	8.00	
		Enriched	74.2	356.0	281.8	0.39	0.01	8.39	
		Primary	356.0	371.7	15.7	0.18	0.01	0.86	
AZ24384	18	Total	202.3	270.0	67.7	0.16	0.01	0.29	
		Enriched	202.3	270.0	67.7	0.16	0.01	0.29	
		Primary							
AZ24385	38	Total	84.0	250.4	166.4	0.21	0.00	0.44	
		Enriched	84.0	216.0	132.0	0.21	0.00	0.46	
		Primary	216.0	250.4	34.4	0.19	0.01	0.33	
AZ24386	1a	Total	228.0	380.3	152.3	0.21	0.06	1.07	
		Enriched	228.0	378.0	150.0	0.21	0.06	1.06	
		Primary	378.0	380.3	2.3	0.22	0.02	1.50	
AZ24387	52	Total	62.0	452.0	390.0	0.46	0.07	2.27	
		Enriched	62.0	106.0	44.0	0.69	0.10	2.72	Incl. 44 m of 0.69% Cu
		Primary	106.0	202.0	96.0	0.43	0.06	2.33	Incl. 132 m of 0.51% Cu
AZ24388	6	Total	170.0	245.3	75.3	0.21	0.10	1.22	
		Enriched	170.0	221.7	51.7	0.22	0.10	0.99	
		Primary	221.7	245.3	23.6	0.20	0.11	1.77	
AZ24389	28	Total	176.0	343.3	167.3	0.16	0.01	0.52	
		Enriched	176.0	343.3	167.3	0.16	0.01	0.52	
		Primary							
AZ24390	24	Total	194.0	338.8	144.8	0.15	0.01	0.38	
		Enriched	194.0	338.8	144.8	0.15	0.01	0.38	
		Primary							
AZ24391	45	Total	133.0	331.0	198.0	0.84	0.09	2.32	
		Enriched	133.0	331.0	198.0	0.84	0.09	2.32	Incl. 129 m of 1.16% Cu
		Primary							
AZ24392A	54	Total	100.0	324.0	224.0	0.15	0.01	0.68	
		Enriched	100.0	306.0	206.0	0.16	0.01	0.71	
		Primary	306.0	324.0	18.0	0.13	0.00	0.27	
AZ24393	16	Total	186.0	264.7	78.7	0.08	0.02	0.42	
		Enriched	186.0	264.7	78.7	0.08	0.02	0.42	
		Primary							
AZ24394	28	Total	69.0	242.3	173.3	0.20	0.02	1.65	
		Enriched	69.0	144.0	75.0	0.14	0.01	0.46	

		Primary	144.0	242.3	98.3	0.24	0.03	2.55	
AZ24395A	20	Total	168.0	407.0	239.0	0.16	0.01	0.45	
		Enriched	168.0	407.0	239.0	0.16	0.01	0.45	
		Primary							
AZ24396	49	Total	81.0	497.0	416.0	0.37	0.13	2.40	
		Enriched	81.0	440.0	359.0	0.39	0.15	2.50	
		Primary	440.0	497.0	57.0	0.25	0.05	1.76	
AZ24397	16	Total	198.0	412.4	214.4	0.25	0.05	1.11	
		Enriched	198.0	322.0	124.0	0.34	0.07	1.39	
		Primary	322.0	412.4	90.4	0.13	0.02	0.72	
AZ24398	3a	Total	194.0	408.8	214.8	0.23	0.04	45.73	
		Enriched	194.0	408.8	214.8	0.23	0.04	45.73	
		Primary							
AZ24399	16	Total	172.0	367.9	195.9	0.55	0.07	0.96	
		Enriched	172.0	367.9	195.9	0.55	0.07	0.96	Incl. 104 m of 0.65% Cu
		Primary							
AZ24400	26	Total	176.0	227.0	51.0	0.36	0.01	2.33	
		Enriched	176.0	227.0	51.0	0.36	0.01	2.33	
		Primary							
AZ24401	32	Total	78.0	324.5	246.5	0.24	0.00	0.62	
		Enriched	78.0	324.5	246.5	0.24	0.00	0.62	
		Primary							
AZ24402	20	Total	66.0	230.0	164.0	0.24	0.01	0.56	
		Enriched	66.0	166.0	100.0	0.29	0.01	0.64	
		Primary	166.0	230.0	64.0	0.17	0.01	0.44	
AZ24403	43	Total	151.0	427.0	276.0	0.86	0.06	2.32	
		Enriched	151.0	427.0	276.0	0.86	0.06	2.32	Incl. 160.0 m of 0.96% Cu
		Primary							
AZ24404	29	Total	66.7	73.5	6.9	0.19	0.02	0.58	
		Enriched	66.7	72.0	5.4	0.18	0.01	0.25	
		Primary	72.0	73.5	1.5	0.23	0.04	1.80	
AZ24404A	29	Total	87.0	133.0	46.0	0.14	0.01	2.18	
		Enriched							
		Primary	87.0	133.0	46.0	0.14	0.01	2.18	
AZ24404B	29	Total	133.0	187.5	54.5	0.22	0.01	0.56	
		Enriched							
		Primary	133.0	187.5	54.5	0.22	0.01	0.56	
AZ24405	14	Total	246.0	317.6	71.6	0.15	0.03	0.65	
		Enriched	246.0	314.0	68.0	0.15	0.03	0.65	
		Primary	314.0	317.6	3.6	0.16	0.02	0.61	
AZ24406	55	Total	84.0	324.2	240.2	0.10	0.03	0.78	
		Enriched	84.0	230.0	146.0	0.14	0.02	0.79	
		Primary	230.0	324.2	94.2	0.05	0.04	0.77	
AZ24407	12	Total	186.0	259.0	73.0	0.09	0.03	0.42	
		Enriched	186.0	259.0	73.0	0.09	0.03	0.42	
		Primary							
AZ24408	32	Total	80.0	313.5	233.5	0.25	0.01	0.67	
		Enriched	80.0	313.5	233.5	0.25	0.01	0.67	
		Primary							
AZ24409	54	Total	102.0	270.0	168.0	0.23	0.01	0.90	
		Enriched	102.0	270.0	168.0	0.23	0.01	0.90	
		Primary							
AZ24410	6	Total	186.0	241.0	55.0	0.19	0.02	0.43	
		Enriched	186.0	241.0	55.0	0.19	0.02	0.43	
		Primary							
AZ24411	14	Total	180.0	334.0	154.0	0.19	0.06	0.80	
		Enriched	180.0	232.0	52.0	0.31	0.08	0.70	
		Primary	232.0	334.0	102.0	0.13	0.05	0.86	
AZ24412	12	Total	180.2	297.5	117.3	0.20	0.04	0.96	
		Enriched	180.2	272.0	91.8	0.22	0.04	0.99	
		Primary	272.0	297.5	25.5	0.13	0.04	0.85	
AZ24413	38	Total	136.0	317.0	181.0	0.19	0.01	0.64	
		Enriched	136.0	317.0	181.0	0.19	0.01	0.64	
		Primary							
AZ24414	47	Total	110.0	415.6	305.6	0.55	0.06	2.25	
		Enriched	110.0	415.6	305.6	0.55	0.06	2.25	Incl. 104.5 m of 0.73% Cu
		Primary							
AZ24415	56	Total	108.0	346.0	238.0	0.15	0.04	0.74	
		Enriched	108.0	322.0	214.0	0.15	0.04	0.74	

		Primary	322.0	346.0	24.0	0.12	0.05	0.73	
AZ24417	12	Total	126.0	253.7	127.7	0.32	0.04	0.90	
		Enriched	126.0	253.7	127.7	0.32	0.04	0.90	
		Primary							
AZ24418	16	Total	141.0	329.0	188.0	0.57	0.09	0.70	
		Enriched	141.0	284.0	143.0	0.63	0.09	0.77	Incl. 64 m of 0.66% Cu
		Primary	284.0	329.0	45.0	0.41	0.11	0.48	Incl. 7 m of 0.58% Cu
AZ24419	6	Total	182.0	248.0	66.0	0.15	0.04	1.16	
		Enriched	182.0	204.0	22.0	0.27	0.03	0.77	
		Primary	204.0	248.0	44.0	0.09	0.05	1.35	
AZ24421	44	Total	100.0	229.0	129.0	0.64	0.06	1.71	
		Enriched	100.0	229.0	129.0	0.64	0.06	1.71	Incl. 72 m of 0.85% Cu
		Primary							
AZ24422	42	Total	184.0	236.2	52.2	1.31	0.11	2.16	
		Enriched	184.0	236.2	52.2	1.31	0.11	2.16	
		Primary							
GTK2424	15	Total	106.0	152.8	46.8	0.44	0.05	3.62	
		Enriched	106.0	152.8	46.8	0.44	0.05	3.62	Incl. 29.0 m of 0.60% Cu
		Primary							
GTK2424B	15	Total	152.8	272.9	120.2	0.69	0.03	1.30	
		Enriched	152.8	155.0	2.3	0.28	0.06	6.50	
		Primary	155.0	272.9	117.9	0.70	0.03	1.18	
GTK2425	15	Total	150.0	300.0	150.0	0.21	0.05	1.00	
		Enriched	150.0	300.0	150.0	0.21	0.05	1.00	
		Primary							
GTK2426	43	Total	70.0	400.0	330.0	0.62	0.09	1.99	
		Enriched	70.0	400.0	330.0	0.62	0.09	1.99	Incl. 150 m of 0.86% Cu
		Primary							
GTK2427	25	Total	160.0	250.0	90.0	0.14	0.00	0.37	
		Enriched	160.0	250.0	90.0	0.14	0.00	0.37	
		Primary							
GTK2430	25	Total	121.5	125.0	3.5	0.08	0.00	0.25	
		Enriched	121.5	125.0	3.5	0.08	0.00	0.25	
		Primary							
GTK2430A	25	Total	98.0	300.0	202.0	0.19	0.02	1.13	
		Enriched	98.0	300.0	202.0	0.19	0.02	1.13	
		Primary							
GTK2431	49	Total	72.0	400.0	328.0	0.35	0.03	1.48	
		Enriched	72.0	400.0	328.0	0.35	0.03	1.48	
		Primary							
GTK2432	8	Total	236.0	350.0	114.0	0.30	0.05	0.99	
		Enriched	236.0	350.0	114.0	0.30	0.05	0.99	
		Primary							
OBS-MW-1	56	Total	42.0	519.0	477.0	0.08	0.04	0.50	
		Enriched	42.0	198.0	156.0	0.15	0.08	0.75	
		Primary	198.0	519.0	321.0	0.05	0.01	0.38	
OBS-MW-2	45	Total	58.0	401.0	343.0	0.55	0.07	1.72	
		Enriched	58.0	401.0	343.0	0.55	0.07	1.72	Incl. 124 m of 0.80% Cu
		Primary							
OBS-MW-3	13	Total	196.0	332.0	136.0	0.55	0.06	1.28	
		Enriched	196.0	318.0	122.0	0.58	0.06	1.38	Incl. 116 m of 0.60% Cu
		Primary	318.0	332.0	14.0	0.22	0.06	0.25	
OBS-MW-3A	13	Total	331.5	542.0	210.5	0.28	0.03	0.53	
		Enriched							
		Primary	331.5	542.0	210.5	0.28	0.03	0.53	
OBS-MW-4	43	Total	72.0	404.0	332.0	0.30	0.02	1.31	
		Enriched	72.0	228.0	156.0	0.34	0.03	1.60	
		Primary	228.0	404.0	176.0	0.26	0.01	1.06	

Table 2 – Locations and Lengths of Recent Los Azules Drilling Results

HOLE-ID	Azimuth	Dip	Length	Loc X	Loc Y	Loc Z
AZ24316	250	-73	315.5	2383435.1	6558678.2	3666.7
AZ24317	70	-69	305.0	2383122	6560160.6	3674.5
AZ24318MET	90	-36	229.5	2382779.4	6559715.5	3599.8
AZ24319	70	-74	355.0	2383196.1	6559064.4	3662.8
AZ24320	270	-74	204.0	2383392.9	6558995.4	3643.8
AZ24321	250	-71	389.8	2383587.5	6558949.7	3658.1
AZ24322	250	-74	491.0	2383529.3	6559670.4	3678.8
AZ24323	250	-75	184.6	2382815.5	6558454.5	3745.7

AZ24324	70	-74	343.0	2383177	6559013.5	3655.6
AZ24325	70	-75	338.0	2383203	6558546.2	3674.4
AZ24326	70	-75	331.0	2383435	6558675.4	3666.9
AZ24327	250	-73	316.0	2383306.1	6558900.8	3659
AZ24328	68	-78	231.0	2383354.5	6559819.4	3629.4
AZ24329	250	-76	332.0	2383267.6	6558804.7	3662.4
AZ24330	263	-70	185.0	2383121.7	6560157.4	3674.5
AZ24332	70	-70	255.6	2383385.1	6558761.7	3663.1
AZ24333	301	-52	194.8	2383371.7	6559955.7	3634.3
AZ24334	250	-80	657.0	2383092.1	6559726.7	3614.6
AZ24335	70	-78	227.5	2383420.4	6558945.8	3646
AZ24336CC	250	-75	501.0	2383790.1	6557046.2	3823
AZ24338	250	-70	729.5	2384000	6557297.5	3883.3
AZ24339CC	250	-75	517.5	2383757.2	6556832.1	3814.6
AZ24340	70	-75	300.5	2383315.6	6558678	3668.4
AZ24341	250	-70	261.5	2383352	6559818.5	3629.4
AZ24342	70	-77	235.5	2383292.3	6558738.8	3661.9
AZ24343	185	-66	365.6	2382578.4	6560067	3586.9
AZ24344	250	-72	312.0	2383467.1	6559604.4	3666.3
AZ24345	250	-71	291.2	2382849.6	6559429.1	3630
AZ24346	249	-67	196.6	2382734.1	6559174.8	3658.4
AZ24347	250	-75	295.8	2383765.6	6558161.7	3713.7
AZ24348	70	-76	373.7	2383529.3	6559460.5	3689.2
AZ24349	250	-71	356.0	2383437.7	6558468.5	3700.7
AZ24350	243	-68	224.0	2382747.6	6558657.2	3744.2
AZ24351A	70	-73	449.4	2383570.2	6558891.6	3657
AZ24352	250	-76	379.3	2383637.7	6558013.6	3763
AZ24353	250	-71	338.5	2382747.2	6559491.2	3634.9
AZ24354	70	-72	331.0	2383492	6559556	3675.8
AZ24355	198	-69	288.5	2382702.8	6560022.5	3591
AZ24356	119	-63	205.5	2383473.6	6560288.5	3635.9
AZ24357	250	-74	386.0	2383719.2	6558572.6	3692.8
AZ24358	250	-74	264.5	2382963.9	6559038.7	3656.4
AZ24360	242	-81	335.5	2383323.4	6558544.4	3672.3
AZ24361	70	-67	335.2	2383633.7	6558012.4	3762.8
AZ24362	70	-77	309.0	2382967.6	6558938	3658
AZ24363	250	-68	335.6	2382600.9	6559549.9	3631.6
AZ24364	305	-63	215.4	2383473.5	6560004.4	3632.3
AZ24365	209	-65	291.5	2382823.8	6559998.4	3596.3
AZ24366	70	-74	328.2	2383719.2	6558572.5	3692.9
AZ24367	150	-70	433.5	2383369.4	6559934.6	3632.3
AZ24368	70	-70	220.5	2383843.8	6557666.9	3759.5
AZ24369A	15	-35	248.0	2382815.2	6559609.1	3611.2
AZ24370	70	-73	290.0	2383762.9	6557847.5	3751
AZ24371	70	-80	302.1	2382963.7	6559039.3	3656.6
AZ24372	70	-72	298.2	2383721.7	6557926.1	3743.3
AZ24373	70	-75	291.5	2382487.8	6559839.3	3587.8
AZ24374	70	-80	340.6	2382378.8	6559677.2	3595.8
AZ24375	280	-40	369.0	2383234.7	6559609	3618
AZ24376	250	-76	261.9	2383854.5	6557668	3759.8
AZ24377	250	-70	297.5	2383912.7	6557951.5	3733.8
AZ24378	249	-84	454.0	2383572.8	6558894.3	3656.9
AZ24379	250	-79	365.8	2383672.9	6558661.5	3671.5
AZ24380	250	-69	287.5	2383520.9	6557574.7	3754.9
AZ24381	250	-73	375.1	2383881.6	6558410.5	3744.4
AZ24382	250	-75	385.0	2383812.9	6558493.9	3722.1
AZ24383	250	-75	371.7	2382534.8	6559631	3619.9
AZ24384	70	-72	270.0	2383876	6558413.8	3744
AZ24385	250	-74	250.4	2382677.9	6559044.2	3699.1
AZ24386	70	-66	380.3	2383594.5	6557354.9	3770
AZ24387	160	-75	452.0	2383073.9	6559955.7	3615.8
AZ24388	250	-73	245.3	2383809	6557753.3	3759.2
AZ24389	70	-75	343.3	2383652.7	6558870.2	3668.6
AZ24390	70	-67	338.8	2383672.7	6558661.5	3671.8
AZ24391	218	-37	331.0	2383237.1	6559607.8	3618
AZ24392A	250	-71	324.0	2382488.6	6559841.7	3587.7
AZ24393	70	-74	264.7	2383915.7	6558318.9	3763.5
AZ24394	250	-71	242.3	2383003.5	6558630.9	3681.5
AZ24395A	70	-72	407.0	2383810.6	6558491.4	3722.2
AZ24396	70	-70	497.0	2382951.1	6559736.8	3610.2
AZ24397	250	-73	412.4	2383914.1	6558320	3763.5
AZ24398	250	-75	408.8	2383875.3	6557352.8	3819.4

AZ24399	250	-71	367.9	2383549.7	6558195.1	3737.3
AZ24400	70	-80	227.0	2383849.2	6558833.7	3730
AZ24401	70	-71	324.5	2382979.8	6558834.9	3659.8
AZ24402	70	-79	230.0	2383224.9	6558285.7	3695.7
AZ24403	288	-38	427.0	2383241	6559501	3622.5
AZ24404	70	-80	73.5	2382979.1	6558675.9	3676.6
AZ24404A	70	-80	133.0	2382976.8	6558675.1	3676.4
AZ24404B	70	-80	187.5	2382979.2	6558676.2	3676.5
AZ24405	70	-70	317.6	2383898.7	6558212.1	3758.5
AZ24406	5	-73	324.2	2382428.7	6559844.6	3584.9
AZ24407	70	-75	259.0	2383947.8	6558123.8	3772.9
AZ24408	250	-73	313.5	2383123.5	6558887.3	3652.9
AZ24409	70	-71	270.0	2383325.1	6560123.8	3637
AZ24410	70	-74	241.0	2383810.2	6557751.3	3759.3
AZ24411	250	-75	334.0	2383900.6	6558211.4	3758.5
AZ24412	250	-77	297.5	2383951.4	6558124.2	3773.1
AZ24413	70	-71	317.0	2383520.4	6559350.7	3679.3
AZ24414	270	-48	415.6	2383225.1	6559738	3619.7
AZ24415	70	-70	346.0	2383245	6560206.7	3679.7
AZ24416	250	-75	201.0	2380165.6	6563489.6	3660.7
AZ24417	250	-67	253.7	2383846.3	6558100	3721.4
AZ24418	70	-77	329.0	2383458.5	6558159	3714.9
AZ24419	70	-73	248.0	2383934.6	6557799	3756.1
AZ24420	70	-72	130.2	2383908.7	6557896.2	3737
AZ24421	259	-62	229.0	2383234.5	6559560.4	3621.3
AZ24422	250	-35	236.2	2383244	6559487.3	3620.8
GTK2424	240	-60	152.8	2383264.4	6558036.3	3715.5
GTK2424B	240	-60	272.9	2383267	6558032.5	3715.7
GTK2425	60	-60	300.0	2383748.7	6558200.4	3706.7
GTK2426	60	-70	400.0	2383250.9	6559528.2	3623.5
GTK2427	60	-65	250.0	2383595.5	6558686.7	3667
GTK2428	0	-90	100.2	2383357.8	6558607.9	3682.7
GTK2429	0	-90	100.0	2383198.9	6559061.2	3662.6
GTK2430	240	-65	125.0	2383142.9	6558538.2	3676.3
GTK2430A	240	-65	300.0	2383142.1	6558540.1	3676.3
GTK2431	340	-65	400.0	2382804.6	6559687.8	3607.7
GTK2432	170	-65	350.0	2383672.8	6557811.5	3784.3
OBS-MW-1	0	-90	519	2383457.9	6560277.3	3636.7
OBS-MW-2	0	-90	401	2383284.9	6559630	3627.1
OBS-MW-3	0	-90	332	2383569.5	6558052.6	3777
OBS-MW-3A	0	-90	542	2383570.4	6558052.5	3776.8
OBS-MW-4	0	-90	404	2382888.5	6559379	3633.9

Coordinates listed in Table 2 based on Gauss Kruger - POSGAR 94 Zone 2

The McEwen Mining press release appears to be reviewed and verified by a Qualified Person (as that term is defined by National Instrument 43-101 – *Standards of Disclosure for Mineral Projects*) and the procedures, methodology and key assumptions disclosed therein are those adopted and consistently applied in the mining industry, but no Qualified Person engaged by TNR has done sufficient work to analyze, interpret, classify or verify McEwen Mining's information to determine the current mineral resource or other information referred to in its press releases. Accordingly, the reader is cautioned in placing any reliance on the disclosures therein.

"We are pleased that significant developments on the advancement of the Los Azules Copper Project towards feasibility have led to the increased Stellantis holdings in McEwen Copper as a strategic partner of this large copper, gold and silver project. In February 2023, Stellantis invested ARS \$30 billion, and with an additional investment of ARS \$42 billion made after the new preliminary economic assessment (PEA) publication, has a total investment of ARS \$72 billion. An aggregate of US \$65 million in McEwen Copper was also invested by Rio Tinto's Venture Nuton in 2022 and 2023," stated Kirill Klip, TNR's Chief Executive Officer. "TNR Gold's vision is aligned with the leaders of innovation among automakers like Stellantis, whose aim is decarbonizing mobility, and mining industry leaders such as Rob McEwen, whose vision is 'to build a mine for the future, based on regenerative principles that can achieve net zero carbon emissions by 2038'.

“The green energy rEVolution relies on the supply of critical metals like copper; delivering "green copper" to Argentina and the world will contribute to the clean energy transition and electrification of transportation and energy industries.

“The new president of Argentina introduced important government policies aimed at supporting business and unlocking the country’s economic potential. Mining is being recognized as an integral part of this economic development plan, providing jobs and enriching local communities.

“Strong team performance of McEwen Copper is advancing the Los Azules Project towards a feasibility study. The Los Azules Project PEA results highlight the potential to create a robust leach project while reducing the environmental footprint, and greater environmental and social stewardship sets the Project apart from other potential mine developments.

“It’s also encouraging to see an updated independent mineral resource estimate that has increased the resource significantly. Infill drilling during the 2023-24 season upgraded the resource categories, validated the geological model and confirmed the high-grade zone. Resource drilling for the Los Azules Feasibility Study is now complete, and the study appears to be on track for delivery in early 2025.

“Together with Nuton, McEwen Copper is exploring new technologies that save energy, water, time and capital, advancing Los Azules towards the goal of leading environmental performance. The involvement of Rio Tinto, with its innovative technology, may also accelerate realizing the enormous potential of the Los Azules Project.

“Los Azules was ranked in the top ten largest undeveloped copper deposits in the world by Mining Intelligence (2022). TNR Gold does not have to contribute any capital for the development of the Los Azules Project. The essence of our business model is to have industry leaders like McEwen Mining as operators on the projects that will potentially generate royalty cashflows to contribute significant value for our shareholders.”

ABOUT TNR GOLD CORP.

TNR Gold Corp. is working to become **the** green energy metals royalty and gold company.

Our business model provides a unique entry point in the creation of supply chains for critical materials like energy metals that are powering the energy rEVolution, and the gold industry that is providing a hedge for this stage of the economic cycle.

Our portfolio provides a unique combination of assets with exposure to multiple aspects of the mining cycle: the power of blue-sky discovery and important partnerships with industry leaders as operators on the projects that have the potential to generate royalty cashflows that will contribute significant value for our shareholders.

Over the past twenty-eight years, TNR, through its lead generator business model, has been successful in generating high-quality global exploration projects. With the Company’s expertise, resources and industry network, the potential of the Mariana Lithium Project and Los Azules Copper Project in Argentina among many others have been recognized.

TNR holds a 1.5% NSR Royalty on the Mariana Lithium Project in Argentina, of which 0.15% NSR royalty is held on behalf of a shareholder. Ganfeng Lithium’s subsidiary, Litio Minera Argentina (“**LMA**”), has the right to repurchase 1.0% of the NSR royalty on the Mariana Project, of which 0.9% is the Company’s NSR Royalty interest. The Company would receive CAN\$900,000 and its shareholder would receive

CAN\$100,000 on the repurchase by LMA, resulting in TNR holding a 0.45% NSR royalty and its shareholder holding a 0.05% NSR royalty.

The Mariana Lithium Project is 100% owned by Ganfeng Lithium. The Mariana Lithium Project has been approved by the Argentina provincial government of Salta for an environmental impact report, and the construction of a 20,000 tons-per-annum lithium chloride plant has commenced.

TNR Gold also holds a 0.4% NSR Royalty on the Los Azules Copper Project, of which 0.04% of the 0.4% NSR royalty is held on behalf of a shareholder. The Los Azules Copper Project is being developed by McEwen Mining.

TNR also holds a 7% net profits royalty holding on the Batidero I and II properties of the Josemaria Project that is being developed by Lundin Mining. Lundin Mining is part of the Lundin Group, a portfolio of companies producing a variety of commodities in several countries worldwide.

TNR provides significant exposure to gold through its 90% holding in the Shotgun Gold porphyry project in Alaska. The project is located in Southwestern Alaska near the Donlin Gold project, which is being developed by Barrick Gold and Novagold Resources. The Company's strategy with the Shotgun Gold Project is to attract a joint venture partnership with a major gold mining company. The Company is actively introducing the project to interested parties.

At its core, TNR provides a wide scope of exposure to gold, copper, silver and lithium through its holdings in Alaska (the Shotgun Gold porphyry project) and royalty holdings in Argentina (the Mariana Lithium project, the Los Azules Copper Project and the Batidero I & II properties of the Josemaria Project), and is committed to the continued generation of in-demand projects, while diversifying its markets and building shareholder value.

On behalf of the Board of Directors,

Kirill Klip
Executive Chairman

www.tnrgoldcorp.com

For further information concerning this news release please contact Kirill Klip +1 604-229-8129

Neither TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

Cautionary Statement Regarding Forward-Looking Information

Except for statements of historical fact, this news release contains certain "forward-looking information" within the meaning of applicable securities law. Forward-looking information is frequently characterized by words such as "plan", "expect", "project", "intend", "believe", "anticipate", "estimate", "will", "could" and other similar words, or statements that certain events or conditions "may" or "could" occur, although not all forward-looking statements contain these identifying words. Specifically, forward-looking statements in this news release include, but are not limited to, statements made in relation to: TNR's corporate objectives, and future potential transactions being considered by the Special Committee and the Board. Such forward-looking information is based on a number of assumptions and subject to a variety of risks and uncertainties, including but not limited to those discussed in the sections entitled "Risks" and "Forward-Looking Statements" in the Company's interim and annual Management's Discussion and

Analysis which are available under the Company's SEDAR+ profile on www.sedarplus.ca. While management believes that the assumptions made and reflected in this news release are reasonable, should one or more of the risks, uncertainties or other factors materialize, or should underlying assumptions prove incorrect, actual results may vary materially from those described in forward-looking information. In particular, there can be no assurance that: TNR will enter into one or more strategic transactions, partnership or a spin-out, or be able to complete any further royalty acquisitions or sales of royalty interests, or portions thereof; debt or equity financings will be available to TNR; or that TNR will be able to achieve any of its corporate objectives. TNR relies on the confirmation of its ownership for mining claims from the appropriate government agencies when paying rental payments for such mining claims requested by these agencies. There could be a risk in the future of the changing internal policies of such government agencies or risk related to the third parties, in future, challenging the ownership of such mining claims. Given these uncertainties, readers are cautioned that forward-looking statements included herein are not guarantees of future performance, and such forward-looking statements should not be unduly relied on.

In formulating the forward-looking statements contained herein, management has assumed that business and economic conditions affecting TNR and its royalty partners, McEwen Mining Inc., Ganfeng Lithium and Lundin Mining will continue substantially in the ordinary course, including without limitation with respect to general industry conditions, general levels of economic activity and regulations. These assumptions, although considered reasonable by management at the time of preparation, may prove to be incorrect.

Forward-looking information herein and all subsequent written and oral forward-looking information are based on estimates and opinions of management on the dates they are made and are expressly qualified in their entirety by this cautionary statement. Except as required by law, the Company assumes no obligation to update forward-looking information should circumstances or management's estimates or opinions change.