

FORM 51-102F3

MATERIAL CHANGE REPORT

Item 1. Name and Address of the Company

Northern Star Mining Corp.
153A, Perreault Avenue
Val-d'Or, Quebec J9P 2H1

(the "Issuer")

Item 2. Date of Material Change

March 26, 2009

Item 3. Press Release

This news release was issued on March 26, 2009 through Canada Stockwatch, Market News Publishing Inc., and other dissemination services.

Item 4. Summary of Material Change

The Issuer announced further drill holes results from L-Zone.

Results from hole MC-08-173, indicate the presence of three gold zones with results showing:

HOLE #	From (m)	To (m)	Core length (m)	Grade (g/t Au)	Rock Type
MC-08-173	176.8	181.1	4.3	6.22	Gabbro
	230.0	243.0	13.0	5.6	Gabbro
Including	230.0	233.0	3.0	9.42	Gabbro
Including	237.0	243.0	6.0	6.8	Gabbro
	317.0	324.5	7.5	11.2	Gabbro
Including	321.0	322.0	1.0	14.7	Gabbro
Including	323.9	324.5	0.6	182.0	Gabbro

The initial L-Zone hole, MC-08-160 returned additional assays to the previous announcement of December 11, 2008. The new assays are:

HOLE #	From (m)	To (m)	Core length (m)	Grade (g/t Au)	Rock Type
MC-08-160	113.8	114.9	1.1	8.46	Gabbro
	181.0	182.0	1.0	6.2	Gabbro
	279.0	280.0	1.1	6.6	Gabbro

Item 5. Full Description of Material Change

See attached News Release.

Item 6. Reliance on Section 7.1(2) or (3) of National Instrument 51-102

Nothing on this form is required to be maintained on a confidential basis.

Item 7. Omitted Information

Not applicable.

Item 8. Executive Officer

Richard Silas, Corporate Secretary (Ph.) 604-608-1500.

Item 9. Date of Report

March 26, 2009

NORTHERN STAR MINING CORP.

By:

"Richard Silas"

Corporate Secretary
(Official Capacity)

Richard Silas
(Please print the name of individual
whose signature appears above.)



TSX Venture SYMBOL: NSM

March 26, 2009

**NORTHERN STAR ANNOUNCES NEW DRILL RESULTS CONFIRM L-ZONE AT
MALARTIC-MIDWAY PROJECT**

Val d'Or, Quebec, March 26, 2009 – Northern Star Mining Corporation (TSX:NSM) (Northern Star Mining or the “Company”) is pleased to announce further results from the L-Zone.

Results from hole MC-08-173, indicate the presence of three gold zones with results showing:

HOLE #	From (m)	To (m)	Core length (m)	Grade (g/t Au)	Rock Type
MC-08-173	176.8	181.1	4.3	6.22	Gabbro
	230.0	243.0	13.0	5.6	Gabbro
Including	230.0	233.0	3.0	9.42	Gabbro
Including	237.0	243.0	6.0	6.8	Gabbro
	317.0	324.5	7.5	11.2	Gabbro
Including	321.0	322.0	1.0	14.7	Gabbro
Including	323.9	324.5	0.6	182.0	Gabbro

The initial L-Zone hole, MC-08-160 returned additional assays to the previous announcement of December 11, 2008. The new assays are:

HOLE #	From (m)	To (m)	Core length (m)	Grade (g/t Au)	Rock Type
MC-08-160	113.8	114.9	1.1	8.46	Gabbro
	181.0	182.0	1.0	6.2	Gabbro
	279.0	280.0	1.1	6.6	Gabbro

The initial results from Hole MC-08160 (previously announced December 11, 2008) were as follows.

HOLE #	From (m)	To (m)	Core length (m)	Grade (g/t Au)	Rock Type
MC-08-160	254.0	258.8	4.8	86.48	Gabbro
Including	256.3	256.8	0.5	802.43	Gabbro
Including	256.3	258.9	2.6	160.69	Gabbro
	33.0	37.9	4.9	5.38	Gabbro

The intercept in hole MC-08-173 (the second hole drilled in the L-Zone discovery) was located approximately 100 meters from the initial intercept in MC-08-160.

The zone is located midway between shaft #1 and the Chabela Zone approximately 500 feet east of shaft #1 and appears to be the eastern extension of a previously mineralized gabbro mined at shaft #1. The true width of the zone is approximately 75 per cent of the drilled intersection.

The Company will focus its exploration efforts on the definition of the size and extension of the L-Zone from both surface and underground drilling. Results will be announced as available.

Eugene Gauthier, Geol, Ing (OIQ), acts as the qualified person of the Company and has reviewed the contents of the news release. The diamond drilling and exploration programs are being carried out under the direct supervision of Eugene Gauthier, Ing (OIQ). The Company is maintaining strict standards for QA (quality assurance) and QC (quality control), by keeping under lock all drill cores, rejects and pulps for further testing. Samples were sent to ALS Chemex and Techni-Lab labs in Val d'Or, Quebec. High grade assays intersections were subject to total gold metallic sieve method in addition to the standard fire assay and AA finish.

ON BEHALF OF THE BOARD

“Jonathan Awde”

Jonathan Awde, Vice-president, Corporate Finance

FOR FURTHER INFORMATION PLEASE CONTACT: Northern Star Mining Corporation TOLL FREE (800) 460-5031 or (819) 825-8088, (FAX) (819) 825-1199 Website: www.nsmgold.com

THE TSX VENTURE EXCHANGE DOES NOT ACCEPT RESPONSIBILITY FOR THE ADEQUACY OR ACCURACY OF THIS RELEASE.”