

## **Talisker Intersects 52.2 g/t Au over 0.55 metres, within 19.15 g/t over 1.60 metres, from the 2025 Bralorne Gold Project Resource Conversion Program**

Toronto, Ontario, February 9, 2026 – Talisker Resources Ltd. (“**Talisker**” or the “**Company**”) (TSX:TSK | OTCQB:TSKFF) is pleased to announce results from the final 30 drill holes from late 2025, predominantly targeting dip and strike extensions in the major ore veins at its currently producing Mustang Mine.

### **Highlights from the final 30 drill holes include:**

- SB-2025-001 - 30.50 g/t Au over 0.50 m within 10.21 g/t Au over 1.75 m on the 101 Vein
- SB-2025-001 - 20.70 g/t Au over 0.70 m within 8.75 g/t Au over 1.70 m on the 55 HW Vein
- SB-2025-002 - 32.70 g/t Au over 0.65 m within 12.18 g/t Au over 1.75 m on the 101 Vein
- SB-2025-002 - 24.40 g/t Au over 0.65 m within 9.41 g/t Au over 2.00 m on the 55 HW Vein
- SB-2025-002 - 30.00 g/t Au over 0.60 m within 11.31 g/t Au over 1.85 m on the 55 Vein
- SB-2025-003 - 12.90 g/t Au over 1.07 m within 6.78 g/t Au over 2.15 m on the 55 HW Vein
- SB-2025-009 - 19.40 g/t Au over 0.50 m within 6.53 g/t Au over 2.10 m on the 55 HW Vein
- SB-2025-010 - 33.60 g/t Au over 0.55 m within 15.76 g/t Au over 1.65 m on the 278 Vein
- SB-2025-010 - 8.60 g/t Au over 0.60 m within 5.09 g/t Au over 1.65 m on the 55 HW Vein
- SB-2025-011 - 9.78 g/t Au over 0.75 m within 5.40 g/t Au over 1.85 m on the 55 HW Vein
- SB-2025-012 - 25.50 g/t Au over 0.65 m within 6.56 g/t Au over 2.55 m on the 55 HW Vein
- SB-2025-013 - 36.20 g/t Au over 0.55 m within 10.61 g/t Au over 2.35 m on the 55 HW Vein
- SB-2025-014 - 13.90 g/t Au over 0.75 m within 6.38 g/t Au over 2.15 m on the 55 HW Vein
- UB-2025-022 - 52.20 g/t Au over 0.55 m within 19.15 g/t Au over 1.60 m on the BK Vein
- UB-2025-023 - 13.10 g/t Au over 0.77 m within 8.49 g/t Au over 1.80 m on the Alhambra Vein
- UB-2025-025 - 15.60 g/t Au over 0.50 m within 12.91 g/t Au over 2.15 m on the BK Vein
- UB-2025-030 - 14.00 g/t Au over 0.54 m within 5.98 g/t Au over 1.55 m on the Alhambra Vein
- UB-2025-030 - 13.80 g/t Au over 0.50 m within 5.75 g/t Au over 1.50 m on the BK Vein
- UB-2025-034 - 26.90 g/t Au over 0.55 m within 10.26 g/t Au over 1.85 m on the Alhambra Vein
- UB-2025-034 - 15.50 g/t Au over 0.65 m within 8.44 g/t Au over 1.25 m on the BK Vein

In 2025, a total of 35 underground diamond drill holes for 7,515 metres were completed from three drill bays in the Mustang underground, and a total of 15 surface diamond drill holes for 5,367 metres were completed from one drill pad at Bralorne West. The underground resource conversion drill program focused on infill drilling of the Alhambra, BK and BK-9870 Veins, while the surface drilling was focused on infill drilling Bralorne West’s 101, 55 HW, 278, and 55 veins, all within the Mustang Mine. All 2025

diamond drilling assays have now been received and reported (see January 22, 2026 news release for previous 2025 drilling results).

Kyle Orr, Talisker's Vice President Exploration commented, "We're excited to see excellent high grade and consistent infill results from the remainder of our 2025 drilling, especially the Bralorne West zone veins, as our Mustang underground development actively advances towards that area. The new underground development will give us an even more efficient location for infill drilling of this zone as well as access to the veins for near-term grade control."

All drill holes in this release are located in the Mustang Mine and hosted in diorite intrusive and/or intermediate to felsic dyke. Major vein structures intersected are orogenic quartz-carbonate veins with banded sulfide septae. Crack-seal septae host fine-grained arsenopyrite and pyrite mineralization. Alteration halos consist of strong silica – sericite  $\pm$  mariposite alteration with disseminated sulfides.

| Bralorne Gold Project – 2025 Diamond Drilling Top Intercepts Table |               |               |              |              |                       |
|--------------------------------------------------------------------|---------------|---------------|--------------|--------------|-----------------------|
| Drill Hole Name                                                    | From (m)      | To (m)        | Interval (m) | Au (g/t)     | Interpreted Structure |
| SB-2025-001                                                        | 255.80        | 256.60        | 0.80         | 0.27         | Vein Halo             |
| SB-2025-001                                                        | 256.60        | 257.10        | 0.50         | 0.55         | Vein Halo             |
| SB-2025-001                                                        | <b>257.10</b> | <b>257.70</b> | <b>0.60</b>  | <b>2.27</b>  | <b>101 Vein</b>       |
| SB-2025-001                                                        | <b>257.70</b> | <b>258.35</b> | <b>0.65</b>  | <b>1.92</b>  | <b>101 Vein</b>       |
| SB-2025-001                                                        | <b>258.35</b> | <b>258.85</b> | <b>0.50</b>  | <b>30.50</b> | <b>101 Vein</b>       |
| SB-2025-001                                                        | <b>341.00</b> | <b>341.50</b> | <b>0.50</b>  | <b>0.49</b>  | <b>55 HW Vein</b>     |
| SB-2025-001                                                        | <b>341.50</b> | <b>342.00</b> | <b>0.50</b>  | <b>0.29</b>  | <b>55 HW Vein</b>     |
| SB-2025-001                                                        | <b>342.00</b> | <b>342.70</b> | <b>0.70</b>  | <b>20.70</b> | <b>55 HW Vein</b>     |
| SB-2025-001                                                        | 342.70        | 343.20        | 0.50         | 0.24         | Vein Halo             |
| SB-2025-002                                                        | <b>239.75</b> | <b>240.30</b> | <b>0.55</b>  | <b>0.05</b>  | <b>Vein Halo</b>      |
| SB-2025-002                                                        | <b>240.30</b> | <b>240.95</b> | <b>0.65</b>  | <b>32.70</b> | <b>101 Vein</b>       |
| SB-2025-002                                                        | <b>240.95</b> | <b>241.50</b> | <b>0.55</b>  | <b>0.06</b>  | <b>Vein Halo</b>      |
| SB-2025-002                                                        | 327.20        | 327.90        | 0.70         | 0.11         | Vein Halo             |
| SB-2025-002                                                        | <b>327.90</b> | <b>328.50</b> | <b>0.60</b>  | <b>0.36</b>  | <b>55 HW Vein</b>     |
| SB-2025-002                                                        | <b>328.50</b> | <b>329.15</b> | <b>0.65</b>  | <b>24.40</b> | <b>55 HW Vein</b>     |
| SB-2025-002                                                        | <b>329.15</b> | <b>329.90</b> | <b>0.75</b>  | <b>3.66</b>  | <b>55 HW Vein</b>     |
| SB-2025-002                                                        | 337.90        | 338.40        | 0.50         | 0.60         | Vein Halo             |
| SB-2025-002                                                        | <b>338.40</b> | <b>339.15</b> | <b>0.75</b>  | <b>2.52</b>  | <b>Vein Halo</b>      |
| SB-2025-002                                                        | <b>339.15</b> | <b>339.75</b> | <b>0.60</b>  | <b>30.00</b> | <b>55 Vein</b>        |
| SB-2025-002                                                        | <b>339.75</b> | <b>340.25</b> | <b>0.50</b>  | <b>2.07</b>  | <b>55 Vein</b>        |
| SB-2025-002                                                        | 340.25        | 340.90        | 0.65         | 1.29         | Vein Halo             |
| SB-2025-002                                                        | 340.90        | 341.50        | 0.60         | 1.14         | Vein Halo             |
| SB-2025-002                                                        | 341.50        | 342.25        | 0.75         | 0.12         | Vein Halo             |
| SB-2025-002                                                        | 342.25        | 342.95        | 0.70         | 1.20         | Vein Halo             |
| SB-2025-002                                                        | 342.95        | 343.50        | 0.55         | 3.28         | Vein Halo             |
| SB-2025-002                                                        | 343.50        | 344.15        | 0.65         | 1.00         | Vein Halo             |
| SB-2025-003                                                        | <b>311.70</b> | <b>312.25</b> | <b>0.55</b>  | <b>1.25</b>  | <b>55 HW Vein</b>     |

| Bralorne Gold Project – 2025 Diamond Drilling Top Intercepts Table |                        |               |              |              |                       |
|--------------------------------------------------------------------|------------------------|---------------|--------------|--------------|-----------------------|
| Drill Hole Name                                                    | From (m)               | To (m)        | Interval (m) | Au (g/t)     | Interpreted Structure |
| SB-2025-003                                                        | <b>312.25</b>          | <b>312.78</b> | <b>0.53</b>  | <b>0.18</b>  | <b>55 HW Vein</b>     |
| SB-2025-003                                                        | <b>312.78</b>          | <b>313.85</b> | <b>1.07</b>  | <b>12.90</b> | <b>55 HW Vein</b>     |
| SB-2025-003                                                        | 313.85                 | 314.40        | 0.55         | 0.70         | Vein Halo             |
| SB-2025-003                                                        | 314.40                 | 315.50        | 1.10         | 2.13         | Vein Halo             |
| SB-2025-004                                                        | 342.85                 | 343.35        | 0.5          | 11.20        | 55 Vein               |
| SB-2025-004                                                        | 343.35                 | 343.85        | 0.5          | 0.01         | Vein Halo             |
| SB-2025-004                                                        | 343.85                 | 345.35        | 1.5          | 4.37         | Vein Halo             |
| SB-2025-005                                                        | No Significant Results |               |              |              |                       |
| SB-2025-006                                                        | 276.00                 | 276.75        | 0.75         | 3.11         | Vein Halo             |
| SB-2025-006                                                        | 276.75                 | 277.60        | 0.85         | 3.23         | 278 Vein              |
| SB-2025-006                                                        | 277.60                 | 278.15        | 0.55         | 9.22         | Vein Halo             |
| SB-2025-007                                                        | 291.70                 | 292.20        | 0.50         | 1.51         | 278 Vein              |
| SB-2025-007                                                        | 292.20                 | 292.70        | 0.50         | 0.93         | Vein Halo             |
| SB-2025-007                                                        | 292.70                 | 293.30        | 0.60         | 1.18         | 278 Vein              |
| SB-2025-008                                                        | 291.90                 | 292.40        | 0.50         | 0.44         | Vein Halo             |
| SB-2025-008                                                        | 292.40                 | 292.93        | 0.53         | 2.07         | 278 Vein              |
| SB-2025-008                                                        | 292.93                 | 293.55        | 0.62         | 3.26         | 278 Vein              |
| SB-2025-009                                                        | <b>327.35</b>          | <b>327.90</b> | <b>0.55</b>  | <b>5.42</b>  | <b>Vein Halo</b>      |
| SB-2025-009                                                        | <b>327.90</b>          | <b>328.40</b> | <b>0.50</b>  | <b>1.62</b>  | <b>55 HW Vein</b>     |
| SB-2025-009                                                        | <b>328.40</b>          | <b>328.95</b> | <b>0.55</b>  | <b>0.42</b>  | <b>55 HW Vein</b>     |
| SB-2025-009                                                        | <b>328.95</b>          | <b>329.45</b> | <b>0.50</b>  | <b>19.40</b> | <b>55 HW Vein</b>     |
| SB-2025-010                                                        | <b>305.35</b>          | <b>305.90</b> | <b>0.55</b>  | <b>9.14</b>  | <b>278 Vein</b>       |
| SB-2025-010                                                        | <b>305.90</b>          | <b>306.45</b> | <b>0.55</b>  | <b>33.60</b> | <b>278 Vein</b>       |
| SB-2025-010                                                        | <b>306.45</b>          | <b>307.00</b> | <b>0.55</b>  | <b>4.54</b>  | <b>Vein Halo</b>      |
| SB-2025-010                                                        | <b>313.45</b>          | <b>313.95</b> | <b>0.50</b>  | <b>3.18</b>  | <b>55 HW Vein</b>     |
| SB-2025-010                                                        | <b>313.95</b>          | <b>314.50</b> | <b>0.55</b>  | <b>2.99</b>  | <b>55 HW Vein</b>     |
| SB-2025-010                                                        | <b>314.50</b>          | <b>315.10</b> | <b>0.60</b>  | <b>8.60</b>  | <b>Vein Halo</b>      |
| SB-2025-011                                                        | <b>318.65</b>          | <b>319.15</b> | <b>0.50</b>  | <b>0.02</b>  | <b>Vein Halo</b>      |
| SB-2025-011                                                        | <b>319.15</b>          | <b>319.90</b> | <b>0.75</b>  | <b>9.78</b>  | <b>55 HW Vein</b>     |
| SB-2025-011                                                        | <b>319.90</b>          | <b>320.50</b> | <b>0.60</b>  | <b>4.42</b>  | <b>55 HW Vein</b>     |
| SB-2025-011                                                        | 345.85                 | 346.37        | 0.52         | 1.66         | 55 Vein               |
| SB-2025-011                                                        | 346.37                 | 346.90        | 0.53         | 8.45         | 55 Vein               |
| SB-2025-011                                                        | 346.90                 | 347.70        | 0.80         | 1.32         | 55 Vein               |
| SB-2025-011                                                        | 347.70                 | 348.35        | 0.65         | 5.24         | 55 Vein               |
| SB-2025-011                                                        | 348.35                 | 349.15        | 0.80         | 3.51         | 55 Vein               |
| SB-2025-011                                                        | 349.15                 | 349.65        | 0.50         | 6.88         | 55 Vein               |
| SB-2025-011                                                        | 349.65                 | 350.45        | 0.80         | 3.09         | 55 Vein               |
| SB-2025-012                                                        | <b>308.50</b>          | <b>309.45</b> | <b>0.95</b>  | <b>0.03</b>  | <b>Vein Halo</b>      |

| Bralorne Gold Project – 2025 Diamond Drilling Top Intercepts Table |                        |        |              |          |                       |
|--------------------------------------------------------------------|------------------------|--------|--------------|----------|-----------------------|
| Drill Hole Name                                                    | From (m)               | To (m) | Interval (m) | Au (g/t) | Interpreted Structure |
| SB-2025-012                                                        | 309.45                 | 310.10 | 0.65         | 25.50    | 55 HW Vein            |
| SB-2025-012                                                        | 310.10                 | 311.05 | 0.95         | 0.13     | 55 HW Vein            |
| SB-2025-013                                                        | 333.10                 | 333.75 | 0.65         | 3.72     | 55 HW Vein            |
| SB-2025-013                                                        | 333.75                 | 334.30 | 0.55         | 3.04     | 55 HW Vein            |
| SB-2025-013                                                        | 334.30                 | 334.90 | 0.60         | 1.54     | 55 HW Vein            |
| SB-2025-013                                                        | 334.90                 | 335.45 | 0.55         | 36.20    | 55 HW Vein            |
| SB-2025-014                                                        | 322.30                 | 323.00 | 0.70         | 0.95     | Vein Halo             |
| SB-2025-014                                                        | 323.00                 | 323.70 | 0.70         | 3.75     | 55 HW Vein            |
| SB-2025-014                                                        | 323.70                 | 324.45 | 0.75         | 13.90    | 55 HW Vein            |
| SB-2025-015                                                        | No Significant Results |        |              |          |                       |
| UB-2025-021                                                        | 166.45                 | 167.10 | 0.65         | 7.49     | Alhambra Vein         |
| UB-2025-021                                                        | 167.10                 | 167.65 | 0.55         | 3.17     | Alhambra Vein         |
| UB-2025-021                                                        | 167.65                 | 168.30 | 0.65         | 8.68     | Alhambra Vein         |
| UB-2025-021                                                        | 168.30                 | 168.80 | 0.50         | 8.64     | Alhambra Vein         |
| UB-2025-022                                                        | 181.40                 | 181.90 | 0.50         | 2.60     | Vein Halo             |
| UB-2025-022                                                        | 181.90                 | 182.45 | 0.55         | 1.14     | Vein Halo             |
| UB-2025-022                                                        | 182.45                 | 183.00 | 0.55         | 52.20    | BK Vein               |
| UB-2025-023                                                        | 165.80                 | 166.33 | 0.53         | 8.99     | Vein Halo             |
| UB-2025-023                                                        | 166.33                 | 167.10 | 0.77         | 13.10    | Alhambra Vein         |
| UB-2025-023                                                        | 167.10                 | 167.60 | 0.50         | 0.87     | Vein Halo             |
| UB-2025-024                                                        | 171.15                 | 171.90 | 0.75         | 4.93     | Alhambra Vein         |
| UB-2025-024                                                        | 171.90                 | 172.50 | 0.60         | 8.23     | Alhambra Vein         |
| UB-2025-024                                                        | 172.50                 | 173.05 | 0.55         | 0.20     | Vein Halo             |
| UB-2025-025                                                        | 177.80                 | 178.40 | 0.60         | 0.37     | Vein Halo             |
| UB-2025-025                                                        | 178.40                 | 179.05 | 0.65         | 10.80    | Alhambra Vein         |
| UB-2025-025                                                        | 179.05                 | 179.60 | 0.55         | 0.89     | Vein Halo             |
| UB-2025-025                                                        | 215.05                 | 215.55 | 0.50         | 11.60    | BK Vein               |
| UB-2025-025                                                        | 215.55                 | 216.05 | 0.50         | 15.60    | BK Vein               |
| UB-2025-025                                                        | 216.05                 | 216.65 | 0.60         | 12.60    | BK Vein               |
| UB-2025-025                                                        | 216.65                 | 217.20 | 0.55         | 12.00    | BK Vein               |
| UB-2025-026                                                        | 116.40                 | 117.30 | 0.90         | 0.61     | Vein Halo             |
| UB-2025-026                                                        | 117.30                 | 117.80 | 0.50         | 5.93     | BK-9870 Vein          |
| UB-2025-026                                                        | 117.80                 | 118.30 | 0.50         | 5.08     | BK-9870 Vein          |
| UB-2025-026                                                        | 118.30                 | 118.80 | 0.50         | 1.03     | BK-9870 Vein          |
| UB-2025-026                                                        | 118.80                 | 119.30 | 0.50         | 0.27     | BK-9870 Vein          |
| UB-2025-026                                                        | 119.30                 | 120.00 | 0.70         | 5.07     | BK-9870 Vein          |
| UB-2025-027                                                        | 73.25                  | 73.75  | 0.50         | 1.69     | Alhambra Vein         |
| UB-2025-027                                                        | 73.75                  | 74.50  | 0.75         | 1.31     | Vein Halo             |
| UB-2025-027                                                        | 74.50                  | 75.00  | 0.50         | 3.22     | Vein Halo             |

| Bralorne Gold Project – 2025 Diamond Drilling Top Intercepts Table                                                                                                                                                                                                                                            |                        |               |              |              |                       |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|---------------|--------------|--------------|-----------------------|
| Drill Hole Name                                                                                                                                                                                                                                                                                               | From (m)               | To (m)        | Interval (m) | Au (g/t)     | Interpreted Structure |
| UB-2025-028                                                                                                                                                                                                                                                                                                   | 74.06                  | 75.00         | 0.94         | 1.29         | Alhambra Vein         |
| UB-2025-028                                                                                                                                                                                                                                                                                                   | 75.00                  | 75.57         | 0.57         | 13.80        | Alhambra Vein         |
| UB-2025-028                                                                                                                                                                                                                                                                                                   | 75.57                  | 76.10         | 0.53         | 1.55         | Alhambra Vein         |
| UB-2025-029                                                                                                                                                                                                                                                                                                   | No Significant Results |               |              |              |                       |
| UB-2025-030                                                                                                                                                                                                                                                                                                   | <b>87.15</b>           | <b>87.65</b>  | <b>0.50</b>  | <b>0.82</b>  | <b>Vein Halo</b>      |
| UB-2025-030                                                                                                                                                                                                                                                                                                   | <b>87.65</b>           | <b>88.16</b>  | <b>0.51</b>  | <b>2.56</b>  | <b>Alhambra Vein</b>  |
| UB-2025-030                                                                                                                                                                                                                                                                                                   | <b>88.16</b>           | <b>88.70</b>  | <b>0.54</b>  | <b>14.00</b> | <b>Vein Halo</b>      |
| UB-2025-030                                                                                                                                                                                                                                                                                                   | <b>185.25</b>          | <b>185.75</b> | <b>0.50</b>  | <b>1.14</b>  | Vein Halo             |
| UB-2025-030                                                                                                                                                                                                                                                                                                   | <b>185.75</b>          | <b>186.25</b> | <b>0.50</b>  | <b>13.80</b> | BK Vein               |
| UB-2025-030                                                                                                                                                                                                                                                                                                   | <b>186.25</b>          | <b>186.75</b> | <b>0.50</b>  | <b>2.32</b>  | Vein Halo             |
| UB-2025-031                                                                                                                                                                                                                                                                                                   | 144.50                 | 145.00        | 0.50         | 6.73         | BK Vein               |
| UB-2025-031                                                                                                                                                                                                                                                                                                   | 145.00                 | 145.50        | 0.50         | 6.15         | Vein Halo             |
| UB-2025-031                                                                                                                                                                                                                                                                                                   | 145.50                 | 146.00        | 0.50         | 0.77         | BK Vein               |
| UB-2025-031                                                                                                                                                                                                                                                                                                   | 217.25                 | 217.75        | 0.50         | 3.02         | Vein Halo             |
| UB-2025-031                                                                                                                                                                                                                                                                                                   | 217.75                 | 218.40        | 0.65         | 5.18         | BK-9870 Vein          |
| UB-2025-031                                                                                                                                                                                                                                                                                                   | 218.40                 | 219.00        | 0.60         | 2.53         | Vein Halo             |
| UB-2025-032                                                                                                                                                                                                                                                                                                   | 206.90                 | 207.95        | 1.05         | 2.14         | BK-9870 Vein          |
| UB-2025-032                                                                                                                                                                                                                                                                                                   | 207.95                 | 209.45        | 1.50         | 1.81         | BK-9870 Vein          |
| UB-2025-032                                                                                                                                                                                                                                                                                                   | 209.45                 | 210.50        | 1.05         | 7.33         | BK-9870 Vein          |
| UB-2025-033                                                                                                                                                                                                                                                                                                   | 162.80                 | 163.30        | 0.50         | 2.59         | Vein Halo             |
| UB-2025-033                                                                                                                                                                                                                                                                                                   | 163.30                 | 163.90        | 0.60         | 2.20         | BK Vein               |
| UB-2025-033                                                                                                                                                                                                                                                                                                   | 163.90                 | 164.40        | 0.50         | 1.57         | Vein Halo             |
| UB-2025-034                                                                                                                                                                                                                                                                                                   | 107.50                 | 108.00        | 0.50         | 1.64         | Vein Halo             |
| UB-2025-034                                                                                                                                                                                                                                                                                                   | <b>108.00</b>          | <b>108.50</b> | <b>0.50</b>  | <b>2.48</b>  | <b>Alhambra Vein</b>  |
| UB-2025-034                                                                                                                                                                                                                                                                                                   | <b>108.50</b>          | <b>109.30</b> | <b>0.80</b>  | <b>3.68</b>  | <b>Alhambra Vein</b>  |
| UB-2025-034                                                                                                                                                                                                                                                                                                   | <b>109.30</b>          | <b>109.85</b> | <b>0.55</b>  | <b>26.90</b> | <b>Alhambra Vein</b>  |
| UB-2025-034                                                                                                                                                                                                                                                                                                   | 109.85                 | 110.40        | 0.55         | 2.63         | Vein Halo             |
| UB-2025-034                                                                                                                                                                                                                                                                                                   | <b>167.65</b>          | <b>168.25</b> | <b>0.60</b>  | <b>0.03</b>  | <b>Vein Halo</b>      |
| UB-2025-034                                                                                                                                                                                                                                                                                                   | <b>168.25</b>          | <b>168.90</b> | <b>0.65</b>  | <b>15.50</b> | <b>BK Vein</b>        |
| UB-2025-034                                                                                                                                                                                                                                                                                                   | <b>168.90</b>          | <b>169.50</b> | <b>0.60</b>  | <b>0.79</b>  | <b>Vein Halo</b>      |
| UB-2025-034                                                                                                                                                                                                                                                                                                   | 168.90                 | 169.50        | 0.60         | 0.76         | Duplicate             |
| UB-2025-035                                                                                                                                                                                                                                                                                                   | 117.35                 | 117.85        | 0.50         | 0.17         | Vein Halo             |
| UB-2025-035                                                                                                                                                                                                                                                                                                   | 117.85                 | 118.45        | 0.60         | 6.19         | Alhambra Vein         |
| UB-2025-035                                                                                                                                                                                                                                                                                                   | 118.45                 | 119.00        | 0.55         | 2.72         | Vein Halo             |
| Note: the <b>bolded</b> assay samples in this table have been used for the composite assay values and intervals reported in the Highlights section above and in the cross-section intercept labels below. True thickness of structures in this release may range from 42% to 95% of the apparent thicknesses. |                        |               |              |              |                       |

| Bralorne Gold Project – Drill Collar Locations Table (values rounded to nearest meter) |             |              |               |
|----------------------------------------------------------------------------------------|-------------|--------------|---------------|
| Drill Hole Name                                                                        | UTM Easting | UTM Northing | Elevation (m) |
| SB-2025-001                                                                            | 513754      | 5624989      | 1246          |
| SB-2025-002                                                                            | 513755      | 5624989      | 1246          |
| SB-2025-003                                                                            | 513756      | 5624988      | 1246          |
| SB-2025-004                                                                            | 513756      | 5624989      | 1246          |
| SB-2025-005                                                                            | 513757      | 5624989      | 1246          |
| SB-2025-006                                                                            | 513757      | 5624988      | 1246          |
| SB-2025-007                                                                            | 513758      | 5624990      | 1246          |
| SB-2025-008                                                                            | 513758      | 5624991      | 1246          |
| SB-2025-009                                                                            | 513758      | 5624990      | 1246          |
| SB-2025-010                                                                            | 513755      | 5624991      | 1246          |
| SB-2025-011                                                                            | 513756      | 5624992      | 1246          |
| SB-2025-012                                                                            | 513756      | 5624991      | 1246          |
| SB-2025-013                                                                            | 513755      | 5624992      | 1246          |
| SB-2025-014                                                                            | 513755      | 5624992      | 1247          |
| SB-2025-015                                                                            | 513755      | 5624992      | 1246          |
| UB-2025-021                                                                            | 513363      | 5625291      | 1086          |
| UB-2025-022                                                                            | 513363      | 5625291      | 1086          |
| UB-2025-023                                                                            | 513364      | 5625291      | 1086          |
| UB-2025-024                                                                            | 513364      | 5625291      | 1086          |
| UB-2025-025                                                                            | 513362      | 5625291      | 1086          |
| UB-2025-026                                                                            | 513323      | 5625353      | 1106          |
| UB-2025-027                                                                            | 513324      | 5625353      | 1106          |
| UB-2025-028                                                                            | 513323      | 5625353      | 1107          |
| UB-2025-029                                                                            | 513322      | 5625353      | 1106          |
| UB-2025-030                                                                            | 513322      | 5625353      | 1106          |
| UB-2025-031                                                                            | 513322      | 5625353      | 1105          |
| UB-2025-032                                                                            | 513322      | 5625352      | 1106          |
| UB-2025-033                                                                            | 513323      | 5625352      | 1106          |
| UB-2025-034                                                                            | 513323      | 5625352      | 1104          |
| UB-2025-035                                                                            | 513323      | 5625352      | 1104          |

| Bralorne Gold Project – Drill Collar Orientations Table (negative dip points down from the horizontal) |             |         |                 |
|--------------------------------------------------------------------------------------------------------|-------------|---------|-----------------|
| Drill Hole Name                                                                                        | Azimuth (°) | Dip (°) | Total Depth (m) |
| SB-2025-001                                                                                            | 227.00      | -47.00  | 374.00          |
| SB-2025-002                                                                                            | 222.80      | -45.50  | 431.00          |
| SB-2025-003                                                                                            | 211.00      | -46.50  | 410.00          |
| SB-2025-004                                                                                            | 211.00      | -49.00  | 366.00          |
| SB-2025-005                                                                                            | 197.00      | -49.50  | 327.00          |
| SB-2025-006                                                                                            | 190.00      | -46.50  | 322.00          |
| SB-2025-007                                                                                            | 189.00      | -49.50  | 321.00          |
| SB-2025-008                                                                                            | 184.00      | -50.00  | 335.00          |
| SB-2025-009                                                                                            | 201.00      | -55.00  | 372.00          |
| SB-2025-010                                                                                            | 204.00      | -49.00  | 342.00          |
| SB-2025-011                                                                                            | 202.00      | -52.00  | 360.00          |
| SB-2025-012                                                                                            | 197.00      | -46.00  | 325.00          |
| SB-2025-013                                                                                            | 213.00      | -53.50  | 372.00          |
| SB-2025-014                                                                                            | 215.00      | -47.50  | 366.00          |
| SB-2025-015                                                                                            | 219.50      | -47.50  | 347.00          |
| UB-2025-021                                                                                            | 343.00      | -21.00  | 210.00          |
| UB-2025-022                                                                                            | 347.00      | -13.50  | 219.00          |
| UB-2025-023                                                                                            | 356.00      | -13.00  | 222.00          |
| UB-2025-024                                                                                            | 358.00      | -18.00  | 250.15          |
| UB-2025-025                                                                                            | 324.25      | -20.00  | 264.00          |
| UB-2025-026                                                                                            | 325.00      | 24.00   | 160.00          |
| UB-2025-027                                                                                            | 338.00      | 34.00   | 150.00          |
| UB-2025-028                                                                                            | 313.00      | 37.00   | 141.00          |
| UB-2025-029                                                                                            | 278.00      | 30.00   | 150.00          |
| UB-2025-030                                                                                            | 293.00      | 16.00   | 228.00          |
| UB-2025-031                                                                                            | 310.00      | -2.00   | 240.00          |
| UB-2025-032                                                                                            | 295.00      | 20.00   | 225.00          |
| UB-2025-033                                                                                            | 299.00      | 17.00   | 225.00          |
| UB-2025-034                                                                                            | 304.00      | -18.00  | 240.00          |
| UB-2025-035                                                                                            | 304.50      | -24.85  | 237.00          |

Complete collar coordinates with collar orientations, and all gold assay results from 2025 drill holes are available on the Company's website.

For further information, please contact:

Lindsay Dunlop  
 Vice President, Investor Relations  
[lindsay.dunlop@taliskerresources.com](mailto:lindsay.dunlop@taliskerresources.com)  
 +1 647 274 8975

### **Qualified Person**

The technical information contained in this news release has been reviewed and approved by Kyle Orr, P.Geo., Talisker's Vice President Exploration, who is a Qualified Person as defined under Canadian National Instrument 43-101, Standards of Disclosure for Mineral Projects. Mr. Orr is not independent of the Company in accordance with NI 43-101.

### **About Talisker Resources Ltd.**

Talisker ([taliskerresources.com](http://taliskerresources.com)) is a junior resource company involved in the exploration and development of gold projects in British Columbia, Canada. Talisker's flagship asset is the high-grade, fully permitted Bralorne Gold Project where the Company is producing at the Mustang Mine. Talisker projects also include the Ladner Gold Project, an advanced stage project with significant exploration potential from an historical high-grade producing gold mine and the Spences Bridge Project where the Company has a significant landholding in the emerging Spences Bridge Gold Belt, and several other early-stage Greenfields projects.

### **Sample Preparation and QAQC**

Drill core in this new release from the Bralorne Gold Project was drilled in NQ size (47.6mm) or HQ size (63.5mm). Drill core samples are a minimum of 50 cm and a maximum of 150 cm long along the core axis. Samples are focused on an interval of interest, such as a vein or zone of mineralization. Shoulder samples bracket the interval of interest such that a total sampled core length of not less than 3m both above and below the interval of interest must be assigned. Sample QAQC measures of unmarked certified reference materials (CRMs), blanks, and duplicates are inserted into the sample sequence and makeup 10% of the samples submitted to the lab for holes reported in this release. Actlabs performs sample preparation and analyses in Kamloops, British Columbia. Drill core sample preparation includes drying in an oven, crushing of the sample up to 80% passing 2 mm, sample splitting using a riffle splitter, and pulverizing a 1,000 g split to 95% passing 105 microns (ACT code RX1+1000). Gold in diamond drill core is analyzed by fire assay and atomic absorption spectroscopy (AAS) of a 50g sample (ACT code 1A2-50-ORE). Gold assay technique 1A2-50-ORE has an upper detection limit of 100 ppm. Any sample that produces an over-limit gold value via the gold assay technique is sent for gravimetric finish (ACT method 1A3-50) which has an upper detection limit of 10,000 ppm Au. Where asymmetrically distributed native gold mineralization is observed by the core logging geologist, a "cut-line" may be drawn along the length of the core to guide the core cutter to evenly bisect that mineralization thereby helping to ensure a representative sample. Where no sample cut line is drawn by the geologist the standard procedure is to preserve the oriented core "backside line" or "bottom of hole" mark in the core box. Some core intervals in this release were sampled by taking  $\frac{3}{4}$  of the volume ( $\frac{1}{2}$  core +  $\frac{1}{4}$  core of the same interval), thereby leave a  $\frac{1}{4}$  representative sample in the box. Duplicates were sampled by taking a  $\frac{1}{2}$  core primary sample, and removing the remaining  $\frac{1}{2}$  core to be used as the duplicate sample, thereby leaving no representative sample in the box. A photo archive exists for all core from before sampling.


**Caution Regarding Forward Looking Statements**

Certain statements contained in this press release constitute forward-looking information. The use of any of the words “could”, “intend”, “expect”, “believe”, “will”, “projected”, “estimated” and similar expressions and statements relating to matters that are not historical facts are intended to identify forward-looking information and are based on Talisker’s current belief or assumptions as to the outcome and timing of such future events. Various assumptions or factors are typically applied in drawing conclusions or making the forecasts or projections set out in forward-looking information. Those assumptions and factors are based on information currently available to Talisker. Although such statements are based on reasonable assumptions of Talisker’s management, there can be no assurance that any conclusions or forecasts will prove to be accurate.

Forward looking information involves known and unknown risks, uncertainties and other factors which may cause the actual results, performance, or achievements to be materially different from any future results, performance or achievements expressed or implied by the forward-looking information. Such factors include risks inherent in the exploration and development of mineral deposits, including risks relating to changes in project parameters as plans continue to be redefined, risks relating to variations in grade or recovery rates, risks relating to changes in mineral prices and the worldwide demand for and supply of minerals, risks related to increased competition and current global financial conditions, access and supply risks, reliance on key personnel, operational risks, regulatory risks, including risks relating to the acquisition of the necessary licenses and permits, financing, capitalization and liquidity risks, title and environmental risks and risks relating to the failure to receive all requisite shareholder and regulatory approvals.

The forward-looking information contained in this release is made as of the date hereof, and Talisker is not obligated to update or revise any forward-looking information, whether as a result of new information, future events or otherwise, except as required by applicable securities laws. Because of the risks, uncertainties and assumptions contained herein, investors should not place undue reliance on forward-looking information. The foregoing statements expressly qualify any forward-looking information contained herein.

Figure 1: Vein Intersections for SB-2025-001 and SB-2025-002 and SB-2025-003



SB-2025-001 - 101 Vein Intercept



SB-2025-002 - 101 Vein Intercept




SB-2025-001 - 55 HW Vein Intercept




SB-2025-002 - 55 HW Vein Intercept

Figure 2: Vein Intersections for SB-2025-009



SB-2025-009 - 55 HW Vein Intercept

Figure 3: Vein Intersections for SB-2025-010 and SB-2025-011



SB-2025-010 - 55 HW Vein Intercept




SB-2025-011 - 55 HW Vein Intercept



SB-2025-011 - 55 Vein intercept

Figure 4: Vein Intersections for SB-2025-012 and SB-2025-013 and SB-2025-014



SB-2025-012 - 55 HW Vein intercept




SB-2025-013 - 55 HW Vein intercept



SB-2025-014 - 55 HW Vein intercept

Figure 5: Vein Intersections for UB-2025-022 and UB-2025-025




UB-2025-022 - BK Vein Intercept




UB-2025-025 - BK Vein Intercept

Figure 6: Vein Intersections for UB-2025-023



UB-2025-023 - Alhambra Vein Intercept

Figure 7: Vein Intersections for UB-2025-030 and UB-2025-034





UB-2025-034 - BK Vein Intercept

Figure 8: Bralorne West Zone Oblique View with 2025 Drill Holes




Figure 9: Bralorne West Zone Plan View with 2025 Drill Holes




Figure 10: Mustang Mine Oblique View with 2025 Underground Drill Holes 21-35




Figure 11: Mustang Mine Plan View with 2025 Underground Drill Holes 21-35

