

ROMIOS GOLD RESOURCES INC.
25 Adelaide Street East
Suite 1010
Toronto, Ontario, Canada
M5C 3A1

FILED VIA SEDAR

Ontario Securities Commission
20 Queen Street West, 19th Floor
Toronto, Ontario, M5H 3S8

Attention: Continuous Disclosure

Alberta Securities Commission
4th Floor, 300 – 5th Avenue S.W.
Calgary, Alberta
T2P 3C4
Attention: Continuous Disclosure

TSX Venture Exchange
3rd Floor
130 King Street West
Toronto, Ontario, M5X 1E5
Attention: Continuous Disclosure

British Columbia Securities Commission
12th Floor, Pacific Centre
701 W. Georgia St.
Vancouver, B.C., V7Y 1L2
Attention: Continuous Disclosure

Dear Sirs/Mesdames:

Re: Material Change Report
Form 51-102F3

1. The name of the reporting issuer is **Romios Gold Resources Inc.** (“Romios” or the “Corporation”), whose principal office is at 25 Adelaide Street East, Suite 1010, Toronto, Ontario M5C 3A1.
2. The material change occurred on October 22, 2008.
3. A Press Release was published at Toronto on October 22, 2008 on the Marketwire - TSX Venture Disclosure Wire.
4. Romios announced the results of Hole TRK 08-01 recently completed at its Trek property located in the Galore Creek area of northwestern British Columbia. Hole TRK 08-01 was drilled at minus 70 degrees to a depth of 196.6 metres (645 feet) and was designed to test a mineralized breccia zone exposed in a cliff face located 110 metres (361 feet) west of the drill hole. Hole TRK 08-01 cut a higher grade breccia zone from 147.5 metres to 179.5 metres downhole (32.0 metres or 105 ft.) that assayed 2.06 % copper, 1.05 g/t gold and 26.01 g/t silver. The breccia zone was contained within a mineralized interval from 65.2 metres to 196.6 metres, (131.4 metres or 431 ft. in the hole), that had a weighted average grade of 0.61 % copper, 0.39 g/t gold and 8.48 g/t silver.
5. Sampling results of the breccia zone exposed in the cliff face averaged 1.22% copper, 0.68 g/t gold and 8.66 g/t silver over a mineralized area measuring 62 metres by 20 metres (203.4 ft. by 65.6 ft.). The results were reported in Romios’s Press Release dated October 2, 2008.

Pictures of the exposed breccia swarm are available for viewing on Romios's website (www.romiosgold.com) – see Trek property – Photo Gallery. The Trek property is a block containing 4,297 hectares (10,618 acres) within the claim boundary of Nova Gold/Teck Cominco's Galore Creek property. It is located approximately 8.5 kilometres south- east of the Galore Creek deposit and 4.5 kilometres south of the Copper Canyon Resources Ltd. deposit. For the location of the Trek property, see the property map on Romios's website.

The following chart outlines the detailed information related to the sampling and analysis of the drill core from diamond drill Hole TRK 08-01. All intervals reported in this material change report are core lengths and not true widths.

DDH TRK 08-01

From (m)	To (m)	Width (m)	Width (F)	%Cu	Au g/t	Ag g/t
147.52	149.05	1.52	5.00	1.16	1.695	20.4
149.05	150.57	1.52	5.00	1.21	0.875	16.6
150.57	152.10	1.52	5.00	0.477	0.812	13.4
152.10	153.62	1.52	5.00	1.1	0.624	15.9
153.62	155.14	1.52	5.00	2.64	2.03	40.3
155.14	156.67	1.52	5.00	0.8	1.04	10.6
156.67	158.19	1.52	5.00	0.404	1.505	9.5
158.19	159.72	1.52	5.00	0.405	1.135	7.8
159.72	161.24	1.52	5.00	1.28	0.685	19.8
161.24	162.76	1.52	5.00	1.14	0.754	26.3
162.76	164.29	1.52	5.00	1.58	1.025	29.5
164.29	165.81	1.52	5.00	1.35	1.14	26.8
165.81	167.52	1.71	5.60	3.2	2.29	63.9
167.52	168.46	0.94	3.10	6.97	4.23	117
168.46	170.38	1.92	6.30	0.903	0.897	18.6
170.38	171.42	1.04	3.40	1.93	0.12	29.4
171.42	173.43	2.01	6.60	5.59	0.059	28.6
173.43	174.28	0.85	2.80	2.72	0.0025	26.2
174.28	175.69	1.40	4.60	3.64	0.609	18.5
175.69	176.20	0.52	1.70	2.7	1.39	14.2
176.20	177.76	1.55	5.10	3.51	0.482	15.9
177.76	178.89	1.13	3.70	3.22	1.06	38.1
178.89	179.53	0.64	2.10	0.638	0.135	7.8
Weighted Average		32.00	105.00	2.062	1.05543	26.019

Within:

From (m)	To (m)	Width (m)	Width (F)	%Cu	Au g/t	Ag g/t
65.23	66.75	1.52	5.00	0.0015	0.098	0.1
66.75	68.28	1.52	5.00	0.0072	0.082	0.1
68.28	69.80	1.52	5.00	0.0038	0.127	0.2
69.80	71.32	1.52	5.00	0.002	0.027	0.1
71.32	72.85	1.52	5.00	0.0089	0.059	0.2
72.85	73.81	0.96	3.15	0.0048	1.035	0.5
73.81	75.90	2.09	6.85	0.012	0.665	0.5
75.90	77.05	1.16	3.80	0.0083	0.026	0.3
77.05	78.43	1.37	4.50	0.0287	0.061	95
78.43	78.94	0.52	1.70	0.0013	0.074	0.5
78.94	80.47	1.52	5.00	0.0019	0.086	0.3
80.47	81.99	1.52	5.00	0.0109	0.599	0.8
81.99	83.52	1.52	5.00	0.0171	0.26	0.7
83.52	85.04	1.52	5.00	0.0107	0.261	0.4
85.04	86.56	1.52	5.00	0.0036	0.144	0.4
86.56	88.09	1.52	5.00	0.0039	0.028	0.4

88.09	89.61	1.52	5.00	0.0094	0.016	0.5
89.61	91.14	1.52	5.00	0.0409	0.633	1
91.14	92.66	1.52	5.00	4.69	1.795	17.1
92.66	94.18	1.52	5.00	0.0127	0.121	0.4
94.18	95.71	1.52	5.00	0.0979	0.12	0.7
95.71	97.23	1.52	5.00	0.0312	0.023	0.3
97.23	98.76	1.52	5.00	0.0611	0.15	0.8
98.76	100.28	1.52	5.00	0.01	0.008	0.2
100.28	101.80	1.52	5.00	0.0163	0.028	0.2
101.80	103.33	1.52	5.00	0.0063	0.008	0.3
103.33	104.85	1.52	5.00	0.149	0.01	0.2
104.85	106.38	1.52	5.00	0.043	0.121	0.2
106.38	107.90	1.52	5.00	0.0123	0.023	0.2
107.90	109.42	1.52	5.00	0.0113	0.021	0.2
109.42	110.95	1.52	5.00	0.0297	0.057	0.7
110.95	112.47	1.52	5.00	0.161	0.429	3.8
112.47	113.72	1.25	4.10	0.0808	0.105	1.6
113.72	114.97	1.25	4.10	0.0301	0.066	0.8
114.97	115.52	0.55	1.80	0.0442	0.165	1.1
115.52	117.04	1.52	5.00	0.0339	0.257	0.7
117.04	118.57	1.52	5.00	0.0333	0.053	0.5
118.57	120.09	1.52	5.00	0.0375	0.369	0.8
120.09	121.62	1.52	5.00	0.0312	0.032	0.2
121.62	123.44	1.83	6.00	0.0221	0.471	0.3
123.44	124.66	1.22	4.00	0.0728	0.197	1.2
124.66	126.19	1.52	5.00	0.0792	0.119	1.2
126.19	127.71	1.52	5.00	0.0356	0.058	0.4
127.71	129.24	1.52	5.00	0.0232	0.029	0.1
129.24	130.76	1.52	5.00	0.0514	0.048	0.7
130.76	131.67	0.91	3.00	0.0548	0.108	0.7
131.67	132.89	1.22	4.00	0.106	0.17	1.4
132.89	134.42	1.52	5.00	0.0659	0.077	0.8
134.42	135.94	1.52	5.00	0.0654	0.053	1.3
135.94	136.86	0.91	3.00	0.112	0.053	1.6
137.31	138.38	1.07	3.50	0.529	0.401	7.3
138.38	139.60	1.22	4.00	0.257	0.222	4.1
139.60	141.58	1.98	6.50	0.0888	0.07	1.6
141.58	142.95	1.37	4.50	0.377	0.121	8
142.95	144.48	1.52	5.00	0.309	0.113	4.7
144.48	146.00	1.52	5.00	0.142	0.12	1.9
146.00	147.52	1.52	5.00	0.106	0.137	1.5
147.52	149.05	1.52	5.00	1.16	1.695	20.4
149.05	150.57	1.52	5.00	1.21	0.875	16.6
150.57	152.10	1.52	5.00	0.477	0.812	13.4
152.10	153.62	1.52	5.00	1.1	0.624	15.9
153.62	155.14	1.52	5.00	2.64	2.03	40.3
155.14	156.67	1.52	5.00	0.8	1.04	10.6
156.67	158.19	1.52	5.00	0.404	1.505	9.5
158.19	159.72	1.52	5.00	0.405	1.135	7.8
159.72	161.24	1.52	5.00	1.28	0.685	19.8
161.24	162.76	1.52	5.00	1.14	0.754	26.3
162.76	164.29	1.52	5.00	1.58	1.025	29.5
164.29	165.81	1.52	5.00	1.35	1.14	26.8
165.81	167.52	1.71	5.60	3.2	2.29	63.9
167.52	168.46	0.94	3.10	6.97	4.23	117
168.46	170.38	1.92	6.30	0.903	0.897	18.6
170.38	171.42	1.04	3.40	1.93	0.12	29.4
171.42	173.43	2.01	6.60	5.59	0.059	28.6
173.43	174.28	0.85	2.80	2.72	0.0025	26.2
174.28	175.69	1.40	4.60	3.64	0.609	18.5
175.69	176.20	0.52	1.70	2.7	1.39	14.2
176.20	177.76	1.55	5.10	3.51	0.482	15.9
177.76	178.89	1.13	3.70	3.22	1.06	38.1
178.89	179.53	0.64	2.10	0.638	0.135	7.8
179.53	181.05	1.52	5.00	0.227	0.079	3.7
181.05	182.58	1.52	5.00	0.321	0.102	7.9
182.58	184.10	1.52	5.00	0.113	0.036	1.3
184.10	185.62	1.52	5.00	0.032	0.013	0.3

185.62	187.15	1.52	5.00	0.11	0.02	1.2
187.15	188.67	1.52	5.00	0.0404	0.02	0.7
188.67	190.20	1.52	5.00	0.0123	0.009	0.3
190.20	191.72	1.52	5.00	0.0077	0.0025	0.7
191.72	193.24	1.52	5.00	0.0164	0.01	0.4
193.24	194.77	1.52	5.00	0.0172	0.01	0.6
194.77	196.60	1.83	6.00	0.0136	0.009	0.3
Weighted Average		129.08	423.50	0.6154	0.38655	8.4953

Tom Drivas, President of Romios stated that wide intersection of these high grade copper, gold and silver values in Hole TRK 08-01 indicated the significant potential of the discovery and that as reported in Romios's Press Releases of September 3, 2008, the Corporation had also intersected the mineralized zone over wide intervals in its other drilling at Trek, which further indicated the potential of the mineralized zones. Mr. Drivas advised that the Corporation is awaiting assay results from the additional holes.

Romios has an option from the Galore Creek syndicate to earn a 100 % interest in the Trek property, subject to a 2% Net Smelter Returns Royalty in favour of the optionors.

All drill core samples submitted by Romios to the ALS Chemex laboratory were analyzed for copper, gold and silver by ICP analysis. The mineralized core intervals from NQ diameter core were split in the field using an electric- powered core saw and then the samples were hand delivered to ALS Chemex Laboratories in Terrace, British Columbia for preparation and then shipped to Vancouver for analysis. In addition to the laboratory's quality control program, a rigorous on-site quality assurance and quality control program was implemented involving the insertion of blanks, standards and splits.

The technical information contained in this report has been reviewed and approved by Mr. Thomas Skimming, P. Eng., Geologist, V.P. of Exploration, Director of Romios and a qualified person as defined by National Instrument 43-101.

This material change report contains forward-looking statements that involve risks and uncertainties, which may cause actual results to differ materially from the statements made. When used in this document, the words "may", "would", "could", "will", "intend", "plan", "anticipate", "believe", "estimate", "expect" and similar expressions are intended to identify forward-looking statements. Such statements reflect the Corporation's current views with respect to future events and are subject to such risks and uncertainties. Many factors could cause the Corporation's actual results to differ materially from the statements made, including those factors discussed in filings made by the Corporation with the Canadian securities regulatory authorities. Should one or more of these risks and uncertainties, such actual results of current exploration programs, the general risks associated with the mining industry, the price of gold and other metals, currency and interest rate fluctuations, increased competition and general economic and market factors, occur or should assumptions underlying the forward looking statements prove incorrect, actual results may vary materially from those described herein as intended, planned, anticipated, or expected. Romios does not intend and does not assume any obligation to update these forward-looking

statements, except as required by law. Shareholders are cautioned not to put undue reliance on such forward-looking statements.

6. The report is not being filed on a confidential basis in reliance on subsection 7.1(2) or (3) of National Instrument 51-102.
7. No information has been omitted because it is believed it should remain confidential.
8. Mr. Tom Drivas, President and a director, may be contacted at 416-221-4124 concerning this report.
9. The foregoing accurately discloses the material change referred to herein.

DATED at Toronto, Ontario this 3rd day of November, 2008.

ROMIOS GOLD RESOURCES INC.

“William R. Johnstone”

Per: _____
WILLIAM R. JOHNSTONE
Corporate Secretary