FORM 51-102F3
MATERIAL CHANGE REPORT

Filed pursuant to: National Instrument 51-102
Section 85 (1) of the *Securities Act* (British Columbia)
Section 146 (1) of the *Securities Act* (Alberta)

Item 1. Name and Address of Company

STARFIRE MINERALS INC.
#520 – 355 Burrard Street
Vancouver, B.C. V6C 2G8

Telephone: (604) 669-5642

Item 2. Date of Material Change

October 3, 2008

Item 3. News Release

A News Release dated and issued October 2, 2008 at Vancouver, British Columbia, through Canada Stockwatch, Market News and SEDAR.

Item 4. Summary of Material Change

See news release, a copy of which is attached hereto.

Item 5. Full Description of Material Change

See news release, a copy of which is attached hereto.

Item 6. Reliance on subsection 7.1(2) or (3) of National Instrument 51-102

Not applicable.

Item 7. Omitted Information

Not applicable.

Item 8. Executive Officer

Dan Mosher, President
Telephone: (604) 669-5642

Item 9. Date of Report

October 3, 2008

SIGNED: *"Dan Mosher"*

Dan Mosher

Starfire Minerals Inc.
520-355 Burrard Street
Vancouver, BC
V6C 2G8
Telephone: 604.669.5642
Facsimile: 604.687.6714

Trading Symbol: SFR: TSX-Venture

October 2, 2008

Starfire Announces 140 Meters Averaging 0.67 Grams Gold per Tonne;

Also Intersects 1.98 meters containing 6.49 Grams Gold per Tonne

Starfire Minerals Inc. ("the Company") is pleased to announce analytical results from the completion of hole PP-08-07 at its Porphyry Pearl copper-gold project in the Toodoggone District, Northern British Columbia as tabulated below.

	From	To	Meters	Au (g/t)	Cu %	Zn %	eq Au (g/t)	Remarks
	0.00	18.29	18.29					overburden - not sampled
	18.29	89.31	71.02	0.064	0.007	0.032	0.105	
	89.31	99.97	10.66	0.617	0.058	0.053	0.764	
	99.97	124.36	24.39	0.135	0.019	0.094	0.253	
	124.36	264.72	140.36	0.669	0.066	0.233	0.995	
	264.72	294.44	29.72	0.119	0.011	0.074	0.206	
	294.44	306.32	11.88	0.767	0.061	0.112	0.975	
	306.32	328.12	21.80	0.078	0.003	0.042	0.121	
	328.12	341.99	13.87	0.490	0.046	0.567	1.087	
	341.99	381.61	39.62	0.177	0.017	0.062	0.263	
	381.61	395.48	13.87	1.078	0.012	0.130	1.217	
includes	381.61	383.59	1.98	6.008	0.031	0.470	6.491	
	395.48	429.16	33.68	0.082	0.002	0.024	0.108	

(1) 1g/t=grams per tonne.
(2) Equivalent copper and gold calculations use metal prices of US$1.50 for copper (Cu), $US 0.80 for zinc (Zn) and US$600/oz for gold (Au). Metallurgical recoveries and net smelter returns for all metals are assumed to be 100%. Equivalent gold = Au g/t + (Cu% x 33.07/19.29) + (Zn% x 17.64/19.29).

Quality Control

The NQ-2 core is logged, split with a core splitter, and sampled on site. The maximum core length constituting a sample is 2 meters. One half of the core is returned to the core box for reference. The samples are forwarded to Acme Analytical Laboratories Ltd.'s facility in Smithers BC for preparation and on to Acme's facility in Vancouver BC for analyses. Copper and zinc are determined by ICP-ES on a 1-gram subsample as part of Acme's Group 7 AR package. Gold is determined by fire assay preparation with an ICP-ES finish using Acme's Group 3B procedure on a 30-gram subsample. "Overlimits" for gold (>10 g/t) are reanalyzed by a conventional 30- gram fire assay. Acme reports results of its standards and re-analyses of samples. In addition, the Company inserted its own set of commercial standards and blanks within the sample sequence. All Quality Control results were found to be within an acceptable range.

Additional Drilling

The 2008 field program has been completed and the drill demobilized. Below are the coordinates of all holes completed during the 2008 season, along with the status of the analytical results.

Hole	East (UTM)	North (UTM)	Azimuth	Inclination	Length (Meters)	Results
PP-07-06	607,393	6,370,459	240	-60	448	(281 meters in 2008) See Aug 11/08 News Release
PP-08-07	607,393	6,370,459	220	-60	429	This release
PP-08-08	607,393	6,370,459	265	-55	450	Awaiting analyses
PP-08-09	607,246	6,370,564	210	-66	361	Awaiting analyses
PP-08-10	607,246	6,370,564	240	-64	350	Awaiting analyses
PP-08-11	607,246	6,370,564	210	-55	259	Awaiting analyses

Starfire's Qualified Person as that term is defined in National Instrument 43-10 1 is Philip J. Rush, P.Geo., who prepared this release.

ON BEHALF OF THE BOARD OF DIRECTORS OF

STARFIRE MINERALS INC.

"Dan Mosher"

Dan Mosher
President/CEO