



1016 - 510 West Hastings Street
Vancouver, B.C. V6B 1L8
Tel: 604.687.2522

www.rockhavenresources.com
info@nordacres.com
TSX-V: RK

Rockhaven Drills 9.46 g/t Gold and 84.9 g/t Silver over 6.09 m at the Central Klaza Zone, Klaza Project, Yukon

September 15, 2015 - Rockhaven Resources Ltd. (TSX-V:RK) (“Rockhaven”) is pleased to announce additional results from diamond drilling at its 100%-owned and road-accessible Klaza property, located in the Dawson Range Gold Belt of southern Yukon. The recently completed 2015 exploration program focused on expanding the current mineral resource and providing key geotechnical and environmental data to further advance the project.

The ten diamond drill holes described in this release are from the Central Klaza Zone and sub-parallel vein structures that are developed in the immediate hanging wall and footwall of the zone. The majority of these subsidiary structures are outside of the current mineral resource model. The most recent results continue to delineate areas of high-grade mineralization within the Central Klaza Zone (see Rockhaven News Release August 12, 2015). Highlights from the drill holes are as follows:

- **9.46 g/t gold, 84.9 g/t silver, 1.83% lead and 2.68% zinc over 6.09 m and 11.29 g/t gold, 120 g/t silver, 1.15% lead and 7.93% zinc over 1.04 m - Hole 270**
- **7.01 g/t gold, 492 g/t silver, 5.30% lead and 5.32% zinc over 1.18 m - Hole 241**
- **8.05 g/t gold, 272 g/t silver, 4.72% lead and 1.53% zinc over 1.39 m - Hole 243**
- **3.32 g/t gold, 46.2 g/t silver, 1.06% lead and 0.50% zinc over 2.02 m - Hole 257**
- **5.51 g/t gold, 141 g/t silver, 5.34% lead and 1.55% zinc over 2.95 m - Hole 265**
- **10.00 g/t gold, 25.5 g/t silver, 0.42% lead and 0.30% zinc over 1.03 m - Hole 272**

“Drilling around the existing mineral resource at the Central Klaza Zone was one of the major focus of this year’s exploration program,” stated Matt Turner, CEO of Rockhaven. “These intercepts better define the geological model in this part of the deposit and should expand the area of the mineral resource.”

The following table lists the highlight intervals and other significant intercepts from the announced holes.

Drill Hole	Zone ID	From (m)	To (m)	Interval (m)⁺	Gold (g/t)	Silver (g/t)	Lead (%)	Zinc (%)
KL-15-241	Central Klaza HW	32.77	33.57	0.80	0.80	61.4	0.419	0.314
and		134.03	134.76	0.73	2.26	29.5	0.247	0.396
and		145.33	148.77	3.44	0.66	48.4	0.293	0.389
incl.		145.33	145.67	0.34	5.29	214	1.530	3.420
and		205.69	206.11	0.42	1.70	161	1.185	0.791
and		222.21	222.94	0.73	1.18	4.66	0.072	0.328

and		257.96	258.35	0.39	1.89	28.2	0.322	1.660
and	Central	279.04	281.20	2.16	4.09	273	2.971	3.026
incl.	Klaza	280.02	281.20	1.18	7.01	492	5.304	5.324
KL-15-243	Central	20.43	20.73	0.30	0.15	183	3.000	0.365
and	Klaza HW	53.76	54.12	0.36	0.19	814	1.670	0.616
and		75.62	76.92	1.30	0.10	99.8	0.277	0.124
and		151.20	152.00	0.80	1.96	38.5	0.439	0.527
and		156.61	157.04	0.43	2.11	20.3	0.189	0.154
and		206.74	207.55	0.81	2.22	512	7.185	2.376
incl.		207.04	207.55	0.51	3.10	720	10.200	3.660
and		336.89	337.45	0.56	1.86	42.6	0.415	1.205
and	Central	382.79	384.18	1.39	8.05	272	4.716	1.533
incl.	Klaza	383.44	384.18	0.74	11.20	495	8.720	2.590
and	Central	454.99	455.29	0.30	2.95	7.54	0.214	0.248
and	Klaza FW	489.18	489.58	0.40	2.73	295	2.510	4.950
and		492.68	492.98	0.30	3.67	314	3.640	3.930
KL-15-255	Central	89.29	89.59	0.30	5.85	54.1	0.751	0.340
and	Klaza HW	132.29	132.59	0.30	1.22	11.4	0.142	0.346
and		163.59	163.89	0.30	2.78	153	1.870	5.760
and		179.09	179.39	0.30	4.12	49	1.200	2.910
and		197.88	198.18	0.30	0.25	177	0.687	0.072
and		204.63	204.93	0.30	1.85	10.9	0.315	0.288
and		263.24	263.58	0.34	0.56	85.4	1.650	1.505
and	Central	292.84	293.18	0.34	2.49	146	3.190	3.200
and	Klaza	298.49	298.94	0.45	21.90	176	3.260	2.260
and	Central	357.44	358.40	0.96	6.90	302	2.880	2.800
KL-15-257	Central	39.60	40.03	0.43	5.87	85.0	0.997	0.821
and	Klaza HW	69.72	70.24	0.52	6.14	205	1.660	1.835
and	Central	93.15	94.08	0.93	0.67	80.7	1.400	0.483
and	Klaza	101.00	110.47	9.47	1.25	22.4	0.391	0.276
incl.		101.00	102.07	1.07	5.64	81.0	1.860	0.691
and incl.		106.82	107.86	1.04	3.03	67.4	0.992	0.949
and		113.42	113.82	0.40	1.23	84.9	2.040	1.610
and		122.25	122.78	0.53	1.62	27.5	0.388	0.317
and		131.56	131.96	0.40	1.56	23.0	0.399	0.450
KL-15-262	Central	25.00	25.93	0.93	6.16	65.2	0.337	10.496
incl.	Klaza HW	25.40	25.93	0.53	9.81	105	0.453	17.750
and	Central	50.65	50.98	0.33	1.12	13.8	0.200	0.351
and	Klaza	67.53	67.84	0.31	2.28	12.2	0.184	0.267
and	Central	105.14	105.81	0.67	9.84	14.6	0.034	0.479
and	Klaza FW	144.87	145.18	0.31	31.60	100	0.172	6.670
and		175.42	175.81	0.39	0.57	510	0.107	1.085
and		198.53	198.83	0.30	1.64	16.4	0.040	0.164
and		200.47	200.77	0.30	3.06	15.2	0.059	0.650
KL-15-265	BYG	38.68	41.63	2.95	5.51	141	5.341	1.549
incl.		38.68	39.11	0.43	13.95	546	19.550	6.200

incl.		40.18	40.86	0.68	8.46	212	8.890	1.335
and		46.68	48.39	1.71	2.07	107	3.167	2.346
incl.		46.98	47.62	0.64	4.44	264	8.010	5.820
and	Central Klaza HW	80.89	81.46	0.57	1.24	42.3	0.307	1.065
and		192.41	192.87	0.46	1.45	25.7	0.755	0.088
and		229.90	230.86	0.96	1.19	51.7	1.674	2.376
incl.		229.90	230.47	0.57	1.64	77.1	2.500	3.530
and	Central Klaza	289.87	290.21	0.34	14.55	981	3.310	33.810
and		297.31	297.91	0.60	2.67	21.5	0.093	2.900
and		300.58	301.73	1.15	4.93	102	0.351	5.171
incl.		300.58	301.10	0.52	9.86	212	0.698	11.200
and		325.22	326.08	0.86	4.61	18.6	0.057	0.410
and	Central Klaza FW	352.91	354.47	1.56	1.88	23.3	0.618	0.286
and		378.20	378.66	0.46	2.29	64.0	0.927	0.779
and		412.72	413.69	0.97	1.12	7.26	0.157	0.542
and		450.73	453.17	2.44	6.71	0.54	0.002	0.007
and		480.97	481.36	0.39	1.54	38.7	0.621	3.840
KL-15-270	Central Klaza	29.87	35.96	6.09	9.46	84.9	1.828	2.678
incl.		30.90	32.59	1.69	22.14	254	5.645	4.296
incl.		33.47	33.88	0.41	10.80	5.56	0.086	1.790
incl.		34.75	35.29	0.54	21.40	102	1.430	11.700
and	Central Klaza FW	38.90	39.28	0.38	1.38	1.76	0.054	0.112
and		47.96	48.27	0.31	12.30	75.6	3.440	4.880
and		71.73	72.77	1.04	11.29	120	1.146	7.930
incl.		72.04	72.45	0.41	20.00	285	2.720	18.850
and		122.79	124.72	1.93	1.28	16.0	0.080	0.082
and		125.59	126.51	0.92	3.84	39.1	0.102	0.100
KL-15-272	Central Klaza	94.01	94.64	0.63	1.01	6.11	0.146	0.504
and		97.48	102.84	5.36	1.89	10.9	0.127	0.332
incl.		97.48	98.59	1.11	5.09	14.9	0.186	0.848
and incl.		102.53	102.84	0.31	14.35	132	1.430	2.560
and		108.41	108.74	0.33	1.78	8.12	0.132	0.359
and		139.68	140.23	0.55	1.52	22.6	0.380	0.534
and	Central Klaza FW	192.14	192.44	0.30	7.28	173	0.264	0.355
and		220.46	220.76	0.30	2.79	40.6	0.769	4.200
and		224.06	224.36	0.30	5.76	341	3.220	6.560
and		243.23	244.26	1.03	10.00	25.5	0.415	0.301
KL-15-277	Central Klaza HW	27.51	27.81	0.30	0.99	104	0.841	0.514
and		112.10	112.41	0.31	3.83	201	0.339	0.402
and	Central Klaza	157.83	158.48	0.65	2.18	18.0	0.180	0.388
and		181.61	182.08	0.47	1.88	77.5	0.570	1.295
and		184.74	185.25	0.51	1.92	56.4	0.973	0.303
and		206.53	207.26	0.73	7.75	36.0	0.138	0.936
and	Central Klaza FW	233.42	235.49	2.07	1.65	5.49	0.039	0.122
and		242.98	243.50	0.52	5.59	77.0	0.625	0.942
KL-15-288	Central Klaza HW	36.55	37.10	0.55	1.31	8.2	0.052	0.128
and	Central	66.68	71.14	4.46	2.12	153	0.709	0.472

incl.	Klaza	66.68	66.99	0.31	10.15	870	5.480	1.880
and		69.14	69.82	0.68	6.04	575	1.915	1.775
and	Central Klaza FW	106.90	109.11	2.21	3.80	187	0.406	0.770
incl.		108.43	109.11	0.68	7.46	541	0.664	1.310
and		111.92	112.24	0.32	1.52	21.7	0.238	0.311

+ Represents the diamond drill hole sample length. True widths are estimated to be approximately 80-90% of the interval.

Klaza HW represents unnamed subsidiary structures that are developed in the hanging wall of the Central Klaza Zone.

Klaza FW represents unnamed subsidiary structures that are developed in the footwall of the Central Klaza Zone.

Central Klaza Zone

The Central Klaza Zone forms the core of the Klaza Zone, a 2,400 m long mineralized complex that is one of the nine gold-silver zones identified to date on the Klaza property. Mineralization in the Central Klaza Zone consists of a laterally extensive complex of steeply dipping and anastomosing veins, breccias and sheeted veinlets emplaced within a 25 to 100 m wide structural corridor. Mineralization in the Central Klaza Zone and adjacent subsidiary structures has been traced over a 800 m strike length and to a maximum depth of 325 m. This zone remains open to extension to depth, into the footwall and along strike to the east. To the west, it is offset by a fault from the Western Klaza Zone.

The 2015 field program at Klaza consisted of 13,738 m drilled in 56 holes. Drilling was focused on expanding the current mineral resource and providing key geotechnical and environmental data to further advance the project. Maps and sections can be viewed at the Rockhaven's website at www.rockhavenresources.com. Additional results will be released on a target by target basis once assays are received, compiled and evaluated.

All analyses for rock and core samples from the 2015 program were performed by ALS Minerals with sample preparation in Whitehorse and assays and geochemical analyses in North Vancouver. Core samples were routinely analyzed for gold by fire assay followed by atomic absorption (Au-AA24) and 48 other elements by inductively coupled plasma-mass spectrometry (ME-MS61). Samples that exceeded the detection limits of the routine methods were assayed for silver, copper, lead and zinc by inductively coupled plasma-atomic emission spectroscopy (Ag/Cu/Pb/Zn - OG62) and gold by gravimetric analysis (Au-GRA22). Rigorous procedures were in place regarding sample collection, chain of custody and data entry. Certified assay standards, coarse reject duplicates, field duplicates and blanks were routinely inserted into the sample stream to ensure integrity of the assay process. All of the results reported have passed the QAQC screening.

The 2015 program was managed by Archer, Cathro & Associates (1981) Limited (Archer Cathro). Technical information in this news release has been approved by Matthew R. Dumala, P.Eng., a geological engineer with Archer Cathro and qualified person for the purpose of National Instrument 43-101.

About the Klaza Project and Rockhaven

The road accessible Klaza project hosts a recently announced inferred mineral resource estimate that includes 7,040,000 tonnes containing 948,348 oz gold, 21,780,313 oz silver, 121,060,093 lbs lead and 144,340,881 lbs zinc at an average grade of 4.19 g/t gold, 96.23 g/t silver, 0.78% lead and 0.93% zinc using a 1.5 g/t gold cut-off (see Klaza Property

Amended Technical Report dated June 19, 2015 which can be viewed at www.sedar.com under the Rockhaven profile or on the Rockhaven website).

Rockhaven Resources Ltd. is a well-funded company focused on growth through exploration of its Klaza project. For additional information concerning Rockhaven Resources Ltd. or its various exploration projects please visit Rockhaven's website at www.rockhavenresources.com or contact:

Matthew Turner, CEO and Director

Rockhaven Resources Ltd.

T:604-688-2568

mturner@rockhavenresources.com

NEITHER THE TSX VENTURE EXCHANGE NOR ITS REGULATION SERVICES PROVIDER (AS THAT TERM IS DEFINED IN THE POLICIES OF THE TSX VENTURE EXCHANGE) ACCEPTS RESPONSIBILITY FOR THE ADEQUACY OR ACCURACY OF THIS RELEASE.