

51-102F3
MATERIAL CHANGE REPORT

Item 1 Name and Address of Company

Aloro Mining Corp. (the “Company”)
Suite 1085, 555 Burrard Street
PO Box 201
Vancouver, BC V7X 1M8

Item 2 Date of Material Change

February 5, 2019 and February 20, 2019

Item 3 News Release

The news release dated February 5, 2019 was disseminated through GlobeNewswire on February 5, 2019 and the news release dated February 20, 2019 was disseminated through GlobeNewswire on February 20, 2019.

Item 4 Summary of Material Change

On February 5, 2019, the Company provided an updated on its drilling activities at its Los Venados gold project. The Company completed 12 reverse circulation drill holes for a total of 1,747 meters drilled. All drill holes intercepted high sulphidation type alteration and mineralization.

The recent drill program was designed to test the felsic dome complex located 1500m northwest of the active Alamos Gold Inc. Estrella Pit, exploring for high-grade Escondida-type gold mineralization. A gold-mineralized rhyolitic dike was intercepted that is inferred to be a feeder to the blind and intact dome complexes further to the southeast.

The Company’s drilling intercepted numerous intervals of low-grade high sulphidation gold. Drill holes LVRC001-011 were focused on the soil gold anomaly associated with the outcropping felsic dome complex. The thickest intercept was in LVRC-1 with 18.3 meters of 0.2 gpt. Au. LVRC-005 had an interval consisting of 3.05 meters with 1.45 gpt. Au.

Drilling results from the dome complex drill holes indicate a southeast-directed vector toward increasing alteration and mineralization, which was tested by drill hole LVRC-012. The hole cut 32m of blind strong silicic alteration with brecciated vuggy silica and sulfides containing the best gold intercept of 4.57 meters of 1.72 gpt Au. The intercept is interpreted to be at the margin of concealed felsic dome similar to that hosting high-grade mineralization in the Escondida zone 1300m to the east, and warrants further drilling.

The Company’s geological team is currently doing extensive mapping and sampling in the southeastern portion of the Los Venados concession based on the LVRC-012 results. The Company is currently making arrangements to drill additional holes as soon as possible to test a 1000 meter-long target area up-dip and north of LVRC-012.

On February 20, 2019, the Company appointed Kenneth J. Balleweg, M.Sc., PGeo. as Technical Advisor to the Company. Mr. Balleweg is an exploration geologist with over 30

years of exploration and production experience, including 20 years in Mexico. He held the position at Placer Dome as Senior Project Geologist at the Cortez and Getchell Mines, Nevada. His work at the Cortez/Pipeline complex lead to the first intercepts in the Gold Rush deposit. In Mexico, his positions included 5 years as Placer Dome's Senior Project Geologist for the Mulatos project, Mexico Mine Exploration Manager. He held positions with Alamos Gold over a 14-year period as Exploration Manager, Vice President Exploration, and Manager of Underground Geology. Exploration successes while at Mulatos include the Escondida, Escondida Hanging Wall, Gap, Puerto del Aire Extension, San Carlos SBX, Central Zone, and Far East deposits, that resulted in an addition of over 2M ounces of gold reserves. His expertise is primarily centered on volcanic-hosted epithermal gold deposits, particularly high sulphidation deposits, as well as Carlin-type systems. He has a B.Sc. in Geological Engineering and M.Sc. in Geology from the Colorado School of Mines, and is a registered professional geologist with the American Institute of Professional Geologists.

Item 5 Full Description of Material Change

5.1 Full Description of Material Change

A full description of the material changes are described in Item 4 above and in the attached news releases which have been filed on SEDAR.

5.1 Disclosure for Restructuring Transactions

N/A

Item 6 Reliance on subsection 7.1(2) or (3) of National Instrument 51-102

N/A

Item 7 Omitted Information

None

Item 8 Executive Officer

Thomas A. Doyle, President and Chief Executive Officer, (604) 689-5722

Item 9 Date of Report

February 22, 2019



February 5, 2019

TSX.V Symbol AORO
FRANKFURT Symbol 4LPP

ALORO PROVIDES UPDATE ON DRILLING AT LOS VENADOS AND PLANNING FOLLOW UP DRILL PROGRAM

ALORO MINING CORP. – (the “Company” or “Aloro”) is pleased to provide an update from its recently completed Reverse Circulation (RC) drill program on the Company’s Los Venados gold Project. Aloro completed 12 RC drill holes for a total 1,747 meters drilled. All drill holes intercepted high sulphidation type alteration and mineralization.

The recent drill program was designed to test the felsic dome complex located 1500m northwest of the active Alamos Gold Inc. Estrella Pit, exploring for high-grade Escondida-type gold mineralization. A gold-mineralized rhyolitic dike was intercepted that is inferred to be a feeder to the blind and intact dome complexes further to the southeast.

Aloro’s drilling intercepted numerous intervals of low-grade high sulphidation gold. Drill holes LVRC001-011 were focused on the soil gold anomaly associated with the outcropping felsic dome complex. The thickest intercept was in LVRC-1 with 18.3 meters of 0.2 gpt. Au. LVRC-005 had an interval consisting of 3.05 meters with 1.45 gpt. Au.

Drilling results from the dome complex drill holes indicate a southeast-directed vector toward increasing alteration and mineralization, which was tested by drill hole LVRC-012. The hole cut 32m of blind strong silicic alteration with brecciated vuggy silica and sulfides containing the best gold intercept of 4.57 meters of 1.72 gpt Au. The intercept is interpreted to be at the margin of concealed felsic dome similar to that hosting high-grade mineralization in the Escondida zone 1300m to the east, and warrants further drilling.

Technical advisor Ken Balleweg, P. Geo, who managed the discovery and ore control of the high-grade Escondida zone states: “The style of mineralization in LVRC012, particularly the coarse vuggy nature with crystalline quartz, octahedral pyrite, and tetrahedrite, strongly resembles that of the Escondida high-grade deposit, which was distinctly different from the main Mulatos style of mineralization. As this style of mineralization is unique and was both within and proximal to the high-grade deposit, the intercept of similar alteration in a previously undrilled area is significant and warrants additional step-out holes.”

The Aloro geological team is currently doing extensive mapping and sampling in the southeastern portion of the Los Venados concession based on the LVRC-012 results. The Company is currently making arrangements to drill additional holes as soon as possible to test a 1000 meter-long target area up-dip and north of LVRC-012.

Drill results using a 0.14 gpt cutoff:

Drill hole ID	From (m)	To (m)	Length (m)	Au (g/t)	Ag (g/t)
LVRC-001	10.67	28.96	18.29	0.199	2.2
LVRC-002	0.00	13.72	13.72	0.142	3.3
LVRC-002	56.39	60.96	4.57	0.150	1.9
LVRC-003	27.43	44.20	16.76	0.149	3.3
LVRC-004	73.15	76.20	3.05	0.243	22.9
LVRC-005	36.58	47.24	10.67	0.517	1.7
		<i>Includes</i>	3.05	1.455	1.4
LVRC-005	51.82	59.44	7.62	0.165	3.1
LVRC-005	62.48	70.10	7.62	0.191	10.0
LVRC-006	6.10	10.67	4.57	0.219	10.6
LVRC-006	33.53	35.05	1.52	0.697	1.3
LVRC-007	70.10	74.68	4.58	0.141	0.5
LVRC-008	108.20	117.35	9.15	0.215	1.6
LVRC-008	135.64	143.26	7.62	0.153	1.2
LVRC-009	99.06	102.11	3.05	0.182	<0.5
LVRC-012	254.51	262.13	7.62	1.131	32.3
		<i>Includes</i>	4.57	1.722	50.2
LVRC-012	272.80	275.84	3.04	0.197	2.7

Thomas A. Doyle, President, CEO, stated “We are pleased to have obtained gold and alteration intercepts in the drilling that has directed us to a high-grade gold target in southeastern part of the Los Venados concession area. The near-term plan is to get the drill back out to the property and follow up on what we have learned from drill hole #12.”

Quality Assurance/Quality Control (“QA/QC”) Measures and Analytical Procedures

Melvin A. Herdrick, P. Geo, a qualified person under NI 43-101, has reviewed and verified the technical content and data disclosed in this press release. Mr. Herdrick verified the data by supervising the onsite drilling and sample collection.

Drill samples were collected with an airstream cyclone and passed into a splitter that divides each sample into quarters. The quartered samples are then bagged and sealed with identification. The sample group has blanks, standards and duplicates inserted into the sample stream. ALS-Chemex picked up the samples and transported them directly to the preparation laboratory in Hermosillo, Sonora.

At the laboratory, part of each sample is reduced through crushing, splitting and pulverization, from which 150 grams are sent to the ALS-Chemex assay laboratory in Vancouver and 30 grams undergoes fire assay for gold whereby the resulting concentrated button of material is dissolved, and the gold content is determined by atomic absorption. Another quantity of the sample is dissolved in four acids for an ICP multi-element analysis.

About Aloro Mining Corp.

Aloro controls the 3,199 hectare Los Venados Project, which is located in the central part of the Mulatos Gold District. The western property boundary is shared with Agnico Eagle Mines Limited where it operates the La India open pit mine, and it is directly adjacent to the active Mulatos open pit of Alamos Gold Inc. to the south. The known mineralization within the Mulatos District is gold-dominant, with accessory silver and copper.

ALORO MINING CORP.

<http://www.aloromining.com/>

Per: "Thomas A. Doyle"
Thomas A. Doyle
President & CEO

**For further information, please
contact:**
Thomas A. Doyle
Logan Anderson
Phone: (604) 689-5722
Email: info@aloromining.com

Neither TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.



February 20, 2019

TSX.V Symbol AORO
FRANKFURT Symbol 4LPP

ALORO APPOINTS KEN BALLEWEG AS TECHNICAL ADVISOR

ALORO MINING CORP. – (the “Company” or “Aloro”) is pleased to announce that it has appointed Kenneth J. Balleweg, M.Sc., PGeo. as Technical Advisor to the Company.

Ken Balleweg is an exploration geologist with over 30 years of exploration and production experience, including 20 years in Mexico. He held the position at Placer Dome as Senior Project Geologist at the Cortez and Getchell Mines, Nevada. His work at the Cortez/Pipeline complex lead to the first intercepts in the Gold Rush deposit.

In Mexico, his positions included 5 years as Placer Dome’s Senior Project Geologist for the Mulatos project, Mexico Mine Exploration Manager. He held positions with Alamos Gold over a 14-year period as Exploration Manager, Vice President Exploration, and Manager of Underground Geology. Exploration successes while at Mulatos include the Escondida, Escondida Hanging Wall, Gap, Puerto del Aire Extension, San Carlos SBX, Central Zone, and Far East deposits, that resulted in an addition of over 2M ounces of gold reserves. His expertise is primarily centered on volcanic-hosted epithermal gold deposits, particularly high sulphidation deposits, as well as Carlin-type systems.

He has a B.Sc. in Geological Engineering and M.Sc. in Geology from the Colorado School of Mines, and is a registered professional geologist with the American Institute of Professional Geologists.

Ken, along with Melvin A. Herdrick, PGeo, Technical Advisor, and Isidro Flores, M.Sc. in Geology from the University of Sonora, Country Geologist, will assist in the evaluation and development of the Los Venados project in Mulatos, Sonora, Mexico.

Thomas A. Doyle, President, CEO, stated “ We are very fortunate to have Ken Balleweg accept the position as Technical Advisor to the Company. His depth of knowledge and exploration experience in the immediate Mulatos area is unsurpassed. His input, along with our current exploration team, will help move the Los Venados project forward.”

About Aloro Mining Corp.

Aloro controls the 3,199 hectare Los Venados Project, which is located in the central part of the Mulatos Gold District. The western property boundary is shared with Agnico Eagle Mines Limited where it operates the La India open pit mine, and it is directly adjacent to the active Mulatos open pit of Alamos Gold Inc. to the south. The known mineralization within the Mulatos District is gold-dominant, with accessory silver and copper.

ALORO MINING CORP.

Per: “*Thomas A. Doyle*”
Thomas A. Doyle
President & CEO

<http://www.aloromining.com/>

For further information, please contact:
Thomas A. Doyle
Logan Anderson
Phone: (604) 689-5722
Email: info@aloromining.com

Neither TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.