

MATERIAL CHANGE REPORT

PURSUANT TO SECTION 7.1 OF NATIONAL INSTRUMENT 51-102 RESPECTING CONTINUOUS DISCLOSURE OBLIGATIONS

ITEM 1: **Name and Address of Company**

TomaGold Corporation (“TomaGold” or the “Corporation”)
100-777 rue de la Commune W
Montréal QC H3C 1Y1

ITEM 2: **Date of Material Changes**

March 8, 2013

ITEM 3: **News Release**

A Press release was issued in English and in French by TomaGold on March 8, 2013. The English and French copies of the press release are attached hereto.

ITEM 4: **Summary of Material Changes**

TomaGold Corporation now confirms high gold grades on three drill sections 50 metres apart, including 32.6 g/t gold over 6.0 m, 26.0 g/t gold over 5.7 m and 48.9 g/t gold over 3.5 m.

ITEM 5: **Full Description of Material Changes**

TomaGold Corporation (TSXV: LOT) (“TomaGold” or the “Company”) and **Quinto Real Capital Corporation (TSXV: QIT)** (“Quinto”) are pleased to announce the results of holes M-13-96 to M-13-101, part of the 3,500-metre drilling program on the Monster Lake property, located 44 km southwest of Chibougamau, Quebec. **The goal of the program is to explore the 325 gold zone at depth, which was never done by previous operators.**

The best drill results reported by AGATLabs of Mississauga, Ontario, are as follows:

- Hole M-13-98: 26.0 g/t Au over 5.7 m at a vertical depth of 280 m
- Hole M-13-99: 32.6 g/t Au over 6.0 m at a vertical depth of 170 m
- Hole M-13-101: 48.9 g/t Au over 3.5 m at a vertical depth of 275 m


The full results for the current drilling program on the 325 zone are as follows:

Hole (#)	From (m)	To (m)	g/t Au	Length (m)	Depth (m)
Section 1250 E					
M-13-94	226.50	231.80	11.5	5.30	187
M-13-93	244.35	250.20	33.6	5.85	217
M-13-95	288.40	295.60	42.0	7.20	278
Section 1300 E					
M-13-96	212.40	215.60	1.22	3.20	160

M-13-97	231.25	231.75	6.34	0.50	195
M-13-98	274.60	280.30	26.0	5.70	280
Section 1200 E					
M-13-99	217.00	223.00	32.6	6.00	170
M-13-100	232.80	237.00	0.60	4.20	200
M-13-101	281.50	285.00	48.9	3.50	275

David Grondin, President and CEO of TomaGold, stated that: “The news for TomaGold continues to be excellent. These new holes have now confirmed that the high-grade gold zone is open along strike on three drill sections 50 metres apart, as well as at depth. We will continue to test the zone along strike and at depth to assess the full potential of this new discovery. It is important to note that we are not constrained by weather conditions, and so will be able to drill on the 325 zone year-round. Furthermore, we have once again noted the presence of trace chalcopyrite and sphalerite and semi-massive pyrrhotite accompanied by intense black chlorite alteration, which suggests the proximity of a VMS-type environment, a potential indicator of gold-bearing massive sulphide deposits.”

Longitudinal map:



Holes M-13-96 to M-13-98 were drilled on Section 1300 E of the 325 zone, while Holes M-13-99 to M-13-101 lie on Section 1200 E, on the same 290° azimuth. Holes M-13-96 to M-13-98 and M-

13-99 to M-13-101 were drilled at dips of -50°, -60° and -70°, respectively, so as to intersect the mineralized zone at vertical depths of 150 to 280 metres.

It should be noted that the sheared tuff unit hosting the gold-bearing quartz vein was intersected at a 40-50° angle to the core axis, meaning that the width of the intersection is not necessarily the true width. Based on observations on surface in recent trenching and old holes drilled by SOQUEM and Stellar Pacific Ventures, the Company estimates the true width of the mineralized zone at 70 to 85% of the width intersected in the drill holes.

The technical content of this press release has been reviewed and approved by Maurice Giroux, a qualified person as defined by NI 43-101.

Sample Preparation and Analysis

The NQ-diameter core is sawed in half, with one half kept as a witness sample and the other half shipped to the James Bay Joint Action Mining Committee in Chibougamau to be ground and pulverized. After primary grinding, the sample is quarter split, and one half is kept as a witness (reject) while the other half is sent for pulverization.

The nominal weight of the pulverized pulp is 1,000 g unless the raw sample was less than 2 kg, in which case all of the pulp is sent to AGAT Laboratories in Mississauga, Ontario.

AGATLabs (Mississauga, ON) takes a 50-g sample for processing by fire assay with atomic absorption finish. When values are higher than 10 g/t Au, gravity analysis is also done.

ITEM 6: **Reliance on Subsection 7.1(2) or (3) of National Instrument 51-102**

Not applicable.

ITEM 7: **Omitted Information**

Not applicable.

ITEM 8: **Executive Officer**

For further information, please contact David Grondin, President and Chief Executive Officer of the Corporation, at (514) 206-7727.

ITEM 9: **Date of Report**

March 8, 2013



COMMUNIQUÉ DE PRESSE

TomaGold confirme maintenant de hautes teneurs aurifères en profondeur sur trois sections de forage espacées de 50 m, dont 32,6 g/t d'or sur 6,0 m, 26,0 g/t d'or sur 5,7 m et 48,9 g/t d'or sur 3,5 m

Montréal (Québec), le 8 mars 2013 – Corporation TomaGold (TSXV: LOT) (« TomaGold » ou la « Société ») et Corporation Capital Quinto Real (TSXV: QIT) (« Quinto ») sont heureuses d'annoncer les résultats des sondages M-13-96 à M-13-101 du programme de forage de 3 500 mètres sur la propriété Monster Lake, située à 44 km au sud-ouest de Chibougamau, au Québec. **L'objectif du programme consiste à explorer la zone aurifère 325 en profondeur, ce qui n'avait jamais été tenté par les anciens opérateurs.**

Les meilleurs résultats fournis par le laboratoire AGATLabs de Mississauga, Ontario, sont les suivants:

- Sondage M-13-98: 26,0 g/t Au sur 5,7 m à une profondeur verticale de 280 m
- Sondage M-13-99: 32,6 g/t Au sur 6,0 m à une profondeur verticale de 170 m
- Sondage M-13-101: 48,9 g/t Au sur 3,5 m à une profondeur verticale de 275 m


Voici les résultats complets des sondages du programme en cours sur la zone 325:

Sondage (#)	De (m)	À (m)	g/t Au	Longueur (m)	Profondeur (m)
Section 1250 E					
M-13-94	226,50	231,80	11,5	5,30	187
M-13-93	244,35	250,20	33,6	5,85	217
M-13-95	288,40	295,60	42,0	7,20	278
Section 1300 E					
M-13-96	212,40	215,60	1,22	3,20	160
M-13-97	231,25	231,75	6,34	0,50	195
M-13-98	274,60	280,30	26,0	5,70	280
Section 1200 E					
M-13-99	217,00	223,00	32,6	6,00	170
M-13-100	232,80	237,00	0,60	4,20	200
M-13-101	281,50	285,00	48,9	3,50	275

David Grondin, président et chef de la direction de TomaGold, a déclaré: « Les nouvelles continuent d'être excellentes pour TomaGold. Ces nouveaux sondages confirment maintenant que la zone aurifère à haute teneur est ouverte latéralement sur trois sections de forage espacées de 50 m, ainsi qu'en profondeur. Nous allons continuer d'investiguer la zone

latéralement et en profondeur afin d'évaluer le plein potentiel de cette nouvelle découverte. Il est important de souligner que nous ne sommes pas limités par les conditions climatiques et que nous serons en mesure de forer la zone 325 durant toute l'année. De plus, nous avons encore noté la présence de chalcopryrite et de sphalérite en trace et de pyrrhotite semi-massive accompagnée d'une altération intense en chlorite noire, ce qui suggère la proximité d'un environnement de type « SMV », un indicateur potentiel de gisements de sulfures massifs aurifères. »

Carte longitudinale



Les sondages M-13-96 à M-13-98 sont situés sur la section 1300 E de la zone 325, alors que les sondages M-13-99 à M-13-101 sont situés sur la section 1200 E, selon le même azimut de 290°. Les pendages des sondages M-13-96 à M-13-98, ainsi que des sondages M-13-99 à M-13-101 étaient de -50°, -60° et -70° afin de recouper la zone minéralisée à des profondeurs verticales variant de 150 à 280 mètres.

Il faut noter que l'unité de tuf cisailé, hôte de la veine de quartz minéralisée en or est recoupée à un angle de 40 à 50 degrés avec l'axe de la carotte, signifiant que la largeur de la zone recoupée n'est pas nécessairement la largeur réelle. Selon les observations de surface provenant des tranchées récentes et des anciens forages de SOQUEM et de Stellar Pacific Ventures, la Société estime la largeur réelle de la zone minéralisée à environ 70 à 85 pour cent de la largeur recoupée dans les sondages.

Le contenu technique de ce communiqué de presse a été révisé et approuvé par M. Maurice Giroux, une personne qualifiée selon le Règlement 43-101.

Préparation et analyse des échantillons

La carotte de diamètre NQ est sciée en deux. Une moitié est gardée comme témoin et l'autre est expédiée chez la Table Jamésienne de Concertation Minière à Chibougamau pour le broyage et la pulvérisation. Un broyage primaire est fait suivi d'un quartage. Une moitié est gardée comme témoin (rejet), alors que l'autre moitié est envoyée à la pulvérisation.

Le poids nominal de pulpe pulvérisée est de 1 000 g ou si l'échantillon brut fait moins de 2 kg, la totalité de la pulpe sera envoyée chez AGAT Laboratories à Mississauga, Ontario.

AGATLabs (Mississauga, ON) prélève un échantillon de 50 g pour traitement par pyroanalyse avec finition à l'absorption atomique. Lorsque la valeur est supérieure à 10 g/t Au, une analyse par gravité est aussitôt faite.

Au sujet du projet Monster Lake

La propriété Monster Lake est située à 44 kilomètres au sud-ouest de la ville de Chibougamau dans le nord-ouest du Québec. Elle est facilement accessible par la route et une ligne électrique majeure traverse la région à proximité. Depuis 1984, plus de 30 000 mètres de forages au diamant ont été réalisés le long du corridor minéralisé de 4 kilomètres de longueur. Durant l'hiver de 2012, TomaGold a effectué 16 sondages pour un total de 2 420 mètres, ce qui lui a permis de faire une découverte majeure de 237,6 grammes d'or par tonne sur 5,7 mètres dans le trou M-12-60. La minéralisation est associée à des veines de quartz noir avec sulfures à l'intérieur d'une zone de cisaillement d'une largeur variant de 3 à 10 mètres, le tout à l'intérieur d'unités basaltiques.

Au sujet de Corporation Capital Quinto Real

Corporation Capital Quinto Real est une société d'exploration minière canadienne dont les activités consistent en l'exploration, l'évaluation et le développement de propriétés minières aurifères en vue d'une exploitation commerciale. Quinto possède une option lui permettant d'acquérir jusqu'à 70 % des droits dans la propriété aurifère Monster Lake, située dans le camp minier de Chibougamau, au Québec.

Au sujet de Corporation TomaGold

Corporation TomaGold est une société d'exploration minière canadienne dont la mission première est l'acquisition, l'exploration et le développement de projets aurifères au Canada et à l'étranger.

Contacts :

Corporation TomaGold

David Grondin
Président et chef de la direction
(514) 206-7727
www.tomagold.corp

Corporation Capital Quinto Real

Michael Curtis
Président et chef de la direction
(514) 303-7895

La Bourse de croissance TSX et son fournisseur de services de réglementation (au sens attribué à ce terme dans les politiques de la Bourse de croissance TSX) n'assument aucune responsabilité quant à la pertinence ou à l'exactitude du présent communiqué.



PRESS RELEASE

TomaGold now confirms high gold grades on three drill sections 50 metres apart, including 32.6 g/t gold over 6.0 m, 26.0 g/t gold over 5.7 m and 48.9 g/t gold over 3.5 m

Montreal, Quebec, March 8, 2013 - TomaGold Corporation (TSXV: LOT) ("TomaGold" or the "Company") and Quinto Real Capital Corporation (TSXV: QIT) ("Quinto") are pleased to announce the results of holes M-13-96 to M-13-101, part of the 3,500-metre drilling program on the Monster Lake property, located 44 km southwest of Chibougamau, Quebec. **The goal of the program is to explore the 325 gold zone at depth, which was never done by previous operators.**

The best drill results reported by AGATLabs of Mississauga, Ontario, are as follows:


- Hole M-13-98: 26.0 g/t Au over 5.7 m at a vertical depth of 280 m
- Hole M-13-99: 32.6 g/t Au over 6.0 m at a vertical depth of 170 m
- Hole M-13-101: 48.9 g/t Au over 3.5 m at a vertical depth of 275 m

The full results for the current drilling program on the 325 zone are as follows:

Hole (#)	From (m)	To (m)	g/t Au	Length (m)	Depth (m)
Section 1250 E					
M-13-94	226.50	231.80	11.5	5.30	187
M-13-93	244.35	250.20	33.6	5.85	217
M-13-95	288.40	295.60	42.0	7.20	278
Section 1300 E					
M-13-96	212.40	215.60	1.22	3.20	160
M-13-97	231.25	231.75	6.34	0.50	195
M-13-98	274.60	280.30	26.0	5.70	280
Section 1200 E					
M-13-99	217.00	223.00	32.6	6.00	170
M-13-100	232.80	237.00	0.60	4.20	200
M-13-101	281.50	285.00	48.9	3.50	275

David Grondin, President and CEO of TomaGold, stated that: "The news for TomaGold continues to be excellent. These new holes have now confirmed that the high-grade gold zone is open along strike on three drill sections 50 metres apart, as well as at depth. We will continue to test the zone along strike and at depth to assess the full potential of this new discovery. It is important to note that we are not constrained by weather conditions, and so will be able to drill on the 325 zone year-round. Furthermore, we have once again noted the presence of trace chalcopyrite and sphalerite and semi-massive pyrrhotite accompanied by intense black chlorite alteration, which suggests the proximity of a VMS-type environment, a potential indicator of gold-bearing massive sulphide deposits."

Longitudinal map:



Holes M-13-96 to M-13-98 were drilled on Section 1300 E of the 325 zone, while Holes M-13-99 to M-13-101 lie on Section 1200 E, on the same 290° azimuth. Holes M-13-96 to M-13-98 and M-13-99 to M-13-101 were drilled at dips of -50°, -60° and -70°, respectively, so as to intersect the mineralized zone at vertical depths of 150 to 280 metres.

It should be noted that the sheared tuff unit hosting the gold-bearing quartz vein was intersected at a 40-50° angle to the core axis, meaning that the width of the intersection is not necessarily the true width. Based on observations on surface in recent trenching and old holes drilled by SOQUEM and Stellar Pacific Ventures, the Company estimates the true width of the mineralized zone at 70 to 85% of the width intersected in the drill holes.

The technical content of this press release has been reviewed and approved by Maurice Giroux, a qualified person as defined by NI 43-101.

Sample Preparation and Analysis

The NQ-diameter core is sawed in half, with one half kept as a witness sample and the other half shipped to the James Bay Joint Action Mining Committee in Chibougamau to be ground and pulverized. After primary grinding, the sample is quarter split, and one half is kept as a witness (reject) while the other half is sent for pulverization.

The nominal weight of the pulverized pulp is 1,000 g unless the raw sample was less than 2 kg, in which case all of the pulp is sent to AGAT Laboratories in Mississauga, Ontario.

AGATLabs (Mississauga, ON) takes a 50-g sample for processing by fire assay with atomic absorption finish. When values are higher than 10 g/t Au, gravity analysis is also done.

About the Monster Lake Project

The Monster Lake property is located in northwestern Quebec, 44 kilometres southwest of the town of Chibougamau. It is easily accessible by road and near a major power line. Over 30,000 metres of diamond drilling has been done since 1984 along the four-kilometre mineralized corridor. During the winter of 2012, TomaGold drilled 16 additional holes for a total of 2,420 metres, and made a major discovery of 237.6 grams per tonne gold over 5.7 metres in Hole M-12-60. The mineralization is associated with dark quartz-sulphide veins within a shear zone 3-10 metres wide in basaltic units.

About Quinto Real Capital Corporation

Quinto Real Capital Corporation is a Canadian-based mining exploration company focused on the exploration, evaluation and development of gold mining properties with a view to commercial production. Quinto has an option to acquire up to a 70% interest in the Monster Lake gold property, located in the Chibougamau mining camp, in the province of Quebec.

About TomaGold Corporation

TomaGold Corporation is a Canadian-based mining exploration company whose primary mission is the acquisition, exploration and development of gold projects in Canada and abroad.

Contacts:

TomaGold Corporation

David Grondin
President and Chief Executive Officer
(514) 206-7727
www.tomagold.corp

Quinto Real Capital Corporation

Michael Curtis
President and Chief Executive Officer
(514) 303-7895

Neither the TSX Venture Exchange nor its regulation services provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this news release.