



NEWCORE GOLD

NEWS RELEASE

Newcore Gold Drilling Intersects 4.41 g/t Gold over 24.0 Metres, including 9.08 g/t Gold over 10.0 Metres, at the Enchi Gold Project, Ghana

Drilling Intersects Wide Zones of Higher-Grade Gold Mineralization at the Boin Gold Deposit

May 20, 2025

TSX-V: NCAU, OTCQX: NCAUF

Vancouver, BC - Newcore Gold Ltd. ("Newcore" or the "Company") (TSX-V: NCAU, OTCQX: NCAUF) is pleased to announce additional drill results from the 35,000-metre drill program underway at the Company's 100% owned Enchi Gold Project ("Enchi" or the "Project") in Ghana. Shallow Reverse Circulation ("RC") drilling at the Boin Gold Deposit ("Boin") intersected multiple wide zones of higher-grade gold mineralization, including hole KBRC357 which intersected 4.41 grams per tonne gold ("g/t Au") over 24.0 metres ("m") from 126 m, including a higher-grade interval of 9.08 g/t Au over 10.0 m from 132 m. Hole KBRC360 intersected 1.58 g/t Au over 52.0 m from 75 m, including a higher-grade interval of 3.04 g/t Au over 16.0 m from 96 m. Drilling continues to prove out the continuity of gold mineralization and potential for resource growth at Enchi.

The 35,000-metre drill program underway at Enchi is focused on resource growth and infill drilling designed to convert Inferred Resources to Indicated. The goal of the first phase of drilling is completion of drilling required for resource conversion in advance of commissioning a Pre-Feasibility Study later this year. The second phase of the drill program will focus on discovery and resource growth, including drilling targeting earlier-stage exploration targets along with drilling focused on defining the resource growth potential at depth and along strike.

Highlights from Drilling at the Boin Gold Deposit at Enchi

- **Drilling in the north-central portion of the Boin Gold Deposit encountered multiple wide zones of gold mineralization with higher-grade intervals.**
 - KBRC357 intersected 4.41 g/t Au over 24.0 m from 126 m, including a high-grade interval of 9.08 g/t Au over 10.0 m from 132 m.
 - KBRC360 intersected 1.58 g/t Au over 52.0 m from 75 m, including a higher-grade interval of 3.04 g/t Au over 16.0 m from 96 m. The hole ended in mineralization, encountering a second structure with 0.62 g/t Au over 22.0 m from 155 m.
- **Drilling continues to intersect gold mineralization outside of the limits of the pit that currently constrains the Mineral Resource Estimate at Boin.**
 - KBRC347B intersected 1.05 g/t Au over 38.0 m from 134 m.
 - KBRC362 intersected 0.66 g/t Au over 52.0 m from 158 m, ending in mineralization.

Luke Alexander, President and CEO of Newcore stated, "The results from the drill program underway at Enchi continue to highlight the strong continuity of mineralization as well as the potential for resource growth. Not only do we continue to encounter wide zones of gold mineralization, but we continue to encounter higher-grade zones of gold mineralization above the average grade of the deposit, and notably we continue to intersect mineralization below

the limits of the pit that constrains the current Mineral Resource Estimate at Boin. These additional shallow high-grade intercepts continue to highlight the opportunity for meaningful resource growth at depth. With most drilling to date at Enchi only completed to an average vertical depth of 100 metres, we believe we have only just begun to define the potential of the Project when compared to other multi-million-ounce gold mines, including Asante's Chirano and Bibiani mines as well as Newmont's Ahafo mine, which are located along the Sefwi-Bibiani belt. We look forward to continuing to highlight the growth and size potential of our district scale Enchi Gold Project as we advance the Project towards a mineral resource update and Pre-Feasibility Study in H1 2026."

This release reports results for 11 RC holes totalling 2,042 m (KBRC347B, KBRC357 to KBRC366) targeting the Boin Gold Deposit, with all holes intersecting gold mineralization. A total of 19,634 m in 153 holes have been reported as part of the ongoing 2024 - 2025 drill program at Enchi.

Select assay results from the 11 holes of the drill program reported in this release are below:

Table 1 - Enchi Gold Project Drill Highlights

Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)
KBRC357	Boin	126.0	150.0	24.0	4.41
including		132.0	142.0	10.0	9.08
KBRC360	Boin	75.0	127.0	52.0	1.58
including		96.0	112.0	16.0	3.04
KBRC347B	Boin	134.0	172.0	38.0	1.05
KBRC362	Boin	158.0	210.0	52.0	0.66
KBRC359	Boin	110.0	144.0	34.0	0.87

Notes:

1. See [detailed table](#) for complete results;
2. Intervals reported are hole lengths with true width estimated to be 75 - 85%; and
3. Length-weighted averages from uncut assays.

A plan map showing the drill hole locations can be viewed at:

https://newcoregold.com/site/assets/files/5915/2025_05_20-ncau-nr-enchi-plan-map-boin.pdf

Cross sections showing drill results and highlights for holes KBRC357, KBRC359 and KBRC360 can be viewed at:

https://newcoregold.com/site/assets/files/5915/2025_05_20-ncau-crosssections-boin.pdf

A complete list of the drill results in this release, including hole details, can be viewed at:

https://newcoregold.com/site/assets/files/5915/2025_05_20-ncau-enchi-2024-2025-drill-results.pdf

Drilling at the Boin Gold Deposit

KBRC347B and KBRC357 to KBRC366 (11 RC holes totalling 2,042 m) were completed at Boin, targeting the north-central and central portions of the deposit. Drilling targeted near-surface oxidized, transition as well as shallow sulphide mineralization with a goal of infill drilling for resource conversion to improve the confidence level as well as grow the existing Mineral Resource Estimate. RC drilling at Boin consisted of 50-metre spaced sections with drill holes spaced every 25 metres along the sections. The holes reported in this news release are

distributed across 3 separate sections spanning 200 metres of strike length in the north-central area of Boin and 5 separate sections spanning 1.3 kilometres of strike length in the central area of Boin.

5 RC holes totalling 929 m (KBRC357 to KBRC361) were drilled on the north-central portion of the structure at Boin. KBRC357 intersected 4.41 g/t Au over 24.0 m from 126 m within the upper sulphide mineralization, including a higher-grade interval in the central portion of the structure of 9.08 g/t Au over 10.0 m from 132 m. KBRC357 also intersected a second interval of 1.07 g/t Au over 8.0 m from 113 m within the transition and upper sulphide horizon. Hole KBRC360, drilled 200 metres north of KBRC357, intersected 1.58 g/t Au over 52.0 m from 75 m, including a higher-grade interval of 3.04 g/t Au over 16.0 m from 96 m within the transitional mineralization. Within this hole, a second structure was encountered within the sulphide mineralization of 0.62 g/t Au over 22.0 m from 155 m, with KBRC360 ending in mineralization and the majority of this second interval encountered below the limits of the pit that constrains the current Mineral Resource Estimate at Boin. Additional drilling in the north-central area of Boin encountered wide zones of gold mineralization with above average grade gold mineralization, including KBRC359, drilled 25 metres to the east of KBRC360 on the same section, with 0.87 g/t gold over 34.0 m from 110 m intersected within the transitional and upper sulphide horizon. KBRC361, drilled 150 metres to the east of KBRC359 and directed back toward the west, intersected multiple zones within the sulphide mineralization including 2.13 g/t Au over 13.0 m from 157 m.

6 RC holes totalling 1,113 m (KBRC347B, KBRC362 to KBRC366) were drilled on the central portion of the structure at Boin, approximately one kilometre to the south of the north-central area. KBRC347B intersected 1.05 g/t Au over 38.0 m from 134 m within the sulphide horizon, with a second interval of 0.58 g/t over 17.0 m from 42 m in the near surface oxide mineralization. KBRC366, drilled 50 m to the east on the same section as KBRC347B, intersected a higher-grade zone in the sulphides with 2.01 g/t Au over 11.0 m from 192 m. KBRC362, drilled 300 m to the south of KBRC347B, intersected 0.66 g/t Au over 52.0 m from 158 m in the sulphide horizon, with the hole ending in mineralization and the entirety of this interval occurring below the limits of the pit that constrains the current Mineral Resource Estimate at Boin.

This drilling continues to confirm continuity along strike and down dip for the principal structures which comprise the Boin Gold Deposit. The width and gold grades within these drill results are consistent with prior wider-spaced drilling completed at Boin. The Company anticipates that these results, along with drill results previously released from the 2024 - 2025 drill program, should improve the confidence level of the existing Mineral Resource Estimate. This recent drilling was drilled in areas where the previous pit constrained Mineral Resource Estimate was classified as Inferred. The results of this recent drilling should allow for conversion of a substantial portion of mineralization within these areas to the Indicated category.

2024 - 2025 Enchi Work Program

A 35,000-metre drill program is underway at Enchi, targeting near-surface oxide and shallow sulphide mineralization with a primary goal of infill drilling for resource conversion to improve the confidence level of the existing Mineral Resource Estimate. Most of the infill drilling is allocated to the two largest deposits at Enchi, Boin and Sewum. Improving the confidence level of the Mineral Resource Estimate at Enchi is a key component of the development work

required to be completed in advance of commissioning a Pre-Feasibility Study for the Project. A subset of the drill program will also focus on outlining resource growth, with all deposit areas and pre-resource targets at Enchi remaining open along strike and at depth, providing for future resource growth across the district-scale property.

Additional exploration and development work is on-going at Enchi, including metallurgical testwork, trenching, hydrogeological testing, geotechnical work, environmental work and soil sampling. Drone topographic surveys have been completed, expanding on previously completed work, at the Kwakyekrom and Tokosea deposit areas to provide detailed topographic information required to improve the confidence level of each deposit's Mineral Resource Estimate. Additionally, the drone survey was completed across the proposed heap leach facility area to contribute additional data for future detailed engineering studies. An airborne magnetic survey tested grass roots targets related to a series of gold-in-soil anomalies and gold mineralization identified in trenching. Soil sampling is also currently being completed on the Omanpe and Abotia licenses with a goal of further defining early-stage targets across Enchi for future trenching and drilling.

Boin Gold Zone

Boin is one of the five deposits which comprise the Mineral Resource Estimate at Enchi (Boin has an Indicated Mineral Resource of 13.0 million tonnes grading 0.62 g/t Au containing 258,200 ounces and Inferred Mineral Resource of 15.9 million tonnes grading 0.68 g/t Au containing 349,600 ounces). Boin is located 10 kilometres south of the town of Enchi, with nearby roads and power and further access provided by a series of drill roads. Boin is outlined on surface by a greater than six-kilometre-long by up to one-kilometre-wide gold in soil anomaly. An airborne geophysical anomaly coincident with the Boin structure extends for a further kilometre north and three kilometres south beyond the limits of current drilling. To date, approximately 40% of the gold-in-soil anomaly at Boin is untested by drilling, with the average vertical depth of all holes drilled to date at Boin only down to 100 metres.

Drill Hole Locations

Table 2 - Enchi Gold Project Drill Hole Location Details

Hole ID	UTM East	UTM North	Elevation	Azimuth °	Dip °	Length (m)
KBRC347B	519323	634242	118	114	-65	180
KBRC357	519546	634737	145	114	-55	168
KBRC358	519586	634795	158	114	-60	186
KBRC359	519612	634809	148	114	-60	148
KBRC360	519588	634823	145	114	-60	177
KBRC361	519726	634714	117	294	-55	250
KBRC362	519197	634054	133	114	-55	210
KBRC363	519205	634182	115	114	-60	210
KBRC364	519223	634082	125	114	-60	174
KBRC365	518844	633393	139	114	-60	84
KBRC366	519241	634342	130	114	-60	255

Enchi Gold Project Mineral Resource Estimate

The Enchi Gold Project hosts an Indicated Mineral Resource of 41.7 million tonnes grading 0.55 g/t Au containing 743,500 ounces gold and an Inferred Mineral Resource of 46.6 million tonnes grading 0.65 g/t Au containing 972,000 ounces. Mineral resource estimation practices are in accordance with CIM Estimation of Mineral Resource and Mineral Reserve Best Practice Guidelines (November 29, 2019) and follow CIM Definition Standards for Mineral Resources and Mineral Reserves (May 10, 2014), that are incorporated by reference into National Instrument 43-101 ("NI 43-101"). The Mineral Resource Estimate is from the technical report titled "NI 43-101 Technical Report, Preliminary Economic Assessment on the Enchi Gold Project" dated June 7, 2024, with an effective date of April 24, 2024, prepared for Newcore by Preetham Nayak, P.Eng., Ryda Peung, P.Eng., and Zunedbhai Shaikh, P.Eng., of Lycopodium Minerals Canada Ltd.; Kerrine Azougarh, P.Eng., of Micon International Limited; and Simon Meadows Smith, P.Eng. / P.Geo., of SEMS Exploration in accordance with NI 43-101, and is available under the Company's profile on SEDAR+ at www.sedarplus.ca. Simon Meadows Smith is an independent qualified person ("QP") as defined by NI 43-101.

Newcore Gold Best Practice

Newcore is committed to best practice standards for all exploration, sampling and drilling activities. Drilling was completed by an independent drilling firm using industry standard RC and Diamond Drill equipment. Analytical quality assurance and quality control procedures include the systematic insertion of blanks, standards and duplicates into the sample strings. Samples are placed in sealed bags and shipped directly to Intertek Labs located in Tarkwa, Ghana for 50 gram gold fire assay.

Qualified Person

Mr. Gregory Smith, P. Geo, Vice President of Exploration at Newcore, is a Qualified Person as defined by NI 43-101, and has reviewed and approved the technical data and information contained in this newsrelease. Mr. Smith has verified the technical and scientific data disclosed herein and has conducted appropriate verification on the underlying data including confirmation of the drillhole data files against the original drillhole logs and assay certificates.

About Newcore Gold Ltd.

Newcore Gold is advancing its Enchi Gold Project located in Ghana, Africa's largest gold producer⁽¹⁾. Newcore Gold offers investors a unique combination of top-tier leadership, who are aligned with shareholders through their 15% equity ownership, and prime district scale exploration opportunities. Enchi's 248 km² land package covers 40 kilometres of Ghana's prolific Bibiani Shear Zone, a gold belt which hosts several multi-million-ounce gold deposits, including the Chirano mine 50 kilometres to the north. Newcore's vision is to build a responsive, creative and powerful gold enterprise that maximizes returns for shareholders.

(1) Source: Production volumes for 2023 as sourced from the World Gold Council.

On Behalf of the Board of Directors of Newcore Gold Ltd.

Luke Alexander
President, CEO & Director

For further information, please contact:

Mal Karwowska | Vice President, Corporate Development and Investor Relations

+1 604 484 4399

info@newcoregold.com

www.newcoregold.com


Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

Cautionary Note Regarding Forward-Looking Statements

This news release includes statements that contain "forward-looking information" within the meaning of the applicable Canadian securities legislation ("forward-looking statements"). All statements, other than statements of historical fact, are forward-looking statements and are based on expectations, estimates and projections as at the date of this news release. Any statement that involves discussion with respect to predictions, expectations, beliefs, plans, projections, objectives, assumptions, future events or performance (often, but not always using phrases such as "plans", "expects", "is expected", "budget", "scheduled", "estimates", "forecasts", "intends", "anticipates", or "believes" or variations (including negative variations) of such words and phrases, or state that certain actions, events or results "may", "could", "would", "might" or "will" be taken, occur or be achieved) are not statements of historical fact and may be forward-looking statements. In this news release, forward-looking statements relate, among other things, to: statements about the estimation of mineral resources; results of preliminary economic assessments; completion of a pre-feasibility study; results of metallurgical testwork; results of our ongoing drill campaign; results of drilling, magnitude or quality of mineral deposits; anticipated advancement of mineral properties or programs; and future exploration prospects.

These forward-looking statements, and any assumptions upon which they are based, are made in good faith and reflect our current judgment regarding the direction of our business. The assumptions underlying the forward-looking statements are based on information currently available to Newcore. Although the forward-looking statements contained in this news release are based upon what management of Newcore believes, or believed at the time, to be reasonable assumptions, Newcore cannot assure its shareholders that actual results will be consistent with such forward-looking statements, as there may be other factors that cause results not to be as anticipated, estimated or intended. Forward-looking information also involves known and unknown risks, uncertainties and other factors which may cause the actual results, performance or achievements of the Company to be materially different from any future results, performance or achievements expressed or implied by the forward-looking information. Such factors include, among others: risks related to the speculative nature of Newcore's business; Newcore's formative stage of development; Newcore's financial position; possible variations in mineralization, grade or recovery rates; actual results of current exploration activities; fluctuations in general macroeconomic conditions; fluctuations in securities markets; fluctuations in spot and forward prices of gold and other commodities; fluctuations in currency markets (such as the Canadian dollar to United States dollar exchange rate); change in national and local government, legislation, taxation, controls, regulations and political or economic developments; risks and hazards associated with the business of mineral exploration, development and mining (including environmental hazards, unusual or unexpected geological formations); the presence of laws and regulations that may impose restrictions on mining; employee relations; relationships with and claims by local communities; the speculative nature of mineral exploration and development (including the risks of obtaining necessary licenses, permits and approvals from government authorities); and title to properties.


Forward-looking statements contained herein are made as of the date of this news release and Newcore disclaims any obligation to update any forward-looking statements, whether as a result of new information, future events or results, except as may be required by applicable securities laws. There can be no assurance that forward-looking information will prove to be accurate, as actual results and future events could differ materially from those anticipated in such statements. Accordingly, readers should not place undue reliance on forward-looking information.

[illegible]

NEWCORE GOLD

2024 - 2025 Drill Program | Enchi Gold Project

Boin, Ghana (As of May 2025)




NEWCORE GOLD

2024 - 2025 Drill Program | Enchi Gold Project

Boin Deposit - Cross Section (B - B')

KBRC357

Viewing Northeast, May 2025



Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated May 20, 2025



Drill Results Released May 20, 2025

Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC347B	Boin	31.0	32.0	1.0	0.26	519323	634242	118	114	-65	180
and		42.0	59.0	17.0	0.58						
and		90.0	91.0	1.0	0.29						
and		134.0	172.0	38.0	1.05						
KBRC357	Boin	113.0	121.0	8.0	1.07	519546	634737	145	114	-55	168
and		126.0	150.0	24.0	4.41						
including		132.0	142.0	10.0	9.08						
and		163.0	164.0	1.0	0.35						
KBRC358	Boin	109.0	117.0	8.0	1.25	519586	634795	158	114	-60	186
and		142.0	161.0	19.0	0.47						
and		166.0	179.0	13.0	1.05						
KBRC359	Boin	11.0	15.0	4.0	0.30	519612	634809	148	114	-60	148
and		28.0	40.0	12.0	0.33						
and		77.0	79.0	2.0	0.28						
and		86.0	88.0	2.0	0.35						
and		110.0	144.0	34.0	0.87						
KBRC360	Boin	75.0	127.0	52.0	1.58	519588	634823	145	114	-60	177
including		96.0	112.0	16.0	3.04						
and		137.0	139.0	2.0	0.49						
and		152.0	153.0	1.0	0.26						
and		155.0	177.0	22.0	0.62						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated May 20, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC361	Boin	0.0	1.0	1.0	0.24	519726	634714	117	294	-55	250
and		83.0	84.0	1.0	0.27						
and		109.0	110.0	1.0	0.79						
and		131.0	134.0	3.0	1.00						
and		141.0	142.0	1.0	0.41						
and		148.0	149.0	1.0	0.43						
and		157.0	170.0	13.0	2.13						
and		174.0	175.0	1.0	0.29						
and		181.0	182.0	1.0	0.54						
and		185.0	191.0	6.0	0.57						
and		206.0	213.0	7.0	0.76						
and		218.0	219.0	1.0	0.32						
and		224.0	237.0	13.0	0.33						
KBRC362	Boin	59.0	64.0	5.0	0.78	519197	634054	133	114	-55	210
and		84.0	117.0	33.0	0.25						
and		127.0	129.0	2.0	0.66						
and		134.0	136.0	2.0	0.23						
and		141.0	148.0	7.0	0.41						
and		158.0	210.0	52.0	0.66						
KBRC363	Boin	102.0	106.0	4.0	0.83	519205	634182	115	114	-60	210
and		120.0	133.0	13.0	1.15						
and		137.0	143.0	6.0	0.50						
and		160.0	170.0	10.0	0.42						
and		189.0	210.0	21.0	0.99						
KBRC364	Boin	48.0	49.0	1.0	0.32	519223	634082	125	114	-60	174
and		57.0	58.0	1.0	0.24						
and		65.0	66.0	1.0	0.29						
and		69.0	70.0	1.0	0.37						
and		79.0	80.0	1.0	0.26						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated May 20, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC365 and	Boin	19.0	20.0	1.0	0.43	518844	633393	139	114	-60	84
		52.0	54.0	2.0	0.34						
KBRC366	Boin	192.0	203.0	11.0	2.01	519241	634342	130	114	-60	255

1. Intervals reported are hole lengths with true width estimated to be 75 - 85%.
2. Length-weighted averages from uncut assays.
3. All drilling completed by independent contractor.
4. All drilling samples sealed on site and delivered directly to independent lab Intertek Mineral Limited located in Tarkwa, Ghana for preparation and 50g Fire Assay with AAS finish.
5. QA/QC procedures include industry standard inclusion of standards, blanks, and duplicates in all sample batches.

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated May 20, 2025



Previously Released Drill Results

Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC288	Boin	86.0	87.0	1.0	0.85	519558	634796	132	114	-60	201
and		93.0	98.0	5.0	0.47						
and		139.0	201.0	62.0	1.96						
including		139.0	164.0	25.0	2.31						
including		171.0	199.0	28.0	2.23						
KBRC289	Boin	0.0	3.0	3.0	0.17	519608	634766	132	114	-60	151
and		17.0	18.0	1.0	0.25						
and		66.0	77.0	11.0	0.65						
and		97.0	107.0	10.0	1.46						
KBRC290	Boin	33.0	38.0	5.0	0.40	519453	634446	130	114	-60	103
KBRC291	Boin	11.0	17.0	6.0	1.16	519374	634438	132	114	-60	140
and		49.0	50.0	1.0	0.18						
and		56.0	63.0	7.0	0.77						
and		98.0	100.0	2.0	0.27						
and		102.0	103.0	1.0	0.42						
and		118.0	119.0	1.0	1.61						
and		122.0	139.0	17.0	0.56						
KBRC292	Boin	8.0	10.0	2.0	0.30	519415	634419	133	114	-60	110
and		55.0	62.0	7.0	0.50						
KBRC293	Boin	10.0	29.0	19.0	0.46	519452	634401	133	114	-60	101
including		10.0	14.0	4.0	1.28						
including		23.0	28.0	5.0	0.56						
and		33.0	34.0	1.0	0.21						
and		43.0	47.0	4.0	0.62						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated May 20, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC294	Boin	107.0	113.0	6.0	3.24	519498	634729	125	114	-55	204
including		109.0	110.0	1.0	16.52						
and		120.0	121.0	1.0	0.27						
and		139.0	141.0	2.0	0.35						
and		150.0	204.0	54.0	0.94						
including		151.0	158.0	7.0	2.11						
including		170.0	181.0	11.0	2.08						
KBRC295	Boin	45.0	47.0	2.0	0.34	519533	634699	127	114	-60	157
and		54.0	56.0	2.0	0.31						
and		83.0	91.0	8.0	0.19						
and		113.0	115.0	2.0	0.30						
and		127.0	128.0	1.0	0.97						
and		130.0	154.0	24.0	1.25						
KBRC296	Boin	31.0	56.0	25.0	1.44	519553	634666	125	114	-60	103
and		67.0	74.0	7.0	2.26						
and		90.0	93.0	3.0	0.37						
KBRC297	Boin	0.0	7.0	7.0	0.95	519581	634684	127	114	-60	100
and		12.0	26.0	14.0	0.45						
and		33.0	34.0	1.0	0.22						
and		64.0	68.0	4.0	0.57						
KBRC298	Boin	55.0	67.0	12.0	0.43	519301	634381	130	114	-55	220
and		76.0	78.0	2.0	0.24						
and		154.0	155.0	1.0	0.24						
and		159.0	220.0	61.0	0.53						
and		173.0	185.0	12.0	1.07						
KBRC299	Boin	1.0	3.0	2.0	0.21	519399	634338	136	114	-60	60
and		16.0	24.0	8.0	0.48						
and		32.0	34.0	2.0	0.89						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated May 20, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC300	Boin	38.0	41.0	3.0	0.85	519344	634361	135	114	-60	140
and		51.0	52.0	1.0	0.20						
and		62.0	68.0	6.0	2.34						
and		72.0	74.0	2.0	0.79						
and		98.0	102.0	4.0	0.69						
and		126.0	128.0	2.0	0.27						
KBRC301	Boin	59.0	60.0	1.0	204.27	519281	634351	132	114	-60	193
and		60.0	62.0	2.0	1.46						
and		64.0	66.0	2.0	0.22						
and		79.0	85.0	6.0	0.22						
and		98.0	99.0	1.0	0.33						
and		133.0	134.0	1.0	0.51						
and		161.0	163.0	2.0	1.77	519261	634273	138	114	-60	220
and		181.0	183.0	2.0	0.19						
KBRC302	Boin	0.0	1.0	1.0	0.22						
and		39.0	42.0	3.0	0.78						
and		111.0	112.0	1.0	0.51						
and		116.0	125.0	9.0	0.43						
and		130.0	131.0	1.0	0.40						
and		139.0	150.0	11.0	0.40						
and		185.0	186.0	1.0	0.40						
and		199.0	201.0	2.0	0.68	519293	634294	130	114	-60	200
KBRC303A	Boin	52.0	54.0	2.0	0.67						
and		68.0	70.0	2.0	0.44						
and		80.0	82.0	2.0	0.21						
and		114.0	145.0	31.0	0.94						
and		160.0	181.0	21.0	0.46						
and		187.0	189.0	2.0	0.20						
and		196.0	197.0	1.0	0.29						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated May 20, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC304	Boin	20.0	24.0	4.0	0.71	519090	634045	134	114	-50	81
and		35.0	36.0	1.0	0.35						
and		41.0	59.0	18.0	0.73						
KBRC305	Boin	68.0	70.0	2.0	0.21	519248	634321	135	114	-55	252
and		105.0	115.0	10.0	0.61						
and		121.0	123.0	2.0	0.43						
and		151.0	199.0	48.0	1.01						
including		173.0	187.0	14.0	1.86						
and		212.0	229.0	17.0	0.86						
KBRC306	Boin	190.0	204.0	14.0	0.82	519192	634299	147	114	-55	250
and		236.0	237.0	1.0	0.32						
and		242.0	247.0	5.0	1.64						
KBRC307A	Boin	17.0	25.0	8.0	0.74	519252	634200	139	114	-60	190
and		35.0	36.0	1.0	0.61						
and		57.0	66.0	9.0	0.27						
and		120.0	148.0	28.0	3.36						
including		132.0	143.0	11.0	7.76						
and incl.		133.0	135.0	2.0	37.58						
and		156.0	190.0	34.0	0.33						
KBRC308	Boin	132.0	153.0	21.0	1.04	519205	634212	135	114	-60	222
including		139.0	141.0	2.0	2.66						
and		164.0	202.0	38.0	0.50						
including		197.0	201.0	4.0	2.03						
and		207.0	209.0	2.0	0.49						
and		214.0	217.0	3.0	0.51						
KBRC309A	Boin	63.0	65.0	2.0	0.50	519178	634148	119	114	-60	220
and		110.0	119.0	9.0	0.32						
and		126.0	152.0	26.0	0.59						
and		171.0	179.0	8.0	0.29						
and		183.0	185.0	2.0	0.31						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated May 20, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC310	Boin	16.0	17.0	1.0	0.59	519161	634010	126	114	-60	200
and		39.0	40.0	1.0	0.34						
and		97.0	99.0	2.0	0.47						
and		101.0	104.0	3.0	0.41						
and		108.0	110.0	2.0	0.27						
and		116.0	118.0	2.0	0.30						
and		191.0	193.0	2.0	0.39						
KBRC311	Boin	143.0	146.0	3.0	0.19	519171	634107	127	114	-60	200
and		159.0	161.0	2.0	1.25						
KBRC312	Boin	86.0	87.0	1.0	0.28	519119	633968	133	114	-50	210
and		93.0	109.0	16.0	1.04						
and		115.0	117.0	2.0	0.30						
and		130.0	210.0	80.0	0.54						
KBRC313	Boin	127.0	208.0	81.0	1.06	518956	633618	154	0	-90	240
including		132.0	149.0	17.0	2.50						
including		184.0	191.0	7.0	2.15						
and		215.0	217.0	2.0	0.22						
and		229.0	237.0	8.0	0.29						
KBRC314	Boin	141.0	143.0	2.0	0.50	518935	633580	156	0	-90	230
and		151.0	154.0	3.0	0.99						
and		161.0	223.0	62.0	0.86						
including		210.0	219.0	9.0	2.24						
KBRC315	Boin	139.0	190.0	51.0	0.58	518914	633556	154	0	-90	240
including		144.0	148.0	4.0	1.71						
and		203.0	240.0	37.0	1.32						
KBRC316	Boin	100.0	196.0	96.0	0.97	518900	633506	133	0	-90	220
including		163.0	173.0	10.0	2.05						
and		200.0	202.0	2.0	0.52						
and		217.0	219.0	2.0	0.35						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated May 20, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC317	Boin	88.0	89.0	1.0	0.30	518874	633478	133	0	-90	200
and		109.0	182.0	73.0	0.70						
and		192.0	199.0	7.0	1.52						
KBRC318	Boin	65.0	72.0	7.0	1.17	518804	633406	137	114	-50	100
KBRC319	Boin	33.0	52.0	19.0	0.94	519535	634589	122	114	-60	78
KBRC320	Boin	57.0	58.0	1.0	0.20	519496	634605	122	114	-60	150
and		85.0	98.0	13.0	0.67						
and		108.0	146.0	38.0	0.70						
KBRC321	Boin	4.0	17.0	13.0	0.86	518801	633303	132	114	-50	60
and		28.0	29.0	1.0	0.37						
KBRC322	Boin	19.0	20.0	1.0	0.24	518741	633324	140	114	-50	166
and		23.0	36.0	13.0	0.86						
and		60.0	62.0	2.0	0.38						
KBRC323	Boin	0.0	5.0	5.0	0.23	519502	634511	135	114	-60	90
and		14.0	21.0	7.0	0.57						
and		35.0	37.0	2.0	0.33						
KBRC324	Boin	18.0	20.0	2.0	0.25	519475	634523	133	114	-60	120
and		47.0	49.0	2.0	0.76						
and		64.0	120.0	56.0	0.50						
KBRC325	Boin	37.0	45.0	8.0	0.84	519657	634877	120	114	-60	180
and		60.0	79.0	19.0	0.54						
and		83.0	84.0	1.0	0.20						
and		101.0	103.0	2.0	0.23						
and		113.0	117.0	4.0	0.67						
and		132.0	180.0	48.0	0.43						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated May 20, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC326	Boin	6.0	15.0	9.0	0.64	519708	634856	120	114	-60	144
and		21.0	25.0	4.0	0.38						
and		29.0	30.0	1.0	0.58						
and		35.0	51.0	16.0	1.03						
and		69.0	70.0	1.0	0.26						
and		72.0	74.0	2.0	0.22						
and		90.0	91.0	1.0	0.29						
and		95.0	96.0	1.0	0.31						
and		112.0	113.0	1.0	0.22						
and		125.0	126.0	1.0	0.30						
and		136.0	144.0	8.0	0.33						
KBRC327	Boin	76.0	77.0	1.0	0.46	519754	634955	105	114	-60	132
and		81.0	89.0	8.0	0.79						
and		96.0	100.0	4.0	0.59						
and		110.0	119.0	9.0	0.26						
KBRC328	Boin	9.0	72.0	63.0	1.28	519773	634942	110	114	-60	96
and		78.0	96.0	18.0	0.76						
KBRC329	Boin		No significant results			519786	635002	105	114	-60	60
KBRC330	Boin	46.0	47.0	1.0	0.29	519815	635023	107	114	-60	64
KBRC331	Boin		No significant results			520017	635043	120	114	-60	60
KBRC332	Boin	41.0	46.0	5.0	0.41	519948	635072	120	114	-60	72
and		54.0	58.0	4.0	0.64						
KBRC333	Boin	45.0	46.0	1.0	0.22	520064	635075	125	114	-60	90
and		71.0	72.0	1.0	0.23						
and		80.0	82.0	2.0	0.21						
KBRC334	Boin	32.0	34.0	2.0	0.25	520092	635118	127	114	-60	66
KBRC335	Boin	6.0	29.0	23.0	2.18	520035	635135	127	114	-60	66
including		16.0	24.0	8.0	5.58						
KBRC336	Boin	30.0	35.0	5.0	0.80	518507	632990	123	114	-50	70
KBRC337	Boin	12.0	13.0	1.0	0.21	518467	633006	130	114	-50	126
and		79.0	126.0	47.0	1.06						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated May 20, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC338	Boin	11.0	18.0	7.0	0.56	518449	632888	124	114	-60	72
and		28.0	40.0	12.0	0.43						
KBRC339	Boin	59.0	60.0	1.0	0.27	518421	632912	123	114	-60	120
and		82.0	84.0	2.0	1.31						
and		90.0	106.0	16.0	1.06						
and		112.0	114.0	2.0	0.37						
KBRC340	Boin	14.0	34.0	20.0	0.61	518396	632821	125	114	-60	50
KBRC341	Boin	51.0	120.0	69.0	0.64	518366	632833	125	114	-60	120
KBRC342	Boin	177.0	183.0	6.0	0.50	518885	633671	158	114	-65	233
and		190.0	228.0	38.0	1.74						
including		218.0	225.0	7.0	3.67						
KBRC343	Boin	69.0	80.0	11.0	0.27	518932	633604	166	114	-60	156
and		95.0	151.0	56.0	0.65						
KBRC344	Boin	104.0	176.0	72.0	1.16	518955	633720	154	114	-55	200
including		114.0	124.0	10.0	3.06						
and		180.0	181.0	1.0	0.35						
and		186.0	189.0	3.0	0.43						
and		192.0	195.0	3.0	0.26						
and		198.0	200.0	2.0	0.35						
KBRC345	Boin	82.0	85.0	3.0	0.29	518983	633747	155	114	-60	174
and		108.0	120.0	12.0	0.73						
and		133.0	142.0	9.0	0.79						
KBRC346	Boin	98.0	168.0	70.0	0.67	519062	633856	155	114	-62	168
KBRC348	Boin	1.0	11.0	10.0	0.20	519658	634788	148	114	-60	90
and		36.0	43.0	7.0	1.19						
and		57.0	67.0	10.0	0.30						
KBRC349	Boin	40.0	56.0	16.0	0.65	519689	634837	145	114	-60	90
and		74.0	76.0	2.0	0.34						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated May 20, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC350	Boin	19.0	31.0	12.0	0.26	519656	634848	146	114	-60	144
and		94.0	102.0	8.0	0.63						
and		113.0	115.0	2.0	0.74						
and		126.0	131.0	5.0	0.25						
and		133.0	135.0	2.0	0.21						
KBRC351	Boin	21.0	44.0	23.0	0.23	519689	634865	138	114	-60	168
and		54.0	65.0	11.0	0.74						
and		74.0	78.0	4.0	0.57						
and		92.0	99.0	7.0	0.23						
and		108.0	133.0	25.0	0.21						
and		144.0	168.0	24.0	0.37						
KBRC352	Boin	63.0	64.0	1.0	0.21	519630	634866	147	114	-60	186
and		96.0	152.0	56.0	2.25						
including		122.0	137.0	15.0	3.83						
and		160.0	186.0	26.0	0.79						
KBRC353	Boin	0.0	24.0	24.0	2.15	519651	634761	146	114	-60	80
and		38.0	40.0	2.0	0.30						
and		51.0	54.0	3.0	0.53						
KBRC354	Boin	18.0	20.0	2.0	1.13	519779	634979	135	114	-55	96
and		31.0	32.0	1.0	0.34						
and		34.0	35.0	1.0	0.36						
and		63.0	64.0	1.0	0.31						
and		69.0	74.0	5.0	0.46						
KBRC355	Boin	22.0	23.0	1.0	0.57	519744	634923	127	114	-55	66
and		26.0	55.0	29.0	2.13						
KBRC356	Boin	136.0	137.0	1.0	0.29	519482	634747	117	114	-55	204
and		168.0	177.0	9.0	1.20						
and		194.0	197.0	3.0	0.64						
and		194.0	197.0	3.0	0.64						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated May 20, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC171 and and	Sewum	1.0	4.0	3.0	0.21	521265	628718	225	120	-50	78
		8.0	11.0	3.0	0.19						
		56.0	74.0	18.0	0.60						
SWRC172 including and and	Sewum	1.0	27.0	26.0	0.61	521293	628770	225	120	-50	70
		12.0	21.0	9.0	1.09						
		30.0	31.0	1.0	0.29						
SWRC173 and and	Sewum	53.0	57.0	4.0	0.33	521320	628836	233	120	-60	60
		25.0	33.0	8.0	0.49						
		44.0	45.0	1.0	0.22						
SWRC174 and	Sewum	52.0	53.0	1.0	0.36	521304	628813	232	120	-60	60
		2.0	6.0	4.0	0.25						
		24.0	30.0	6.0	0.23						
SWRC175 and and	Sewum	1.0	8.0	7.0	0.50	521491	628830	228	120	-60	60
		23.0	29.0	6.0	0.25						
		35.0	47.0	12.0	0.45						
SWRC176 including including and	Sewum	12.0	57.0	45.0	0.30	521475	628780	220	120	-60	72
		12.0	21.0	9.0	0.51						
		48.0	55.0	7.0	0.49						
		62.0	64.0	2.0	0.89						
SWRC177	Sewum	12.0	13.0	1.0	0.18	521446	628754	221	120	-60	72
SWRC178 and and and	Sewum	0.0	9.0	9.0	0.78	521482	628875	235	120	-50	80
		13.0	16.0	3.0	0.57						
		20.0	24.0	4.0	0.53						
		35.0	41.0	6.0	0.34						
SWRC179 and and	Sewum	2.0	12.0	10.0	0.32	521450	628801	227	120	-60	84
		36.0	51.0	15.0	0.46						
		64.0	83.0	19.0	0.35						
SWRC180 including and	Sewum	0.0	26.0	26.0	0.66	521321	628958	235	120	-50	80
		16.0	23.0	7.0	1.46						
		35.0	41.0	6.0	0.19						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated May 20, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC181	Sewum	1.0	9.0	8.0	0.24	521341	629045	240	120	-50	60
and		56.0	57.0	1.0	0.21						
SWRC182	Sewum	7.0	8.0	1.0	0.21	521411	629166	235	120	-50	80
and		13.0	14.0	1.0	0.30						
and		52.0	62.0	10.0	2.45						
including		52.0	55.0	3.0	7.44						
and		66.0	68.0	2.0	0.35						
SWRC183	Sewum	0.0	2.0	2.0	0.17	521719	629772	234	120	-60	102
and		26.0	27.0	1.0	0.29						
and		30.0	32.0	2.0	0.21						
and		42.0	43.0	1.0	0.22						
and		74.0	77.0	3.0	0.24						
and		91.0	92.0	1.0	0.37						
and		98.0	100.0	2.0	0.31						
SWRC184	Sewum	12.0	14.0	2.0	0.20	521764	629828	233	120	-60	105
and		74.0	80.0	6.0	0.37						
SWRC185	Sewum	45.0	47.0	2.0	0.74	521730	629842	234	120	-60	144
and		59.0	62.0	3.0	0.19						
and		96.0	97.0	1.0	0.20						
and		100.0	108.0	8.0	0.32						
and		134.0	136.0	2.0	0.69						
SWRC186	Sewum	2.0	5.0	3.0	0.26	521392	629219	235	120	-60	80
SWRC187	Sewum	2.0	4.0	2.0	0.19	521365	629237	230	120	-60	80
SWRC188	Sewum	29.0	31.0	2.0	0.27	521365	629197	220	120	-50	80
and		70.0	71.0	1.0	0.22						
SWRC189	Sewum	47.0	50.0	3.0	0.65	521749	629765	222	120	-60	72
and		54.0	57.0	3.0	0.22						
SWRC190	Sewum	28.0	29.0	1.0	0.30	521804	629833	216	120	-50	72
and		33.0	35.0	2.0	0.66						
and		50.0	51.0	1.0	0.25						
SWRC191	Sewum	42.0	44.0	2.0	0.26	521791	629797	220	120	-60	60

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated May 20, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC192	Sewum	10.0	14.0	4.0	0.31	521772	629848	225	120	-50	120
and		59.0	60.0	1.0	0.28						
and		64.0	67.0	3.0	0.44						
and		78.0	80.0	2.0	0.20						
SWRC193	Sewum	2.0	17.0	15.0	0.33	521435	628727	218	120	-60	90
and		25.0	27.0	2.0	0.29						
and		47.0	48.0	1.0	0.33						
SWRC194	Sewum	1.0	63.0	62.0	1.85	521352	627847	158	120	-50	167
including		13.0	23.0	10.0	8.36						
and		74.0	79.0	5.0	0.23						
and		99.0	167.0	68.0	0.75						
including		102.0	116.0	14.0	1.15						
SWRC195	Sewum	0.0	9.0	9.0	0.77	521289	627794	172	120	-50	66
and		20.0	58.0	38.0	0.80						
SWRC196	Sewum	21.0	23.0	2.0	0.64	520826	626252	156	120	-55	96
and		63.0	66.0	3.0	2.31						
and		78.0	82.0	4.0	0.24						
and		90.0	91.0	1.0	0.20						
SWRC197	Sewum	No significant results				520771	626290	147	120	-55	108
SWRC198	Sewum	25.0	26.0	1.0	0.37	520670	626267	155	120	-55	90
SWRC199	Sewum	53.0	57.0	4.0	0.56	520759	626222	160	120	-55	120
and		72.0	76.0	4.0	1.24						
and		97.0	98.0	1.0	0.22						
and		102.0	104.0	2.0	0.30						
and		108.0	111.0	3.0	0.21						
and		115.0	116.0	1.0	0.25						
SWRC200	Sewum	20.0	34.0	14.0	0.81	520741	626162	161	120	-55	126
and		81.0	83.0	2.0	0.23						
and		91.0	92.0	1.0	0.27						
and		107.0	108.0	1.0	1.87						
and		118.0	121.0	3.0	1.58						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated May 20, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC201 and and including	Sewum	20.0	24.0	4.0	0.56	520704	626103	158	120	-55	102
		45.0	48.0	3.0	0.38						
		72.0	99.0	27.0	1.07						
		73.0	81.0	8.0	2.82						
SWRC202 and and and	Sewum	0.0	5.0	5.0	1.65	520648	626033	131	120	-55	78
		28.0	41.0	13.0	2.39						
		48.0	49.0	1.0	0.23						
		60.0	76.0	16.0	0.39						
SWRC203 and and and and and and and	Sewum	11.0	12.0	1.0	0.20	521761	629918	222	120	-50	108
		20.0	25.0	5.0	0.76						
		45.0	48.0	3.0	0.32						
		51.0	56.0	5.0	0.39						
		72.0	73.0	1.0	0.25						
		77.0	79.0	2.0	0.29						
		84.0	90.0	6.0	0.42						
SWRC204 and and and and and and and	Sewum	18.0	19.0	1.0	0.24	521330	627665	167	120	-55	132
		54.0	58.0	4.0	0.29						
		62.0	64.0	2.0	0.22						
		77.0	78.0	1.0	0.23						
		92.0	93.0	1.0	0.41						
		116.0	119.0	3.0	0.22						
		126.0	128.0	2.0	0.21						
SWRC205 and including	Sewum	85.0	87.0	2.0	0.24	521297	627683	173	120	-55	168
		124.0	168.0	44.0	0.38						
		142.0	156.0	14.0	0.81						
SWRC206 and and and and	Sewum	1.0	5.0	4.0	0.61	521365	627644	166	120	-55	120
		10.0	24.0	14.0	0.66						
		70.0	72.0	2.0	0.23						
		93.0	94.0	1.0	0.26						
		104.0	120.0	16.0	0.51						
SWRC207	Sewum	64.0	66.0	2.0	0.23	521412	627878	138	120	-55	84

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated May 20, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC208	Sewum	0.0	17.0	17.0	0.57	521365	627824	148	120	-55	98
and		22.0	46.0	24.0	1.39						
including		26.0	30.0	4.0	6.56						
and		54.0	59.0	5.0	0.38						
and		74.0	79.0	5.0	0.37						
and		86.0	88.0	2.0	0.54						
SWRC209	Sewum	51.0	53.0	2.0	0.64	521412	627851	139	120	-55	62
SWRC210	Sewum	0.0	11.0	11.0	0.51	521254	627701	174	120	-55	204
and		26.0	27.0	1.0	0.33						
and		46.0	50.0	4.0	0.22						
and		69.0	81.0	12.0	0.21						
and		88.0	100.0	12.0	0.29						
and		149.0	153.0	4.0	0.28						
and		178.0	193.0	15.0	0.80						
SWRC211	Sewum	0.0	37.0	37.0	0.47	521385	627701	174	120	-55	126
and		54.0	69.0	15.0	0.38						
SWRC212	Sewum	0.0	81.0	81.0	0.40	521285	627757	172	120	-55	221
and		89.0	90.0	1.0	1.76						
and		111.0	120.0	9.0	0.40						
and		217.0	221.0	4.0	0.31						
SWRC213	Sewum	0.0	7.0	7.0	0.38	521325	627734	173	120	-55	132
and		12.0	32.0	20.0	0.70						
and		62.0	130.0	68.0	0.73						
SWRC214	Sewum	125.0	137.0	12.0	0.25	521262	627906	150	120	-55	177
and		146.0	156.0	10.0	0.51						
and		174.0	175.0	1.0	0.50						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated May 20, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC215	Sewum	0.0	4.0	4.0	0.42	521312	627885	153	120	-55	182
and		7.0	8.0	1.0	0.20						
and		31.0	56.0	25.0	0.38						
and		61.0	62.0	1.0	0.21						
and		95.0	128.0	33.0	0.62						
and		132.0	133.0	1.0	0.54						
and		138.0	169.0	31.0	0.42						
and		174.0	176.0	2.0	2.05						
and		180.0	182.0	2.0	0.27						
SWRC216	Sewum	7.0	10.0	3.0	0.34	521391	627817	100	120	-55	120
and		33.0	48.0	15.0	0.72						
and		60.0	61.0	1.0	0.49						
SWRC217	Sewum	1.0	2.0	1.0	1.78	521376	627840	141	120	-55	120
and		19.0	34.0	15.0	1.24						
and		90.0	120.0	30.0	1.00						
SWRC218	Sewum	20.0	28.0	8.0	0.22	519995	625747	137	120	-55	70
SWRC219	Sewum	1.0	10.0	9.0	0.71	520013	625771	139	120	-55	62
and		16.0	17.0	1.0	0.26						
and		25.0	30.0	5.0	0.69						
SWRC220	Sewum	13.0	15.0	2.0	0.48	520061	625801	140	120	-55	60
and		26.0	27.0	1.0	0.32						
SWRC221	Sewum	1.0	3.0	2.0	0.84	520043	625823	134	120	-55	95
and		51.0	53.0	2.0	0.19						
SWRC222	Sewum	0.0	38.0	38.0	0.59	520456	626210	154	120	-55	60
including		4.0	11.0	7.0	1.94						
SWRC223	Sewum	18.0	67.0	49.0	0.74	520431	626220	147	120	-55	100
including		42.0	53.0	11.0	1.57						
and		84.0	98.0	14.0	0.24						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated May 20, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC224	Sewum	62.0	63.0	1.0	0.52	520673	626116	154	120	-55	153
and		69.0	89.0	20.0	1.24						
and		112.0	113.0	1.0	1.24						
and		138.0	139.0	1.0	0.67						
and		142.0	143.0	1.0	0.30						
NBRC108	Nyam	16.0	17.0	1.0	0.28	530218	637234	98	300	-60	108
and		33.0	34.0	1.0	0.91						
and		45.0	60.0	15.0	2.50						
and		75.0	77.0	2.0	0.96						
and		105.0	108.0	3.0	0.42						
NBRC109	Nyam	7.0	8.0	1.0	0.78	530243	637218	99	300	-60	138
and		63.0	77.0	14.0	0.37						
and		88.0	97.0	9.0	0.93						
and		111.0	114.0	3.0	0.97						
and		133.0	137.0	4.0	0.43						
NBRC110	Nyam	36.0	37.0	1.0	0.21	530293	637299	100	300	-60	147
and		52.0	53.0	1.0	0.49						
and		97.0	98.0	1.0	0.33						
and		104.0	114.0	10.0	3.00						
and		126.0	144.0	18.0	0.50						
NBRC111	Nyam	9.0	23.0	14.0	0.51	530260	637325	97	300	-60	84
and		28.0	31.0	3.0	0.30						
and		36.0	38.0	2.0	0.55						
and		45.0	48.0	3.0	0.40						
and		53.0	76.0	23.0	0.27						
NBRC112	Nyam	48.0	54.0	6.0	0.76	530610	637824	104	300	-60	80
and		62.0	67.0	5.0	0.46						
NBRC113	Nyam	86.0	89.0	3.0	0.29	530604	637746	116	300	-60	108
and		100.0	101.0	1.0	0.34						
and		105.0	106.0	1.0	0.63						
NBRC114	Nyam	78.0	90.0	12.0	1.68	530615	637788	110	300	-60	96

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated May 20, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
NBRC115	Nyam	48.0	49.0	1.0	0.31	530792	638222	103	300	-60	108
and		57.0	69.0	12.0	0.49						
and		84.0	86.0	2.0	0.31						
and		97.0	104.0	7.0	0.43						
NBRC116	Nyam	41.0	48.0	7.0	1.00	530768	638196	107	300	-60	120
and		56.0	57.0	1.0	0.48						
and		61.0	66.0	5.0	0.44						
and		86.0	108.0	22.0	0.46						
and		117.0	119.0	2.0	0.41						
NBRC117	Nyam	6.0	7.0	1.0	0.65	530816	638271	99	300	-60	102
and		38.0	42.0	4.0	0.66						
and		47.0	78.0	31.0	0.51						
and		95.0	96.0	1.0	0.23						
NBRC118	Nyam	53.0	72.0	19.0	0.64	530837	638302	99	300	-55	120
and		80.0	85.0	5.0	1.12						
and		90.0	92.0	2.0	0.60						
NBRC119	Nyam	2.0	8.0	6.0	0.96	530170	637212	96	300	-60	60
and		12.0	19.0	7.0	0.32						
and		45.0	53.0	8.0	2.36						
NBRC120	Nyam	57.0	58.0	1.0	0.21	530209	637190	95	300	-60	144
and		71.0	72.0	1.0	2.00						
and		97.0	101.0	4.0	1.90						
and		113.0	120.0	7.0	0.87						
and		127.0	129.0	2.0	0.57						
KJRC025	Kojina Hill	12.0	14.0	2.0	0.40	529138	637394	98	120	-55	100
and		24.0	26.0	2.0	0.20						
and		31.0	32.0	1.0	3.53						
and		44.0	45.0	1.0	0.34						
and		51.0	53.0	2.0	0.26						
and		79.0	80.0	1.0	0.29						
and		96.0	97.0	1.0	0.22						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated May 20, 2025



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KJRC026	Kojina Hill	25.0	26.0	1.0	0.32	528814	637355	105	120	-55	130
and		60.0	62.0	2.0	0.33						
and		69.0	106.0	37.0	0.67						
including		70.0	90.0	20.0	1.05						
KJRC027	Kojina Hill	87.0	89.0	2.0	0.25	528806	637083	186	120	-55	180
KJRC028	Kojina Hill	15.0	17.0	2.0	0.23	528833	636835	173	120	-55	150
and		44.0	46.0	2.0	0.46						
and		72.0	77.0	5.0	0.34						
KJRC029	Kojina Hill	12.0	14.0	2.0	0.53	528579	636781	118	120	-55	132
and		75.0	76.0	1.0	0.30						
KJRC030	Kojina Hill	1.0	8.0	7.0	0.45	528475	636835	126	120	-55	108
and		15.0	26.0	11.0	0.29						
and		45.0	49.0	4.0	0.57						
and		57.0	59.0	2.0	0.44						
and		82.0	83.0	1.0	1.04						
KJRC031	Kojina Hill	0.0	1.0	1.0	0.20	528423	636863	117	120	-55	144
and		5.0	7.0	2.0	6.80						
and		9.0	10.0	1.0	0.29						
and		14.0	16.0	2.0	0.22						
and		32.0	33.0	1.0	0.27						
and		50.0	58.0	8.0	0.69						
and		64.0	68.0	4.0	0.41						
and		102.0	103.0	1.0	0.22						
and		115.0	136.0	21.0	0.49						

1. Intervals reported are hole lengths with true width estimated to be 65 - 85%.

2. Length-weighted averages from uncut assays.

3. All drilling completed by independent contractor.

4. All drilling samples sealed on site and delivered directly to independent lab Intertek Mineral Limited located in Tarkwa, Ghana for preparation and 50g Fire Assay with AAS finish.

5. QA/QC procedures include industry standard inclusion of standards, blanks, and duplicates in all sample batches.