



NEWCORE GOLD

NEWS RELEASE

Newcore Gold Diamond Drilling Intersects First Visible Gold, High-Grade Gold Mineralization with 147.5 g/t Gold over 1.0 Metre and 3.22 g/t Gold over 17.0 Metres, at the Enchi Gold Project, Ghana

Diamond Drilling at the Boin Gold Deposit Encounters First Visible Gold by Drilling at Enchi, Highlighting the Potential for High-Grade Gold Mineralization and Resource Growth at Depth

January 21, 2026

TSX-V: NCAU, OTCQX: NCAUF

Vancouver, BC - Newcore Gold Ltd. ("Newcore" or the "Company") (TSX-V: NCAU, OTCQX: NCAUF) is pleased to announce additional drill results from the 45,000-metre drill program underway at the Company's 100% owned Enchi Gold Project ("Enchi" or the "Project") in Ghana. Diamond Drilling ("DD") at the Boin Gold Deposit ("Boin") intersected high-grade gold mineralization, including hole KBDD100 which intersected 147.50 grams per tonne gold ("g/t Au") over 1.0 metre ("m") from 310 m (true width unknown). Hole KBDD100 also represents a significant milestone as it is the first visible gold encountered by drilling on the Project. Hole KBDD102 also returned high-grade gold in the fresh mineralization, intersecting 3.22 g/t Au over 17.0 m from 327 m, along with a second interval of 1.70 g/t Au over 25.5 m from 285 m. This news release reports results for the second set of holes completed targeting high-grade mineralization in the upper portions of the fresh mineralization at Boin. Drilling continues to demonstrate the continuity of gold mineralization and the potential for resource expansion at Enchi.

Highlights from Diamond Drilling at the Boin Gold Deposit at Enchi

- **First visible gold encountered by drilling on the Project.**
 - Diamond drill hole KBDD100 intersected 147.50 g/t Au over 1.0 m from 310 m (true width unknown, estimated vertical depth of 268 m).
 - Hole KBDD100 intersected additional mineralized intervals including 1.63 g/t Au over 5.9 m from 257 m and 1.61 g/t Au over 5.4 m from 295.6 m.
 - The hole was collared 200 metres south of previously reported hole KBDD098 which also intersected high-grade gold with 173.75 g/t Au over 1.0 metre from 264 m (true width unknown (see [news release dated January 7, 2026](#))).
- **Diamond drilling intersected high-grade mineralization in the upper portions of the fresh mineralization, targeting three high-grade zones identified at Boin.**
 - Six holes tested the down dip and lateral extensions to high-grade gold mineralization previously identified at Boin in three shoots within the central area of the deposit.
 - KBDD102 intersected 3.22 g/t Au over 17.0 m from 327 m, with a second interval of 1.70 g/t Au over 25.5 m from 285 m.
 - KBDD101 intersected 1.26 g/t Au over 16.0 m from 202 m, including 2.22 g/t Au over 7.0 m from 202 m.

- **Drilling continues to prove out the potential for resource growth at Enchi by defining the higher-grade potential within the deeper fresh mineralization across the Project.**
 - To date, Boin has only been tested to an average vertical depth of 100 metres. Diamond drilling reported in this news release targeted mineralization within 200 to 300 vertical metres, reaching a maximum vertical depth of 312 metres.
 - All deposits at Enchi, including Boin, remain open for further expansion to depth.

Luke Alexander, President and CEO of Newcore stated, "This set of diamond drill results from our current drill program continues to demonstrate the potential for resource growth to depth and the overall prospectivity of the mineral system at our Enchi Gold Project. With visible gold encountered in drilling for the first time ever at Enchi in hole KBDD100, with 147.5 g/t Au over 1.0 m, this hole was collared 200 metres south of previously reported hole KBDD098 which also intersected high-grade gold with 173.75 g/t Au over 1.0 metre. These results continue to confirm the high-grade potential that exists across our Enchi Gold Project in Ghana. We are excited for an active year ahead as we continue to focus on unlocking shareholder value via the drill bit concurrently with advancement of the development of the Project towards completion of a Pre-Feasibility Study by the end of H1 2026."

Greg Smith, VP Exploration of Newcore stated, "We are excited that, for the first time ever, drilling has encountered visible gold on the Project. This set of drill holes tested to depth three high-grade shoots previously identified at Boin, successfully intersecting mineralization and continuing to extend these high-grade shoots down dip. Drilling at Boin targeted mineralization below a vertical depth of 200 metres, intersecting mineralization to a maximum depth of approximately 300 vertical metres. This is the deepest drilling at Boin, with results continuing to prove out our geological model. We are excited to follow-up on these strong results with additional diamond drilling this year, along with completing diamond drilling at the Nyam and Sewum Gold Deposits, as we look to test and prove out the high-grade potential that exists across our Enchi Gold Project."

This release reports results for 6 DD holes totalling 1,930 m (KBDD099 to KBDD104) targeting the Boin Gold Deposit, with all holes intersecting gold mineralization. A total of 33,119 m in 248 holes has been reported as part of the ongoing drill program at Enchi, with 98% of holes intersecting gold mineralization.

Select assay results from the 6 holes of the drill program reported in this release are below:

Table 1 - Enchi Gold Project Drill Highlights

Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)
KBDD100	Boin	257.0	262.9	5.9	1.63
and		295.6	301.0	5.4	1.61
and		310.0	311.0	1.0	147.5
KBDD102	Boin	285.0	310.5	25.5	1.70
and		327.0	344.0	17.0	3.22
KBDD101	Boin	202.0	218.0	16.0	1.26
including		202.0	209.0	7.0	2.22

Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)
KBDD099	Boin	243.0	257.1	14.1	0.78
including		243.0	247.0	4.0	1.86
KBDD104	Boin	217.0	228.0	11.0	0.82
including		218.0	223.0	5.0	1.41
and		231.0	235.0	4.0	1.80

Notes:

1. See [detailed table](#) for complete results;
2. Intervals reported are hole lengths with true width estimated to be 75 - 85%; and
3. Length-weighted averages from uncut assays.

A plan map showing the drill hole locations can be viewed at:

https://newcoregold.com/site/assets/files/5946/2026_01_21-ncan-nr-enchi-plan-map-boin.pdf

Cross sections showing drill results and highlights for holes KBDD100 and KBDD102 can be viewed at:

https://newcoregold.com/site/assets/files/5946/2026_01-ncan-crosssection-boin.pdf

A photo compilation showing the visible gold in hole KBDD100 can be viewed at:

https://newcoregold.com/site/assets/files/5946/2026_01_21-ncan-nr-drill-core-photo-boin.pdf

A complete list of the drill results in this release, including hole details, can be viewed at:

https://newcoregold.com/site/assets/files/5946/2026_01_21-ncan-enchi-2024-2025-drill-results.pdf

Diamond Drilling at the Boin Gold Deposit

KBDD099 to KBDD104 (6 DD holes totalling 1,930 m) were completed at the Boin Gold Deposit. This drilling targeted mineralization within the fresh mineral horizon at Boin with a goal of continuing to define the potential for high-grade mineralization at depth. The six holes tested to depth three high-grade shoots previously identified through drilling, each approximately 400 to 500 metres in length. The drilling extended these high-grade shoots along strike and down dip, reaching a maximum vertical depth of 312 metres. This is the deepest drilling completed to date at Boin, intersecting mineralization below prior intercepts and defining the continuity of gold mineralization to depth. The holes reported in this news release were distributed across 6 separate sections spread along a 1.5 kms strike length.

Diamond drill hole KBDD100 intersected 147.5 g/t Au over 1.0 m from 310 m (true width unknown, estimated vertical depth of 268 m). This hole achieved a milestone for the Project, with the first visible gold encountered by drilling on the Project. The zone with visible gold is part of a mineralized structure 4.8 metres in length comprised of variably quartz veined and brecciated phyllite with both fine-grained and cubic pyrite. Hole KBDD100 was drilled on the southernmost of the three high-grade shoots tested to date, and was collared 200 metres south of previously reported hole KBDD098 which also intersected high-grade gold with 173.75 g/t Au over 1.0 metre from 264 m (true width unknown, see [news release dated January 7, 2026](#) for details). Hole KBDD100 intersected additional mineralized intercepts including 1.63 g/t Au over 5.9 m from 257 m and 1.61 g/t Au over 5.4 m from 295.6 m.

Two diamond drill holes totalling 676 m (KBDD102 and KBDD104) were the first holes to test the central high-grade shoot at Boin. Diamond drill hole KBDD102, collared 950 metres northeast of KBDD100, intersected 3.22 g/t Au over 17.0 m from 327 m with an additional interval of 1.70 g/t Au over 25.5 m from 285 m. KBDD104, collared 100 metres south of KBDD102, intersected 0.82 g/t Au over 11.0 m from 217 m including a higher-grade interval of 1.41 g/t Au over 5.0 m from 218 m, along with a second interval of 1.80 g/t Au over 4.0 m from 231 m.

Three diamond drill holes totalling 932.9 m (KBDD099, KBDD101, KBDD103) tested the northernmost high-grade shoot identified at Boin. Diamond drill hole KBDD099 was collared 450 metres northeast of KBDD102 and intersected 0.78 g/t Au over 14.1 m from 243 m, with a higher-grade interval of 1.86 g/t Au over 4.0 m from 243 m. Hole KBDD099 is located 100 metres south of previously reported hole KBDD097 which intersected 3.54 g/t Au over 23.0 m from 253 m including a high-grade interval of 6.92 g/t Au over 8.0 m from 256 m (see [news release dated January 7, 2026](#) for details). Hole KBDD101, collared 200 metres north of KBDD099, intersected 1.26 g/t Au over 16.0 m from 202 m, including a higher-grade interval of 2.22 g/t Au over 7.0 m from 202 m.

Diamond drilling completed at Boin continues to confirm continuity down dip for the principal structures which comprise the central portion of the Boin Gold Deposit. The width and gold grades within these drill results are consistent with prior drilling completed in this area.

Enchi Work Program

The 45,000-metre drill program underway at Enchi commenced August 2024, targeting near-surface oxide and shallow fresh mineralization. The drill program is in its second phase and is focused on discovery and resource growth, including drilling targeting the potential for resource growth along strike at existing deposits along with diamond drilling targeting the higher-grade potential at depth. The primary goal of the completed first phase of the drill program was Reverse Circulation ("RC") infill drilling for resource conversion to improve the confidence level of the existing Mineral Resource Estimate, with most of the first phase of the drill program allocated to the two largest deposits at Enchi, Boin and Sewum. Improving the confidence level of the Mineral Resource Estimate is a key component of the development work required to advance the Project to a Pre-Feasibility Study in H1 2026. All deposit areas and pre-resource targets at Enchi remain open along strike and at depth, providing for future resource growth across the district-scale property.

In addition to drilling, development work in support of a Pre-Feasibility Study is on-going at Enchi, including metallurgical testwork, hydrogeological testing, geotechnical work, and environmental work.

European Marketing

The Company also announces that it has entered into an agreement (the "Agreement") with SRC Swiss Resource Capital AG ("SRC") to provide investor relations and communications services in Europe. The Agreement is effective as of January 2026, for a period of one year, after which time the SRC Agreement may be renewed on a quarterly basis. The Agreement can be terminated by either party by providing seven (7) days written notice. The services to be provided by SRC to the Company under the terms of the Agreement include communications

services, generally viewed as investor relations, including dissemination of publicly disclosed information to existing and potential shareholders, the creation of media content through interviews and videos as well as the support or representation of the Company at trade and investment conferences. Pursuant to the terms of the Agreement, SRC is to be paid 5,000 CHF per month with additional fees for special services such as trade and investment conferences.

SRC is a private company based in Herisau, Switzerland, and is led by Marc Ollinger, Chief Executive Officer. To the best of the Company's knowledge, neither SRC nor Marc Ollinger have any interest, directly or indirectly, in the securities of the Company. The Company is at arm's length to SRC and the engagement of SRC is subject to the filing requirements of the TSX Venture Exchange.

Boin Gold Deposit

Boin is one of the five deposits which comprise the Mineral Resource Estimate at Enchi (Boin has an Indicated Mineral Resource of 13.0 million tonnes grading 0.62 g/t Au containing 258,200 ounces and Inferred Mineral Resource of 15.9 million tonnes grading 0.68 g/t Au containing 349,600 ounces). Boin is located 10 kilometres south of the town of Enchi, with nearby roads and power and further access provided by a series of drill roads. Boin is outlined on surface by a greater than six-kilometre-long by up to one-kilometre-wide gold in soil anomaly. An airborne geophysical anomaly coincident with the Boin structure extends for a further kilometre north and three kilometres south beyond the limits of current drilling. To date, approximately 40% of the gold-in-soil anomaly at Boin is untested by drilling, with the average vertical depth of all holes drilled to date at Boin only down to 100 metres.

Drill Hole Locations

Table 2 - Enchi Gold Project Drill Hole Location Details

Hole ID	UTM East	UTM North	Elevation	Azimuth °	Dip °	Length (m)
KBDD099	519447	634743	115	114	-55	341.3
KBDD100	518742	633544	149	114	-60	321.4
KBDD101	519591	634889	136	114	-60	311.0
KBDD102	519207	634347	144	114	-65	366.4
KBDD103	519619	634957	127	114	-60	280.6
KBDD104	519190	634263	127	114	-60	309.6

Enchi Gold Project Mineral Resource Estimate

The Enchi Gold Project hosts an Indicated Mineral Resource of 41.7 million tonnes grading 0.55 g/t Au containing 743,500 ounces gold and an Inferred Mineral Resource of 46.6 million tonnes grading 0.65 g/t Au containing 972,000 ounces. Mineral resource estimation practices are in accordance with CIM Estimation of Mineral Resource and Mineral Reserve Best Practice Guidelines (November 29, 2019) and follow CIM Definition Standards for Mineral Resources and Mineral Reserves (May 10, 2014), that are incorporated by reference into National Instrument 43-101 ("NI 43-101"). The Mineral Resource Estimate is from the technical report titled "NI 43-101 Technical Report, Preliminary Economic Assessment on the Enchi Gold Project" dated June 7, 2024, with an effective date of April 24, 2024, prepared for Newcore by

Preetham Nayak, P.Eng., Ryda Peung, P.Eng., and Zunedbhai Shaikh, P.Eng., of Lycopodium Minerals Canada Ltd.; Kerrine Azougarh, P.Eng., of Micon International Limited; and Simon Meadows Smith, P.Eng. / P.Geo., of SEMS Exploration in accordance with NI 43-101, and is available under the Company's profile on SEDAR+ at www.sedarplus.ca.

Newcore Gold Best Practice

Newcore is committed to best practice standards for all exploration, sampling and drilling activities. Drilling was completed by an independent drilling firm using industry standard RC and Diamond Drill equipment. Analytical quality assurance and quality control procedures include the systematic insertion of blanks, standards and duplicates into the sample strings. Samples are placed in sealed bags and shipped directly to Intertek Labs located in Tarkwa, Ghana for 50 gram gold fire assay.

Qualified Person

Mr. Gregory Smith, P. Geo, Vice President of Exploration at Newcore, is a Qualified Person as defined by NI 43-101, and has reviewed and approved the technical data and information contained in this news release. Mr. Smith has verified the technical and scientific data disclosed herein and has conducted appropriate verification on the underlying data including confirmation of the drillhole data files against the original drillhole logs and assay certificates.

About Newcore Gold Ltd.

Newcore Gold is advancing its Enchi Gold Project located in Ghana, Africa's largest gold producer⁽¹⁾. Newcore Gold offers investors a unique combination of top-tier leadership, who are aligned with shareholders through their 15% equity ownership, and prime district scale exploration opportunities. Enchi's 248 km² land package covers 40 kilometres of Ghana's prolific Bibiani Shear Zone, a gold belt which hosts several multi-million-ounce gold deposits, including the Chirano mine 50 kilometres to the north. Newcore's vision is to build a responsive, creative and powerful gold enterprise that maximizes returns for shareholders.

(1) Source: Production volumes for 2024 as sourced from the World Gold Council.

On Behalf of the Board of Directors of Newcore Gold Ltd.

Luke Alexander
President, CEO & Director

For further information, please contact:

Mal Karwowska | Vice President, Corporate Development and Investor Relations
+1 604 484 4399
info@newcoregold.com
www.newcoregold.com



Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

Cautionary Note Regarding Forward-Looking Statements

This news release includes statements that contain "forward-looking information" within the meaning of the applicable Canadian securities legislation ("forward-looking statements"). All statements, other than statements of historical fact, are forward-looking statements and are based on expectations, estimates and projections as at the date of this news release. Any statement that involves discussion with respect to predictions, expectations, beliefs, plans, projections, objectives, assumptions, future events or performance (often, but not always using phrases such as "plans", "expects", "is expected", "budget", "scheduled", "estimates", "forecasts", "intends", "anticipates", or "believes" or variations (including negative variations) of such words and phrases, or state that certain actions, events or results "may", "could", "would", "might" or "will" be taken, occur or be achieved) are not statements of historical fact and may be forward-looking statements. In this news release, forward-looking statements relate, among other things, to: statements about the estimation of mineral resources; results of preliminary economic assessments; completion of a pre-feasibility study; results of metallurgical testwork; results of our ongoing drill campaign; results of drilling, magnitude or quality of mineral deposits; anticipated advancement of mineral properties or programs; and future exploration prospects.


These forward-looking statements, and any assumptions upon which they are based, are made in good faith and reflect our current judgment regarding the direction of our business. The assumptions underlying the forward-looking statements are based on information currently available to Newcore. Although the forward-looking statements contained in this news release are based upon what management of Newcore believes, or believed at the time, to be reasonable assumptions, Newcore cannot assure its shareholders that actual results will be consistent with such forward-looking statements, as there may be other factors that cause results not to be as anticipated, estimated or intended. Forward-looking information also involves known and unknown risks, uncertainties and other factors which may cause the actual results, performance or achievements of the Company to be materially different from any future results, performance or achievements expressed or implied by the forward-looking information. Such factors include, among others: risks related to the speculative nature of Newcore's business; Newcore's formative stage of development; Newcore's financial position; possible variations in mineralization, grade or recovery rates; actual results of current exploration activities; fluctuations in general macroeconomic conditions; fluctuations in securities markets; fluctuations in spot and forward prices of gold and other commodities; fluctuations in currency markets (such as the Canadian dollar to United States dollar exchange rate); change in national and local government, legislation, taxation, controls, regulations and political or economic developments; risks and hazards associated with the business of mineral exploration, development and mining (including environmental hazards, unusual or unexpected geological formations); the presence of laws and regulations that may impose restrictions on mining; employee relations; relationships with and claims by local communities; the speculative nature of mineral exploration and development (including the risks of obtaining necessary licenses, permits and approvals from government authorities); and title to properties.

Forward-looking statements contained herein are made as of the date of this news release and Newcore disclaims any obligation to update any forward-looking statements, whether as a result of new information, future events or results, except as may be required by applicable securities laws. There can be no assurance that forward-looking information will prove to be accurate, as actual results and future events could differ materially from those anticipated in such statements. Accordingly, readers should not place undue reliance on forward-looking information.



Legend

- Drill Hole**
Assays Announced
January 21, 2026
- Drill Hole**
Prior 2024 - 2025 Assays Not in
Mineral Resource Estimate
- Previous Drill Holes**



KBDD102

KBRC366

KBRC305

KBRC303A

KBDD055

KBDD054

KBRC116

surface

100 Elev

Oxide Zone

0 Elev

-100 Elev

0.56 g/t Au over 3 m

0.46 g/t Au over 1 m

3.04 g/t Au over 1 m

0.34 g/t Au over 2 m

0.36 g/t Au over 3 m

0.67 g/t Au over 2 m

0.21 g/t Au over 2 m

0.44 g/t Au over 2 m

0.21 g/t Au over 2 m

1.39 g/t Au over 20 m

incl. 6.34 g/t Au over 3 m

0.99 g/t Au over 3 m

0.42 g/t Au over 2 m

0.61 g/t Au over 10 m

0.43 g/t Au over 2 m

0.94 g/t Au over 31 m

0.45 g/t Au over 1 m

0.22 g/t Au over 2 m

1.01 g/t Au over 48 m

incl. 1.86 g/t Au over 14 m

0.27 g/t Au over 1 m

2.01 g/t Au over 11 m

152

0.46 g/t Au over 21 m

0.20 g/t Au over 2 m

0.29 g/t Au over 1 m

200

0.92 g/t Au over 9.8 m

0.86 g/t Au over 17 m

1.10 g/t Au over 4.3 m

0.90 g/t Au over 8.0 m

0.39 g/t Au over 3.0 m

255

252

1.70 g/t Au over 25.5 m

3.22 g/t Au over 17.0 m

0.40 g/t Au over 6.7 m

0.29 g/t Au over 2.0 m

366

OPEN
TO DEPTH

LEGEND

Mineralized Zone

Drillhole trace

2023 Resource Pit Shell
(US\$1,650/oz Au)

0 50 m 100 m



NEWCORE GOLD

2024 - 2025 Drill Program | Enchi Gold Project

Boin Deposit - Cross Section (A - A')


KBDD102

Viewing Northeast, January 2026

Outside of Uncut Drill Core



Inside of Cut Drill Core



NEWCORE GOLD

KBDD100 - Visible Gold in Drill Core

147.50 g/t Au over 1.0 m from 310 m

Enchi Gold Project

Boin Gold Deposit, Ghana

2024 - 2025 Drill Program

January 2026

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Drill Results Released January 21, 2026

Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBDD099	Boin	174.4	193.6	19.2	0.44	519447	634743	115	114	-55	341.3
including		189.6	191.6	2.0	1.42						
and		203.0	205.0	2.0	0.66						
and		216.0	223.5	7.5	0.32						
and		229.3	237.3	8.0	0.42						
and		243.0	257.1	14.1	0.78						
including		243.0	247.0	4.0	1.86						
and		271.6	278.5	6.9	0.39						
and		308.3	309.3	1.0	0.99						
KBDD100	Boin	243.0	245.0	2.0	0.27	518742	633544	149	114	-60	321.4
and		251.1	254.0	2.9	0.44						
and		257.0	262.9	5.9	1.63						
and		266.8	269.1	2.3	0.81						
and		270.8	274.0	3.2	0.37						
and		290.0	292.0	2.0	0.65						
and		295.6	301.0	5.4	1.61						
and		308.2	310.0	1.8	0.51						
and		310.0	311.0	1.0	147.50						
and		311.0	313.0	2.0	0.40						
KBDD101	Boin	166.0	174.0	8.0	0.67	519591	634889	136	114	-60	311.0
including		168.0	170.0	2.0	1.59						
and		202.0	218.0	16.0	1.26						
including		202.0	209.0	7.0	2.22						
and		234.0	235.0	1.0	0.59						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBDD102	Boin	222.2	232.0	9.8	0.92	519207	634347	144	114	-65	366.4
and		239.0	243.3	4.3	1.10						
and		266.0	274.0	8.0	0.90						
and		277.0	280.0	3.0	0.39						
and		285.0	310.5	25.5	1.70						
and		313.5	320.2	6.7	0.40						
and		327.0	344.0	17.0	3.22						
and		351.0	353.0	2.0	0.29	519619	634957	127	114	-60	280.6
KBDD103	Boin	237.0	238.0	1.0	1.00						
and		275.0	276.0	1.0	0.25						
and		278.0	279.0	1.0	0.59	519190	634263	127	114	-60	309.6
KBDD104	Boin	207.3	210.0	2.7	0.63						
and		217.0	228.0	11.0	0.82						
including		218.0	223.0	5.0	1.41						
and		231.0	235.0	4.0	1.80						
and		244.0	246.0	2.0	0.79						

1. Intervals reported are hole lengths with true width estimated to be 75 - 85%.

2. Length-weighted averages from uncut assays.

3. All drilling completed by independent contractor.

4. All drilling samples sealed on site and delivered directly to independent lab Intertek Mineral Limited located in Tarkwa, Ghana for preparation and 50g Fire Assay with AAS finish.

5. QA/QC procedures include industry standard inclusion of standards, blanks, and duplicates in all sample batches.

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Previously Released Drill Results

Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC288	Boin	86.0	87.0	1.0	0.85	519558	634796	132	114	-60	201
and		93.0	98.0	5.0	0.47						
and		139.0	201.0	62.0	1.96						
including		139.0	164.0	25.0	2.31						
including		171.0	199.0	28.0	2.23						
KBRC289	Boin	0.0	3.0	3.0	0.17	519608	634766	132	114	-60	151
and		17.0	18.0	1.0	0.25						
and		66.0	77.0	11.0	0.65						
and		97.0	107.0	10.0	1.46						
KBRC290	Boin	33.0	38.0	5.0	0.40	519453	634446	130	114	-60	103
KBRC291	Boin	11.0	17.0	6.0	1.16	519374	634438	132	114	-60	140
and		49.0	50.0	1.0	0.18						
and		56.0	63.0	7.0	0.77						
and		98.0	100.0	2.0	0.27						
and		102.0	103.0	1.0	0.42						
and		118.0	119.0	1.0	1.61						
and		122.0	139.0	17.0	0.56						
KBRC292	Boin	8.0	10.0	2.0	0.30	519415	634419	133	114	-60	110
and		55.0	62.0	7.0	0.50						
KBRC293	Boin	10.0	29.0	19.0	0.46	519452	634401	133	114	-60	101
including		10.0	14.0	4.0	1.28						
including		23.0	28.0	5.0	0.56						
and		33.0	34.0	1.0	0.21						
and		43.0	47.0	4.0	0.62						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC294	Boin	107.0	113.0	6.0	3.24	519498	634729	125	114	-55	204
including		109.0	110.0	1.0	16.52						
and		120.0	121.0	1.0	0.27						
and		139.0	141.0	2.0	0.35						
and		150.0	204.0	54.0	0.94						
including		151.0	158.0	7.0	2.11						
including		170.0	181.0	11.0	2.08						
KBRC295	Boin	45.0	47.0	2.0	0.34	519533	634699	127	114	-60	157
and		54.0	56.0	2.0	0.31						
and		83.0	91.0	8.0	0.19						
and		113.0	115.0	2.0	0.30						
and		127.0	128.0	1.0	0.97						
and		130.0	154.0	24.0	1.25						
KBRC296	Boin	31.0	56.0	25.0	1.44	519553	634666	125	114	-60	103
and		67.0	74.0	7.0	2.26						
and		90.0	93.0	3.0	0.37						
KBRC297	Boin	0.0	7.0	7.0	0.95	519581	634684	127	114	-60	100
and		12.0	26.0	14.0	0.45						
and		33.0	34.0	1.0	0.22						
and		64.0	68.0	4.0	0.57						
KBRC298	Boin	55.0	67.0	12.0	0.43	519301	634381	130	114	-55	220
and		76.0	78.0	2.0	0.24						
and		154.0	155.0	1.0	0.24						
and		159.0	220.0	61.0	0.53						
including		173.0	185.0	12.0	1.07						
KBRC299	Boin	1.0	3.0	2.0	0.21	519399	634338	136	114	-60	60
and		16.0	24.0	8.0	0.48						
and		32.0	34.0	2.0	0.89						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC300	Boin	38.0	41.0	3.0	0.85	519344	634361	135	114	-60	140
and		51.0	52.0	1.0	0.20						
and		62.0	68.0	6.0	2.34						
and		72.0	74.0	2.0	0.79						
and		98.0	102.0	4.0	0.69						
and		126.0	128.0	2.0	0.27						
KBRC301	Boin	59.0	60.0	1.0	204.27	519281	634351	132	114	-60	193
and		60.0	62.0	2.0	1.46						
and		64.0	66.0	2.0	0.22						
and		79.0	85.0	6.0	0.22						
and		98.0	99.0	1.0	0.33						
and		133.0	134.0	1.0	0.51						
and		161.0	163.0	2.0	1.77						
and		181.0	183.0	2.0	0.19						
KBRC302	Boin	0.0	1.0	1.0	0.22	519261	634273	138	114	-60	220
and		39.0	42.0	3.0	0.78						
and		111.0	112.0	1.0	0.51						
and		116.0	125.0	9.0	0.43						
and		130.0	131.0	1.0	0.40						
and		139.0	150.0	11.0	0.40						
and		185.0	186.0	1.0	0.40						
and		199.0	201.0	2.0	0.68						
KBRC303A	Boin	52.0	54.0	2.0	0.67	519293	634294	130	114	-60	200
and		68.0	70.0	2.0	0.44						
and		80.0	82.0	2.0	0.21						
and		114.0	145.0	31.0	0.94						
and		160.0	181.0	21.0	0.46						
and		187.0	189.0	2.0	0.20						
and		196.0	197.0	1.0	0.29						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC304	Boin	20.0	24.0	4.0	0.71	519090	634045	134	114	-50	81
and		35.0	36.0	1.0	0.35						
and		41.0	59.0	18.0	0.73						
KBRC305	Boin	68.0	70.0	2.0	0.21	519248	634321	135	114	-55	252
and		105.0	115.0	10.0	0.61						
and		121.0	123.0	2.0	0.43						
and		151.0	199.0	48.0	1.01						
including		173.0	187.0	14.0	1.86						
and		212.0	229.0	17.0	0.86						
KBRC306	Boin	190.0	204.0	14.0	0.82	519192	634299	147	114	-55	250
and		236.0	237.0	1.0	0.32						
and		242.0	247.0	5.0	1.64						
KBRC307A	Boin	17.0	25.0	8.0	0.74	519252	634200	139	114	-60	190
and		35.0	36.0	1.0	0.61						
and		57.0	66.0	9.0	0.27						
and		120.0	148.0	28.0	3.36						
including		132.0	143.0	11.0	7.76						
and incl.		133.0	135.0	2.0	37.58						
and		156.0	190.0	34.0	0.33						
KBRC308	Boin	132.0	153.0	21.0	1.04	519205	634212	135	114	-60	222
including		139.0	141.0	2.0	2.66						
and		164.0	202.0	38.0	0.50						
including		197.0	201.0	4.0	2.03						
and		207.0	209.0	2.0	0.49						
and		214.0	217.0	3.0	0.51						
KBRC309A	Boin	63.0	65.0	2.0	0.50	519178	634148	119	114	-60	220
and		110.0	119.0	9.0	0.32						
and		126.0	152.0	26.0	0.59						
and		171.0	179.0	8.0	0.29						
and		183.0	185.0	2.0	0.31						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC310	Boin	16.0	17.0	1.0	0.59	519161	634010	126	114	-60	200
and		39.0	40.0	1.0	0.34						
and		97.0	99.0	2.0	0.47						
and		101.0	104.0	3.0	0.41						
and		108.0	110.0	2.0	0.27						
and		116.0	118.0	2.0	0.30						
and		191.0	193.0	2.0	0.39						
KBRC311	Boin	143.0	146.0	3.0	0.19	519171	634107	127	114	-60	200
and		159.0	161.0	2.0	1.25						
KBRC312	Boin	86.0	87.0	1.0	0.28	519119	633968	133	114	-50	210
and		93.0	109.0	16.0	1.04						
and		115.0	117.0	2.0	0.30						
and		130.0	210.0	80.0	0.54						
KBRC313	Boin	127.0	208.0	81.0	1.06	518956	633618	154	0	-90	240
including		132.0	149.0	17.0	2.50						
including		184.0	191.0	7.0	2.15						
and		215.0	217.0	2.0	0.22						
and		229.0	237.0	8.0	0.29						
KBRC314	Boin	141.0	143.0	2.0	0.50	518935	633580	156	0	-90	230
and		151.0	154.0	3.0	0.99						
and		161.0	223.0	62.0	0.86						
including		210.0	219.0	9.0	2.24	518914	633556	154	0	-90	240
KBRC315	Boin	139.0	190.0	51.0	0.58						
including		144.0	148.0	4.0	1.71						
and		203.0	240.0	37.0	1.32	518900	633506	133	0	-90	220
KBRC316	Boin	100.0	196.0	96.0	0.97						
including		163.0	173.0	10.0	2.05						
and		200.0	202.0	2.0	0.52						
and		217.0	219.0	2.0	0.35						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC317	Boin	88.0	89.0	1.0	0.30	518874	633478	133	0	-90	200
and		109.0	182.0	73.0	0.70						
and		192.0	199.0	7.0	1.52						
KBRC318	Boin	65.0	72.0	7.0	1.17	518804	633406	137	114	-50	100
KBRC319	Boin	33.0	52.0	19.0	0.94	519535	634589	122	114	-60	78
KBRC320	Boin	57.0	58.0	1.0	0.20	519496	634605	122	114	-60	150
and		85.0	98.0	13.0	0.67						
and		108.0	146.0	38.0	0.70						
KBRC321	Boin	4.0	17.0	13.0	0.86	518801	633303	132	114	-50	60
and		28.0	29.0	1.0	0.37						
KBRC322	Boin	19.0	20.0	1.0	0.24	518741	633324	140	114	-50	166
and		23.0	36.0	13.0	0.86						
and		60.0	62.0	2.0	0.38						
KBRC323	Boin	0.0	5.0	5.0	0.23	519502	634511	135	114	-60	90
and		14.0	21.0	7.0	0.57						
and		35.0	37.0	2.0	0.33						
KBRC324	Boin	18.0	20.0	2.0	0.25	519475	634523	133	114	-60	120
and		47.0	49.0	2.0	0.76						
and		64.0	120.0	56.0	0.50						
KBRC325	Boin	37.0	45.0	8.0	0.84	519657	634877	120	114	-60	180
and		60.0	79.0	19.0	0.54						
and		83.0	84.0	1.0	0.20						
and		101.0	103.0	2.0	0.23						
and		113.0	117.0	4.0	0.67						
and		132.0	180.0	48.0	0.43						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC326	Boin	6.0	15.0	9.0	0.64	519708	634856	120	114	-60	144
and		21.0	25.0	4.0	0.38						
and		29.0	30.0	1.0	0.58						
and		35.0	51.0	16.0	1.03						
and		69.0	70.0	1.0	0.26						
and		72.0	74.0	2.0	0.22						
and		90.0	91.0	1.0	0.29						
and		95.0	96.0	1.0	0.31						
and		112.0	113.0	1.0	0.22						
and		125.0	126.0	1.0	0.30						
and		136.0	144.0	8.0	0.33						
KBRC327	Boin	76.0	77.0	1.0	0.46	519754	634955	105	114	-60	132
and		81.0	89.0	8.0	0.79						
and		96.0	100.0	4.0	0.59						
and		110.0	119.0	9.0	0.26						
KBRC328	Boin	9.0	72.0	63.0	1.28	519773	634942	110	114	-60	96
and		78.0	96.0	18.0	0.76						
KBRC329	Boin		No significant results			519786	635002	105	114	-60	60
KBRC330	Boin	46.0	47.0	1.0	0.29	519815	635023	107	114	-60	64
KBRC331	Boin		No significant results			520017	635043	120	114	-60	60
KBRC332	Boin	41.0	46.0	5.0	0.41	519948	635072	120	114	-60	72
and		54.0	58.0	4.0	0.64						
KBRC333	Boin	45.0	46.0	1.0	0.22	520064	635075	125	114	-60	90
and		71.0	72.0	1.0	0.23						
and		80.0	82.0	2.0	0.21						
KBRC334	Boin	32.0	34.0	2.0	0.25	520092	635118	127	114	-60	66
KBRC335	Boin	6.0	29.0	23.0	2.18	520035	635135	127	114	-60	66
including		16.0	24.0	8.0	5.58						
KBRC336	Boin	30.0	35.0	5.0	0.80	518507	632990	123	114	-50	70

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC337	Boin	12.0	13.0	1.0	0.21	518467	633006	130	114	-50	126
and		79.0	126.0	47.0	1.06						
KBRC338	Boin	11.0	18.0	7.0	0.56	518449	632888	124	114	-60	72
and		28.0	40.0	12.0	0.43						
KBRC339	Boin	59.0	60.0	1.0	0.27	518421	632912	123	114	-60	120
and		82.0	84.0	2.0	1.31						
and		90.0	106.0	16.0	1.06						
and		112.0	114.0	2.0	0.37						
KBRC340	Boin	14.0	34.0	20.0	0.61	518396	632821	125	114	-60	50
KBRC341	Boin	51.0	120.0	69.0	0.64	518366	632833	125	114	-60	120
KBRC342	Boin	177.0	183.0	6.0	0.50	518885	633671	158	114	-65	233
and		190.0	228.0	38.0	1.74						
including		218.0	225.0	7.0	3.67						
KBRC343	Boin	69.0	80.0	11.0	0.27	518932	633604	166	114	-60	156
and		95.0	151.0	56.0	0.65						
KBRC344	Boin	104.0	176.0	72.0	1.16	518955	633720	154	114	-55	200
including		114.0	124.0	10.0	3.06						
and		180.0	181.0	1.0	0.35						
and		186.0	189.0	3.0	0.43						
and		192.0	195.0	3.0	0.26						
and		198.0	200.0	2.0	0.35						
KBRC345	Boin	82.0	85.0	3.0	0.29	518983	633747	155	114	-60	174
and		108.0	120.0	12.0	0.73						
and		133.0	142.0	9.0	0.79						
KBRC346	Boin	98.0	168.0	70.0	0.67	519062	633856	155	114	-62	168
KBRC348	Boin	1.0	11.0	10.0	0.20	519658	634788	148	114	-60	90
and		36.0	43.0	7.0	1.19						
and		57.0	67.0	10.0	0.30						
KBRC349	Boin	40.0	56.0	16.0	0.65	519689	634837	145	114	-60	90
and		74.0	76.0	2.0	0.34						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC350	Boin	19.0	31.0	12.0	0.26	519656	634848	146	114	-60	144
and		94.0	102.0	8.0	0.63						
and		113.0	115.0	2.0	0.74						
and		126.0	131.0	5.0	0.25						
and		133.0	135.0	2.0	0.21						
KBRC351	Boin	21.0	44.0	23.0	0.23	519689	634865	138	114	-60	168
and		54.0	65.0	11.0	0.74						
and		74.0	78.0	4.0	0.57						
and		92.0	99.0	7.0	0.23						
and		108.0	133.0	25.0	0.21						
and		144.0	168.0	24.0	0.37						
KBRC352	Boin	63.0	64.0	1.0	0.21	519630	634866	147	114	-60	186
and		96.0	152.0	56.0	2.25						
including		122.0	137.0	15.0	3.83						
and		160.0	186.0	26.0	0.79						
KBRC353	Boin	0.0	24.0	24.0	2.15	519651	634761	146	114	-60	80
and		38.0	40.0	2.0	0.30						
and		51.0	54.0	3.0	0.53						
KBRC354	Boin	18.0	20.0	2.0	1.13	519779	634979	135	114	-55	96
and		31.0	32.0	1.0	0.34						
and		34.0	35.0	1.0	0.36						
and		63.0	64.0	1.0	0.31						
and		69.0	74.0	5.0	0.46						
KBRC355	Boin	22.0	23.0	1.0	0.57	519744	634923	127	114	-55	66
and		26.0	55.0	29.0	2.13						
KBRC356	Boin	136.0	137.0	1.0	0.29	519482	634747	117	114	-55	204
and		168.0	177.0	9.0	1.20						
and		194.0	197.0	3.0	0.64						
and		194.0	197.0	3.0	0.64						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC347B	Boin	31.0	32.0	1.0	0.26	519323	634242	118	114	-65	180
and		42.0	59.0	17.0	0.58						
and		90.0	91.0	1.0	0.29						
and		134.0	172.0	38.0	1.05						
KBRC357	Boin	113.0	121.0	8.0	1.07	519546	634737	145	114	-55	168
and		126.0	150.0	24.0	4.41						
including		132.0	142.0	10.0	9.08						
and		163.0	164.0	1.0	0.35						
KBRC358	Boin	109.0	117.0	8.0	1.25	519586	634795	158	114	-60	186
and		142.0	161.0	19.0	0.47						
and		166.0	179.0	13.0	1.05						
KBRC359	Boin	11.0	15.0	4.0	0.30	519612	634809	148	114	-60	148
and		28.0	40.0	12.0	0.33						
and		77.0	79.0	2.0	0.28						
and		86.0	88.0	2.0	0.35						
and		110.0	144.0	34.0	0.87						
KBRC360	Boin	75.0	127.0	52.0	1.58	519588	634823	145	114	-60	177
including		96.0	112.0	16.0	3.04						
and		137.0	139.0	2.0	0.49						
and		152.0	153.0	1.0	0.26						
and		155.0	177.0	22.0	0.62						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC361	Boin	0.0	1.0	1.0	0.24	519726	634714	117	294	-55	250
and		83.0	84.0	1.0	0.27						
and		109.0	110.0	1.0	0.79						
and		131.0	134.0	3.0	1.00						
and		141.0	142.0	1.0	0.41						
and		148.0	149.0	1.0	0.43						
and		157.0	170.0	13.0	2.13						
and		174.0	175.0	1.0	0.29						
and		181.0	182.0	1.0	0.54						
and		185.0	191.0	6.0	0.57						
and		206.0	213.0	7.0	0.76						
and		218.0	219.0	1.0	0.32						
and		224.0	237.0	13.0	0.33						
KBRC362	Boin	59.0	64.0	5.0	0.78	519197	634054	133	114	-55	210
and		84.0	117.0	33.0	0.25						
and		127.0	129.0	2.0	0.66						
and		134.0	136.0	2.0	0.23						
and		141.0	148.0	7.0	0.41						
and		158.0	210.0	52.0	0.66						
KBRC363	Boin	102.0	106.0	4.0	0.83	519205	634182	115	114	-60	210
and		120.0	133.0	13.0	1.15						
and		137.0	143.0	6.0	0.50						
and		160.0	170.0	10.0	0.42						
and		189.0	210.0	21.0	0.99						
KBRC364	Boin	48.0	49.0	1.0	0.32	519223	634082	125	114	-60	174
and		57.0	58.0	1.0	0.24						
and		65.0	66.0	1.0	0.29						
and		69.0	70.0	1.0	0.37						
and		79.0	80.0	1.0	0.26						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBRC365	Boin	19.0	20.0	1.0	0.43	518844	633393	139	114	-60	84
and		52.0	54.0	2.0	0.34						
KBRC366	Boin	192.0	203.0	11.0	2.01	519241	634342	130	114	-60	255
KBRC367	Boin	8.0	11.0	3.0	0.21	519212	635995	117	294	-60	84
and		21.0	22.0	1.0	0.25						
and		82.0	84.0	2.0	2.59						
KBRC368	Boin	2.0	5.0	3.0	0.71	519377	636140	118	294	-60	54
and		16.0	32.0	16.0	0.78						
including		31.0	32.0	1.0	8.17						
KBRC369	Boin	44.0	62.0	18.0	0.51	519415	636122	126	294	-60	100
including		44.0	46.0	2.0	3.29						
and		71.0	74.0	3.0	0.54						
and		78.0	79.0	1.0	0.42						
KBRC370	Boin	14.0	15.0	1.0	0.32	519443	636168	122	294	-60	80
and		24.0	26.0	2.0	0.40						
and		43.0	44.0	1.0	1.42						
and		51.0	56.0	5.0	0.40						
and		62.0	65.0	3.0	3.16						
and		68.0	72.0	4.0	0.36						
and		76.0	77.0	1.0	1.90						
KBRC371	Boin	24.0	25.0	1.0	0.91	519464	636158	124	294	-60	132
and		52.0	58.0	6.0	0.89						
including		52.0	54.0	2.0	2.37						
and		72.0	75.0	3.0	1.12						
and		83.0	86.0	3.0	0.64						
and		93.0	101.0	8.0	0.35						
including		93.0	96.0	3.0	0.72						
and		106.0	117.0	11.0	0.31						
and		122.0	130.0	8.0	0.47						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBDD088	Boin	190.0	206.5	16.5	2.03	518740	633481	145	114	-55	213.3
including		195.0	199.0	4.0	3.90						
KBDD095	Boin	183.0	185.0	2.0	1.04	518773	633637	146	114	-60	372.6
and		238.4	251.0	12.6	0.51						
including		247.8	249.9	2.1	1.37						
and		263.0	264.0	1.0	0.99						
and		267.0	268.0	1.0	0.63						
and		271.0	279.5	8.5	2.34						
including		272.0	274.5	2.5	7.50						
and		284.5	288.5	4.0	0.31						
and		292.5	294.0	1.5	0.22						
and		297.0	299.0	2.0	1.00						
and		303.0	305.0	2.0	0.28						
and		307.0	309.0	2.0	0.37						
and		314.6	316.6	2.0	0.36						
and		333.3	336.0	2.7	0.19						
and		341.0	344.0	3.0	0.25						
and		361.0	363.0	2.0	0.39						
and		367.0	369.0	2.0	1.24						
KBDD096	Boin	296.0	298.0	2.0	1.33	518773	633637	146	114	-75	435.4
and		302.0	304.0	2.0	0.52						
and		319.2	319.9	0.7	0.96						
and		324.0	342.0	18.0	0.68						
including		340.1	342.0	1.9	2.42						
and		351.0	358.0	7.0	0.97						
including		352.0	354.0	2.0	2.60						
and		363.0	399.5	36.5	0.69						
including		385.0	387.0	2.0	2.34						
and		412.0	414.0	2.0	0.83						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KBDD097	Boin	187.0	190.0	3.0	1.57	519511	634814	140	114	-60	320.2
and		226.0	245.0	19.0	0.62						
including		232.0	234.0	2.0	1.67						
and		253.0	276.0	23.0	3.54						
including		256.0	264.0	8.0	6.92						
KBDD098	Boin	244.0	246.0	2.0	0.58	518835	633693	160	114	-65	357.6
and		264.0	265.0	1.0	173.75						
and		266.0	269.0	3.0	0.18						
and		298.3	301.0	2.7	0.36						
and		315.0	317.0	2.0	1.03						
and		320.7	323.2	2.5	3.00						
KBRC372	Boin	11.0	12.0	1.0	0.38	519474	636213	124	294	-60	100
and		14.0	17.0	3.0	1.65						
and		32.0	35.0	3.0	0.18						
and		45.0	56.0	11.0	0.47						
and		71.0	72.0	1.0	0.20						
SWRC171	Sewum	1.0	4.0	3.0	0.21	521265	628718	225	120	-50	78
and		8.0	11.0	3.0	0.19						
and		56.0	74.0	18.0	0.60						
SWRC172	Sewum	1.0	27.0	26.0	0.61	521293	628770	225	120	-50	70
including		12.0	21.0	9.0	1.09						
and		30.0	31.0	1.0	0.29						
and		53.0	57.0	4.0	0.33						
SWRC173	Sewum	25.0	33.0	8.0	0.49	521320	628836	233	120	-60	60
and		44.0	45.0	1.0	0.22						
and		52.0	53.0	1.0	0.36						
SWRC174	Sewum	2.0	6.0	4.0	0.25	521304	628813	232	120	-60	60
and		24.0	30.0	6.0	0.23						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC175 and and	Sewum	1.0	8.0	7.0	0.50	521491	628830	228	120	-60	60
		23.0	29.0	6.0	0.25						
		35.0	47.0	12.0	0.45						
SWRC176 including including and	Sewum	12.0	57.0	45.0	0.30	521475	628780	220	120	-60	72
		12.0	21.0	9.0	0.51						
		48.0	55.0	7.0	0.49						
		62.0	64.0	2.0	0.89						
SWRC177	Sewum	12.0	13.0	1.0	0.18	521446	628754	221	120	-60	72
SWRC178 and and and	Sewum	0.0	9.0	9.0	0.78	521482	628875	235	120	-50	80
		13.0	16.0	3.0	0.57						
		20.0	24.0	4.0	0.53						
		35.0	41.0	6.0	0.34						
SWRC179 and and	Sewum	2.0	12.0	10.0	0.32	521450	628801	227	120	-60	84
		36.0	51.0	15.0	0.46						
		64.0	83.0	19.0	0.35						
SWRC180 including and	Sewum	0.0	26.0	26.0	0.66	521321	628958	235	120	-50	80
		16.0	23.0	7.0	1.46						
		35.0	41.0	6.0	0.19						
SWRC181 and	Sewum	1.0	9.0	8.0	0.24	521341	629045	240	120	-50	60
		56.0	57.0	1.0	0.21						
SWRC182 and and including and	Sewum	7.0	8.0	1.0	0.21	521411	629166	235	120	-50	80
		13.0	14.0	1.0	0.30						
		52.0	62.0	10.0	2.45						
		52.0	55.0	3.0	7.44						
		66.0	68.0	2.0	0.35						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC183	Sewum	0.0	2.0	2.0	0.17	521719	629772	234	120	-60	102
and		26.0	27.0	1.0	0.29						
and		30.0	32.0	2.0	0.21						
and		42.0	43.0	1.0	0.22						
and		74.0	77.0	3.0	0.24						
and		91.0	92.0	1.0	0.37						
and		98.0	100.0	2.0	0.31						
SWRC184	Sewum	12.0	14.0	2.0	0.20	521764	629828	233	120	-60	105
and		74.0	80.0	6.0	0.37						
SWRC185	Sewum	45.0	47.0	2.0	0.74	521730	629842	234	120	-60	144
and		59.0	62.0	3.0	0.19						
and		96.0	97.0	1.0	0.20						
and		100.0	108.0	8.0	0.32						
and		134.0	136.0	2.0	0.69						
SWRC186	Sewum	2.0	5.0	3.0	0.26	521392	629219	235	120	-60	80
SWRC187	Sewum	2.0	4.0	2.0	0.19	521365	629237	230	120	-60	80
SWRC188	Sewum	29.0	31.0	2.0	0.27	521365	629197	220	120	-50	80
and		70.0	71.0	1.0	0.22						
SWRC189	Sewum	47.0	50.0	3.0	0.65	521749	629765	222	120	-60	72
and		54.0	57.0	3.0	0.22						
SWRC190	Sewum	28.0	29.0	1.0	0.30	521804	629833	216	120	-50	72
and		33.0	35.0	2.0	0.66						
and		50.0	51.0	1.0	0.25						
SWRC191	Sewum	42.0	44.0	2.0	0.26	521791	629797	220	120	-60	60
SWRC192	Sewum	10.0	14.0	4.0	0.31	521772	629848	225	120	-50	120
and		59.0	60.0	1.0	0.28						
and		64.0	67.0	3.0	0.44						
and		78.0	80.0	2.0	0.20						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC193 and and	Sewum	2.0	17.0	15.0	0.33	521435	628727	218	120	-60	90
		25.0	27.0	2.0	0.29						
		47.0	48.0	1.0	0.33						
SWRC194 including and and including	Sewum	1.0	63.0	62.0	1.85	521352	627847	158	120	-50	167
		13.0	23.0	10.0	8.36						
		74.0	79.0	5.0	0.23						
		99.0	167.0	68.0	0.75						
SWRC195 and	Sewum	0.0	9.0	9.0	0.77	521289	627794	172	120	-50	66
		20.0	58.0	38.0	0.80						
SWRC196 and and and	Sewum	21.0	23.0	2.0	0.64	520826	626252	156	120	-55	96
		63.0	66.0	3.0	2.31						
		78.0	82.0	4.0	0.24						
		90.0	91.0	1.0	0.20						
SWRC197	Sewum	No significant results				520771	626290	147	120	-55	108
SWRC198	Sewum	25.0	26.0	1.0	0.37	520670	626267	155	120	-55	90
SWRC199 and and and and and	Sewum	53.0	57.0	4.0	0.56	520759	626222	160	120	-55	120
		72.0	76.0	4.0	1.24						
		97.0	98.0	1.0	0.22						
		102.0	104.0	2.0	0.30						
		108.0	111.0	3.0	0.21						
		115.0	116.0	1.0	0.25						
SWRC200 and and and and	Sewum	20.0	34.0	14.0	0.81	520741	626162	161	120	-55	126
		81.0	83.0	2.0	0.23						
		91.0	92.0	1.0	0.27						
		107.0	108.0	1.0	1.87						
		118.0	121.0	3.0	1.58						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC201 and and including	Sewum	20.0	24.0	4.0	0.56	520704	626103	158	120	-55	102
		45.0	48.0	3.0	0.38						
		72.0	99.0	27.0	1.07						
		73.0	81.0	8.0	2.82						
SWRC202 and and and	Sewum	0.0	5.0	5.0	1.65	520648	626033	131	120	-55	78
		28.0	41.0	13.0	2.39						
		48.0	49.0	1.0	0.23						
		60.0	76.0	16.0	0.39						
SWRC203 and and and and and and and	Sewum	11.0	12.0	1.0	0.20	521761	629918	222	120	-50	108
		20.0	25.0	5.0	0.76						
		45.0	48.0	3.0	0.32						
		51.0	56.0	5.0	0.39						
		72.0	73.0	1.0	0.25						
		77.0	79.0	2.0	0.29						
		84.0	90.0	6.0	0.42						
SWRC204 and and and and and and and	Sewum	18.0	19.0	1.0	0.24	521330	627665	167	120	-55	132
		54.0	58.0	4.0	0.29						
		62.0	64.0	2.0	0.22						
		77.0	78.0	1.0	0.23						
		92.0	93.0	1.0	0.41						
		116.0	119.0	3.0	0.22						
		126.0	128.0	2.0	0.21						
SWRC205 and including	Sewum	85.0	87.0	2.0	0.24	521297	627683	173	120	-55	168
		124.0	168.0	44.0	0.38						
		142.0	156.0	14.0	0.81						
SWRC206 and and and and	Sewum	1.0	5.0	4.0	0.61	521365	627644	166	120	-55	120
		10.0	24.0	14.0	0.66						
		70.0	72.0	2.0	0.23						
		93.0	94.0	1.0	0.26						
		104.0	120.0	16.0	0.51						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC207	Sewum	64.0	66.0	2.0	0.23	521412	627878	138	120	-55	84
SWRC208	Sewum	0.0	17.0	17.0	0.57	521365	627824	148	120	-55	98
and		22.0	46.0	24.0	1.39						
including		26.0	30.0	4.0	6.56						
and		54.0	59.0	5.0	0.38						
and		74.0	79.0	5.0	0.37						
and		86.0	88.0	2.0	0.54						
SWRC209	Sewum	51.0	53.0	2.0	0.64	521412	627851	139	120	-55	62
SWRC210	Sewum	0.0	11.0	11.0	0.51	521254	627701	174	120	-55	204
and		26.0	27.0	1.0	0.33						
and		46.0	50.0	4.0	0.22						
and		69.0	81.0	12.0	0.21						
and		88.0	100.0	12.0	0.29						
and		149.0	153.0	4.0	0.28						
and		178.0	193.0	15.0	0.80						
SWRC211	Sewum	0.0	37.0	37.0	0.47	521385	627701	174	120	-55	126
and		54.0	69.0	15.0	0.38						
SWRC212	Sewum	0.0	81.0	81.0	0.40	521285	627757	172	120	-55	221
and		89.0	90.0	1.0	1.76						
and		111.0	120.0	9.0	0.40						
and		217.0	221.0	4.0	0.31						
SWRC213	Sewum	0.0	7.0	7.0	0.38	521325	627734	173	120	-55	132
and		12.0	32.0	20.0	0.70						
and		62.0	130.0	68.0	0.73						
SWRC214	Sewum	125.0	137.0	12.0	0.25	521262	627906	150	120	-55	177
and		146.0	156.0	10.0	0.51						
and		174.0	175.0	1.0	0.50						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC215	Sewum	0.0	4.0	4.0	0.42	521312	627885	153	120	-55	182
and		7.0	8.0	1.0	0.20						
and		31.0	56.0	25.0	0.38						
and		61.0	62.0	1.0	0.21						
and		95.0	128.0	33.0	0.62						
and		132.0	133.0	1.0	0.54						
and		138.0	169.0	31.0	0.42						
and		174.0	176.0	2.0	2.05						
and		180.0	182.0	2.0	0.27						
SWRC216	Sewum	7.0	10.0	3.0	0.34	521391	627817	100	120	-55	120
and		33.0	48.0	15.0	0.72						
and		60.0	61.0	1.0	0.49						
SWRC217	Sewum	1.0	2.0	1.0	1.78	521376	627840	141	120	-55	120
and		19.0	34.0	15.0	1.24						
and		90.0	120.0	30.0	1.00						
SWRC218	Sewum	20.0	28.0	8.0	0.22	519995	625747	137	120	-55	70
SWRC219	Sewum	1.0	10.0	9.0	0.71	520013	625771	139	120	-55	62
and		16.0	17.0	1.0	0.26						
and		25.0	30.0	5.0	0.69						
SWRC220	Sewum	13.0	15.0	2.0	0.48	520061	625801	140	120	-55	60
and		26.0	27.0	1.0	0.32						
SWRC221	Sewum	1.0	3.0	2.0	0.84	520043	625823	134	120	-55	95
and		51.0	53.0	2.0	0.19						
SWRC222	Sewum	0.0	38.0	38.0	0.59	520456	626210	154	120	-55	60
including		4.0	11.0	7.0	1.94						
SWRC223	Sewum	18.0	67.0	49.0	0.74	520431	626220	147	120	-55	100
including		42.0	53.0	11.0	1.57						
and		84.0	98.0	14.0	0.24						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC224	Sewum	62.0	63.0	1.0	0.52	520673	626116	154	120	-55	153
and		69.0	89.0	20.0	1.24						
and		112.0	113.0	1.0	1.24						
and		138.0	139.0	1.0	0.67						
and		142.0	143.0	1.0	0.30						
SWRC225	Sewum	105.0	106.0	1.0	0.23	520646	626141	115	120	-55	198
and		110.0	111.0	1.0	0.49						
and		137.0	140.0	3.0	0.29						
and		153.0	155.0	2.0	0.23						
and		197.0	198.0	1.0	0.38						
SWRC226	Sewum	20.0	21.0	1.0	0.24	520707	626184	123	120	-55	168
and		77.0	85.0	8.0	0.65						
and		109.0	110.0	1.0	0.30						
and		117.0	128.0	11.0	0.47						
and		135.0	136.0	1.0	0.24						
and		148.0	150.0	2.0	0.39						
SWRC227	Sewum	16.0	18.0	2.0	0.77	520846	626317	139	120	-55	120
and		21.0	24.0	3.0	0.75						
and		31.0	35.0	4.0	1.59						
and		58.0	59.0	1.0	0.49						
and		68.0	69.0	1.0	0.41						
and		76.0	77.0	1.0	0.34						
SWRC228	Sewum	45.0	53.0	8.0	0.38	521672	627929	167	120	-55	66
SWRC229	Sewum	0.0	11.0	11.0	0.34	521689	627951	167	120	-55	114
and		64.0	66.0	2.0	0.28						
and		83.0	93.0	10.0	0.65						
and		110.0	111.0	1.0	0.26						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC230	Sewum	54.0	60.0	6.0	0.15	521650	627968	169	120	-55	144
and		67.0	68.0	1.0	0.23						
and		78.0	84.0	6.0	0.54						
and		114.0	124.0	10.0	0.22						
and		132.0	133.0	1.0	0.20						
SWRC231	Sewum	2.0	6.0	4.0	0.46	521710	627996	144	120	-55	78
and		25.0	26.0	1.0	0.29						
SWRC232	Sewum	47.0	54.0	7.0	0.46	521680	628019	144	120	-55	126
and		113.0	120.0	7.0	0.30						
SWRC233	Sewum	No significant results				520518	625923	107	120	-55	120
SWRC234	Sewum	34.0	35.0	1.0	0.27	520541	625900	125	120	-55	90
and		40.0	41.0	1.0	0.31						
and		51.0	54.0	3.0	0.42						
and		64.0	75.0	11.0	0.63						
and		85.0	86.0	1.0	0.24						
SWRC235	Sewum	16.0	17.0	1.0	0.20	520553	625967	97	120	-55	112
and		93.0	94.0	1.0	0.24						
and		98.0	99.0	1.0	2.13						
SWRC236	Sewum	1.0	15.0	14.0	0.45	521409	628682	194	120	-60	72
and		24.0	28.0	4.0	0.70						
and		40.0	69.0	29.0	0.67						
SWRC237	Sewum	1.0	10.0	9.0	0.42	521390	628697	194	120	-60	90
and		25.0	52.0	27.0	0.62						
including		42.0	49.0	7.0	1.45						
and		64.0	90.0	26.0	0.56						
including		85.0	90.0	5.0	2.00						
SWRC238	Sewum	4.0	29.0	25.0	0.35	521371	628711	194	120	-60	84
and		53.0	63.0	10.0	0.22						
and		83.0	84.0	1.0	0.25						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC239	Sewum	0.0	26.0	26.0	0.37	521348	628726	194	120	-60	96
and		44.0	45.0	1.0	0.21						
and		60.0	63.0	3.0	0.58						
and		71.0	74.0	3.0	0.34						
and		91.0	93.0	2.0	0.57						
SWRC240	Sewum	2.0	41.0	39.0	0.22	521328	628740	195	120	-60	66
SWRC241	Sewum	3.0	18.0	15.0	0.53	521311	628745	195	120	-60	60
and		34.0	43.0	9.0	0.30						
SWRC242	Sewum	1.0	2.0	1.0	0.18	521422	628771	193	120	-60	84
SWRC243	Sewum	5.0	10.0	5.0	0.41	521402	628786	194	120	-60	84
and		63.0	64.0	1.0	0.44						
SWRC244	Sewum	1.0	18.0	17.0	0.48	521385	628797	196	120	-60	87
and		36.0	37.0	1.0	0.57						
SWRC245	Sewum	2.0	18.0	16.0	0.23	521367	628805	196	120	-60	108
and		24.0	26.0	2.0	0.71						
and		31.0	33.0	2.0	0.29						
SWRC246	Sewum	0.0	30.0	30.0	0.36	521338	628822	196	120	-60	108
and		54.0	61.0	7.0	0.40						
SWRC247	Sewum	2.0	32.0	30.0	0.61	521449	628892	194	120	-60	78
including		3.0	10.0	7.0	1.40						
and		44.0	73.0	29.0	0.26						
SWRC248	Sewum	4.0	45.0	41.0	0.56	521431	628900	194	120	-60	84
including		9.0	16.0	7.0	1.67						
and		67.0	70.0	3.0	0.73						
and		82.0	83.0	1.0	0.27						
SWRC249	Sewum	0.0	8.0	8.0	0.31	521406	628914	194	120	-60	102
and		15.0	39.0	24.0	0.80						
and		46.0	61.0	15.0	0.54						
and		78.0	80.0	2.0	0.68						
and		92.0	93.0	1.0	0.35						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC250	Sewum	2.0	10.0	8.0	0.22	521384	628932	194	120	-60	102
and		40.0	91.0	51.0	0.38						
SWRC251	Sewum	2.0	8.0	6.0	0.23	521361	628944	194	120	-60	108
and		18.0	19.0	1.0	0.30						
and		46.0	52.0	6.0	0.21						
and		59.0	100.0	41.0	0.51						
SWRC252	Sewum	0.0	34.0	34.0	0.39	521477	629081	195	120	-60	60
and		54.0	56.0	2.0	0.52						
SWRC253	Sewum	0.0	6.0	6.0	0.31	521456	629095	195	120	-60	80
and		12.0	22.0	10.0	0.22						
and		29.0	65.0	36.0	0.34						
and		73.0	74.0	1.0	0.33						
SWRC254	Sewum	3.0	5.0	2.0	0.21	521434	629114	196	120	-60	98
and		33.0	34.0	1.0	0.45						
and		50.0	87.0	37.0	0.51						
SWRC255	Sewum	2.0	7.0	5.0	0.29	521411	629121	195	120	-60	120
and		48.0	56.0	8.0	0.43						
and		70.0	72.0	2.0	0.42						
and		75.0	76.0	1.0	0.38						
and		80.0	111.0	31.0	0.31						
and		114.0	115.0	1.0	0.37						
SWRC256	Sewum	3.0	6.0	3.0	0.24	521385	629136	194	120	-60	138
and		61.0	69.0	8.0	0.21						
and		79.0	80.0	1.0	0.26						
and		84.0	85.0	1.0	0.48						
and		100.0	109.0	9.0	0.22						
and		120.0	123.0	3.0	0.32						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC257	Sewum	1.0	10.0	9.0	0.27	521362	629147	194	120	-60	64
and		36.0	39.0	3.0	2.79						
and		43.0	46.0	3.0	2.06						
and		57.0	59.0	2.0	0.26						
SWRC258	Sewum	1.0	34.0	33.0	0.89	521549	629252	197	120	-60	66
and		38.0	39.0	1.0	0.26						
and		41.0	43.0	2.0	0.21						
and		52.0	56.0	4.0	0.43						
SWRC259	Sewum	2.0	42.0	40.0	0.51	521529	629263	202	120	-60	74
and		47.0	53.0	6.0	0.31						
and		72.0	73.0	1.0	0.41						
SWRC260	Sewum	2.0	6.0	4.0	0.65	521504	629277	195	120	-60	80
and		16.0	18.0	2.0	0.20						
and		27.0	68.0	41.0	0.51						
including		55.0	61.0	6.0	1.66						
SWRC261	Sewum	3.0	5.0	2.0	0.20	521480	629288	195	120	-60	108
and		23.0	24.0	1.0	0.32						
and		32.0	36.0	4.0	0.70						
and		58.0	60.0	2.0	0.24						
and		78.0	96.0	18.0	0.61						
SWRC262	Sewum	0.0	7.0	7.0	0.24	521454	629299	194	120	-60	120
and		81.0	84.0	3.0	0.41						
and		93.0	101.0	8.0	1.16						
and		106.0	107.0	1.0	0.22						
SWRC263	Sewum	3.0	5.0	2.0	0.20	521435	629313	194	120	-60	136
and		87.0	90.0	3.0	0.20						
and		105.0	106.0	1.0	0.22						
and		117.0	124.0	7.0	0.88						
SWRC264	Sewum	45.0	46.0	1.0	0.53	521405	629332	193	120	-60	60

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
SWRC265	Sewum	0.0	12.0	12.0	0.44	521580	629359	198	120	-60	60
and		18.0	39.0	21.0	0.64						
SWRC266	Sewum	3.0	8.0	5.0	0.20	521555	629368	198	120	-60	80
and		20.0	26.0	6.0	0.56						
and		30.0	36.0	6.0	0.38						
and		49.0	60.0	11.0	0.70						
SWRC267	Sewum	0.0	21.0	21.0	0.40	521534	629380	200	120	-60	100
and		35.0	36.0	1.0	0.33						
and		66.0	78.0	12.0	0.78						
SWRC268	Sewum	1.0	6.0	5.0	0.29	521509	629393	195	120	-60	120
and		14.0	28.0	14.0	0.52						
and		40.0	42.0	2.0	0.23						
and		66.0	67.0	1.0	0.34						
and		88.0	99.0	11.0	0.28						
SWRC269	Sewum	2.0	8.0	6.0	3.98	521492	629402	194	120	-60	60
including		7.0	8.0	1.0	22.62						
and		39.0	41.0	2.0	5.50						
including		39.0	40.0	1.0	10.53						
and		54.0	55.0	1.0	0.93						
and		57.0	58.0	1.0	0.20						
SWRC270	Sewum	4.0	9.0	5.0	0.50	521469	629414	194	120	-60	60
and		33.0	38.0	5.0	0.38						
SWRC271	Sewum	0.0	14.0	14.0	0.46	521601	629348	192	120	-60	60
and		19.0	30.0	11.0	1.10						
and		34.0	36.0	2.0	0.45						
NBRC108	Nyam	16.0	17.0	1.0	0.28	530218	637234	98	300	-60	108
and		33.0	34.0	1.0	0.91						
and		45.0	60.0	15.0	2.50						
and		75.0	77.0	2.0	0.96						
and		105.0	108.0	3.0	0.42						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
NBRC109	Nyam	7.0	8.0	1.0	0.78	530243	637218	99	300	-60	138
and		63.0	77.0	14.0	0.37						
and		88.0	97.0	9.0	0.93						
and		111.0	114.0	3.0	0.97						
and		133.0	137.0	4.0	0.43						
NBRC110	Nyam	36.0	37.0	1.0	0.21	530293	637299	100	300	-60	147
and		52.0	53.0	1.0	0.49						
and		97.0	98.0	1.0	0.33						
and		104.0	114.0	10.0	3.00						
and		126.0	144.0	18.0	0.50						
NBRC111	Nyam	9.0	23.0	14.0	0.51	530260	637325	97	300	-60	84
and		28.0	31.0	3.0	0.30						
and		36.0	38.0	2.0	0.55						
and		45.0	48.0	3.0	0.40						
and		53.0	76.0	23.0	0.27						
NBRC112	Nyam	48.0	54.0	6.0	0.76	530610	637824	104	300	-60	80
and		62.0	67.0	5.0	0.46						
NBRC113	Nyam	86.0	89.0	3.0	0.29	530604	637746	116	300	-60	108
and		100.0	101.0	1.0	0.34						
and		105.0	106.0	1.0	0.63						
NBRC114	Nyam	78.0	90.0	12.0	1.68	530615	637788	110	300	-60	96
NBRC115	Nyam	48.0	49.0	1.0	0.31	530792	638222	103	300	-60	108
and		57.0	69.0	12.0	0.49						
and		84.0	86.0	2.0	0.31						
and		97.0	104.0	7.0	0.43						
NBRC116	Nyam	41.0	48.0	7.0	1.00	530768	638196	107	300	-60	120
and		56.0	57.0	1.0	0.48						
and		61.0	66.0	5.0	0.44						
and		86.0	108.0	22.0	0.46						
and		117.0	119.0	2.0	0.41						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
NBRC117	Nyam	6.0	7.0	1.0	0.65	530816	638271	99	300	-60	102
and		38.0	42.0	4.0	0.66						
and		47.0	78.0	31.0	0.51						
and		95.0	96.0	1.0	0.23						
NBRC118	Nyam	53.0	72.0	19.0	0.64	530837	638302	99	300	-55	120
and		80.0	85.0	5.0	1.12						
and		90.0	92.0	2.0	0.60						
NBRC119	Nyam	2.0	8.0	6.0	0.96	530170	637212	96	300	-60	60
and		12.0	19.0	7.0	0.32						
and		45.0	53.0	8.0	2.36						
NBRC120	Nyam	57.0	58.0	1.0	0.21	530209	637190	95	300	-60	144
and		71.0	72.0	1.0	2.00						
and		97.0	101.0	4.0	1.90						
and		113.0	120.0	7.0	0.87						
and		127.0	129.0	2.0	0.57						
KKRC085A	Kwakyekrom	88.0	103.0	15.0	1.29	529000	635363	85	298	-60	180
and		108.0	109.0	1.0	0.23						
and		124.0	132.0	8.0	0.29						
KKRC086	Kwakyekrom	27.0	40.0	13.0	0.46	528942	635392	104	298	-60	122
and		43.0	44.0	1.0	0.30						
and		46.0	47.0	1.0	0.27						
and		55.0	61.0	6.0	0.22						
and		69.0	70.0	1.0	0.20						
KKRC087	Kwakyekrom	14.0	25.0	11.0	0.29	528929	635332	109	298	-60	150
and		132.0	133.0	1.0	0.29						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KKRC088	Kwakyekrom	39.0	41.0	2.0	0.24	528945	635255	102	298	-60	174
and		57.0	61.0	4.0	0.30						
and		67.0	68.0	1.0	0.34						
and		80.0	83.0	3.0	0.20						
and		93.0	103.0	10.0	0.96						
and		105.0	106.0	1.0	0.29						
and		142.0	145.0	3.0	0.52						
KKRC089	Kwakyekrom	67.0	69.0	2.0	0.28	528968	635307	100	298	-60	228
and		79.0	83.0	4.0	0.39						
and		87.0	105.0	18.0	0.47						
and		114.0	117.0	3.0	0.53						
and		120.0	121.0	1.0	0.63						
and		126.0	127.0	1.0	0.43						
and		132.0	133.0	1.0	0.25						
and		138.0	139.0	1.0	1.00						
and		144.0	145.0	1.0	0.68						
and		148.0	151.0	3.0	0.52						
and		164.0	169.0	5.0	0.33						
and		178.0	180.0	2.0	0.39						
KKRC090	Kwakyekrom	30.0	31.0	1.0	0.20	528899	635167	102	298	-60	240
and		91.0	96.0	5.0	0.78						
and		101.0	102.0	1.0	0.22						
and		166.0	167.0	1.0	0.35						
and		169.0	170.0	1.0	0.24						
KKRC091	Kwakyekrom	1.0	2.0	1.0	0.23	528796	635102	112	298	-60	120
and		36.0	37.0	1.0	0.20						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KKRC092	Kwakyekrom	21.0	22.0	1.0	0.45	528633	634835	130	298	-60	126
and		26.0	31.0	5.0	0.39						
and		36.0	37.0	1.0	0.79						
and		41.0	50.0	9.0	0.49						
and		58.0	62.0	4.0	0.90						
and		72.0	73.0	1.0	0.22						
and		84.0	87.0	3.0	0.39						
and		91.0	97.0	6.0	0.84						
and		107.0	108.0	1.0	0.21						
KKRC093	Kwakyekrom	8.0	11.0	3.0	0.65	528695	634878	132	298	-60	125
and		24.0	28.0	4.0	0.85						
and		56.0	58.0	2.0	2.05						
and		72.0	73.0	1.0	0.50						
and		110.0	111.0	1.0	0.22						
and		113.0	125.0	12.0	0.57						
KKRC094	Kwakyekrom	92.0	93.0	1.0	0.32	528762	634990	130	298	-60	102
KKRC095	Kwakyekrom	0.0	9.0	9.0	0.54	528771	634927	128	298	-60	168
and		13.0	14.0	1.0	0.48						
and		21.0	22.0	1.0	0.27						
and		119.0	120.0	1.0	0.60						
KKRC096	Kwakyekrom	34.0	36.0	2.0	0.23	528816	634982	117	298	-60	180
and		40.0	41.0	1.0	1.26						
KKRC097B	Kwakyekrom	0.0	1.0	1.0	0.22	528779	634878	116	298	-60	78
and		17.0	19.0	2.0	0.28						
and		38.0	40.0	2.0	0.20						
and		62.0	63.0	1.0	0.21						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KKRC098	Kwakyekrom	15.0	16.0	1.0	0.91	528890	635212	101	298	-60	220
and		25.0	40.0	15.0	0.60						
including		33.0	37.0	4.0	1.65						
and		87.0	88.0	1.0	0.49						
and		136.0	154.0	18.0	0.39						
including		137.0	142.0	5.0	0.89						
and		214.0	215.0	1.0	6.41						
KKRC099	Kwakyekrom	19.0	25.0	6.0	0.68	528934	635195	104	298	-60	240
and		30.0	31.0	1.0	0.31						
and		35.0	36.0	1.0	1.08						
and		112.0	134.0	22.0	1.08						
including		126.0	133.0	7.0	2.78						
and		170.0	171.0	1.0	0.21						
and		182.0	183.0	1.0	0.20						
and		191.0	225.0	34.0	0.23						
and		234.0	236.0	2.0	0.29						
and		239.0	240.0	1.0	0.33						
KKRC100	Kwakyekrom	8.0	19.0	11.0	1.39	528748	634846	126	298	-60	226
and		23.0	24.0	1.0	0.46						
and		109.0	114.0	5.0	0.97						
and		117.0	118.0	1.0	0.35						
and		126.0	127.0	1.0	0.20						
and		136.0	138.0	2.0	0.37						
and		150.0	153.0	3.0	0.44						
and		176.0	177.0	1.0	0.44						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KKRC101	Kwakyekrom	16.0	17.0	1.0	0.20	528521	634486	102	298	-60	192
and		36.0	37.0	1.0	0.33						
and		43.0	45.0	2.0	0.40						
and		63.0	64.0	1.0	0.38						
and		73.0	75.0	2.0	0.20						
and		108.0	112.0	4.0	0.79						
and		116.0	117.0	1.0	0.32						
and		136.0	140.0	4.0	0.84						
and		180.0	181.0	1.0	1.62						
and		186.0	187.0	1.0	1.69						
KKRC102	Kwakyekrom	25.0	35.0	10.0	0.42	528458	634419	115	298	-60	114
and		60.0	80.0	20.0	0.29						
and		108.0	109.0	1.0	0.24						
KKRC103	Kwakyekrom	33.0	36.0	3.0	0.72	528430	634374	121	298	-60	132
and		39.0	40.0	1.0	0.27						
and		50.0	51.0	1.0	0.25						
and		59.0	60.0	1.0	0.60						
and		68.0	74.0	6.0	0.19						
and		78.0	83.0	5.0	0.20						
and		94.0	99.0	5.0	0.55						
and		102.0	103.0	1.0	0.22						
and		109.0	110.0	1.0	0.24						
and		125.0	126.0	1.0	0.46						
KKRC104	Kwakyekrom	30.0	31.0	1.0	0.65	528415	634306	130	298	-60	150
and		42.0	47.0	5.0	0.40						
and		51.0	52.0	1.0	0.35						
and		55.0	58.0	3.0	0.90						
and		67.0	85.0	18.0	0.35						
and		91.0	113.0	22.0	0.34						
KKRC105	Kwakyekrom	43.0	45.0	2.0	0.32	528387	634272	137	298	-60	150

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KKRC106	Kwakyekrom	40.0	52.0	12.0	0.24	528353	634248	147	298	-60	132
KKRC107	Kwakyekrom	53.0	54.0	1.0	2.46	528390	634223	148	298	-60	180
and		62.0	68.0	6.0	0.85						
and		87.0	89.0	2.0	0.29						
and		92.0	94.0	2.0	0.31						
KKRC108	Kwakyekrom	1.0	10.0	9.0	0.43	528786	635064	127	298	-60	114
and		50.0	52.0	2.0	0.39						
and		74.0	80.0	6.0	0.37						
KJRC025	Kojina Hill	12.0	14.0	2.0	0.40	529138	637394	98	120	-55	100
and		24.0	26.0	2.0	0.20						
and		31.0	32.0	1.0	3.53						
and		44.0	45.0	1.0	0.34						
and		51.0	53.0	2.0	0.26						
and		79.0	80.0	1.0	0.29						
and		96.0	97.0	1.0	0.22						
KJRC026	Kojina Hill	25.0	26.0	1.0	0.32	528814	637355	105	120	-55	130
and		60.0	62.0	2.0	0.33						
and		69.0	106.0	37.0	0.67						
including		70.0	90.0	20.0	1.05						
KJRC027	Kojina Hill	87.0	89.0	2.0	0.25	528806	637083	186	120	-55	180
KJRC028	Kojina Hill	15.0	17.0	2.0	0.23	528833	636835	173	120	-55	150
and		44.0	46.0	2.0	0.46						
and		72.0	77.0	5.0	0.34						
KJRC029	Kojina Hill	12.0	14.0	2.0	0.53	528579	636781	118	120	-55	132
and		75.0	76.0	1.0	0.30						
KJRC030	Kojina Hill	1.0	8.0	7.0	0.45	528475	636835	126	120	-55	108
and		15.0	26.0	11.0	0.29						
and		45.0	49.0	4.0	0.57						
and		57.0	59.0	2.0	0.44						
and		82.0	83.0	1.0	1.04						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KJRC031	Kojina Hill	0.0	1.0	1.0	0.20	528423	636863	117	120	-55	144
and		5.0	7.0	2.0	6.80						
and		9.0	10.0	1.0	0.29						
and		14.0	16.0	2.0	0.22						
and		32.0	33.0	1.0	0.27						
and		50.0	58.0	8.0	0.69						
and		64.0	68.0	4.0	0.41						
and		102.0	103.0	1.0	0.22						
and		115.0	136.0	21.0	0.49						
KJRC032	Kojina Hill	24.0	25.0	1.0	0.38	528853	637334	108	120	-60	110
and		45.0	49.0	4.0	0.46						
and		83.0	94.0	11.0	0.48						
and		96.0	97.0	1.0	0.20						
and		100.0	110.0	10.0	0.69						
KJRC033	Kojina Hill	36.0	37.0	1.0	0.45	528780	637345	110	120	-60	162
and		49.0	52.0	3.0	0.21						
and		59.0	60.0	1.0	0.20						
and		70.0	74.0	4.0	0.91						
and		93.0	102.0	9.0	0.41						
and		124.0	126.0	2.0	0.75						
and		126.0	127.0	1.0	183.86						
and		127.0	134.0	7.0	1.08						
and		138.0	148.0	10.0	0.57						
KJRC034	Kojina Hill	0.0	13.0	13.0	3.06	528810	637223	150	300	-60	150
including		2.0	5.0	3.0	8.09						
including		9.0	12.0	3.0	4.59						
and		27.0	30.0	3.0	0.29						
and		116.0	117.0	1.0	1.10						

Newcore Gold Ltd. | Enchi Gold Project

2024 - 2025 Drill Results

Table accompanies news release dated January 21, 2026



Hole ID	Zone/Deposit	From (m)	To (m)	Length (m)	Au (g/t)	UTM East	UTM North	Elevation	Azimuth °	Dip °	Hole Length (m)
KJRC035	Kojina Hill	12.0	18.0	6.0	0.55	528862	637264	139	300	-60	144
and		41.0	47.0	6.0	0.52						
and		56.0	67.0	11.0	0.42						
including		61.0	63.0	2.0	1.53						
and		70.0	71.0	1.0	0.67						
and		74.0	75.0	1.0	0.20						
and		80.0	83.0	3.0	0.63						
and		106.0	114.0	8.0	0.58						
and		121.0	122.0	1.0	0.23						
and		140.0	141.0	1.0	0.69						
KJRC036	Kojina Hill	0.0	14.0	14.0	0.58	528823	637288	140	300	-60	102
and		24.0	43.0	19.0	0.43						
and		100.0	102.0	2.0	0.31						
KJRC037	Kojina Hill	13.0	16.0	3.0	0.21	528841	637253	143	300	-60	108
and		20.0	49.0	29.0	0.57						
including		21.0	27.0	6.0	1.29						
and		84.0	86.0	2.0	0.68						
KJRC038	Kojina Hill	181.0	184.0	3.0	0.47	528765	637392	99	120	-60	194

1. Intervals reported are hole lengths with true width estimated to be 65 - 85%.

2. Length-weighted averages from uncut assays.

3. All drilling completed by independent contractor.

4. All drilling samples sealed on site and delivered directly to independent lab Intertek Mineral Limited located in Tarkwa, Ghana for preparation and 50g Fire Assay with AAS finish.

5. QA/QC procedures include industry standard inclusion of standards, blanks, and duplicates in all sample batches.