

NEWS RELEASE

K92 MINING ANNOUNCES LATEST DRILL RESULTS FROM KORA, INCLUDING SIGNIFICANT SOUTHERN STRIKE EXTENSION

- **Drill Hole KMDD0167 records bulk intersection of 30.1 m at 22.7 g/t Au, 5 g/t Ag and 0.54% Cu (23.6 g/t AuEq). The bulk intersection comprises multiple veins, including:**
 - **K1 of 10.0 m at 17.6 g/t Au, 1 g/t Ag, 0.10% Cu (17.77 g/t AuEq);**
 - **Kora Link of 5.1m at 8.5 g/t Au, 4 g/t Ag, 0.44% Cu (9.24 g/t AuEq);**
 - **K2 of 10.1 m at 45.7g/t Au, 12 g/t Ag, 1.29% Cu (47.8 g/t AuEq).**
- **Drill Hole KMDD0177 records multiple intersections including 14.60 m at 5.96 g/t Au, 35g/t Ag and 3.32 % Cu (11.48 g/t AuEq).**
- **Drill Hole KMDD0175 records multiple intersections including 8.08 m at 20.01 g/t Au, 13 g/t Ag and 0.87% Cu (21.50 g/t AuEq) plus 8.50 m at 10.83 g/t Au, 52 g/t Ag and 3.81% Cu (17.33 g/t AuEq).**
- **Drill Hole EKDD0003A records multiple intersections including 8.00 m at 31.74 g/t Au, 7 g/t Ag and 0.52% Cu (32.63 g/t AuEq).**
- **Drill Hole KMDD0153 records multiple intersections including 3.70 m at 48.57 g/t Au, 177 g/t Ag and 1.31% Cu (52.82 g/t AuEq) and 5.69 m at 6.62 g/t Au, 6 g/t Ag and 0.14% Cu (6.92 g/t AuEq, 2.67 m true width).**
- **Drill Hole KMDD0198 records multiple intersections including 8.74 m at 21.58 g/t Au, 3 g/t Ag and 0.74% Cu (22.74 g/t AuEq).**

Vancouver, British Columbia, February 20, 2020 - K92 Mining Inc. (“K92” or the “Company”) (TSX-V: **KNT**; OTCQX: **KNTNF**) is pleased to announce results from the continuing diamond drilling of the Kora North Extension of the Kainantu gold mine in Papua New Guinea.

The results for the latest 25 diamond drill holes completed from both surface and underground into the Kora North deposit are summarized in Table 1 below. The results include multiple high-grade intersections, with the vast majority reported outside the boundaries of the October/2018 Resource estimate. The intersections demonstrate the high-grade and continuity of known mineralization beyond the resource along strike to the south, up-dip and down-dip.

Step-out drilling to the south has extended the known mineralized southern extents by ~225m, recording multiple high-grade intersections. KMDD0175, drilled ~150m south of the Oct/2018 resource, recorded 8.08 m at 20.01 g/t Au, 13 g/t Ag and 0.87% Cu (21.50 g/t gold equivalent (“AuEq”), 2.86 m true width) and 8.50 m at 10.83 g/t Au, 52 g/t Ag and 3.81% Cu (17.33 g/t AuEq, 2.63 m true width). Step-outs more proximal to the Oct/2018 resource also recorded high-grade intersections including KMDD0198 recording 8.74 m at 21.58 g/t Au, 3 g/t Ag and 0.74% Cu (22.74 g/t AuEq, 6.80 m true width). Our most southern hole to date KMDD0177, ~225m south of the Oct/2018 resource, recorded 14.60 m at 5.96 g/t Au, 35g/t Ag and 3.32% Cu (11.48 g/t AuEq, 6.12 m true width) and importantly, intersected massive bornite mineralization (See Figure 4). The bornite mineralization is indicative of potential increasing proximity to one or multiple heat sources (to the south and/or to depth).

These drill results also continue to demonstrate the potential for high-grade mineralization up-dip and down-dip of the Oct/2018 resource, including a localized improvement in grade from increased drilling density in several areas. KMDD0153, drilled ~75m below the Oct/2018 resource, recorded 5.69 m at 6.62 g/t Au, 6 g/t Ag and 0.14% Cu (6.92 g/t AuEq, 2.67 m true width) and 3.70 m at 48.57 g/t Au, 177 g/t Ag and 1.31% Cu (52.82 g/t AuEq, 1.91 m true width). KMDD0159, ~50-100m below the Oct/2018 resource, recorded 2.73 m at 14.74 g/t Au, 18 g/t Ag and 0.14% Cu (15.18 g/t AuEq, 1.24m true width) and 1.97 m at 6.33 g/t Au, 298 g/t Ag and 3.58% Cu (15.60 g/t AuEq, 1.28m true width). Up-dip of the Oct/2018 resource, surface drill hole EKDD0003A recorded 8.00 m at 31.74 g/t Au, 7 g/t Ag and 0.52% Cu (32.63 g/t AuEq, 4.06 m true width), ~100 m up-dip from the Oct/2018 Resource.

Additionally, the results further demonstrate the potential for bulk mining, with KMDD0167 reporting a bulk intersection of 30.1 m at 22.7 g/t Au, 5 g/t Ag and 0.54% Cu (23.6 g/t AuEq, 29.7m true thickness). The intersection occurred where the Kora Link vein connects the K1 and K2 veins and highlights the potential for larger scale transverse long hole open stopes at Kainantu. Total drill metres after the Oct/2018 resource has increased +240%, which has enhanced K92’s understanding of Kora Link structures, including showing more structural continuity, particularly persistency vertically, than previously known.

Long sections of K1 and K2 showing the location of the latest drill holes are provided in Figures 1 and 2 respectively. Long section showing Kora North drilling to date is provided in Figure 3.

(Gold Equivalent (AuEq) is calculated using copper price of US\$2.90/lb, silver price of US\$16.5/oz and gold price of US\$1,300/oz.)

John Lewins, K92 Chief Executive Officer and Director, stated, “The reported results continue to demonstrate the high-grade pedigree, continuity and the strong extensional potential of Kora North. Step-out drilling to the south has extended known Kora North mineralization by over 200 metres below the known Kora resource, with multiple high-grade intersections recorded. One of the most recent holes drilled, KMDD0177, intersected massive bornite mineralization which may be significant in providing a vector towards the potential heat source. Drilling up-dip and down-dip has also been very encouraging with multiple high-grade intersections recorded and increasing drill density.

Since the October 2018 Resource, Kora North drill metres have increased by +240%, which has provided an enhancement to our understanding of the system, including the Kora Link structures.

These structures are emerging as being more continuous than previously known, are vertically persistent, and represent a potential opportunity for high productivity, transverse long hole open stoping.

While we are now in the process of updating the Kora North resource to incorporate all of the results reported to date, we continue our drilling program with five diamond drill rigs active on the mining lease. These will shortly be supplemented by three new diamond drill rigs due on site in 2Q 2020. The two surface rigs and one underground rig will not only provide an increase to our rate of exploration but also our capacity to test new targets, some of which we expect to drill in the near term.”

Table 1 - Kainantu Gold Mine – Significant Intercepts from Diamond Drilling

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent ¹	Comment
KMDD0192	158.50	162.07	3.57	2.89	27.24	10.79	0.04	27.44	K1
<i>including</i>	158.50	159.25	0.75	0.61	33.50	7.00	0.06	33.69	
<i>including</i>	159.25	159.65	0.40	0.32	109.00	40.00	0.03	109.56	
<i>including</i>	159.65	160.12	0.47	0.38	15.20	5.00	0.05	15.34	
<i>including</i>	160.12	160.70	0.58	0.47	1.65	2.00	0.02	1.71	
<i>including</i>	160.70	160.94	0.24	0.19	0.41	2.00	0.01	0.45	
<i>including</i>	160.94	161.80	0.86	0.70	2.09	1.00	0.03	2.15	
<i>including</i>	161.80	162.07	0.27	0.22	68.60	46.00	0.13	69.38	
KMDD0192	234.50	239.60	5.10	3.86	1.03	20.01	1.72	3.92	K2
<i>including</i>	234.50	235.06	0.56	0.42	0.80	3.00	0.06	0.92	
<i>including</i>	235.06	235.77	0.71	0.54	1.46	13.00	0.37	2.18	
<i>including</i>	235.77	236.60	0.83	0.63	2.22	64.00	3.33	8.13	
<i>including</i>	236.60	237.60	1.00	0.76	0.61	24.00	0.76	2.08	
<i>including</i>	237.60	238.60	1.00	0.76	0.38	6.00	0.24	0.82	
<i>including</i>	238.60	239.60	1.00	0.76	0.92	8.00	4.73	8.26	
KMDD0192	272.85	273.13	0.28	0.21	7.52	49.00	1.54	10.49	
KMDD0149	152.46	154.46	2.00	0.62	2.38	21.50	1.49	4.93	
<i>including</i>	152.46	153.46	1.00	0.31	3.98	24.00	2.33	7.85	
<i>including</i>	153.46	154.46	1.00	0.31	0.78	19.00	0.64	2.00	
KMDD0149	333.40	335.00	1.60	0.50	1.31	2.00	0.52	2.13	
KMDD0149	385.00	395.30	10.30	3.21	3.43	1.43	0.26	3.84	K1
<i>including</i>	385.00	386.00	1.00	0.31	15.72	1.00	0.19	16.02	
<i>including</i>	386.00	387.00	1.00	0.31	0.13	1.00	0.26	0.53	
<i>including</i>	387.00	388.00	1.00	0.31	0.34	1.00	0.18	0.63	
<i>including</i>	388.00	389.38	1.38	0.43	1.49	1.00	0.23	1.86	
<i>including</i>	389.38	390.33	0.95	0.30	0.64	1.00	0.08	0.77	
<i>including</i>	390.33	392.00	1.67	0.52	5.67	3.00	0.56	6.57	
<i>including</i>	392.00	393.00	1.00	0.31	2.24	1.00	0.22	2.59	
<i>including</i>	393.00	394.24	1.24	0.39	2.63	1.00	0.21	2.96	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent ¹	Comment
<i>including</i>	394.24	395.30	1.06	0.33	1.38	2.00	0.24	1.77	
KMDD0149	399.00	401.53	2.53	0.79	1.87	2.24	0.58	2.78	
KMDD0149	495.30	499.90	4.60	1.72	1.58	23.76	1.16	3.66	K2
<i>including</i>	495.30	496.70	1.40	0.52	1.69	54.00	2.06	5.53	
<i>including</i>	496.70	498.20	1.50	0.56	0.66	10.00	0.37	1.36	
<i>including</i>	498.20	499.90	1.70	0.64	2.31	11.00	1.12	4.16	
KMDD0149	610.22	612.80	2.58	0.97	0.57	31.40	0.11	1.14	
<i>including</i>	610.22	611.00	0.78	0.29	1.65	80.00	0.29	3.10	
<i>including</i>	611.00	611.80	0.80	0.30	0.30	12.00	0.05	0.53	
<i>including</i>	611.80	612.18	0.38	0.14	0.24	3.00	0.03	0.32	
<i>including</i>	612.18	612.80	0.62	0.23	1.65	115.00	0.34	3.64	
KMDD0153	111.15	112.00	0.85	0.40	7.11	67.00	0.01	7.98	
KMDD0153	157.60	163.29	5.69	2.67	6.62	6.14	0.14	6.92	K1
<i>including</i>	157.60	158.79	1.19	0.56	8.37	2.00	0.02	8.42	
<i>including</i>	158.79	159.78	0.99	0.46	1.07	0.50	0.01	1.10	
<i>including</i>	159.78	160.27	0.49	0.23	3.24	2.00	0.02	3.30	
<i>including</i>	160.27	160.77	0.50	0.23	0.19	0.50	0.01	0.21	
<i>including</i>	160.77	161.20	0.43	0.20	23.50	60.00	0.77	25.44	
<i>including</i>	161.20	161.43	0.23	0.11	3.84	0.50	0.04	3.91	
<i>including</i>	161.43	161.85	0.42	0.20	7.26	2.00	0.07	7.39	
<i>including</i>	161.85	162.10	0.25	0.12	11.75	2.00	0.07	11.88	
<i>including</i>	162.10	162.79	0.69	0.32	10.80	3.00	0.24	11.20	
<i>including</i>	162.79	163.29	0.50	0.23	1.13	3.00	0.41	1.80	
KMDD0153	168.00	170.00	2.00	0.94	1.22	3.00	0.88	2.61	
<i>including</i>	168.00	169.00	1.00	0.47	1.75	3.00	0.38	2.37	
<i>including</i>	169.00	170.00	1.00	0.47	0.68	3.00	1.39	2.84	
KMDD0153	265.15	266.90	3.70	1.91	48.57	176.64	1.31	52.82	K2
<i>including</i>	265.15	265.94	0.79	0.41	172.40	450.00	2.51	181.95	
<i>including</i>	265.94	266.40	0.46	0.24	0.76	11.00	0.11	1.06	
<i>including</i>	266.40	266.90	0.50	0.26	0.88	10.00	0.44	1.68	
<i>including</i>	266.90	267.80	0.90	0.46	45.74	283.00	2.38	52.97	
<i>including</i>	267.80	268.40	0.60	0.31	1.46	42.00	0.68	3.03	
<i>including</i>	268.40	268.85	0.45	0.23	1.54	18.00	0.12	1.96	
KMDD0194	154.33	155.65	1.32	0.70	0.64	10.00	1.43	2.95	
KMDD0194	164.00	173.50	9.50	5.07	1.11	7.18	2.33	4.76	K1
<i>including</i>	164.00	165.90	1.90	1.01	0.92	3.00	0.28	1.39	
<i>including</i>	165.90	168.14	2.24	1.19	1.67	7.00	0.71	2.85	
<i>including</i>	168.14	170.00	1.86	0.99	0.82	4.00	0.53	1.69	
<i>including</i>	170.00	171.00	1.00	0.53	0.55	6.00	0.91	2.01	
<i>including</i>	171.00	172.35	1.35	0.72	0.56	6.00	1.85	3.47	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent ¹	Comment
<i>including</i>	172.35	173.50	1.15	0.61	1.92	22.00	13.55	22.93	
KMDD0194	177.50	180.00	2.50	1.41	1.51	13.00	0.62	2.63	KL
KMDD0194	181.80	183.30	1.50	2.53	2.32	44.33	3.62	8.42	K2
<i>including</i>	181.80	183.30	1.50	0.84	0.95	15.00	1.02	2.70	
<i>including</i>	183.30	184.40	1.10	0.62	4.66	116.00	7.34	17.36	
<i>including</i>	184.40	185.50	1.10	0.62	3.05	42.00	5.66	12.24	
<i>including</i>	185.50	186.30	0.80	0.45	0.66	4.00	0.58	1.59	
KMDD0194	187.18	188.30	1.12	0.63	0.21	15.00	2.69	4.52	
KMDD0194	190.30	194.60	4.30	2.42	1.20	20.77	0.48	2.19	K2HW
<i>including</i>	190.30	192.10	1.80	1.01	1.04	26.00	0.99	2.88	
<i>including</i>	192.10	194.60	2.50	1.41	1.31	17.00	0.11	1.69	
KMDD0194	205.00	206.37	1.37	0.77	0.08	9.00	1.09	1.86	
KMDD0194	221.20	222.00	0.80	0.45	2.77	8.00	1.31	4.87	
KMDD0194	230.64	232.00	1.36	0.77	2.04	9.00	1.06	3.77	
KMDD0157	145.61	153.90	8.29	3.74	5.24	2.61	0.68	6.31	K1
<i>including</i>	145.61	146.70	1.09	0.49	4.58	3.00	0.71	5.70	
<i>including</i>	146.70	147.62	0.92	0.42	7.70	10.00	4.38	14.53	
<i>including</i>	147.62	149.00	1.38	0.62	1.27	1.00	0.30	1.75	
<i>including</i>	149.00	150.00	1.00	0.45	1.06	1.00	0.18	1.35	
<i>including</i>	150.00	151.00	1.00	0.45	10.13	3.00	0.10	10.33	
<i>including</i>	151.00	152.18	1.18	0.53	6.65	1.00	0.04	6.73	
<i>including</i>	152.18	153.00	0.82	0.37	4.71	1.00	0.05	4.80	
<i>including</i>	153.00	153.90	0.90	0.41	7.47	2.00	0.04	7.56	
KMDD0157	211.80	219.00	7.20	3.80	0.87	16.29	0.26	1.47	K2
<i>including</i>	211.80	212.70	0.90	0.48	0.07	3.00	0.14	0.31	
<i>including</i>	212.70	214.35	1.65	0.87	1.52	3.00	0.28	1.98	
<i>including</i>	214.35	215.41	1.06	0.56	0.14	5.00	0.10	0.35	
<i>including</i>	215.41	217.20	1.79	0.95	1.25	47.00	0.34	2.37	
<i>including</i>	217.20	218.00	0.80	0.42	0.08	9.00	0.27	0.61	
<i>including</i>	218.00	219.00	1.00	0.53	1.22	13.00	0.34	1.90	
KMDD0157	252.30	254.00	1.70	0.90	8.99	4.00	0.04	9.09	
KMDD0155	66.00	67.00	1.00	0.51	4.96	6.00	0.18	5.31	
KMDD0155	71.45	72.40	0.95	0.49	2.37	2.00	0.03	2.44	
KMDD0155	90.63	106.30	15.67	8.03	8.27	12.16	0.79	9.64	K1
<i>including</i>	90.63	91.63	1.00	0.51	34.70	6.00	0.43	35.43	
<i>including</i>	91.63	92.88	1.25	0.64	8.52	36.00	1.34	11.02	
<i>including</i>	92.88	93.88	1.00	0.51	4.37	7.00	0.22	4.80	
<i>including</i>	93.88	94.50	0.62	0.32	18.10	5.00	0.34	18.69	
<i>including</i>	94.50	95.50	1.00	0.51	23.80	16.00	0.35	24.53	
<i>including</i>	95.50	96.10	0.60	0.31	60.60	8.00	0.55	61.54	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent ¹	Comment
including	96.10	97.17	1.07	0.55	2.16	11.00	1.08	3.95	
including	97.17	98.00	0.83	0.43	1.78	11.00	1.01	3.46	
including	98.00	99.00	1.00	0.51	0.32	4.00	0.13	0.58	
including	99.00	100.20	1.20	0.61	1.03	8.00	1.18	2.94	
including	100.20	101.16	0.96	0.49	0.19	5.00	0.20	0.56	
including	101.16	101.86	0.70	0.36	1.82	12.00	0.43	2.63	
including	101.86	102.80	0.94	0.48	0.28	5.00	0.34	0.87	
including	102.80	103.37	0.57	0.29	0.19	5.00	0.34	0.78	
including	103.37	104.00	0.63	0.32	0.31	12.00	1.63	2.95	
including	104.00	104.60	0.60	0.31	0.44	14.00	2.66	4.69	
including	104.60	105.60	1.00	0.51	0.22	8.00	0.57	1.19	
including	105.60	106.30	0.70	0.36	0.84	42.00	2.11	4.60	
KMDD0155	116.90	128.55	11.65	4.92	2.85	26.70	1.59	5.62	K2
including	116.90	117.90	1.00	0.42	10.30	18.00	1.59	12.96	
including	117.90	118.50	0.60	0.25	0.95	11.00	1.45	3.30	
including	118.50	119.50	1.00	0.42	0.46	4.00	0.50	1.27	
including	119.50	120.50	1.00	0.42	1.15	7.00	0.39	1.83	
including	120.50	121.50	1.00	0.42	1.45	35.00	2.96	6.42	
including	121.50	122.50	1.00	0.42	0.30	2.00	0.14	0.54	
including	122.50	123.15	0.65	0.27	0.48	5.00	0.53	1.36	
including	123.15	124.15	1.00	0.42	0.21	3.00	0.08	0.37	
including	124.15	125.15	1.00	0.42	5.35	17.00	0.48	6.29	
including	125.15	125.90	0.75	0.32	4.78	18.00	0.79	6.21	
including	125.90	126.35	0.45	0.19	0.56	11.00	0.79	1.91	
including	126.35	127.55	1.20	0.51	7.38	129.00	6.55	19.04	
including	127.55	128.55	1.00	0.42	0.45	42.00	2.35	4.58	
KMDD0155	130.10	140.00	9.90	3.76	1.05	36.02	1.32	3.53	K2HW
including	130.10	131.10	1.00	0.42	0.13	4.00	0.10	0.34	
including	131.10	132.10	1.00	0.42	1.12	6.00	0.17	1.45	
including	132.10	133.10	1.00	0.42	0.34	3.00	0.25	0.76	
including	133.10	134.10	1.00	0.42	0.52	7.00	0.37	1.17	
including	134.10	135.10	1.00	0.42	5.19	27.00	8.56	18.63	
including	135.10	137.60	2.50	1.06	0.24	1.00	0.08	0.37	
including	137.60	138.60	1.00	0.42	0.17	3.00	0.24	0.57	
including	138.60	139.46	0.86	0.36	0.72	15.00	0.16	1.16	
including	139.46	140.00	0.54	0.23	1.52	480.00	3.39	12.80	
KMDD0155	160.20	160.90	0.70	0.30	1.25	11.00	0.32	1.88	
KMDD0155	167.90	175.30	7.40	3.12	13.87	15.76	0.59	14.97	K3
including	167.90	168.90	1.00	0.42	1.10	3.00	0.12	1.32	
including	168.90	169.92	1.02	0.43	0.86	31.00	1.34	3.30	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent ¹	Comment
<i>including</i>	169.92	170.90	0.98	0.41	0.70	12.00	0.52	1.65	
<i>including</i>	170.90	171.90	1.00	0.42	0.46	9.00	0.44	1.24	
<i>including</i>	171.90	173.16	1.26	0.53	77.90	29.00	0.45	78.96	
<i>including</i>	173.16	174.13	0.97	0.41	0.39	11.00	0.50	1.30	
<i>including</i>	174.13	175.30	1.17	0.49	0.82	12.00	0.77	2.15	
KMDD0159	168.93	171.66	2.73	1.24	14.74	18.16	0.14	15.18	K1
<i>including</i>	168.93	169.35	0.42	0.19	56.70	5.00	0.06	56.86	
<i>including</i>	169.35	170.10	0.75	0.34	10.80	39.00	0.12	11.47	
<i>including</i>	170.10	170.90	0.80	0.36	7.18	19.00	0.20	7.73	
<i>including</i>	170.90	171.66	0.76	0.34	3.39	4.00	0.14	3.66	
KMDD0159	176.10	177.80	1.70	0.77	1.05	2.53	0.35	1.61	
<i>including</i>	176.10	177.00	0.90	0.41	1.07	3.00	0.41	1.73	
<i>including</i>	177.00	177.80	0.80	0.36	1.03	2.00	0.28	1.48	
KMDD0159	179.14	184.74	5.60	4.07	4.56	2.51	0.08	4.71	KL
<i>including</i>	179.14	179.70	0.56	0.41	5.76	8.00	0.04	5.92	
<i>including</i>	179.70	180.00	0.30	0.22	0.92	1.00	0.06	1.02	
<i>including</i>	180.00	180.70	0.70	0.51	6.16	3.00	0.04	6.26	
<i>including</i>	180.70	181.04	0.34	0.25	1.65	1.00	0.02	1.69	
<i>including</i>	181.04	182.00	0.96	0.70	5.42	2.00	0.06	5.54	
<i>including</i>	182.00	182.98	0.98	0.71	10.30	3.00	0.08	10.46	
<i>including</i>	182.98	183.70	0.72	0.52	0.67	1.00	0.16	0.93	
<i>including</i>	183.70	184.53	0.83	0.60	0.33	1.00	0.11	0.51	
<i>including</i>	184.53	184.74	0.21	0.15	5.34	2.00	0.11	5.54	
KMDD0159	189.43	191.90	2.47	1.80	1.56	4.23	0.38	2.20	
<i>including</i>	189.43	189.82	0.39	0.28	5.21	2.00	0.14	5.45	
<i>including</i>	189.82	190.50	0.68	0.49	0.11	1.00	0.25	0.51	
<i>including</i>	190.50	191.10	0.60	0.44	1.22	3.00	0.53	2.06	
<i>including</i>	191.10	191.90	0.80	0.58	1.26	9.00	0.51	2.15	
KMDD0159	256.18	258.15	1.97	1.28	6.33	298.01	3.58	15.60	K2
<i>including</i>	256.18	257.19	1.01	0.65	1.66	68.00	0.69	3.57	
<i>including</i>	257.19	258.15	0.96	0.62	11.25	540.00	6.63	28.25	
KMDD0159	260.20	265.00	4.80	3.11	3.26	5.87	0.18	3.62	K2HW
<i>including</i>	260.20	261.10	0.90	0.58	0.65	10.00	0.33	1.28	
<i>including</i>	261.10	261.87	0.77	0.50	7.83	9.00	0.15	8.17	
<i>including</i>	261.87	262.28	0.41	0.27	0.16	1.00	0.01	0.19	
<i>including</i>	262.28	262.55	0.27	0.17	0.12	1.00	0.01	0.15	
<i>including</i>	262.55	263.26	0.71	0.46	9.62	2.00	0.05	9.72	
<i>including</i>	263.26	263.70	0.44	0.28	0.81	9.00	0.39	1.52	
<i>including</i>	263.70	264.30	0.60	0.39	1.46	8.00	0.34	2.08	
<i>including</i>	264.30	265.00	0.70	0.45	1.28	2.00	0.05	1.39	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent ¹	Comment
KMDD0159	277.00	279.00	2.00	1.30	2.64	1.50	0.01	2.67	
<i>including</i>	277.00	278.00	1.00	0.65	4.34	2.00	0.01	4.37	
<i>including</i>	278.00	279.00	1.00	0.65	0.94	1.00	0.00	0.96	
KMDD0159	352.60	356.90	4.30	2.63	3.25	4.28	0.03	3.34	K3
<i>including</i>	352.60	353.60	1.00	0.61	2.23	0.50	0.01	2.25	
<i>including</i>	353.60	354.25	0.65	0.40	12.71	0.50	0.01	12.73	
<i>including</i>	354.25	355.20	0.95	0.58	0.06	0.50	0.01	0.08	
<i>including</i>	355.20	355.80	0.60	0.37	0.11	1.00	0.01	0.14	
<i>including</i>	355.80	356.90	1.10	0.67	3.04	15.00	0.08	3.35	
KMDD0159	359.00	360.00	1.00	0.61	4.42	1.00	0.01	4.45	
EKDD0003A	505.00	513.00	8.00	4.06	31.74	7.10	0.52	32.63	K1
<i>Including</i>	505.00	505.78	0.78	0.40	0.36	2.00	0.22	0.72	
<i>Including</i>	505.78	506.06	0.28	0.14	3.33	2.00	0.11	3.53	
<i>Including</i>	506.06	506.22	0.16	0.08	0.35	1.00	0.03	0.41	
<i>Including</i>	506.22	506.66	0.44	0.22	0.56	1.00	0.04	0.63	
<i>Including</i>	506.66	507.00	0.34	0.17	4.33	12.00	0.25	4.86	
<i>Including</i>	507.00	508.16	1.16	0.59	1.54	1.00	0.06	1.64	
<i>Including</i>	508.16	508.56	0.40	0.20	589.00	62.00	2.47	593.57	
<i>Including</i>	508.56	508.80	0.24	0.12	1.16	3.00	0.02	1.24	
<i>Including</i>	508.80	509.30	0.50	0.25	0.74	1.00	0.13	0.95	
<i>Including</i>	509.30	510.33	1.03	0.52	0.34	2.00	0.05	0.45	
<i>Including</i>	510.33	510.80	0.47	0.24	1.24	22.00	3.21	6.43	
<i>Including</i>	510.80	511.20	0.40	0.20	0.60	9.00	0.63	1.67	
<i>Including</i>	511.20	511.35	0.15	0.08	8.11	22.00	3.05	13.06	
<i>Including</i>	511.35	512.30	0.95	0.48	10.40	2.00	0.08	10.54	
<i>Including</i>	512.30	512.70	0.40	0.20	0.61	1.00	0.12	0.81	
<i>Including</i>	512.70	513.00	0.30	0.15	1.36	4.00	1.15	3.17	
EKDD0003A	516.35	519.87	3.52	1.79	3.56	27.55	1.13	5.64	KL
<i>Including</i>	516.35	517.30	0.95	0.48	3.22	19.00	0.09	3.59	
<i>Including</i>	517.30	518.70	1.40	0.71	5.29	46.00	2.51	9.71	
<i>Including</i>	518.70	519.20	0.50	0.25	0.70	21.00	0.35	1.51	
<i>Including</i>	519.20	519.87	0.67	0.34	2.57	6.00	0.30	3.11	
EKDD0003A	534.00	539.80	5.80	3.13	0.22	5.92	0.24	0.66	K2
<i>Including</i>	534.00	535.45	1.45	0.74	0.36	5.00	0.28	0.86	
<i>Including</i>	535.45	536.18	0.73	0.37	0.36	20.00	0.57	1.48	
<i>Including</i>	536.18	537.80	1.62	0.82	0.15	4.00	0.17	0.45	
<i>Including</i>	537.80	538.00	0.20	0.10	0.65	6.00	0.42	1.37	
<i>Including</i>	538.00	539.20	1.20	0.61	0.06	2.00	0.02	0.12	
<i>Including</i>	539.20	539.80	0.60	0.30	0.11	4.00	0.28	0.58	
EKDD0012	155.10	156.00	0.90	0.54	0.86	1.00	0.01	0.88	K1

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent ¹	Comment
EKDD0012	192.00	200.23	8.23	4.96	0.37	1.90	0.08	0.52	KL
<i>Including</i>	192.00	192.60	0.60	0.36	0.22	2.00	0.12	0.43	
<i>Including</i>	192.60	192.90	0.30	0.18	0.07	2.00	0.19	0.38	
<i>Including</i>	192.90	194.00	1.10	0.66	0.53	4.00	0.15	0.81	
<i>Including</i>	194.00	195.00	1.00	0.60	1.48	3.00	0.03	1.57	
<i>Including</i>	195.00	196.00	1.00	0.60	0.13	1.00	0.01	0.15	
<i>Including</i>	196.00	197.00	1.00	0.60	0.05	1.00	0.01	0.07	
<i>Including</i>	197.00	198.00	1.00	0.60	0.10	1.00	0.01	0.13	
<i>Including</i>	198.00	199.06	1.06	0.64	0.18	1.00	0.00	0.20	
<i>Including</i>	199.06	199.48	0.42	0.25	0.20	2.00	0.53	1.04	
<i>Including</i>	199.48	200.23	0.75	0.45	0.37	2.00	0.10	0.54	
EKDD0012	202.34	211.80	9.46	5.74	1.24	11.24	0.99	2.89	K2
<i>Including</i>	202.34	202.54	0.20	0.12	2.84	32.00	2.85	7.61	
<i>Including</i>	202.54	203.14	0.60	0.36	2.64	21.00	1.33	4.93	
<i>Including</i>	203.14	204.10	0.96	0.58	1.31	29.00	0.12	1.86	
<i>Including</i>	204.10	205.00	0.90	0.55	0.99	11.00	0.84	2.42	
<i>Including</i>	205.00	206.18	1.18	0.72	0.28	4.00	0.24	0.70	
<i>Including</i>	206.18	206.40	0.22	0.13	0.17	2.00	0.13	0.40	
<i>Including</i>	206.40	206.80	0.40	0.24	0.28	4.00	0.24	0.69	
<i>Including</i>	206.80	207.35	0.55	0.33	1.94	16.00	0.71	3.23	
<i>Including</i>	207.35	208.00	0.65	0.39	1.98	7.00	0.78	3.26	
<i>Including</i>	208.00	208.20	0.20	0.12	0.33	3.00	0.32	0.85	
<i>Including</i>	208.20	209.00	0.80	0.49	3.10	20.00	3.42	8.59	
<i>Including</i>	209.00	209.39	0.39	0.24	1.28	6.00	1.03	2.93	
<i>Including</i>	209.39	209.56	0.17	0.10	0.92	3.00	0.26	1.36	
<i>Including</i>	209.56	210.00	0.44	0.27	0.28	1.00	0.07	0.40	
<i>Including</i>	210.00	211.20	1.20	0.73	0.44	2.00	0.29	0.91	
<i>Including</i>	211.20	211.80	0.60	0.36	1.23	12.00	3.64	6.95	
EKDD0012	214.00	217.00	3.00	1.82	0.40	1.74	0.21	0.75	K2HW
<i>Including</i>	214.00	215.53	1.53	0.93	0.69	2.00	0.28	1.15	
<i>Including</i>	215.53	215.70	0.17	0.10	0.36	5.00	0.67	1.44	
<i>Including</i>	215.70	217.00	1.30	0.79	0.07	1.00	0.07	0.19	
KMDD0161	121.43	129.10	7.67	2.95	1.38	5.88	0.37	2.02	K1
<i>including</i>	121.43	122.60	1.17	0.45	1.18	11.00	0.21	1.64	
<i>including</i>	122.60	124.20	1.60	0.61	0.31	3.00	0.27	0.77	
<i>including</i>	124.20	126.40	2.20	0.85	0.32	4.00	0.24	0.73	
<i>including</i>	126.40	127.90	1.50	0.58	0.20	6.00	0.35	0.81	
<i>including</i>	127.90	129.10	1.20	0.46	6.39	8.00	0.94	7.93	
KMDD0161	139.30	146.35	7.05	2.74	3.67	13.62	0.34	4.37	KL
<i>including</i>	139.30	140.48	1.18	0.46	7.12	8.00	0.22	7.55	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent ¹	Comment
<i>including</i>	140.48	141.24	0.76	0.30	0.09	91.00	0.17	1.50	
<i>including</i>	141.24	141.92	0.68	0.26	2.40	1.00	0.27	2.82	
<i>including</i>	141.92	142.60	0.68	0.26	0.62	3.00	0.24	1.02	
<i>including</i>	142.60	143.90	1.30	0.51	1.98	4.00	0.75	3.17	
<i>including</i>	143.90	145.58	1.68	0.65	0.14	2.00	0.19	0.46	
<i>including</i>	145.58	146.35	0.77	0.30	16.25	8.00	0.53	17.17	
KMDD0161	163.20	164.50	1.30	0.55	3.13	91.00	9.95	19.51	K2
KMDD0196	80.80	81.80	1.00	0.42	1.30	1.00	0.01	1.32	
KMDD0196	81.80	82.80	1.00	0.42	1.12	1.00	0.01	1.14	
KMDD0196	87.80	88.80	1.00	0.42	1.87	1.00	0.00	1.89	
KMDD0196	90.80	91.20	0.40	0.17	7.02	1.00	0.01	7.05	
KMDD0196	160.59	177.37	16.78	6.99	2.71	17.44	0.56	3.79	K1
<i>including</i>	160.59	160.82	0.23	0.10	2.46	22.00	2.54	6.63	
<i>including</i>	160.82	161.70	0.88	0.37	0.11	3.00	0.36	0.69	
<i>including</i>	161.70	162.60	0.90	0.37	0.68	5.00	1.08	2.40	
<i>including</i>	162.60	162.80	0.20	0.08	5.33	17.00	3.05	10.21	
<i>including</i>	162.80	163.50	0.70	0.29	0.02	2.00	0.10	0.20	
<i>including</i>	163.50	164.20	0.70	0.29	0.65	3.00	0.79	1.90	
<i>including</i>	164.20	165.03	0.83	0.35	0.15	4.00	0.40	0.81	
<i>including</i>	165.03	166.00	0.97	0.40	0.26	3.00	1.15	2.06	
<i>including</i>	166.00	167.00	1.00	0.42	2.38	6.00	0.79	3.66	
<i>including</i>	167.00	168.00	1.00	0.42	0.23	3.00	0.46	0.97	
<i>including</i>	168.00	169.00	1.00	0.42	0.02	2.00	0.44	0.71	
<i>including</i>	169.00	169.90	0.90	0.37	0.20	5.00	0.36	0.82	
<i>including</i>	169.90	170.40	0.50	0.21	0.41	3.00	0.17	0.71	
<i>including</i>	170.40	171.10	0.70	0.29	0.69	8.00	0.15	1.03	
<i>including</i>	171.10	171.80	0.70	0.29	9.05	296.00	0.25	13.19	
<i>including</i>	171.80	172.26	0.46	0.19	1.29	12.00	0.13	1.64	
<i>including</i>	172.26	172.63	0.37	0.15	0.17	1.00	0.03	0.23	
<i>including</i>	172.63	173.56	0.93	0.39	2.15	2.00	0.07	2.28	
<i>including</i>	173.56	174.03	0.47	0.20	2.73	2.00	0.04	2.82	
<i>including</i>	174.03	175.08	1.05	0.44	23.50	8.00	0.20	23.91	
<i>including</i>	175.08	175.70	0.62	0.26	3.07	3.00	0.41	3.73	
<i>including</i>	175.70	176.10	0.40	0.17	0.37	15.00	1.35	2.62	
<i>including</i>	176.10	176.63	0.53	0.22	2.45	14.00	1.63	5.12	
<i>including</i>	176.63	177.37	0.74	0.31	0.56	7.00	0.63	1.61	
KMDD0196	179.00	183.17	4.17	1.74	10.30	32.23	4.02	16.86	KL
<i>including</i>	179.00	179.80	0.80	0.33	0.53	31.00	1.57	3.33	
<i>including</i>	179.80	180.47	0.67	0.28	18.60	49.00	9.45	33.68	
<i>including</i>	180.47	181.12	0.65	0.27	0.32	4.00	0.57	1.24	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent ¹	Comment
<i>including</i>	181.12	181.90	0.78	0.32	35.20	64.00	6.87	46.52	
<i>including</i>	181.90	182.63	0.73	0.30	3.12	31.00	4.34	10.15	
<i>including</i>	182.63	183.17	0.54	0.22	0.20	3.00	0.52	1.03	
KMDD0196	185.00	193.64	8.64	3.10	0.50	12.40	1.18	2.46	K2
<i>including</i>	185.00	185.97	0.97	0.35	0.62	5.00	0.76	1.84	
<i>including</i>	185.97	186.13	0.16	0.06	2.42	53.00	7.49	14.55	
<i>including</i>	186.13	187.02	0.89	0.32	0.33	22.00	1.22	2.47	
<i>including</i>	187.02	187.16	0.14	0.05	9.42	198.00	14.76	34.52	
<i>including</i>	187.16	187.80	0.64	0.23	0.31	7.00	0.59	1.30	
<i>including</i>	187.80	188.58	0.78	0.28	0.25	8.00	0.92	1.76	
<i>including</i>	188.58	188.81	0.23	0.08	0.79	30.00	4.49	8.04	
<i>including</i>	188.81	189.64	0.83	0.30	0.12	4.00	0.24	0.53	
<i>including</i>	189.64	189.97	0.33	0.12	0.92	14.00	2.55	5.00	
<i>including</i>	189.97	190.90	0.93	0.33	0.31	2.00	0.13	0.54	
<i>including</i>	190.90	191.90	1.00	0.36	0.09	2.00	0.04	0.18	
<i>including</i>	191.90	192.86	0.96	0.34	0.16	4.00	0.15	0.44	
<i>including</i>	192.86	193.21	0.35	0.13	0.27	28.00	1.75	3.30	
<i>including</i>	193.21	193.64	0.43	0.15	0.19	8.00	2.43	4.01	
KMDD0196	222.00	227.00	5.00	1.79	6.42	1.00	0.01	6.44	K2HW
<i>including</i>	222.00	223.00	1.00	0.36	25.77	1.00	0.01	25.79	
<i>including</i>	223.00	224.00	1.00	0.36	1.52	1.00	0.01	1.55	
<i>including</i>	224.00	225.00	1.00	0.36	0.30	1.00	0.00	0.32	
<i>including</i>	225.00	226.00	1.00	0.36	0.27	1.00	0.01	0.30	
<i>including</i>	226.00	227.00	1.00	0.36	4.22	1.00	0.01	4.25	
KMDD0196	233.60	240.75	7.15	2.56	1.15	10.79	0.63	2.26	K3
<i>including</i>	233.60	233.81	0.21	0.08	0.28	47.00	10.56	17.03	
<i>including</i>	233.81	234.80	0.99	0.35	0.10	1.00	0.18	0.39	
<i>including</i>	234.80	235.67	0.87	0.31	0.11	1.00	0.02	0.16	
<i>including</i>	235.67	236.12	0.45	0.16	0.19	1.00	0.02	0.23	
<i>including</i>	236.12	237.00	0.88	0.32	1.49	5.00	0.79	2.77	
<i>including</i>	237.00	237.85	0.85	0.30	0.22	1.00	0.07	0.35	
<i>including</i>	237.85	238.45	0.60	0.21	6.78	45.00	0.42	8.00	
<i>including</i>	238.45	239.37	0.92	0.33	1.27	14.00	0.06	1.54	
<i>including</i>	239.37	239.62	0.25	0.09	0.17	4.00	0.15	0.45	
<i>including</i>	239.62	240.22	0.60	0.21	0.25	4.00	0.36	0.86	
<i>including</i>	240.22	240.75	0.53	0.19	1.87	31.00	1.45	4.49	
KMDD0163	41.90	42.90	1.00	0.30	1.20	1.00	0.01	1.22	
KMDD0163	43.88	44.18	0.30	0.09	1.91	1.00	0.33	2.42	
KMDD0163	44.18	44.35	0.17	0.05	11.16	21.00	0.38	12.01	
KMDD0163	44.35	44.70	0.35	0.11	2.99	5.00	0.41	3.67	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent ¹	Comment
KMDD0163	56.70	57.70	1.00	0.30	4.63	1.00	0.01	4.65	
KMDD0163	60.70	61.70	1.00	0.30	3.31	1.00	0.00	3.33	
KMDD0163	75.00	76.00	1.00	0.30	2.90	1.00	0.01	2.92	
KMDD0163	295.20	309.50	14.30	4.31	5.74	9.11	0.12	6.05	K1
<i>including</i>	295.20	296.00	0.80	0.24	38.44	74.00	0.14	39.59	
<i>including</i>	296.00	297.00	1.00	0.30	1.91	2.00	0.02	1.96	
<i>including</i>	297.00	297.95	0.95	0.29	2.88	14.00	0.39	3.65	
<i>including</i>	297.95	299.40	1.45	0.44	2.25	4.00	0.09	2.43	
<i>including</i>	299.40	301.00	1.60	0.48	0.45	2.00	0.03	0.53	
<i>including</i>	301.00	302.00	1.00	0.30	8.46	2.00	0.03	8.53	
<i>including</i>	302.00	303.42	1.42	0.43	11.62	6.00	0.03	11.74	
<i>including</i>	303.42	304.10	0.68	0.20	3.54	20.00	0.45	4.48	
<i>including</i>	304.10	304.70	0.60	0.18	6.16	15.00	0.10	6.50	
<i>including</i>	304.70	305.70	1.00	0.30	1.39	6.00	0.38	2.04	
<i>including</i>	305.70	307.00	1.30	0.39	0.29	2.00	0.04	0.38	
<i>including</i>	307.00	308.10	1.10	0.33	5.87	2.00	0.21	6.21	
<i>including</i>	308.10	309.50	1.40	0.42	2.44	2.00	0.01	2.49	
KMDD0163	310.50	311.89	1.39	0.42	1.51	2.00	0.03	1.58	
KMDD0163	322.65	333.28	10.63	3.20	4.50	1.37	0.03	4.56	KL
<i>including</i>	322.65	323.48	0.83	0.25	4.28	1.00	0.02	4.33	
<i>including</i>	323.48	324.70	1.22	0.37	6.87	2.00	0.03	6.94	
<i>including</i>	324.70	325.70	1.00	0.30	4.11	2.00	0.04	4.19	
<i>including</i>	325.70	326.37	0.67	0.20	2.55	1.00	0.04	2.62	
<i>including</i>	326.37	328.00	1.63	0.49	0.13	1.00	0.01	0.16	
<i>including</i>	328.00	329.00	1.00	0.30	0.12	1.00	0.01	0.14	
<i>including</i>	329.00	330.00	1.00	0.30	0.06	1.00	0.02	0.11	
<i>including</i>	330.00	331.00	1.00	0.30	0.05	1.00	0.04	0.12	
<i>including</i>	331.00	332.00	1.00	0.30	0.06	1.00	0.01	0.08	
<i>including</i>	332.00	332.40	0.40	0.12	0.13	1.00	0.09	0.28	
<i>including</i>	332.40	333.28	0.88	0.26	33.52	3.00	0.05	33.63	
KMDD0163	361.56	366.20	4.64	1.98	1.42	5.10	0.36	2.04	K2
<i>including</i>	361.56	363.00	1.44	0.61	2.20	4.00	0.07	2.36	
<i>including</i>	363.00	364.00	1.00	0.43	0.70	1.00	0.12	0.90	
<i>including</i>	364.00	365.58	1.58	0.67	1.60	6.00	0.73	2.79	
<i>including</i>	365.58	366.20	0.62	0.26	0.33	12.00	0.50	1.25	
KMDD0163	395.00	396.25	1.25	0.53	1.89	2.00	0.08	2.03	
KMDD0167	0.00	10.00	10.00	9.82	17.61	1.10	0.10	17.77	K1
<i>including</i>	0.00	1.00	1.00	0.98	1.70	2.00	0.24	2.09	
<i>including</i>	1.00	2.00	1.00	0.98	10.50	1.00	0.06	10.60	
<i>including</i>	2.00	2.75	0.75	0.74	5.43	1.00	0.04	5.50	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent ¹	Comment
<i>including</i>	2.75	3.30	0.55	0.54	1.05	1.00	0.06	1.15	
<i>including</i>	3.30	4.36	1.06	1.04	0.17	1.00	0.13	0.39	
<i>including</i>	4.36	6.00	1.64	1.61	80.60	1.00	0.03	80.67	
<i>including</i>	6.00	8.00	2.00	1.96	10.40	1.00	0.04	10.47	
<i>including</i>	8.00	9.00	1.00	0.98	0.44	1.00	0.17	0.72	
<i>including</i>	9.00	10.00	1.00	0.98	5.61	1.00	0.16	5.87	
KMDD0167	12.00	17.10	5.10	5.01	8.52	4.04	0.44	9.24	KL
<i>including</i>	12.00	13.00	1.00	0.98	8.05	1.00	1.32	10.09	
<i>including</i>	13.00	14.20	1.20	1.18	5.28	2.00	0.40	5.91	
<i>including</i>	14.20	14.85	0.65	0.64	36.30	1.00	0.19	36.61	
<i>including</i>	14.85	15.80	0.95	0.93	1.56	1.00	0.16	1.82	
<i>including</i>	15.80	17.10	1.30	1.28	3.05	12.00	0.12	3.38	
KMDD0167	20.00	30.10	10.10	10.06	45.67	11.85	1.29	47.80	K2
<i>including</i>	20.00	20.50	0.50	0.50	1.32	3.00	0.45	2.05	
<i>including</i>	20.50	21.42	0.92	0.92	161.40	20.00	0.12	161.84	
<i>including</i>	21.42	22.40	0.98	0.98	2.99	1.00	0.03	3.05	
<i>including</i>	22.40	23.27	0.87	0.87	9.88	1.00	0.11	10.06	
<i>including</i>	23.27	24.30	1.03	1.03	280.80	6.00	0.07	280.99	
<i>including</i>	24.30	25.30	1.00	1.00	2.24	1.00	0.01	2.27	
<i>including</i>	25.30	26.30	1.00	1.00	3.21	4.00	0.96	4.72	
<i>including</i>	26.30	27.10	0.80	0.80	4.15	26.00	2.73	8.66	
<i>including</i>	27.10	30.10	3.00	2.99	0.86	22.00	3.12	5.91	
KMDD0167	43.28	44.20	0.92	0.92	2.78	1.00	0.01	2.80	
EKDD0009	352.30	358.00	5.70	3.55	4.17	20.18	2.56	8.35	K1
<i>Including</i>	352.30	352.90	0.60	0.37	0.30	1.00	0.35	0.85	
<i>Including</i>	352.90	353.20	0.30	0.19	5.34	33.00	6.51	15.72	
<i>Including</i>	353.20	353.90	0.70	0.44	0.24	1.00	0.35	0.79	
<i>Including</i>	353.90	354.90	1.00	0.62	2.27	38.00	2.61	6.75	
<i>Including</i>	354.90	356.00	1.10	0.68	0.10	1.00	0.09	0.25	
<i>Including</i>	356.00	356.40	0.40	0.25	0.64	2.00	1.04	2.25	
<i>Including</i>	356.40	357.45	1.05	0.65	13.24	42.00	6.51	23.73	
<i>Including</i>	357.45	358.00	0.55	0.34	9.64	36.00	4.05	16.29	
EKDD0009	359.60	363.60	4.00	2.49	0.63	4.85	0.12	0.87	KL
<i>Including</i>	359.60	361.40	1.80	1.12	0.83	1.00	0.20	1.15	
<i>Including</i>	361.40	363.60	2.20	1.37	0.46	8.00	0.05	0.64	
EKDD0009	365.90	374.00	8.10	5.04	1.10	11.06	0.36	1.79	K2
<i>Including</i>	365.90	366.20	0.30	0.19	1.48	8.00	0.67	2.61	
<i>Including</i>	366.20	367.00	0.80	0.50	1.25	7.00	0.13	1.54	
<i>Including</i>	367.00	368.60	1.60	1.00	0.51	8.00	0.14	0.83	
<i>Including</i>	368.60	369.84	1.24	0.77	0.95	12.00	0.34	1.62	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent ¹	Comment
Including	369.84	370.80	0.96	0.60	0.25	1.00	0.26	0.66	
Including	370.80	371.50	0.70	0.44	0.20	1.00	0.20	0.53	
Including	371.50	372.75	1.25	0.78	3.61	37.00	0.26	4.47	
Including	372.75	373.50	0.75	0.47	0.42	4.00	0.16	0.72	
Including	373.50	374.00	0.50	0.31	0.51	6.00	2.26	4.04	
EKDD0009	388.20	393.25	5.05	3.14	0.12	3.00	0.20	0.47	K2HW
Including	388.20	389.90	1.70	1.06	0.17	6.00	0.13	0.44	
Including	389.90	391.00	1.10	0.68	0.05	1.00	0.03	0.11	
Including	391.00	391.40	0.40	0.25	0.14	5.00	1.57	2.61	
Including	391.40	392.20	0.80	0.50	0.04	1.00	0.02	0.09	
Including	392.20	393.25	1.05	0.65	0.16	1.00	0.11	0.35	
EKDD0014	257.90	275.90	18.00	12.24	1.00	14.53	1.09	2.86	K1
Including	257.90	258.20	0.30	0.20	3.48	18.00	2.73	7.89	
Including	258.20	258.70	0.50	0.34	0.42	1.00	0.02	0.46	
Including	258.70	259.90	1.20	0.82	1.70	7.00	1.46	4.02	
Including	259.90	260.30	0.40	0.27	0.18	4.00	0.25	0.61	
Including	260.30	261.00	0.70	0.48	0.20	5.00	0.57	1.13	
Including	261.00	262.10	1.10	0.75	0.23	3.00	0.10	0.42	
Including	262.10	262.30	0.20	0.14	1.53	8.00	1.18	3.44	
Including	262.30	262.70	0.40	0.27	0.37	4.00	0.15	0.65	
Including	262.70	263.00	0.30	0.20	0.23	8.00	0.82	1.59	
Including	263.00	264.00	1.00	0.68	0.18	3.00	0.05	0.30	
Including	264.00	266.40	2.40	1.63	0.89	13.00	2.14	4.33	
Including	266.40	267.35	0.95	0.65	0.62	12.00	1.57	3.18	
Including	267.35	268.00	0.65	0.44	0.57	8.00	1.04	2.26	
Including	268.00	269.70	1.70	1.16	0.29	4.00	0.21	0.66	
Including	269.70	270.54	0.84	0.57	1.71	5.00	0.37	2.35	
Including	270.54	271.20	0.66	0.45	0.25	3.00	0.15	0.52	
Including	271.20	271.70	0.50	0.34	6.44	10.00	1.47	8.81	
Including	271.70	271.95	0.25	0.17	1.02	6.00	0.63	2.07	
Including	271.95	272.70	0.75	0.51	1.39	6.00	1.41	3.62	
Including	272.70	273.45	0.75	0.51	1.41	19.00	1.23	3.53	
Including	273.45	274.25	0.80	0.54	1.78	156.00	3.68	9.39	
Including	274.25	274.90	0.65	0.44	0.97	19.00	1.52	3.53	
Including	274.90	275.90	1.00	0.68	0.77	7.00	1.04	2.44	
EKDD0014	289.75	291.80	2.05	1.37	0.46	7.05	1.13	2.28	KL
Including	289.75	290.25	0.50	0.33	0.16	8.00	0.97	1.75	
Including	290.25	291.50	1.25	0.84	0.18	5.00	0.35	0.79	
Including	291.50	291.80	0.30	0.20	2.14	14.00	4.63	9.40	
EKDD0014	292.32	292.95	0.63	0.42	0.55	9.29	1.19	2.48	K2

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent ¹	Comment
<i>Including</i>	292.32	292.60	0.28	0.19	1.01	16.00	2.43	4.93	
<i>Including</i>	292.60	292.95	0.35	0.24	0.18	4.00	0.20	0.54	
KMDD0198	57.00	59.00	2.00	1.56	6.74	0.75	0.01	6.75	
<i>including</i>	57.00	58.00	1.00	0.78	8.47	0.50	0.01	8.49	
<i>including</i>	58.00	59.00	1.00	0.78	5.00	1.00	0.01	5.02	
KMDD0198	79.26	88.00	8.74	6.80	21.58	2.66	0.74	22.74	K1
<i>including</i>	79.26	80.40	1.14	0.89	0.54	3.00	0.80	1.80	
<i>including</i>	80.40	82.00	1.60	1.24	21.30	4.00	0.15	21.58	
<i>including</i>	82.00	83.17	1.17	0.91	0.81	1.00	0.11	0.99	
<i>including</i>	83.17	83.60	0.43	0.33	340.70	8.00	1.19	342.61	
<i>including</i>	83.60	85.00	1.40	1.09	0.23	2.00	0.23	0.61	
<i>including</i>	85.00	86.00	1.00	0.78	1.68	2.00	1.48	3.97	
<i>including</i>	86.00	87.00	1.00	0.78	3.76	2.00	2.16	7.09	
<i>including</i>	87.00	88.00	1.00	0.78	0.69	2.00	0.68	1.75	
KMDD0198	91.18	92.40	1.22	0.95	3.29	4.00	0.78	4.53	KL
KMDD0198	107.40	116.00	8.60	7.05	3.07	13.62	0.68	4.29	K2
<i>including</i>	107.40	108.90	1.50	1.23	1.31	13.00	0.78	2.67	
<i>including</i>	108.90	109.70	0.80	0.66	0.53	6.00	0.33	1.11	
<i>including</i>	109.70	110.20	0.50	0.41	5.75	24.00	1.33	8.09	
<i>including</i>	110.20	111.70	1.50	1.23	3.32	10.00	0.67	4.47	
<i>including</i>	111.70	112.70	1.00	0.82	1.82	21.00	0.51	2.86	
<i>including</i>	112.70	113.57	0.87	0.71	1.02	6.00	0.86	2.41	
<i>including</i>	113.57	115.00	1.43	1.17	0.82	13.00	0.12	1.18	
<i>including</i>	115.00	116.00	1.00	0.82	12.30	21.00	1.31	14.56	
KMDD0198	116.90	122.08	5.18	4.25	1.23	10.20	0.95	2.82	K2HW
<i>including</i>	116.90	117.47	0.57	0.47	6.86	13.00	0.48	7.76	
<i>including</i>	117.47	118.00	0.53	0.43	0.43	9.00	1.30	2.54	
<i>including</i>	118.00	119.12	1.12	0.92	0.12	3.00	0.41	0.78	
<i>including</i>	119.12	120.00	0.88	0.72	0.62	20.00	2.33	4.44	
<i>including</i>	120.00	120.80	0.80	0.66	0.38	7.00	0.53	1.28	
<i>including</i>	120.80	122.08	1.28	1.05	0.97	11.00	0.81	2.36	
KMDD0200	11.78	13.00	1.22	0.82	1.04	1.86	0.01	1.08	
<i>including</i>	11.78	11.95	0.17	0.11	1.06	1.00	0.00	1.08	
<i>including</i>	11.95	13.00	1.05	0.71	1.04	2.00	0.01	1.08	
KMDD0200	83.00	83.33	0.33	0.22	4.25	65.00	3.41	10.29	
KMDD0200	100.57	105.78	5.21	3.50	5.41	11.80	1.02	7.12	K1
<i>including</i>	100.57	100.72	0.15	0.10	2.06	6.00	0.16	2.37	
<i>including</i>	100.72	101.62	0.90	0.60	0.87	5.00	0.18	1.21	
<i>including</i>	101.62	102.30	0.68	0.46	14.80	6.00	0.48	15.61	
<i>including</i>	102.30	102.90	0.60	0.40	4.53	17.00	2.41	8.43	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent ¹	Comment
<i>including</i>	102.90	103.20	0.30	0.20	0.67	16.00	1.13	2.60	
<i>including</i>	103.20	103.52	0.32	0.21	18.50	52.00	4.49	26.03	
<i>including</i>	103.52	104.04	0.52	0.35	1.15	3.00	0.43	1.84	
<i>including</i>	104.04	104.88	0.84	0.56	6.35	19.00	1.05	8.19	
<i>including</i>	104.88	105.14	0.26	0.17	3.38	6.00	0.82	4.71	
<i>including</i>	105.14	105.78	0.64	0.43	2.12	2.00	0.43	2.80	
KMDD0200	110.14	117.74	7.60	5.74	2.57	21.85	0.57	3.72	KL
<i>Including</i>	110.14	110.68	0.54	0.41	0.52	1.00	0.25	0.91	
<i>Including</i>	110.68	111.23	0.55	0.42	6.70	5.00	1.52	9.09	
<i>Including</i>	111.23	112.23	1.00	0.75	11.10	3.00	0.78	12.33	
<i>Including</i>	112.23	113.00	0.77	0.58	0.08	1.00	0.01	0.10	
<i>Including</i>	113.00	113.70	0.70	0.53	0.15	1.00	0.02	0.19	
<i>Including</i>	113.70	114.70	1.00	0.75	1.71	59.00	0.41	3.09	
<i>Including</i>	114.70	115.70	1.00	0.75	0.87	16.00	0.49	1.82	
<i>Including</i>	115.70	116.70	1.00	0.75	1.08	24.00	0.61	2.31	
<i>Including</i>	116.70	117.74	1.04	0.79	0.65	57.00	1.01	2.92	
KMDD0200	118.79	122.30	3.51	2.53	2.19	19.25	1.40	4.57	K2
<i>including</i>	118.79	119.40	0.61	0.44	1.86	23.00	1.42	4.32	
<i>including</i>	119.40	120.10	0.70	0.50	5.26	23.00	1.01	7.10	
<i>including</i>	120.10	120.35	0.25	0.18	0.63	10.00	0.49	1.50	
<i>including</i>	120.35	121.30	0.95	0.69	1.00	21.00	2.01	4.34	
<i>including</i>	121.30	122.30	1.00	0.72	1.75	15.00	1.31	3.95	
<i>including</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
<i>including</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
<i>including</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
KMDD0200	126.21	139.66	13.45	9.70	1.12	16.54	0.58	2.22	K2HW
<i>including</i>	126.21	126.82	0.61	0.44	2.84	51.00	2.94	7.99	
<i>including</i>	126.82	127.80	0.98	0.71	0.46	31.00	0.13	1.06	
<i>including</i>	127.80	128.80	1.00	0.72	0.42	1.00	0.04	0.49	
<i>including</i>	128.80	129.80	1.00	0.72	1.09	50.00	1.85	4.56	
<i>including</i>	129.80	130.80	1.00	0.72	1.02	2.00	0.07	1.16	
<i>including</i>	130.80	131.80	1.00	0.72	0.16	1.00	0.01	0.19	
<i>including</i>	131.80	132.80	1.00	0.72	0.70	3.00	0.08	0.86	
<i>including</i>	132.80	133.80	1.00	0.72	0.10	2.00	0.06	0.22	
<i>including</i>	133.80	134.80	1.00	0.72	0.06	1.00	0.01	0.09	
<i>including</i>	134.80	135.80	1.00	0.72	0.43	9.00	0.20	0.85	
<i>including</i>	135.80	136.45	0.65	0.47	1.37	46.00	1.47	4.20	
<i>including</i>	136.45	137.30	0.85	0.61	7.45	6.00	0.04	7.59	
<i>including</i>	137.30	138.10	0.80	0.58	1.13	19.00	0.20	1.68	
<i>including</i>	138.10	138.90	0.80	0.58	0.68	38.00	0.71	2.25	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent ¹	Comment
<i>including</i>	138.90	139.66	0.76	0.55	0.35	15.00	2.41	4.23	
KMDD0165	60.24	61.60	1.36	0.58	1.54	0.50	0.00	1.55	
KMDD0165	78.00	79.00	1.00	0.42	3.48	0.50	0.00	3.49	
KMDD0165	96.30	97.30	1.00	0.42	7.36	0.50	0.00	7.37	
KMDD0165	121.00	130.00	9.00	3.82	1.84	3.53	0.46	2.59	K1
<i>including</i>	121.00	122.00	1.00	0.42	13.70	2.00	0.01	13.74	
<i>including</i>	122.00	123.40	1.40	0.59	0.13	1.00	0.01	0.15	
<i>including</i>	123.40	123.80	0.40	0.17	0.12	2.00	0.01	0.16	
<i>including</i>	123.80	124.50	0.70	0.30	0.12	3.00	0.02	0.18	
<i>including</i>	124.50	125.00	0.50	0.21	0.12	3.00	0.54	0.98	
<i>including</i>	125.00	126.00	1.00	0.42	1.04	6.00	1.19	2.93	
<i>including</i>	126.00	127.00	1.00	0.42	0.24	5.00	0.27	0.72	
<i>including</i>	127.00	128.00	1.00	0.42	0.19	2.00	0.02	0.25	
<i>including</i>	128.00	129.00	1.00	0.42	0.05	3.00	0.32	0.57	
<i>including</i>	129.00	130.00	1.00	0.42	1.00	8.00	2.01	4.18	
KMDD0165	152.00	161.90	9.90	6.53	2.06	4.09	0.34	2.64	KL
<i>Including</i>	152.00	153.50	1.50	0.59	1.95	6.00	0.84	3.31	
<i>Including</i>	153.50	154.50	1.00	0.39	2.09	4.00	1.16	3.91	
<i>Including</i>	154.50	155.16	0.66	0.26	0.12	2.00	0.24	0.51	
<i>Including</i>	155.16	155.50	0.34	0.13	4.36	32.00	0.24	5.14	
<i>Including</i>	155.50	157.90	2.40	0.94	0.35	3.00	0.39	0.99	
<i>Including</i>	157.90	158.70	0.80	0.31	1.01	9.00	0.92	2.53	
<i>Including</i>	158.70	159.70	1.00	0.39	2.00	2.00	0.23	2.38	
<i>Including</i>	159.70	160.70	1.00	0.39	0.32	1.00	0.01	0.35	
<i>Including</i>	160.70	161.90	1.20	0.47	0.66	1.00	0.02	0.71	
<i>Including</i>	161.90	162.30	0.40	0.16	31.00	0.50	0.01	31.02	
<i>Including</i>	162.30	163.10	0.80	0.31	0.64	2.00	0.02	0.69	
<i>Including</i>	163.10	164.30	1.20	0.47	0.75	1.00	0.05	0.84	
<i>Including</i>	164.30	166.00	1.70	0.67	0.98	0.50	0.04	1.05	
<i>Including</i>	166.00	167.10	1.10	0.43	0.35	2.00	0.15	0.61	
<i>Including</i>	167.10	168.60	1.50	0.59	4.68	12.00	0.51	5.60	
KMDD0165	179.67	187.00	7.33	3.19	7.29	7.09	0.79	8.58	K2
<i>including</i>	179.67	180.60	0.93	0.40	6.27	12.00	0.57	7.29	
<i>including</i>	180.60	181.60	1.00	0.43	1.91	7.00	1.50	4.29	
<i>including</i>	181.60	182.60	1.00	0.43	15.69	11.00	0.44	16.50	
<i>including</i>	182.60	184.00	1.40	0.61	17.13	9.00	0.89	18.61	
<i>including</i>	184.00	184.60	0.60	0.26	7.03	9.00	1.14	8.88	
<i>including</i>	184.60	185.60	1.00	0.43	0.61	2.00	0.75	1.78	
<i>including</i>	185.60	187.00	1.40	0.61	0.84	2.00	0.45	1.56	
KMDD0165	199.50	203.90	4.40	1.91	1.40	15.36	0.28	2.02	K2HW

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent ¹	Comment
Including	199.50	201.10	1.60	0.70	0.84	8.00	0.17	1.20	
Including	201.10	202.10	1.00	0.43	2.33	14.00	0.12	2.70	
Including	202.10	203.10	1.00	0.43	2.19	28.00	0.70	3.62	
Including	203.10	203.90	0.80	0.35	0.37	16.00	0.15	0.81	
KMDD0169	276.90	283.70	6.80	3.32	2.27	5.35	0.38	2.91	
Including	276.90	277.90	1.00	0.49	2.39	8.00	0.49	3.24	
Including	277.90	278.90	1.00	0.49	3.09	26.00	0.34	3.94	
Including	278.90	279.90	1.00	0.49	1.81	0.50	0.23	2.17	
Including	279.90	280.15	0.25	0.12	5.97	0.50	0.26	6.37	
Including	280.15	280.44	0.29	0.14	0.44	0.50	0.29	0.89	
Including	280.44	281.00	0.56	0.27	0.79	0.50	0.69	1.86	
Including	281.00	281.76	0.76	0.37	4.08	0.50	0.74	5.22	
Including	281.76	282.00	0.24	0.12	1.12	0.50	0.09	1.27	
Including	282.00	282.87	0.87	0.43	0.24	0.50	0.04	0.31	
Including	282.87	283.70	0.83	0.41	3.03	0.50	0.41	3.66	
KMDD0169	300.47	308.00	7.53	3.68	4.35	3.79	0.27	4.81	K1
Including	300.47	301.09	0.62	0.30	4.61	0.50	0.11	4.79	
Including	301.09	301.20	0.11	0.05	0.44	0.50	0.01	0.46	
Including	301.20	301.88	0.68	0.33	4.16	0.50	0.04	4.22	
Including	301.88	302.10	0.22	0.11	2.93	0.50	0.02	2.96	
Including	302.10	303.00	0.90	0.44	8.47	0.50	0.05	8.55	
Including	303.00	303.40	0.40	0.20	3.89	0.50	0.03	3.93	
Including	303.40	304.20	0.80	0.39	0.94	0.50	0.01	0.96	
Including	304.20	304.87	0.67	0.33	21.35	0.50	0.06	21.45	
Including	304.87	305.96	1.09	0.53	0.93	0.50	0.01	0.95	
Including	305.96	306.19	0.23	0.11	0.61	0.50	0.02	0.65	
Including	306.19	307.26	1.07	0.52	0.37	0.50	0.12	0.57	
Including	307.26	308.00	0.74	0.36	0.79	34.00	2.30	4.74	
KMDD0169	314.55	318.50	3.95	2.88	4.17	1.49	0.02	4.23	KL
Including	314.55	315.50	0.95	0.69	8.82	2.00	0.03	8.90	
Including	315.50	316.50	1.00	0.73	6.33	1.00	0.02	6.37	
Including	316.50	317.50	1.00	0.73	1.06	1.00	0.02	1.10	
Including	317.50	318.50	1.00	0.73	0.72	2.00	0.03	0.79	
KMDD0169	384.64	390.60	5.96	3.41	8.52	108.68	2.75	14.10	K2
Including	384.64	385.40	0.76	0.43	0.68	29.00	0.72	2.15	
Including	385.40	386.00	0.60	0.34	6.03	224.00	4.56	15.85	
Including	386.00	386.63	0.63	0.36	51.20	480.00	5.85	66.24	
Including	386.63	387.00	0.37	0.21	10.17	216.00	4.21	19.35	
Including	387.00	387.80	0.80	0.46	3.92	38.00	0.38	4.98	
Including	387.80	388.60	0.80	0.46	1.81	22.00	0.29	2.53	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent ¹	Comment
Including	388.60	389.60	1.00	0.57	3.39	35.00	6.21	13.34	
Including	389.60	390.60	1.00	0.57	2.63	26.00	1.10	4.65	
KMDD0171	96.40	98.38	1.98	0.79	1.21	32.49	1.90	4.54	
Including	96.40	97.88	1.48	0.59	0.52	8.00	0.48	1.35	
Including	97.88	98.38	0.50	0.20	3.25	105.00	6.13	13.96	
KMDD0171	159.50	171.00	11.50	4.59	4.98	17.32	1.44	7.40	K1
Including	159.50	160.40	0.90	0.36	1.23	18.00	0.37	2.03	
Including	160.40	161.50	1.10	0.44	20.60	23.00	2.84	25.24	
Including	161.50	165.20	3.70	1.48	0.47	6.00	0.58	1.43	
Including	165.20	165.70	0.50	0.20	5.64	38.00	4.14	12.46	
Including	165.70	166.30	0.60	0.24	9.40	40.00	2.58	13.86	
Including	166.30	167.80	1.50	0.60	7.13	31.00	1.71	10.14	
Including	167.80	170.00	2.20	0.88	4.89	20.00	1.97	8.16	
Including	170.00	171.00	1.00	0.40	1.84	2.00	0.45	2.55	
KMDD0175	101.40	102.82	1.42	0.50	2.18	15.00	1.87	5.23	
KMDD0175	105.35	106.19	0.84	0.30	1.70	5.00	0.14	1.97	
KMDD0175	127.40	129.10	1.70	0.60	1.07	6.00	0.49	1.90	
KMDD0175	155.62	163.70	8.08	2.86	20.01	13.03	0.87	21.50	K1
Including	155.62	156.79	1.17	0.41	78.00	3.00	0.90	79.41	
Including	156.79	157.90	1.11	0.39	22.88	10.00	1.34	25.06	
Including	157.90	159.20	1.30	0.46	18.50	39.00	1.23	20.87	
Including	159.20	160.20	1.00	0.35	0.31	3.00	0.38	0.93	
Including	160.20	161.40	1.20	0.43	0.78	5.00	0.56	1.70	
Including	161.40	162.40	1.00	0.35	0.67	5.00	0.53	1.54	
Including	162.40	163.70	1.30	0.46	14.66	20.00	0.99	16.43	
KMDD0175	163.70	165.00	1.30	0.46	1.06	8.00	0.38	1.74	KL
KMDD0175	165.00	173.50	8.50	2.63	10.83	52.12	3.81	17.33	K2
Including	165.00	166.20	1.20	0.37	20.31	20.00	0.65	21.55	
Including	166.20	166.70	0.50	0.15	62.38	18.00	1.04	64.19	
Including	166.70	168.00	1.30	0.40	0.71	15.00	1.27	2.85	
Including	168.00	169.00	1.00	0.31	4.84	78.00	6.67	16.04	
Including	169.00	169.76	0.76	0.23	3.54	26.00	1.92	6.81	
Including	169.76	171.10	1.34	0.41	7.14	113.00	6.48	18.49	
Including	171.10	172.00	0.90	0.28	8.03	122.00	7.68	21.33	
Including	172.00	173.50	1.50	0.46	7.52	21.00	3.83	13.65	
KMDD0175	183.90	189.07	5.17	1.60	0.65	32.41	1.62	3.55	K2HW
Including	183.90	186.40	2.50	0.77	1.14	51.00	2.77	6.03	
Including	186.40	189.07	2.67	0.82	0.20	15.00	0.55	1.23	
KMDD0173	207.75	208.70	0.95	0.24	1.52	20.00	0.12	1.96	
KMDD0173	214.40	215.30	0.90	0.23	2.54	8.00	0.11	2.81	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent ¹	Comment
KMDD0173	231.22	241.00	9.78	2.51	2.49	1.61	0.03	2.56	K1
<i>Including</i>	231.22	232.00	0.78	0.20	6.16	2.00	0.09	6.32	
<i>Including</i>	232.00	233.10	1.10	0.28	1.50	1.00	0.02	1.54	
<i>Including</i>	233.10	234.10	1.00	0.26	1.01	1.00	0.01	1.04	
<i>Including</i>	234.10	235.10	1.00	0.26	0.14	1.00	0.01	0.16	
<i>Including</i>	235.10	236.00	0.90	0.23	0.89	1.00	0.01	0.91	
<i>Including</i>	236.00	237.00	1.00	0.26	5.42	2.00	0.05	5.53	
<i>Including</i>	237.00	238.00	1.00	0.26	3.23	3.00	0.03	3.31	
<i>Including</i>	238.00	239.00	1.00	0.26	2.47	1.00	0.01	2.50	
<i>Including</i>	239.00	239.90	0.90	0.23	3.71	1.00	0.01	3.74	
<i>Including</i>	239.90	241.00	1.10	0.28	1.32	3.00	0.11	1.52	
KMDD0173	245.00	246.00	1.00	0.26	1.65	1.00	0.02	1.70	
KMDD0173	246.00	247.00	1.00	0.26	1.70	3.00	0.08	1.86	
KMDD0173	320.00	324.30	4.30	1.10	0.37	4.19	0.32	0.91	KL
<i>Including</i>	320.00	320.50	0.50	0.13	1.97	8.00	1.02	3.64	
<i>Including</i>	320.50	321.50	1.00	0.26	0.10	2.00	0.05	0.21	
<i>Including</i>	321.50	322.50	1.00	0.26	0.28	3.00	0.25	0.70	
<i>Including</i>	322.50	323.50	1.00	0.26	0.16	5.00	0.36	0.78	
<i>Including</i>	323.50	324.30	0.80	0.21	0.08	5.00	0.25	0.52	
EKDD0016	327.00	332.60	5.60	2.41	3.55	43.80	1.02	5.66	K1
EKDD0016	342.20	344.75	2.55	1.10	0.80	5.33	1.10	2.55	KL
EKDD0016	360.00	368.83	8.83	3.80	4.37	11.39	2.29	8.02	K2
EKDD0016	377.20	385.55	8.35	3.59	1.35	8.20	0.45	2.14	K2HW
KMDD0204	59.00	59.74	0.74	0.51	2.70	1.00	0.01	2.73	
KMDD0204	59.74	61.00	1.26	0.87	2.98	1.00	0.01	3.01	
KMDD0204	82.00	83.00	1.00	0.69	1.05	1.00	0.01	1.07	
KMDD0204	98.40	100.65	2.25	1.55	26.41	9.36	0.94	27.96	K1
<i>Including</i>	98.40	99.30	0.90	0.62	13.50	10.00	1.02	15.19	
<i>Including</i>	99.30	100.10	0.80	0.55	58.30	13.00	1.30	60.46	
<i>Including</i>	100.10	100.65	0.55	0.38	1.13	3.00	0.26	1.57	
KMDD0204	104.00	104.47	0.47	0.32	2.04	4.00	1.13	3.83	KL
KMDD0204	124.70	141.10	16.40	11.89	2.78	34.22	1.46	5.45	K2
<i>Including</i>	124.70	125.40	0.70	0.51	14.35	1.00	0.03	14.40	
<i>Including</i>	125.40	126.90	1.50	1.09	0.07	1.00	0.03	0.14	
<i>Including</i>	126.90	127.52	0.62	0.45	2.43	3.00	0.49	3.22	
<i>Including</i>	127.52	128.10	0.58	0.42	2.89	6.00	1.17	4.76	
<i>Including</i>	128.10	129.00	0.90	0.65	0.79	35.00	2.25	4.68	
<i>Including</i>	129.00	130.00	1.00	0.72	0.54	6.00	0.58	1.51	
<i>Including</i>	130.00	131.00	1.00	0.72	4.62	8.00	1.64	7.23	
<i>Including</i>	131.00	131.82	0.82	0.59	0.46	6.00	0.83	1.81	

Hole_id	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold equivalent ¹	Comment
<i>Including</i>	131.82	133.00	1.18	0.86	0.29	6.00	0.55	1.21	
<i>Including</i>	133.00	134.00	1.00	0.72	4.78	13.00	0.72	6.04	
<i>Including</i>	134.00	135.20	1.20	0.87	0.66	12.00	0.85	2.11	
<i>Including</i>	135.20	135.70	0.50	0.36	1.50	30.00	2.16	5.19	
<i>Including</i>	135.70	136.45	0.75	0.54	1.26	4.00	0.38	1.89	
<i>Including</i>	136.45	137.90	1.45	1.05	0.43	18.00	1.03	2.23	
<i>Including</i>	137.90	139.00	1.10	0.80	0.27	7.00	1.09	2.02	
<i>Including</i>	139.00	140.10	1.10	0.80	8.42	120.00	6.27	19.54	
<i>Including</i>	140.10	141.10	1.00	0.72	8.28	285.00	4.58	18.90	
KMDD0177	24.42	25.35	0.93	0.33	2.52	19.05	0.04	2.82	
<i>Including</i>	24.42	25.12	0.70	0.25	2.91	24.00	0.03	3.26	
<i>Including</i>	25.12	25.35	0.23	0.08	1.34	4.00	0.07	1.50	
KMDD0177	103.52	105.30	1.78	0.63	0.88	13.28	1.82	3.84	
<i>Including</i>	103.52	103.97	0.45	0.16	0.47	41.00	6.85	11.47	
<i>Including</i>	103.97	104.70	0.73	0.26	0.38	3.00	0.04	0.49	
<i>Including</i>	104.70	105.30	0.60	0.21	1.80	5.00	0.21	2.19	
KMDD0177	176.82	178.00	1.18	0.49	2.94	0.50	0.01	2.96	
KMDD0177	196.40	211.00	14.60	6.12	5.96	35.11	3.32	11.48	K2
<i>including</i>	196.40	197.60	1.20	0.50	3.50	25.00	1.58	6.24	
<i>including</i>	197.60	198.90	1.30	0.54	0.34	4.00	0.31	0.87	
<i>including</i>	198.90	199.22	0.32	0.13	0.22	11.00	0.35	0.89	
<i>including</i>	199.22	201.25	2.03	0.85	0.30	12.00	0.75	1.60	
<i>including</i>	201.25	202.00	0.75	0.31	1.75	34.00	5.58	10.72	
<i>including</i>	202.00	203.00	1.00	0.42	15.45	75.00	7.55	27.95	
<i>including</i>	203.00	204.00	1.00	0.42	28.00	53.00	7.74	40.51	
<i>including</i>	204.00	205.00	1.00	0.42	8.22	31.00	6.05	17.87	
<i>including</i>	205.00	205.85	0.85	0.36	11.15	150.00	6.69	23.29	
<i>including</i>	205.85	206.30	0.45	0.19	9.51	42.00	3.05	14.71	
<i>including</i>	206.30	207.00	0.70	0.29	1.80	48.00	3.13	7.20	
<i>including</i>	207.00	208.00	1.00	0.42	0.32	11.00	0.70	1.53	
<i>including</i>	208.00	209.24	1.24	0.52	10.24	42.00	5.33	18.93	
<i>including</i>	209.24	210.00	0.76	0.32	0.55	13.00	1.46	2.95	
<i>including</i>	210.00	211.00	1.00	0.42	0.23	12.00	1.29	2.36	

⁽¹⁾ Gold Equivalent in Table 1 uses copper price of US\$2.90/lb; silver price of US\$16.5/oz and gold price of US\$1,300/oz.

Table 2 - Kainantu Gold Mine – Collar Locations for Kora Diamond Drilling

Hole_id	Collar Location			Collar orientation	EOH depth (m)	Lode
	Local North	Local East	mRL	Dip		
EKDD0012	59202.36	29993.52	1779.97	-57.00	309.90	Kora North
KMDD0192	59117.10	29990.59	1186.30	-22.17	303.50	Kora North
KMDD0149	59040.57	29955.42	1194.64	-73.34	624.50	Kora North
KMDD0153	58995.29	29921.65	1162.32	-63.06	417.20	Kora North
KMDD0194	58807.77	29880.97	1196.53	-11.50	250.60	Kora North
KMDD0157	58994.25	29921.68	1162.78	-54.54	268.00	Kora North
EKDD0009	58950.51	30077.34	1873.08	-51.00	465.80	Kora North
EKDD0014	59202.36	29993.52	1779.97	-63.00	470.10	Kora North
KMDD0155	58760.28	29840.17	1211.87	15.31	176.30	Kora North
KMDD0159	58994.45	29922.03	1163.20	-61.60	384.30	Kora North
KMDD0161	58760.28	29841.38	1211.02	-2.43	164.50	Kora North
EKDD0016	59202.36	29993.52	1779.97	-68.00	517.00	Kora North
KMDD0196	58807.67	29881.29	1199.23	41.31	245.40	Kora North
KMDD0163	59118.53	29989.78	1185.93	-35.81	428.70	Kora North
KMDD0167	58898.60	29825.60	1177.30	8.20	100.70	Kora North
KMDD0198	58807.60	29879.72	1197.36	3.44	123.00	Kora North
KMDD0200	58808.00	29880.18	1199.25	41.84	166.80	Kora North
KMDD0165	58760.22	29841.23	1210.50	-22.72	229.00	Kora North
KMDD0169	59118.96	29989.75	1185.95	-51.27	437.90	Kora North
KMDD0171	58687.22	29856.50	1213.19	1.70	171.00	Kora North
KMDD0175	58687.15	29856.15	1214.97	29.70	192.40	Kora North
KMDD0202	58807.98	29879.79	1196.48	-37.20	187.90	Kora North
KMDD0173	58995.45	29922.15	1162.70	-68.88	335.90	Kora North
KMDD0204	58807.68	29879.79	1196.36	-27.26	159.10	Kora North
KMDD0177	58687.39	29856.21	1212.55	-19.94	270.90	Kora North
EKDD0003A	58950.82	30075.46	1872.33	-69.00	605.90	Kora North

The mineral resource estimate (shown in Table 3 and Table 4) for the Kora, Kora North and Irumafimpa deposits is based on the technical report prepared in accordance with National Instrument 43-101 – *Standards of Disclosure for Mineral Projects* (“NI 43-101”), and titled, “Independent Technical Report, Mineral Resources Estimate Update and Preliminary Economic Assessment of Kora North and Kora Gold Deposits, Kainantu Project, Papua New Guinea” with an effective date of September 30, 2018 (the “Technical Report”) prepared by Anthony Woodward BSc (Hons.), M.Sc., MAIG, Simon Tear BSc (Hons), EurGeol, PGeo IGI, EurGeol, Christopher Desoe BE (Min)(Hons), FAusIMM, RPEQ, MMICA, Lisa J. Park, BEng (Chem), GAICD, FAusIMM.

Table 3 - Kora North Mineral Resource Estimate

Global Mineral Resources Kora North Gold-Copper Mine - September 2018									
Category	Tonnes	Gold		Silver		Copper		AuEq	
	Mt	g/t	Mozs	g/t	Mozs	%	Mlbs	g/t	Mozs
Measured	0.15	18.7	0.09	8.9	0.04	0.5	1.6	19.6	0.09
Indicated	0.69	11.6	0.26	14.1	0.31	0.8	11.8	12.9	0.29
Total M & I	0.85	12.9	0.35	13.1	0.36	0.7	13.3	14.1	0.39
Inferred Total	1.92	10.7	0.66	13.3	0.82	0.7	29.5	11.9	0.74

M in table is millions.

Key Assumptions and Parameters – Kora North Deposit

Mineralization comprises two parallel, steeply west dipping, N-S striking quartz-sulphide vein systems, K1 & K2, within an encompassing dilatant structural zone hosted by phyllite. An additional structure, the Kora Link, has also been defined and provides a possible link between the two main vein systems.

Underground drilling consists of diamond core for a range of core sizes depending on length of hole and expected ground conditions. Sampling is sawn half core under geological control and generally ranges between 0.5m and 1m. Underground face sampling is completed for every fired round and is to industry standard.

QAQC data indicated no significant issues with the accuracy of the on-site analysis.

Core recovery of the mineral zone was initially 90%, this has improved to >95%. There is no relationship between core recovery and gold grade.

Geological logging is consistent and is based on a full set of logging codes covering lithology, alteration and mineralization.

The geological interpretation of the vein systems is represented as 3D wireframe solids snapped to a combination of diamond drillhole data and underground face sampling. Definition of the wireframes is based on identified gold mineralisation in drill core nominally at a 0.2g/t Au cut off in conjunction with geological control/sense and current mining widths.

Gold equivalent (AuEq) g/t was calculated using the formula $Au\ g/t + (Cu\% \times 1.53) + Ag\ g/t \times 0.0127$. (No account of metal recoveries through the plant have been used in calculating the metal equivalent grade. However, production is currently achieving 93% metal recovery for both gold and copper and gold is currently providing 95% and copper 5% of the total revenue of the mine).

Gold price US\$1,300/oz; silver US\$16.5/oz; copper US\$2.90/lb.

Table 4 – Irumafimpa and Kora/Eutompi Resource Estimates

Resource by Deposit and Category										
Deposit	Resource Category	Tonnes	Gold		Silver		Copper		Gold Equivalent	
		Mt	g/t	Moz	g/t	Moz	%	Mlb	g/t	Moz
Irumafimpa	Indicated	0.56	12.8	0.23	9	0.16	0.28	37	13.4	0.24
	Inferred	0.53	10.9	0.19	9	0.16	0.27	74	11.5	0.20
Kora/Eutompi	Inferred	4.36	7.3	1.02	35	4.9	2.23	215	11.2	1.57
Total Indicated		0.56	12.8	0.23	9	0.16	0.3	4.0	13.4	0.24
Total Inferred		4.89	7.7	1.21	32	5.06	2.0	288	11.2	1.76

Notes:

- **M in table is millions.**
- Reported tonnage and grade figures are rounded from raw estimates to reflect the order of accuracy of the estimate. Minor variations may occur during the addition of rounded numbers. Gold equivalents in Table 4 are calculated as $AuEq = Au\ g/t + Cu\% * 1.52 + Ag\ g/t * 0.0141$.

K92 Mine Geology Manager and Mine Exploration Manager, Mr. Andrew Kohler, PGeo, a qualified person under the meaning of NI 43-101, has reviewed and is responsible for the technical content of this news release.

About K92

K92 Mining Inc. is engaged in the production of gold, copper and silver from the Kora and Kora North deposits of the Kainantu Gold Mine in the Eastern Highlands province of Papua New Guinea, as well as exploration and development of mineral deposits in the immediate vicinity of the mine. The Company declared commercial production from Kainantu in February 2018 and has commenced an expansion of the mine. An updated Preliminary Economic Assessment on the property was published in January 2019. K92 is operated by a team of mining company professionals with extensive international mine-building and operational experience.

ON BEHALF OF THE COMPANY,

John Lewins, Chief Executive Officer and Director

For further information, please contact David Medilek, P.Eng., CFA at +1-604-687-7130.

www.k92mining.com

NEITHER TSX VENTURE EXCHANGE NOR ITS REGULATION SERVICES PROVIDER (AS THAT TERM IS DEFINED IN POLICIES OF THE TSX VENTURE EXCHANGE) ACCEPTS RESPONSIBILITY FOR THE ADEQUACY OR ACCURACY OF THIS RELEASE.

CAUTIONARY STATEMENT REGARDING FORWARD-LOOKING INFORMATION:

This news release includes certain “forward-looking statements” under applicable Canadian securities legislation. Forward-looking statements are necessarily based upon a number of estimates and assumptions regarding K92 Mining Inc.’s future financial, and current and projected operating performance that, while considered reasonable, are subject to known and unknown risks, uncertainties, and other factors which may cause the actual results and future events to differ materially from those expressed or implied by such forward-looking statements. All forward-looking statements in this news release are based on the opinions and estimates of management as of the date such statements are made and are subject to important risk factors and uncertainties, many of which are beyond the Company’s ability to control or predict. All statements that address future plans, activities, events, or developments that the Company believes, expects or anticipates will or may occur are forward-looking information, including statements regarding: the realization of the preliminary economic analysis for the Kainantu Gold Mine; the generation of further drilling results; expectations of future cash flows; expectations of future production results; expected success of the proposed plant expansion; potential expansion of resources; any which may or may not occur. Forward-looking statements and information contained herein are based on certain factors and assumptions regarding, among other things: there being no significant disruptions affecting the Company’s operations; political and legal developments in Papua New Guinea being consistent with the Company’s current expectations; the accuracy of K92’s current mineral reserve and mineral resource estimates; the exchange rate between the Canadian dollar and U.S. dollar, and the Papua New Guinea Kina, being approximately consistent with current levels; prices for fuel, electricity and other key supplies being approximately consistent with current levels; equipment, labour and materials costs increasing on a basis consistent with K92’s current expectations; all required permits, licenses and authorizations being obtained from the relevant governments and other relevant stakeholders within the expected timelines and the absence of material negative comments during the applicable regulatory processes; the market price of the Company’s securities; metal price; taxation; the estimation, timing and amount of future exploration and development; capital and operating costs; the availability of financing; the receipt of regulatory approvals; environmental risks; title disputes; failure of plant, equipment or processes to operate as anticipated; accidents; labour disputes; claims and limitations on insurance coverage and other risks of the mining industry; changes in national and local government regulation of mining operations; and regulations and other matters.

There can be no assurance that such statements will prove to be accurate, as actual results and future events could differ materially from those anticipated in such statements. Accordingly, readers should not place undue reliance on forward-looking statements. The Company disclaims any intention or obligation to update or revise any forward-looking statements, whether as a result of new information, future events or otherwise, except as required by law.

Figure 1 - K1 Long Section




Figure 2 - K2 Long Section





Figure 3 – Kora-Kora North-Irumafimpa Mine Section

Figure 4 – KMDD0177 Drill Core Intersecting Massive Bornite Mineralization

