

NEWS RELEASE

K92 MINING ANNOUNCES LATEST HIGH-GRADE UNDERGROUND DRILL RESULTS AT KORA AND JUDD

- **Underground drill hole JDD0051 records multiple intersections including 8.80 m at 61.17 g/t gold equivalent (“AuEq”)⁽¹⁾ or 59.52 g/t Au, 37 g/t Ag and 0.74% Cu from the J1 Vein.**
- **Underground drill hole KMDD0402 records multiple intersections including 4.20 m at 37.38 g/t AuEq or 33.85 g/t Au, 100 g/t Ag and 1.41% Cu from the K2 Vein and 8.50 m at 26.34 g/t AuEq or 24.77 g/t Au, 10 g/t Ag and 0.90% Cu from the K1 Vein.**
- **Underground drill hole KMDD0348 records multiple intersections including 8.70 m at 25.28 g/t AuEq or 8.71 g/t Au, 176 g/t Ag and 8.94% Cu from the K2 Vein.**
- **Underground drill hole JDD0084 records multiple intersections including 1.09 m at 37.96 g/t AuEq or 30.50 g/t Au, 73 g/t Ag and 4.07% Cu from the J1 Vein Hanging Wall.**
- **Underground drill hole KMDD0364 records multiple intersections including 4.92 m at 23.16 g/t AuEq or 18.15 g/t Au, 39 g/t Ag and 2.81% Cu from the K2 Vein and 4.27 m at 21.87 g/t AuEq or 20.55 g/t Au, 8 g/t Ag and 0.76% Cu from the K1 Vein.**
- **Underground drill hole KMDD0380 records multiple intersections including 6.10 m at 29.41 g/t AuEq or 29.32 g/t Au, 3 g/t Ag and 0.03% Cu from the K1 Vein.**
- **Underground drill hole KMDD0400 records multiple intersections including 10.05 m at 23.18 g/t AuEq or 22.07 g/t Au, 16 g/t Ag and 0.57% from the K1 Vein.**

Note (1): Gold equivalent (AuEq) exploration results are calculated using longer-term commodity prices with a copper price of US\$3.75/lb, a silver price of US\$20/oz and a gold price of US\$1,600/oz.

Vancouver, British Columbia, June 9, 2022 - K92 Mining Inc. (“K92” or the “Company”) (TSX: KNT; OTCQX: KNTNF) is pleased to announce results from the ongoing underground diamond drilling of the Kora and Judd deposits at the Kainantu gold mine in Papua New Guinea.

The results for the latest 116 diamond drill holes completed from underground into the Kora and Judd deposits are summarized in Table 1 and Table 2 below. The results continue to demonstrate the high-grade and continuity of Kora and Judd, with intersections largely focused on increasing drill density up-dip, down-dip, to the north and to the south, particularly at Judd. From the drilling results, all drill holes at Kora intersected mineralization, with 10 intersections exceeding 20 g/t AuEq, 25 intersections exceeding 10 g/t AuEq and 51 intersections exceeding 5 g/t AuEq. At Judd, all drill holes intersected mineralization, with 5 intersections exceeding 20 g/t AuEq, 19 intersections exceeding 10 g/t AuEq and 43 intersections exceeding 5 g/t AuEq intersections.

Kora Underground Drilling Results

At Kora, the results are highlighted by holes KMDD0402 recording multiple intersections including 4.20 m at 33.85 g/t Au, 100 g/t Ag and 1.41% Cu (37.38 g/t AuEq, 2.63 m true width) from the K2 Vein and 8.50 m at 24.77 g/t Au, 10 g/t Ag and 0.90% Cu (26.34 g/t AuEq, 5.02 m true width) from the K1 Vein; KMDD0364 recording multiple intersections including 4.92 m at 18.15 g/t Au, 39 g/t Ag and 2.81% Cu (23.16 g/t AuEq, 2.74 m true width) from the K2 Vein and 4.27 m at 20.55 g/t Au, 8 g/t Ag and 0.76% Cu (21.87 g/t AuEq, 2.21 m true width) from the K1 Vein; KMDD0400 recording multiple intersections including 10.05 m at 22.07 g/t Au, 16 g/t Ag and 0.57% Cu (23.18 g/t AuEq, 5.90 m true width) from the K1 Vein, and; KMDD0438 recording multiple intersections including 7.37 m at 21.76 g/t Au, 11 g/t Ag and 0.78% Cu (23.17 g/t AuEq, 3.68 m true width) from the K1 Vein. These holes extended high-grade mineralization up-dip and along strike at both the K1 and K2 veins. Hole KMDD0364 was incorporated into the October 31, 2021 Kora Resource Estimate.

Drilling to the south at Kora, continued to record and extend high-grade intersections, highlighted by hole KMDD0448 recording multiple intersections including 1.68 m at 9.78 g/t Au, 103 g/t Ag and 12.83% Cu (31.69 g/t AuEq, 0.74 m true width) from the K1 Vein and 2.15 m at 4.63 g/t Au, 47 g/t Ag and 3.42% Cu (10.71 g/t AuEq, 0.90 m true width) from the K2 Vein. On the K2 Vein, KMDD0348 recorded 8.70 m at 8.71 g/t Au, 176 g/t Ag and 8.94% Cu (25.28 g/t AuEq, 5.79 m true width); KMDD0426 recorded 3.00 m at 5.89 g/t Au, 180 g/t Ag and 5.93% Cu (17.67 g/t AuEq, 1.09 m true width), and; KMDD0430 0.85 m at 5.65 g/t Au, 101 g/t Ag and 5.36% Cu (15.53 g/t AuEq, 0.87 m true width). Hole KMDD0348 was incorporated into the October 31, 2021 Kora Resource Estimate.

A significant amount of drilling to the north and northern portion of the deposit was completed as part of systematically executing our drill program and although the northern portion is generally lower grade, drilling delivered solid results. Highlights include: KMDD0470 recording multiple intersections including 7.10 m at 20.00 g/t Au, 4 g/t Ag and 0.08% Cu (20.18 g/t AuEq, 3.16 m true width) from the K1 Vein; KMDD0380 recording multiple intersections including 6.10 m at 29.32 g/t Au, 3 g/t Ag and 0.03% Cu (29.41 g/t AuEq, 3.49 m true width) from the K1 Vein, and; KMDD0396 recording multiple intersections including 6.71 m at 15.24 g/t Au, 6 g/t Ag and 0.07% Cu (15.43 g/t AuEq, 3.35 m true width) from the K1 Vein. The results continue to demonstrate the potential for higher-grade mineralization extending to the North, particularly at the K1 Vein. As the twin incline development advances towards the Kora Resource, there will be increased

capability to target Kora Deep and a potential northern strike extension to depth in the second half of 2022.

Judd Underground Drilling Results

At Judd, drilling continues to demonstrate high-grade and expansion potential with the known deposit open along strike in both directions, up-dip and down-dip. To date, four known veins have been recorded at Judd, with similar vein orientation and quartz-sulphide Au-Cu-Ag mineralization as Kora. The veins remain open at depth, to surface, and only a fraction of the over 2,500m strike length has been drilled.

The results are highlighted by holes JDD0051 recording multiple intersections including 8.80 m at 59.52 g/t Au, 37 g/t Ag and 0.74% Cu (61.17 g/t AuEq, 8.80 m true width) from the J1 Vein; JDD0084 recording multiple intersections including 1.09 m at 30.50 g/t Au, 73 g/t Ag and 4.07% Cu (37.96 g/t AuEq, 0.91 m true width) from the J1 Hanging Wall, and; JDD0039 recording multiple intersections including 2.93 m at 19.76 g/t Au, 3 g/t Ag and 0.05% Cu (19.88 g/t AuEq, 1.26 m true width) from the J1 Vein. Hole JDD0039 was incorporated into the December 31, 2021 Maiden Judd Resource Estimate.

Drilling up-dip of existing development encountered multiple high-grade intersections with highlights including: JDD0043 recording multiple intersections including 4.62 m at 19.57 g/t Au, 5 g/t Ag and 0.43% Cu (20.33 g/t AuEq, 2.86 m true width) from the J1 Vein; JDD0071 recording multiple intersections including 6.05 m at 12.68 g/t Au, 31 g/t Ag and 0.68% Cu (14.17 g/t AuEq, 5.20 m true width) from the J1 Vein; JDD0073 recording multiple intersections including 8.60 m at 11.57 g/t Au, 24 g/t Ag and 0.60% Cu (12.83 g/t AuEq, 6.23 m true width) from the J1 Vein, and; JDD0074 recording multiple intersections including 7.70 m at 17.97 g/t Au, 20 g/t Ag and 0.38% Cu (18.83 g/t AuEq, 5.17 m true width) from the J1 Vein. Hole JDD0043 was incorporated into the December 31, 2021 Maiden Judd Resource Estimate.

Long sections of K1, K2 and J1 showing the location of the latest drill holes are provided in figures 1, 2 and 3, respectively. A long section showing Kora drilling to date is provided in figure 4. A long section showing Judd drilling to date is provided in figure 5. A core photograph of drill hole KMDD0402 is provided in figure 6 and a core photograph of drill hole JDD0051 is provided in figure 7.

John Lewins, K92 Chief Executive Officer and Director, stated, “*The latest underground drilling results at Kora and Judd continue to demonstrate high grades, solid thickness and continuity. The hit rate once again was very strong, with all holes intersecting mineralization, 15 intersections exceeding 20 g/t AuEq and 44 intersections exceeding 10 g/t AuEq, and featured multiple highlight intersections at both Kora and Judd, with JDD0051 recording multiple intersections including 8.80 m at 61.17 g/t AuEq on the J1 Vein and KMDD0402 recording multiple intersections including 4.20 m at 37.38 g/t AuEq on the K2 Vein and 8.50 m at 26.34 g/t AuEq on the K1 Vein.*

The drill results also highlighted that both Kora and Judd have significant expansion potential - open along strike in both directions and down dip, with Judd also open up-dip towards surface.

From underground, we continue to focus on expanding the extents of Kora and Judd in multiple directions and note that with the advancement of the twin incline in the second half of the year we plan to commence exploration of Kora deeps and a potential northern extension to Kora. Drilling at Kora South and Judd South is a major focus and rapidly expanding. From underground, we have recently commenced our first step-out drill program at Judd and Kora South from our most southerly drill caddy. On surface, Kora South and Judd South now have three drill rigs operating, from one at the beginning of the year, and a fourth drill rig is expected to arrive near term. Field mapping and sampling is also advancing at Kora South and Judd South towards the A1 Porphyry to support these programs. Lastly the results of the airborne advanced geophysics have identified multiple highly prospective epithermal and porphyry targets within our approximately 830 km² land package. It certainly is a very exciting time for exploration at Kainantu.”

Table 1 - Kainantu Gold Mine – Significant Intercepts from Kora Diamond Drilling

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KMDD0344*	52.00	62.15	10.15	4.30	1.98	6	0.09	2.20	K1
<i>including</i>	52.00	53.00	1.00	0.42	2.78	11	0.02	2.95	
<i>including</i>	53.00	53.40	0.40	0.17	2.53	16	0.27	3.16	
<i>including</i>	53.40	54.20	0.80	0.34	1.86	11	0.08	2.12	
<i>including</i>	54.20	54.55	0.35	0.15	0.01	1	0.00	0.03	
<i>including</i>	54.55	55.50	0.95	0.40	0.43	1	0.01	0.46	
<i>including</i>	55.50	56.50	1.00	0.42	0.62	2	0.03	0.70	
<i>including</i>	56.50	57.40	0.90	0.38	7.80	16	0.05	8.08	
<i>including</i>	57.40	58.10	0.70	0.30	3.39	4	0.02	3.48	
<i>including</i>	58.10	59.20	1.10	0.47	1.07	2	0.19	1.39	
<i>including</i>	59.20	59.85	0.65	0.28	0.30	3	0.19	0.64	
<i>including</i>	59.85	60.90	1.05	0.44	0.14	2	0.10	0.33	
<i>including</i>	60.90	61.20	0.30	0.13	2.90	1	0.05	2.99	
<i>including</i>	61.20	61.40	0.20	0.08	0.63	2	0.07	0.76	
<i>including</i>	61.40	61.60	0.20	0.08	0.06	8	0.15	0.39	
<i>including</i>	61.60	62.15	0.55	0.23	3.46	13	0.14	3.84	
KMDD0344*	64.00	65.00	1.00	0.42	1.12	6	0.28	1.65	
KMDD0348*	114.40	115.90	1.50	1.06	5.20	71	3.12	11.10	
KMDD0348*	115.90	117.25	1.35	0.95	1.58	18	1.20	3.73	
KMDD0348*	118.45	118.75	0.30	0.21	2.01	78	5.45	11.74	
KMDD0348*	121.70	129.90	8.70	5.79	8.71	176	8.94	25.28	K2
<i>Including</i>	121.70	122.60	0.90	0.64	21.70	215	23.50	62.15	
<i>Including</i>	122.60	123.60	1.00	0.71	5.22	165	14.21	30.12	
<i>Including</i>	123.60	123.90	0.30	0.21	10.10	710	28.10	64.13	
<i>Including</i>	123.90	125.35	1.45	1.02	13.80	256	7.39	28.88	
<i>Including</i>	125.35	126.70	1.35	0.95	8.94	85	5.36	18.62	
<i>Including</i>	126.70	128.00	1.30	0.92	5.34	106	4.17	13.37	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KMDD0344*	52.00	62.15	10.15	4.30	1.98	6	0.09	2.20	K1
<i>Including</i>	128.00	128.60	0.60	0.42	5.86	364	5.12	18.64	
<i>Including</i>	128.60	129.90	1.30	0.92	0.87	21	2.38	4.96	
KMDD0354*	43.30	55.00	11.70	6.18	3.52	2	0.10	3.71	K1
<i>including</i>	43.30	44.00	0.70	0.37	12.10	4	0.29	12.62	
<i>including</i>	44.00	45.00	1.00	0.53	0.28	1	0.01	0.31	
<i>including</i>	45.00	45.70	0.70	0.37	5.05	1	0.01	5.07	
<i>including</i>	45.70	45.90	0.20	0.11	38.75	2	0.02	38.81	
<i>including</i>	45.90	47.00	1.10	0.58	11.80	3	0.02	11.87	
<i>including</i>	47.00	48.50	1.50	0.79	0.94	2	0.02	0.99	
<i>including</i>	48.50	49.90	1.40	0.74	1.36	5	0.02	1.46	
<i>including</i>	49.90	50.30	0.40	0.21	0.44	1	0.12	0.65	
<i>including</i>	50.30	51.80	1.50	0.79	0.44	1	0.23	0.83	
<i>including</i>	51.80	52.80	1.00	0.53	0.01	1	0.01	0.04	
<i>including</i>	52.80	54.00	1.20	0.63	1.75	1	0.07	1.88	
<i>including</i>	54.00	55.00	1.00	0.53	1.88	3	0.41	2.58	
KMDD0356*	102.00	102.30	0.30	0.18	2.54	7	1.21	4.57	
KMDD0356*	124.15	137.60	13.45	8.25	1.78	4	0.16	2.09	K1
<i>including</i>	124.15	125.30	1.15	0.71	2.09	4	0.26	2.55	
<i>including</i>	125.30	126.50	1.20	0.74	0.36	2	0.11	0.57	
<i>including</i>	126.50	127.50	1.00	0.61	9.81	7	0.16	10.16	
<i>including</i>	127.50	127.90	0.40	0.25	11.10	4	0.37	11.74	
<i>including</i>	127.90	129.15	1.25	0.77	2.37	4	0.07	2.54	
<i>including</i>	129.15	130.15	1.00	0.61	0.04	2	0.01	0.09	
<i>including</i>	130.15	131.15	1.00	0.61	0.01	2	0.01	0.05	
<i>including</i>	131.15	132.15	1.00	0.61	0.03	2	0.01	0.07	
<i>including</i>	132.15	133.00	0.85	0.52	0.04	2	0.01	0.08	
<i>including</i>	133.00	134.00	1.00	0.61	0.01	2	0.01	0.05	
<i>including</i>	134.00	135.00	1.00	0.61	0.01	2	0.05	0.11	
<i>including</i>	135.00	136.00	1.00	0.61	0.01	4	0.30	0.55	
<i>including</i>	136.00	137.00	1.00	0.61	2.94	6	0.16	3.27	
<i>including</i>	137.00	137.60	0.60	0.37	1.32	27	1.27	3.70	
KMDD0356*	145.95	156.10	10.15	6.13	1.31	11	0.40	2.10	K2
<i>including</i>	145.95	147.40	1.45	0.88	4.21	11	0.57	5.26	
<i>including</i>	147.40	148.20	0.80	0.48	0.59	7	0.19	0.99	
<i>including</i>	148.20	149.45	1.25	0.75	0.82	8	0.39	1.54	
<i>including</i>	149.45	150.60	1.15	0.69	0.11	4	0.05	0.24	
<i>including</i>	150.60	151.30	0.70	0.42	0.31	10	0.71	1.58	
<i>including</i>	151.30	152.60	1.30	0.78	0.06	8	0.23	0.52	
<i>including</i>	152.60	154.00	1.40	0.85	0.24	10	0.36	0.94	
<i>including</i>	154.00	155.00	1.00	0.60	0.21	12	0.52	1.20	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KMDD0344*	52.00	62.15	10.15	4.30	1.98	6	0.09	2.20	K1
<i>including</i>	155.00	155.60	0.60	0.36	3.73	44	0.61	5.26	
<i>including</i>	155.60	156.10	0.50	0.30	4.92	16	0.78	6.38	
KMDD0356*	158.60	160.00	1.40	0.85	1.37	5	0.39	2.05	
KMDD0362*	153.40	155.00	1.60	0.97	0.97	60	3.58	7.47	K2
<i>including</i>	153.40	155.00	1.60	0.97	0.97	60	3.58	7.47	
KMDD0364*	65.70	72.00	6.30	3.26	2.46	7	0.80	3.82	K1FW
<i>including</i>	65.70	66.40	0.70	0.36	4.71	18	0.99	6.52	
<i>including</i>	66.40	67.40	1.00	0.52	3.62	4	0.54	4.54	
<i>including</i>	67.40	68.00	0.60	0.31	0.01	2	0.17	0.30	
<i>including</i>	68.00	68.53	0.53	0.27	3.94	1	0.05	4.03	
<i>including</i>	68.53	69.24	0.71	0.37	4.11	4	0.39	4.78	
<i>including</i>	69.24	70.12	0.88	0.46	0.16	4	0.25	0.62	
<i>including</i>	70.12	71.00	0.88	0.46	2.09	10	1.53	4.67	
<i>including</i>	71.00	72.00	1.00	0.52	1.58	10	1.81	4.61	
KMDD0364*	85.65	89.92	4.27	2.21	20.55	8	0.76	21.87	K1
<i>including</i>	85.65	86.65	1.00	0.52	4.78	4	0.48	5.60	
<i>including</i>	86.65	87.55	0.90	0.47	86.00	8	0.27	86.54	
<i>including</i>	87.55	88.50	0.95	0.49	1.61	10	1.26	3.76	
<i>including</i>	88.50	89.50	1.00	0.52	2.76	9	0.94	4.38	
<i>including</i>	89.50	89.92	0.42	0.22	3.04	9	0.91	4.62	
KMDD0364*	94.20	99.12	4.92	2.74	18.15	39	2.81	23.16	K2
<i>including</i>	94.20	95.20	1.00	0.56	0.53	19	1.07	2.48	
<i>including</i>	95.20	95.89	0.69	0.38	1.01	12	1.75	3.97	
<i>including</i>	95.89	96.50	0.61	0.34	57.90	83	6.56	69.48	
<i>including</i>	96.50	97.10	0.60	0.33	49.30	75	5.37	58.87	
<i>including</i>	97.10	98.10	1.00	0.56	21.60	46	2.64	26.42	
<i>including</i>	98.10	99.12	1.02	0.57	1.56	24	1.64	4.50	
KMDD0370*	69.30	70.00	0.70	0.53	1.34	1	0.01	1.37	
KMDD0370*	74.28	90.27	15.99	12.19	1.41	9	0.96	3.07	K1
<i>including</i>	74.28	75.00	0.72	0.55	6.50	9	0.73	7.78	
<i>including</i>	75.00	75.53	0.53	0.40	0.18	14	0.98	1.93	
<i>including</i>	75.53	76.15	0.62	0.47	0.01	7	0.29	0.56	
<i>including</i>	76.15	77.00	0.85	0.65	0.06	4	0.32	0.62	
<i>including</i>	77.00	77.30	0.30	0.23	0.06	4	0.46	0.85	
<i>including</i>	77.30	78.10	0.80	0.61	0.01	4	0.23	0.43	
<i>including</i>	78.10	79.00	0.90	0.69	0.01	4	0.32	0.58	
<i>including</i>	79.00	80.00	1.00	0.76	0.28	9	0.51	1.21	
<i>including</i>	80.00	81.06	1.06	0.81	0.68	12	0.59	1.77	
<i>including</i>	81.06	81.30	0.24	0.18	14.60	26	2.18	18.43	
<i>including</i>	81.30	81.77	0.47	0.36	0.47	6	1.08	2.27	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KMDD0344*	52.00	62.15	10.15	4.30	1.98	6	0.09	2.20	K1
including	81.77	82.35	0.58	0.44	0.04	14	0.84	1.56	
including	82.35	82.70	0.35	0.27	0.06	4	0.63	1.12	
including	82.70	84.00	1.30	0.99	0.83	6	0.15	1.15	
including	84.00	84.55	0.55	0.42	1.23	7	0.11	1.49	
including	84.55	85.10	0.55	0.42	0.08	3	0.01	0.14	
including	85.10	86.00	0.90	0.69	0.18	2	0.12	0.40	
including	86.00	87.00	1.00	0.76	0.43	4	0.16	0.74	
including	87.00	88.27	1.27	0.97	0.01	2	0.08	0.16	
including	88.27	89.00	0.73	0.56	0.13	4	0.32	0.69	
including	89.00	90.27	1.27	0.97	8.23	40	7.54	20.85	
KMDD0370*	106.25	112.20	5.95	4.57	10.28	216	0.98	14.57	K2
including	106.25	107.20	0.95	0.73	17.10	153	1.03	20.67	
including	107.20	108.00	0.80	0.61	2.56	57	0.28	3.72	
including	108.00	109.00	1.00	0.77	17.50	253	0.85	22.03	
including	109.00	109.70	0.70	0.54	4.20	286	2.04	11.05	
including	109.70	110.40	0.70	0.54	20.20	680	2.65	32.96	
including	110.40	111.90	1.50	1.15	5.40	105	0.15	6.96	
including	111.90	112.20	0.30	0.23	0.73	35	0.93	2.67	
KMDD0370*	112.70	113.70	1.00	0.77	0.40	31	2.55	4.89	
KMDD0374	117.90	147.10	29.20	14.11	0.48	20	2.35	4.52	K2
including	117.90	118.61	0.71	0.34	1.79	2	0.19	2.13	
including	118.61	120.00	1.39	0.67	2.05	48	4.31	9.58	
including	120.00	121.00	1.00	0.48	0.86	32	1.04	2.93	
including	121.00	121.60	0.60	0.29	0.12	10	0.33	0.78	
including	121.60	122.60	1.00	0.48	0.01	3	0.19	0.36	
including	122.60	123.60	1.00	0.48	0.08	2	0.05	0.18	
including	123.60	124.80	1.20	0.58	0.01	2	0.04	0.09	
including	124.80	125.80	1.00	0.48	0.01	2	0.13	0.24	
including	125.80	126.80	1.00	0.48	0.01	2	0.72	1.19	
including	126.80	127.80	1.00	0.48	0.19	6	1.40	2.51	
including	127.80	128.60	0.80	0.39	0.32	11	1.54	2.93	
including	128.60	129.05	0.45	0.22	0.29	13	3.03	5.32	
including	129.05	129.40	0.35	0.17	0.59	125	21.10	36.06	
including	129.40	130.25	0.85	0.41	0.39	117	16.15	27.81	
including	130.25	131.20	0.95	0.46	0.22	23	3.38	5.94	
including	131.20	131.55	0.35	0.17	0.13	9	0.24	0.63	
including	131.55	132.55	1.00	0.48	0.34	14	1.05	2.20	
including	132.55	133.40	0.85	0.41	0.24	4	0.20	0.61	
including	133.40	133.90	0.50	0.24	0.78	4	0.17	1.10	
including	133.90	135.10	1.20	0.58	0.02	3	0.31	0.56	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KMDD0344*	52.00	62.15	10.15	4.30	1.98	6	0.09	2.20	K1
including	135.10	136.10	1.00	0.48	0.36	8	0.51	1.28	
including	136.10	137.60	1.50	0.72	0.38	4	0.39	1.06	
including	137.60	138.30	0.70	0.34	0.62	9	0.97	2.28	
including	138.30	138.90	0.60	0.29	0.56	11	1.09	2.46	
including	138.90	140.00	1.10	0.53	0.33	20	1.29	2.66	
including	140.00	141.24	1.24	0.60	0.29	18	1.39	2.75	
including	141.24	142.00	0.76	0.37	0.38	9	1.32	2.62	
including	142.00	143.00	1.00	0.48	0.41	16	6.92	11.73	
including	143.00	144.00	1.00	0.48	0.39	28	3.04	5.63	
including	144.00	145.00	1.00	0.48	0.48	72	7.21	12.97	
including	145.00	145.76	0.76	0.37	0.72	79	8.41	15.22	
including	145.76	147.10	1.34	0.65	1.55	4	0.05	1.68	
KMDD0376*	147.50	157.25	9.75	6.18	3.75	153	3.62	11.48	K2
including	147.50	148.50	1.00	0.63	0.21	12	1.51	2.79	
including	148.50	149.40	0.90	0.57	33.50	1290	21.20	83.69	
including	149.40	150.40	1.00	0.63	0.05	7	0.39	0.76	
including	150.40	150.95	0.55	0.35	0.15	26	0.99	2.06	
including	150.95	151.95	1.00	0.63	1.03	119	5.52	11.39	
including	151.95	153.10	1.15	0.73	0.18	18	1.27	2.44	
including	153.10	154.10	1.00	0.63	0.12	7	0.61	1.18	
including	154.10	155.10	1.00	0.63	0.32	13	1.11	2.26	
including	155.10	156.00	0.90	0.57	0.23	7	0.55	1.19	
including	156.00	156.25	0.25	0.16	4.20	89	3.85	11.50	
including	156.25	157.25	1.00	0.63	3.10	110	3.66	10.36	
KMDD0378	80.00	90.60	10.60	8.02	5.81	8	0.70	7.04	K1
including	80.00	80.68	0.68	0.51	16.74	15	1.46	19.27	
including	80.68	81.60	0.92	0.70	0.58	4	0.41	1.29	
including	81.60	82.60	1.00	0.76	0.31	2	0.07	0.46	
including	82.60	83.60	1.00	0.76	1.10	4	0.31	1.65	
including	83.60	84.54	0.94	0.71	0.66	13	0.76	2.05	
including	84.54	84.93	0.39	0.30	5.02	28	3.67	11.27	
including	84.93	85.60	0.67	0.51	0.44	16	1.23	2.61	
including	85.60	86.60	1.00	0.76	2.07	17	1.34	4.43	
including	86.60	87.60	1.00	0.76	0.21	3	0.29	0.71	
including	87.60	88.60	1.00	0.76	1.28	2	0.13	1.51	
including	88.60	89.60	1.00	0.76	37.80	5	0.69	38.97	
including	89.60	90.60	1.00	0.76	4.07	3	0.30	4.58	
KMDD0378	93.00	108.90	15.90	12.37	1.89	14	1.06	3.76	K2
including	93.00	94.20	1.20	0.93	10.17	17	4.21	17.15	
including	94.20	95.40	1.20	0.93	2.44	46	2.31	6.73	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KMDD0344*	52.00	62.15	10.15	4.30	1.98	6	0.09	2.20	K1
<i>including</i>	95.40	97.00	1.60	1.24	0.83	5	0.61	1.87	
<i>including</i>	97.00	98.30	1.30	1.01	0.26	3	0.37	0.89	
<i>including</i>	98.30	99.50	1.20	0.93	0.02	1	0.01	0.05	
<i>including</i>	99.50	100.50	1.00	0.78	0.01	1	0.00	0.03	
<i>including</i>	100.50	101.50	1.00	0.78	0.01	1	0.00	0.03	
<i>including</i>	101.50	102.50	1.00	0.78	0.01	1	0.00	0.03	
<i>including</i>	102.50	103.50	1.00	0.78	0.04	1	0.03	0.10	
<i>including</i>	103.50	104.40	0.90	0.70	0.10	19	2.02	3.58	
<i>including</i>	104.40	105.40	1.00	0.78	4.77	17	2.78	9.45	
<i>including</i>	105.40	106.60	1.20	0.93	0.90	48	0.72	2.66	
<i>including</i>	106.60	106.90	0.30	0.23	5.92	52	2.26	10.20	
<i>including</i>	106.90	107.90	1.00	0.78	0.76	6	0.23	1.21	
<i>including</i>	107.90	108.90	1.00	0.78	4.63	17	1.15	6.69	
KMDD0378	119.90	121.00	1.10	0.86	2.25	15	2.52	6.49	K2HW
<i>including</i>	119.90	121.00	1.10	0.86	2.25	15	2.52	6.49	
KMDD0378	130.24	131.00	0.76	0.59	1.22	34	1.86	4.63	
KMDD0378	134.45	135.05	0.60	0.47	0.62	33	4.58	8.39	
KMDD0378	137.20	137.75	0.55	0.43	1.10	52	3.51	7.39	
KMDD0380	41.60	47.70	6.10	3.49	29.32	3	0.03	29.41	K1
<i>including</i>	41.60	42.60	1.00	0.57	6.58	1	0.02	6.62	
<i>including</i>	42.60	43.20	0.60	0.34	151.60	1	0.01	151.63	
<i>including</i>	43.20	44.20	1.00	0.57	23.59	2	0.02	23.65	
<i>including</i>	44.20	44.90	0.70	0.40	5.83	1	0.02	5.87	
<i>including</i>	44.90	46.04	1.14	0.65	0.61	1	0.02	0.65	
<i>including</i>	46.04	47.00	0.96	0.55	53.43	14	0.07	53.72	
<i>including</i>	47.00	47.70	0.70	0.40	2.38	3	0.03	2.46	
KMDD0380	52.50	53.30	0.80	0.46	1.93	1	0.02	1.98	
KMDD0380	118.80	119.80	1.00	0.57	1.90	1	0.01	1.93	
KMDD0380	136.00	137.00	1.00	0.51	1.05	1	0.01	1.07	
KMDD0380	140.90	142.80	1.90	0.96	1.20	4	0.11	1.43	K2
<i>including</i>	140.90	141.80	0.90	0.46	2.12	4	0.10	2.34	
<i>including</i>	141.80	142.80	1.00	0.51	0.38	4	0.11	0.61	
KMDD0380	152.80	153.80	1.00	0.51	0.39	7	0.53	1.32	
KMDD0382	113.50	114.47	0.97	0.72	1.68	2	0.19	2.00	
KMDD0382	114.47	128.50	14.03	10.44	2.80	5	0.10	3.02	K1
<i>including</i>	114.47	114.70	0.23	0.17	3.64	2	0.02	3.69	
<i>including</i>	114.70	115.20	0.50	0.37	0.23	1	0.00	0.25	
<i>including</i>	115.20	116.03	0.83	0.62	0.09	2	0.04	0.18	
<i>including</i>	116.03	116.50	0.47	0.35	1.53	1	0.03	1.58	
<i>including</i>	116.50	116.95	0.45	0.33	2.86	2	0.03	2.93	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KMDD0344*	52.00	62.15	10.15	4.30	1.98	6	0.09	2.20	K1
including	116.95	117.50	0.55	0.41	2.27	2	0.05	2.38	
including	117.50	118.30	0.80	0.60	7.34	2	0.04	7.44	
including	118.30	118.85	0.55	0.41	0.38	1	0.03	0.43	
including	118.85	119.40	0.55	0.41	0.06	2	0.02	0.11	
including	119.40	119.95	0.55	0.41	0.11	1	0.02	0.15	
including	119.95	120.95	1.00	0.74	0.01	1	0.07	0.14	
including	120.95	121.60	0.65	0.48	0.15	1	0.02	0.20	
including	121.60	122.50	0.90	0.67	1.69	1	0.01	1.72	
including	122.50	123.35	0.85	0.63	0.58	1	0.01	0.61	
including	123.35	123.85	0.50	0.37	5.25	3	0.05	5.36	
including	123.85	124.60	0.75	0.56	0.46	1	0.00	0.47	
including	124.60	125.50	0.90	0.67	13.06	2	0.03	13.14	
including	125.50	126.00	0.50	0.37	3.32	4	0.08	3.49	
including	126.00	127.30	1.30	0.97	2.27	3	0.02	2.34	
including	127.30	128.50	1.20	0.89	6.11	45	0.83	8.01	
KMDD0382	133.30	143.90	10.60	8.06	2.57	17	0.36	3.36	K2
including	133.30	133.80	0.50	0.38	10.02	162	0.13	12.25	
including	133.80	134.50	0.70	0.53	1.70	8	0.27	2.24	
including	134.50	135.40	0.90	0.68	2.58	23	0.03	2.92	
including	135.40	135.60	0.20	0.15	2.12	21	0.39	3.01	
including	135.60	136.60	1.00	0.76	0.22	2	0.18	0.54	
including	136.60	137.50	0.90	0.68	0.14	2	0.08	0.30	
including	137.50	138.40	0.90	0.68	0.02	1	0.27	0.46	
including	138.40	139.20	0.80	0.61	0.68	2	0.14	0.92	
including	139.20	139.80	0.60	0.46	9.08	2	0.20	9.43	
including	139.80	140.35	0.55	0.42	5.37	2	0.06	5.49	
including	140.35	141.50	1.15	0.87	0.29	1	0.01	0.32	
including	141.50	142.50	1.00	0.76	4.26	39	2.63	8.97	
including	142.50	143.50	1.00	0.76	3.75	13	0.04	3.98	
including	143.50	143.90	0.40	0.30	1.62	5	0.07	1.79	
KMDD0382	146.07	146.40	0.33	0.25	2.77	65	2.83	8.13	
KMDD0382	146.40	147.60	1.20	0.91	0.01	4	4.09	6.63	
KMDD0384	27.77	28.35	0.58	0.36	3.16	15	2.36	7.14	
KMDD0384	108.13	109.13	1.00	0.63	1.00	1	0.01	1.03	K1
including	108.13	109.13	1.00	0.63	1.00	1	0.01	1.03	
including	0.00	0.00	0.00	0.00	0.00	0	0.00	0.00	
KMDD0384	141.03	143.40	2.37	1.46	4.24	40	5.72	13.94	K2
including	141.03	141.90	0.87	0.54	1.41	25	1.25	3.74	
including	141.90	142.35	0.45	0.28	16.24	103	20.40	50.31	
including	142.35	142.60	0.25	0.15	1.68	62	8.47	16.07	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KMDD0344*	52.00	62.15	10.15	4.30	1.98	6	0.09	2.20	K1
<i>including</i>	142.60	143.40	0.80	0.49	1.38	13	1.47	3.90	
KMDD0386	38.90	41.00	2.10	1.60	1.97	11	1.99	5.31	K1FW
<i>including</i>	38.90	39.20	0.30	0.23	4.32	24	4.56	11.95	
<i>including</i>	39.20	39.90	0.70	0.53	0.02	2	0.32	0.56	
<i>including</i>	39.90	40.30	0.40	0.30	3.69	22	4.33	10.92	
<i>including</i>	40.30	41.00	0.70	0.53	1.92	8	1.23	4.00	
KMDD0386	62.40	74.00	11.60	8.75	4.26	13	1.45	6.75	K2
<i>including</i>	62.40	63.35	0.95	0.72	23.90	5	0.52	24.79	
<i>including</i>	63.35	64.10	0.75	0.57	0.18	2	0.10	0.36	
<i>including</i>	64.10	64.30	0.20	0.15	12.88	3	0.27	13.35	
<i>including</i>	64.30	65.25	0.95	0.72	0.11	1	0.03	0.16	
<i>including</i>	65.25	66.15	0.90	0.68	8.33	11	1.36	10.65	
<i>including</i>	66.15	67.50	1.35	1.02	4.39	13	3.14	9.60	
<i>including</i>	67.50	68.55	1.05	0.79	2.01	8	1.11	3.90	
<i>including</i>	68.55	69.50	0.95	0.72	0.47	3	0.16	0.76	
<i>including</i>	69.50	70.35	0.85	0.64	0.48	4	0.74	1.73	
<i>including</i>	70.35	70.80	0.45	0.34	1.44	14	1.02	3.25	
<i>including</i>	70.80	71.60	0.80	0.60	0.52	12	0.73	1.85	
<i>including</i>	71.60	72.00	0.40	0.30	6.35	122	6.14	17.74	
<i>including</i>	72.00	73.00	1.00	0.75	1.47	18	4.02	8.16	
<i>including</i>	73.00	74.00	1.00	0.75	2.48	13	1.21	4.58	
KMDD0388	60.75	69.60	8.85	3.27	11.76	3	0.06	11.89	K1
<i>including</i>	60.75	61.40	0.65	0.24	5.08	2	0.07	5.22	
<i>including</i>	61.40	62.00	0.60	0.22	31.80	13	0.04	32.03	
<i>including</i>	62.00	63.00	1.00	0.37	1.07	3	0.02	1.14	
<i>including</i>	63.00	64.00	1.00	0.37	77.50	1	0.02	77.54	
<i>including</i>	64.00	65.00	1.00	0.37	0.76	2	0.06	0.87	
<i>including</i>	65.00	65.90	0.90	0.33	0.47	2	0.12	0.69	
<i>including</i>	65.90	67.00	1.10	0.41	0.27	2	0.05	0.38	
<i>including</i>	67.00	68.00	1.00	0.37	0.14	1	0.01	0.16	
<i>including</i>	68.00	69.00	1.00	0.37	0.20	2	0.09	0.38	
<i>including</i>	69.00	69.30	0.30	0.11	0.28	3	0.43	1.01	
<i>including</i>	69.30	69.60	0.30	0.11	3.93	1	0.02	3.98	
KMDD0388	75.35	76.00	0.65	0.24	1.31	2	0.09	1.48	
KMDD0388	76.00	77.00	1.00	0.37	5.01	6	0.11	5.26	
KMDD0388	81.30	82.20	0.90	0.33	6.17	4	0.15	6.46	
KMDD0388	85.00	86.00	1.00	0.37	4.15	1	0.01	4.18	
KMDD0388	201.00	202.00	1.00	0.37	2.74	1	0.00	2.76	
KMDD0388	219.00	219.70	0.70	0.26	1.61	1	0.01	1.63	
KMDD0388	241.60	244.30	2.70	1.08	0.67	7	1.04	2.43	K2

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KMDD0344*	52.00	62.15	10.15	4.30	1.98	6	0.09	2.20	K1
including	241.60	242.70	1.10	0.44	0.70	4	0.51	1.57	
including	242.70	243.60	0.90	0.36	0.33	3	0.68	1.46	
including	243.60	244.30	0.70	0.28	1.06	16	2.33	5.00	
KMDD0390	33.94	34.10	0.16	0.10	2.78	18	0.05	3.08	
KMDD0390	87.40	96.45	9.05	5.89	8.88	12	1.04	10.70	K1
including	87.40	88.50	1.10	0.72	15.86	21	2.82	20.65	
including	88.50	89.25	0.75	0.49	21.60	9	1.18	23.61	
including	89.25	90.00	0.75	0.49	0.76	2	0.09	0.93	
including	90.00	90.75	0.75	0.49	3.57	2	0.04	3.66	
including	90.75	92.00	1.25	0.81	1.53	3	0.23	1.94	
including	92.00	93.45	1.45	0.94	16.14	8	0.48	17.01	
including	93.45	94.00	0.55	0.36	7.91	9	1.18	9.92	
including	94.00	94.90	0.90	0.59	0.88	16	1.39	3.31	
including	94.90	95.15	0.25	0.16	49.06	145	6.96	62.06	
including	95.15	96.45	1.30	0.85	0.57	3	0.53	1.47	
KMDD0390	98.40	106.40	8.00	5.21	9.16	21	1.74	12.22	K2
including	98.40	98.70	0.30	0.20	29.86	5	0.46	30.67	
including	98.70	99.25	0.55	0.36	0.18	2	0.10	0.37	
including	99.25	100.00	0.75	0.49	9.42	52	3.85	16.26	
including	100.00	100.90	0.90	0.59	1.65	36	6.39	12.37	
including	100.90	101.50	0.60	0.39	0.23	2	0.38	0.86	
including	101.50	102.20	0.70	0.46	0.15	2	0.29	0.64	
including	102.20	103.10	0.90	0.59	0.63	6	0.48	1.47	
including	103.10	104.60	1.50	0.98	0.99	5	0.23	1.42	
including	104.60	105.40	0.80	0.52	62.57	43	3.45	68.65	
including	105.40	106.00	0.60	0.39	2.65	51	1.19	5.20	
including	106.00	106.40	0.40	0.26	4.32	34	1.10	6.51	
KMDD0392	121.75	122.30	0.55	0.38	5.13	2	0.03	5.21	
KMDD0392	124.15	124.70	0.55	0.38	1.27	15	0.48	2.22	
KMDD0392	125.70	137.00	11.30	7.75	3.29	7	0.26	3.80	K1
including	125.70	126.09	0.39	0.27	8.92	1	0.03	8.98	
including	126.09	127.41	1.32	0.91	0.05	1	0.04	0.12	
including	127.41	127.84	0.43	0.29	0.30	1	0.02	0.34	
including	127.84	128.70	0.86	0.59	0.49	1	0.04	0.56	
including	128.70	129.50	0.80	0.55	0.32	1	0.08	0.46	
including	129.50	130.12	0.62	0.43	0.18	1	0.06	0.28	
including	130.12	131.20	1.08	0.74	0.77	2	0.13	1.00	
including	131.20	131.70	0.50	0.34	5.18	1	0.05	5.27	
including	131.70	132.38	0.68	0.47	7.32	1	0.03	7.38	
including	132.38	134.40	2.02	1.39	3.77	1	0.03	3.83	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KMDD0344*	52.00	62.15	10.15	4.30	1.98	6	0.09	2.20	K1
<i>including</i>	134.40	137.00	2.60	1.78	6.44	25	0.97	8.32	
KMDD0392	145.10	155.40	10.30	7.12	5.51	14	0.49	6.47	K2
<i>including</i>	145.10	146.40	1.30	0.90	9.58	12	0.61	10.70	
<i>including</i>	146.40	147.60	1.20	0.83	0.64	3	0.18	0.96	
<i>including</i>	147.60	147.93	0.33	0.23	0.56	4	0.19	0.92	
<i>including</i>	147.93	149.20	1.27	0.88	0.62	5	0.12	0.87	
<i>including</i>	149.20	149.67	0.47	0.32	5.31	14	0.32	5.99	
<i>including</i>	149.67	150.95	1.28	0.88	3.80	42	1.64	6.96	
<i>including</i>	150.95	152.10	1.15	0.79	27.90	31	0.79	29.56	
<i>including</i>	152.10	152.92	0.82	0.57	0.08	7	0.15	0.41	
<i>including</i>	152.92	154.85	1.93	1.33	0.83	2	0.05	0.93	
<i>including</i>	154.85	155.40	0.55	0.38	2.69	20	0.81	4.25	
KMDD0392	161.60	170.60	9.00	6.22	2.52	39	0.98	4.58	K2HW
<i>including</i>	161.60	165.60	4.00	2.77	3.29	66	1.22	6.07	
<i>including</i>	165.60	168.40	2.80	1.94	1.33	21	1.40	3.84	
<i>including</i>	168.40	170.60	2.20	1.52	2.63	12	0.03	2.83	
KMDD0392	196.00	196.90	0.90	0.62	1.88	43	1.14	4.24	K3
KMDD0394	96.00	97.00	1.00	0.29	1.05	1	0.01	1.08	
KMDD0394	105.33	105.90	0.57	0.17	1.83	26	0.41	2.81	
KMDD0394	105.90	106.40	0.50	0.15	1.29	7	0.31	1.87	
KMDD0394	114.30	114.95	0.65	0.19	1.33	1	0.02	1.37	
KMDD0394	134.29	136.00	1.71	0.83	0.32	43	4.59	8.24	K2
<i>including</i>	134.29	134.90	0.61	0.25	0.60	104	8.41	15.41	
<i>including</i>	134.90	135.15	0.25	0.32	0.32	20	4.88	8.41	
<i>including</i>	135.15	136.00	0.85	0.25	0.04	12	0.35	0.75	
KMDD0394	166.10	167.00	0.90	0.26	2.20	1	0.01	2.23	
KMDD0396	48.40	55.11	6.71	3.35	15.24	6	0.07	15.43	K1
<i>Including</i>	48.40	49.90	1.50	0.75	2.14	2	0.08	2.30	
<i>Including</i>	49.90	50.70	0.80	0.40	8.26	1	0.02	8.30	
<i>Including</i>	50.70	51.90	1.20	0.60	9.65	6	0.02	9.76	
<i>Including</i>	51.90	52.45	0.55	0.27	106.20	29	0.08	106.69	
<i>Including</i>	52.45	52.95	0.50	0.25	25.62	2	0.02	25.68	
<i>Including</i>	52.95	54.05	1.10	0.55	7.64	4	0.10	7.85	
<i>Including</i>	54.05	55.11	1.06	0.53	1.15	6	0.10	1.38	
KMDD0396	176.00	177.85	1.85	0.73	2.86	5	0.11	3.10	K2
<i>Including</i>	176.00	176.55	0.55	0.22	1.89	2	0.08	2.04	
<i>Including</i>	176.55	177.47	0.92	0.36	4.36	6	0.11	4.61	
<i>Including</i>	177.47	177.85	0.38	0.15	0.64	8	0.15	0.99	
KMDD0398	51.30	62.80	11.50	6.21	5.58	18	0.07	5.91	K1
<i>including</i>	51.30	51.50	0.20	0.11	161.60	770	0.06	171.32	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KMDD0344*	52.00	62.15	10.15	4.30	1.98	6	0.09	2.20	K1
including	51.50	52.10	0.60	0.32	2.75	16	0.08	3.07	
including	52.10	52.90	0.80	0.43	28.19	18	0.05	28.50	
including	52.90	53.80	0.90	0.49	3.27	12	0.09	3.56	
including	53.80	54.60	0.80	0.43	1.00	7	0.09	1.23	
including	54.60	55.60	1.00	0.54	0.27	1	0.03	0.33	
including	55.60	56.00	0.40	0.22	0.14	1	0.02	0.19	
including	56.00	57.00	1.00	0.54	0.04	1	0.01	0.07	
including	57.00	58.10	1.10	0.59	0.01	1	0.03	0.07	
including	58.10	59.10	1.00	0.54	0.04	1	0.06	0.15	
including	59.10	60.10	1.00	0.54	0.10	1	0.07	0.23	
including	60.10	62.80	2.70	1.46	1.24	1	0.13	1.47	
KMDD0398	175.00	176.00	1.00	0.54	1.84	1	0.00	1.85	K2
including	175.00	176.00	1.00	0.54	1.84	1	0.00	1.85	
KMDD0400	98.00	108.05	10.05	5.90	22.07	16	0.57	23.18	K1
including	98.00	99.10	1.10	0.65	2.83	7	0.35	3.49	
including	99.10	100.60	1.50	0.88	3.71	3	0.42	4.43	
including	100.60	102.00	1.40	0.82	1.61	2	0.05	1.72	
including	102.00	103.05	1.05	0.62	0.37	1	0.05	0.47	
including	103.05	103.90	0.85	0.50	68.60	14	0.35	69.34	
including	103.90	104.20	0.30	0.18	0.72	6	0.29	1.26	
including	104.20	104.48	0.28	0.16	5.14	16	3.76	11.38	
including	104.48	105.00	0.52	0.31	2.35	17	2.06	5.87	
including	105.00	106.46	1.46	0.86	95.10	63	1.38	98.11	
including	106.46	107.00	0.54	0.32	17.30	20	0.02	17.59	
including	107.00	108.05	1.05	0.62	1.03	10	0.02	1.19	
KMDD0400	111.90	112.79	0.89	0.52	4.77	55	3.08	10.41	
KMDD0400	116.00	116.90	0.90	0.53	1.04	12	0.49	1.97	
KMDD0400	116.90	117.90	1.00	0.59	1.49	8	0.40	2.23	
KMDD0402	102.60	111.10	8.50	5.02	24.77	10	0.90	26.34	K1
including	102.60	103.35	0.75	0.44	8.06	2	0.28	8.54	
including	103.35	104.31	0.96	0.57	0.17	1	0.07	0.30	
including	104.31	104.66	0.35	0.21	35.86	28	7.37	48.05	
including	104.66	105.62	0.96	0.57	23.96	8	0.83	25.39	
including	105.62	107.00	1.38	0.82	0.60	3	0.09	0.78	
including	107.00	107.80	0.80	0.47	155.40	8	0.15	155.75	
including	107.80	109.21	1.41	0.83	1.81	2	0.31	2.33	
including	109.21	110.55	1.34	0.79	30.30	30	2.27	34.32	
including	110.55	111.10	0.55	0.33	0.86	14	0.53	1.88	
KMDD0402	123.20	127.40	4.20	2.63	33.85	100	1.41	37.38	K2
including	123.20	124.00	0.80	0.50	1.73	26	0.27	2.49	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KMDD0344*	52.00	62.15	10.15	4.30	1.98	6	0.09	2.20	K1
<i>including</i>	124.00	124.48	0.48	0.30	1.00	12	0.15	1.39	
<i>including</i>	124.48	125.00	0.52	0.33	39.72	98	2.77	45.40	
<i>including</i>	125.00	125.59	0.59	0.37	196.80	510	0.34	203.71	
<i>including</i>	125.59	126.55	0.96	0.60	1.23	18	0.09	1.60	
<i>including</i>	126.55	127.40	0.85	0.53	2.78	31	4.61	10.58	
KMDD0402	137.60	138.40	0.80	0.50	2.02	77	2.42	6.88	K2HW
<i>including</i>	137.60	138.20	0.60	0.38	1.18	79	3.04	7.05	
<i>including</i>	138.20	138.40	0.20	0.13	4.55	72	0.57	6.36	
KMDD0404	104.81	107.23	2.42	2.02	5.53	21	0.31	6.30	K1
<i>including</i>	104.81	105.26	0.45	0.38	2.51	4	0.45	3.29	
<i>including</i>	105.26	106.08	0.82	0.68	0.34	1	0.08	0.48	
<i>including</i>	106.08	107.23	1.15	0.96	10.42	42	0.42	11.62	
KMDD0404	111.23	116.53	5.30	4.31	18.67	40	0.42	19.84	K2
<i>including</i>	111.23	111.57	0.34	0.28	2.66	1	0.02	2.71	
<i>including</i>	111.57	111.81	0.24	0.20	0.11	1	0.01	0.13	
<i>including</i>	111.81	112.32	0.51	0.42	14.63	2	0.04	14.72	
<i>including</i>	112.32	113.23	0.91	0.74	70.77	145	0.42	73.26	
<i>including</i>	113.23	113.59	0.36	0.29	0.53	3	0.11	0.74	
<i>including</i>	113.59	114.15	0.56	0.46	4.04	11	0.56	5.08	
<i>including</i>	114.15	114.72	0.57	0.46	1.92	6	0.71	3.13	
<i>including</i>	114.72	115.07	0.35	0.28	11.55	23	0.62	12.83	
<i>including</i>	115.07	115.55	0.48	0.39	35.07	50	0.24	36.08	
<i>including</i>	115.55	116.16	0.61	0.50	2.55	40	1.05	4.73	
<i>including</i>	116.16	116.53	0.37	0.30	0.54	29	0.17	1.18	
KMDD0406	62.10	69.10	7.00	3.28	0.44	4	0.23	0.87	K1
<i>including</i>	62.10	63.85	1.75	0.82	0.88	9	0.64	2.01	
<i>including</i>	63.85	64.35	0.50	0.23	0.98	4	0.47	1.78	
<i>including</i>	64.35	65.20	0.85	0.40	0.27	1	0.01	0.30	
<i>including</i>	65.20	66.10	0.90	0.42	0.18	1	0.01	0.20	
<i>including</i>	66.10	67.10	1.00	0.47	0.48	4	0.05	0.61	
<i>including</i>	67.10	67.90	0.80	0.37	0.03	2	0.04	0.11	
<i>including</i>	67.90	69.10	1.20	0.56	0.15	5	0.15	0.45	
KMDD0406	83.00	84.00	1.00	0.47	4.71	2	0.00	4.74	
<i>including</i>	83.00	84.00	1.00	0.47	4.71	2	0.00	4.74	
KMDD0406	168.87	169.85	0.98	0.62	1.55	2	0.44	2.28	K2
<i>including</i>	168.87	169.85	0.98	0.62	1.55	2	0.44	2.28	
KMDD0406	226.20	227.70	1.50	0.95	1.36	1	0.00	1.38	
<i>including</i>	226.20	227.70	1.50	0.95	1.36	1	0.00	1.38	
KMDD0406	231.88	232.50	0.62	0.39	3.39	4	0.19	3.74	
<i>including</i>	231.88	232.50	0.62	0.39	3.39	4	0.19	3.74	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KMDD0344*	52.00	62.15	10.15	4.30	1.98	6	0.09	2.20	K1
KMDD0408	103.05	105.40	2.35	1.55	6.99	7	0.28	7.53	K1
Including	103.05	103.90	0.85	0.56	3.46	4	0.22	3.86	
Including	103.90	104.60	0.70	0.46	12.81	4	0.37	13.46	
Including	104.60	105.40	0.80	0.53	5.65	12	0.27	6.23	
KMDD0408	106.55	121.30	14.75	9.70	5.67	9	0.56	6.68	K2
Including	106.55	107.20	0.65	0.43	5.03	2	0.09	5.20	
Including	107.20	107.85	0.65	0.43	1.01	3	0.19	1.34	
Including	107.85	108.95	1.10	0.72	2.73	7	0.55	3.69	
Including	108.95	110.10	1.15	0.76	14.63	12	1.37	16.98	
Including	110.10	111.00	0.90	0.59	1.24	6	0.61	2.30	
Including	111.00	112.00	1.00	0.66	14.35	8	0.74	15.64	
Including	112.00	112.50	0.50	0.33	15.19	4	0.30	15.73	
Including	112.50	112.90	0.40	0.26	47.85	11	1.13	49.81	
Including	112.90	114.00	1.10	0.72	10.20	8	0.63	11.30	
Including	114.00	115.05	1.05	0.69	0.35	3	0.04	0.45	
Including	115.05	116.00	0.95	0.62	0.46	4	0.06	0.60	
Including	116.00	117.00	1.00	0.66	1.92	41	0.20	2.76	
Including	117.00	118.00	1.00	0.66	1.53	9	0.16	1.90	
Including	118.00	119.00	1.00	0.66	0.48	4	0.13	0.73	
Including	119.00	120.00	1.00	0.66	0.56	7	0.65	1.70	
Including	120.00	121.00	1.00	0.66	0.44	6	0.48	1.29	
Including	121.00	121.30	0.30	0.20	2.48	26	5.39	11.47	
KMDD0410	79.70	110.00	30.30	5.42	1.43	2	0.04	1.52	K1
Including	79.70	80.00	0.30	0.05	1.05	2	0.04	1.14	
Including	80.00	81.00	1.00	0.18	2.38	4	0.12	2.62	
Including	81.00	81.70	0.70	0.13	0.15	3	0.07	0.30	
Including	81.70	82.10	0.40	0.07	0.29	2	0.05	0.39	
Including	82.10	83.10	1.00	0.18	0.18	2	0.01	0.22	
Including	83.10	84.00	0.90	0.16	1.02	1	0.01	1.04	
Including	84.00	84.60	0.60	0.11	8.27	2	0.04	8.36	
Including	84.60	86.00	1.40	0.25	3.30	3	0.05	3.42	
Including	86.00	87.00	1.00	0.18	2.48	3	0.06	2.61	
Including	87.00	88.00	1.00	0.18	1.02	2	0.02	1.08	
Including	88.00	89.00	1.00	0.18	2.11	2	0.05	2.22	
Including	89.00	90.00	1.00	0.18	0.31	3	0.05	0.43	
Including	90.00	91.00	1.00	0.18	0.36	4	0.09	0.56	
Including	91.00	92.30	1.30	0.23	0.22	3	0.07	0.38	
Including	92.30	93.60	1.30	0.23	0.12	2	0.02	0.18	
Including	93.60	94.40	0.80	0.14	0.89	1	0.02	0.94	
Including	94.40	95.10	0.70	0.13	0.48	2	0.02	0.53	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KMDD0344*	52.00	62.15	10.15	4.30	1.98	6	0.09	2.20	K1
<i>Including</i>	95.10	96.00	0.90	0.16	0.08	1	0.01	0.10	
<i>Including</i>	96.00	97.00	1.00	0.18	3.43	2	0.02	3.49	
<i>Including</i>	97.00	98.00	1.00	0.18	0.21	1	0.01	0.24	
<i>Including</i>	98.00	99.00	1.00	0.18	6.73	1	0.02	6.78	
<i>Including</i>	99.00	100.00	1.00	0.18	1.30	2	0.02	1.36	
<i>Including</i>	100.00	101.00	1.00	0.18	1.34	3	0.02	1.42	
<i>Including</i>	101.00	102.00	1.00	0.18	0.23	2	0.02	0.28	
<i>Including</i>	102.00	103.00	1.00	0.18	1.99	2	0.01	2.04	
<i>Including</i>	103.00	104.00	1.00	0.18	0.35	1	0.01	0.38	
<i>Including</i>	104.00	105.00	1.00	0.18	0.28	1	0.00	0.30	
<i>Including</i>	105.00	106.70	1.70	0.30	0.55	2	0.02	0.60	
<i>Including</i>	106.70	107.85	1.15	0.21	0.71	3	0.08	0.88	
<i>Including</i>	107.85	108.10	0.25	0.04	6.32	2	0.04	6.41	
<i>Including</i>	108.10	109.20	1.10	0.20	0.91	1	0.02	0.96	
<i>Including</i>	109.20	110.00	0.80	0.14	2.12	1	0.02	2.16	
KMDD0410	325.20	327.00	1.80	1.03	0.05	1	0.01	0.08	K2
<i>Including</i>	325.20	326.00	0.80	0.08	0.05	3	0.06	0.18	
<i>Including</i>	326.00	327.00	1.00	0.10	0.49	4	0.04	0.61	
<i>Including</i>	327.00	328.10	1.10	0.11	0.21	8	0.54	1.18	
<i>Including</i>	328.10	329.00	0.90	0.09	0.11	3	0.12	0.34	
<i>Including</i>	329.00	329.40	0.40	0.04	0.09	5	0.17	0.42	
<i>Including</i>	329.40	330.40	1.00	0.10	0.14	11	0.03	0.32	
<i>Including</i>	330.40	331.50	1.10	0.11	3.05	2	0.04	3.14	
<i>Including</i>	331.50	332.50	1.00	0.10	0.20	2	0.06	0.32	
<i>Including</i>	332.50	334.00	1.50	0.15	0.53	2	0.09	0.70	
<i>Including</i>	334.00	335.50	1.50	0.15	0.12	3	0.13	0.37	
KMDD0412	141.00	142.90	1.90	1.02	0.66	6	3.37	6.17	K2
<i>including</i>	141.00	142.00	1.00	0.54	0.50	6	2.74	4.98	
<i>including</i>	142.00	142.90	0.90	0.48	0.84	7	4.08	7.48	
KMDD0412	167.20	173.00	5.80	3.10	1.25	1	0.00	1.27	K3
<i>including</i>	167.20	168.40	1.20	0.64	2.21	1	0.00	2.23	
<i>including</i>	168.40	169.74	1.34	0.72	0.41	1	0.00	0.43	
<i>including</i>	169.74	171.00	1.26	0.67	0.35	1	0.00	0.37	
<i>including</i>	171.00	172.00	1.00	0.54	0.06	1	0.00	0.08	
<i>including</i>	172.00	173.00	1.00	0.54	3.53	1	0.02	3.57	
KMDD0414	119.67	127.06	7.39	3.34	14.61	11	0.71	15.89	K1
<i>including</i>	119.67	120.60	0.93	0.42	5.04	5	0.66	6.17	
<i>including</i>	120.60	121.00	0.40	0.18	0.56	4	0.48	1.37	
<i>including</i>	121.00	121.55	0.55	0.25	2.97	3	0.93	4.50	
<i>including</i>	121.55	121.83	0.28	0.13	3.14	1	0.04	3.21	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KMDD0344*	52.00	62.15	10.15	4.30	1.98	6	0.09	2.20	K1
including	121.83	123.00	1.17	0.53	70.60	7	0.31	71.18	
including	123.00	123.40	0.40	0.18	15.90	7	0.89	17.42	
including	123.40	123.68	0.28	0.13	2.80	9	0.63	3.92	
including	123.68	124.30	0.62	0.28	2.12	10	0.87	3.64	
including	124.30	125.00	0.70	0.32	7.37	57	2.91	12.76	
including	125.00	125.40	0.40	0.18	8.84	10	0.63	9.98	
including	125.40	126.12	0.72	0.33	0.41	4	0.16	0.72	
including	126.12	126.62	0.50	0.23	0.60	8	0.14	0.93	
including	126.62	127.06	0.44	0.20	0.38	2	0.11	0.58	
KMDD0414	132.00	149.20	17.20	9.39	3.68	42	1.15	6.05	K2
including	132.00	132.38	0.38	0.21	1.02	4	0.62	2.07	
including	132.38	133.00	0.62	0.34	0.04	2	0.10	0.23	
including	133.00	133.50	0.50	0.27	0.07	2	0.18	0.39	
including	133.50	133.80	0.30	0.16	1.14	16	1.23	3.32	
including	133.80	134.07	0.27	0.15	0.27	6	0.27	0.78	
including	134.07	134.60	0.53	0.29	12.70	365	6.55	27.79	
including	134.60	135.20	0.60	0.33	20.50	120	0.50	22.81	
including	135.20	136.00	0.80	0.44	3.20	30	0.17	3.84	
including	136.00	137.00	1.00	0.55	0.53	7	0.14	0.85	
including	137.00	138.40	1.40	0.76	9.53	123	1.15	12.91	
including	138.40	140.00	1.60	0.87	0.04	1	0.01	0.08	
including	140.00	141.40	1.40	0.76	0.26	6	0.41	0.99	
including	141.40	142.00	0.60	0.33	5.05	43	4.33	12.55	
including	142.00	142.80	0.80	0.44	5.69	69	0.78	7.81	
including	142.80	143.56	0.76	0.42	1.23	15	1.23	3.39	
including	143.56	144.40	0.84	0.46	0.92	14	2.03	4.36	
including	144.40	145.10	0.70	0.38	0.87	14	2.01	4.28	
including	145.10	145.30	0.20	0.11	0.64	7	0.84	2.08	
including	145.30	145.60	0.30	0.16	1.04	11	0.35	1.74	
including	145.60	146.10	0.50	0.27	1.90	25	1.27	4.25	
including	146.10	147.00	0.90	0.49	3.95	37	0.25	4.81	
including	147.00	147.56	0.56	0.31	4.92	24	0.79	6.48	
including	147.56	148.30	0.74	0.40	4.96	58	5.16	13.98	
including	148.30	149.20	0.90	0.49	5.80	11	0.07	6.05	
KMDD0416	134.90	138.25	3.35	2.50	3.49	46	8.94	18.43	K2HW
including	134.90	135.60	0.70	0.52	0.28	12	1.32	2.55	
including	135.60	136.75	1.15	0.86	9.46	95	20.06	42.88	
including	136.75	137.45	0.70	0.52	0.22	12	1.73	3.15	
including	137.45	138.25	0.80	0.60	0.58	34	5.92	10.52	
KMDD0418	168.95	172.10	3.15	1.74	1.93	73	4.87	10.66	K2

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KMDD0344*	52.00	62.15	10.15	4.30	1.98	6	0.09	2.20	K1
<i>including</i>	168.95	169.75	0.80	0.44	0.40	19	0.24	1.02	
<i>including</i>	169.75	170.15	0.40	0.22	2.14	133	4.99	11.82	
<i>including</i>	170.15	170.90	0.75	0.41	0.19	10	0.60	1.29	
<i>including</i>	170.90	171.50	0.60	0.33	2.99	140	10.69	21.92	
<i>including</i>	171.50	172.10	0.60	0.33	4.93	115	10.49	23.22	
KMDD0420	164.85	165.50	0.65	0.29	0.05	5	0.15	0.35	K1
KMDD0420	175.10	179.40	4.30	2.18	1.74	37	1.73	4.99	K2
<i>including</i>	175.10	176.90	1.80	0.91	3.65	81	3.81	10.79	
<i>including</i>	176.90	178.40	1.50	0.76	0.49	7	0.35	1.14	
<i>including</i>	178.40	179.40	1.00	0.51	0.18	3	0.08	0.34	
KMDD0422	82.95	83.85	0.90	0.49	0.28	23	2.63	4.79	
KMDD0422	101.20	103.20	2.00	1.09	2.02	1	0.01	2.04	K1
<i>including</i>	101.20	102.20	1.00	0.55	1.24	1	0.01	1.26	
<i>including</i>	102.20	103.20	1.00	0.55	2.80	1	0.01	2.82	
KMDD0422	121.60	131.40	9.80	5.36	0.07	4	0.96	1.66	KL
<i>including</i>	121.60	122.55	0.95	0.52	0.16	5	2.78	4.69	
<i>including</i>	122.55	123.10	0.55	0.30	0.05	3	0.19	0.39	
<i>including</i>	123.10	124.00	0.90	0.49	0.01	2	0.10	0.20	
<i>including</i>	124.00	125.00	1.00	0.55	0.01	2	0.04	0.09	
<i>including</i>	125.00	126.00	1.00	0.55	0.01	2	0.10	0.20	
<i>including</i>	126.00	126.85	0.85	0.46	0.07	2	0.02	0.13	
<i>including</i>	126.85	127.85	1.00	0.55	0.01	2	0.13	0.25	
<i>including</i>	127.85	128.40	0.55	0.30	0.05	2	0.14	0.29	
<i>including</i>	128.40	128.80	0.40	0.22	0.31	28	11.59	19.29	
<i>including</i>	128.80	129.75	0.95	0.52	0.01	3	0.24	0.43	
<i>including</i>	129.75	130.75	1.00	0.55	0.14	3	0.65	1.23	
<i>including</i>	130.75	131.40	0.65	0.36	0.13	5	1.09	1.94	
KMDD0422	137.75	141.50	3.75	6.20	0.65	25	1.95	4.09	K2
<i>including</i>	137.75	138.65	0.90	0.33	0.14	7	1.98	3.41	
<i>including</i>	138.65	139.51	0.86	0.32	0.75	49	13.02	22.29	
<i>including</i>	139.51	140.50	0.99	0.37	0.25	5	0.63	1.33	
<i>including</i>	140.50	141.50	1.00	0.37	0.17	2	0.03	0.24	
<i>including</i>	141.50	142.30	0.80	0.30	0.25	1	0.04	0.33	
<i>including</i>	142.30	142.75	0.45	0.17	0.19	2	0.79	1.48	
<i>including</i>	142.75	143.30	0.55	0.20	0.12	3	0.29	0.63	
<i>including</i>	143.30	144.00	0.70	0.26	0.17	13	2.88	4.96	
<i>including</i>	144.00	144.60	0.60	0.22	1.77	24	1.04	3.73	
<i>including</i>	144.60	145.25	0.65	0.24	0.49	8	0.16	0.84	
<i>including</i>	145.25	146.00	0.75	0.28	0.44	10	0.15	0.80	
<i>including</i>	146.00	146.50	0.50	0.19	0.47	15	0.26	1.08	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KMDD0344*	52.00	62.15	10.15	4.30	1.98	6	0.09	2.20	K1
including	146.50	148.00	1.50	0.56	1.22	14	0.36	1.98	
including	148.00	149.00	1.00	0.37	0.24	11	0.19	0.68	
including	149.00	150.00	1.00	0.37	0.41	11	0.18	0.83	
including	150.00	150.90	0.90	0.33	0.21	9	0.48	1.10	
including	150.90	152.10	1.20	0.45	2.28	171	5.49	13.24	
including	152.10	152.45	0.35	0.13	2.00	29	2.65	6.62	
including	152.45	152.90	0.45	0.17	1.24	24	7.48	13.56	
including	152.90	153.70	0.80	0.30	0.28	18	2.87	5.12	
including	153.70	154.43	0.73	0.27	0.51	20	1.10	2.53	
KMDD0424	43.76	49.83	6.07	3.73	6.09	2	0.03	6.16	K1
including	43.76	44.30	0.54	0.33	20.56	4	0.12	20.81	
including	44.30	45.10	0.80	0.49	0.12	1	0.01	0.15	
including	45.10	45.50	0.40	0.25	5.78	1	0.01	5.80	
including	45.50	45.74	0.24	0.15	8.84	1	0.02	8.88	
including	45.74	46.20	0.46	0.28	1.55	1	0.01	1.57	
including	46.20	47.00	0.80	0.49	0.95	1	0.01	0.97	
including	47.00	47.40	0.40	0.25	0.21	1	0.00	0.22	
including	47.40	47.65	0.25	0.15	5.23	2	0.04	5.32	
including	47.65	48.34	0.69	0.42	15.59	3	0.07	15.75	
including	48.34	49.00	0.66	0.41	2.21	2	0.02	2.27	
including	49.00	49.83	0.83	0.51	7.57	2	0.02	7.62	
KMDD0424	51.70	52.30	0.60	0.37	1.59	9	0.38	2.31	
including	51.70	52.30	0.60	0.37	1.59	9	0.38	2.31	
KMDD0424	129.25	129.95	0.70	0.47	0.21	8	0.96	1.85	
including	129.25	129.95	0.70	0.47	0.21	8	0.96	1.85	
KMDD0424	167.05	167.80	0.75	0.50	1.42	6	0.03	1.54	K2
including	167.05	167.80	0.75	0.50	1.42	6	0.03	1.54	
KMDD0426	81.23	81.83	0.60	0.32	4.62	26	1.79	7.82	K1
including	128.80	140.10	11.30	5.94	1.06	23	2.50	5.37	
including	128.80	129.35	0.55	0.29	0.21	58	2.49	4.94	
including	129.35	130.35	1.00	0.53	0.04	5	0.27	0.53	
including	130.35	130.70	0.35	0.18	0.31	9	0.79	1.69	
including	130.70	131.60	0.90	0.47	3.40	126	10.03	21.09	
including	131.60	132.60	1.00	0.53	3.29	16	1.45	5.82	
including	132.60	133.20	0.60	0.32	1.34	43	1.81	4.79	
including	133.20	133.65	0.45	0.24	8.66	55	10.95	26.94	
including	133.65	134.23	0.58	0.30	0.18	6	1.93	3.36	
including	134.23	134.70	0.47	0.25	0.19	7	0.81	1.58	
including	134.70	135.50	0.80	0.42	0.06	10	0.91	1.64	
including	135.50	136.50	1.00	0.53	0.08	6	0.49	0.94	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KMDD0344*	52.00	62.15	10.15	4.30	1.98	6	0.09	2.20	K1
including	136.50	137.50	1.00	0.53	0.03	4	0.22	0.44	
including	137.50	137.80	0.30	0.16	0.08	4	1.31	2.24	
including	137.80	138.80	1.00	0.53	0.04	5	0.71	1.24	
including	138.80	139.80	1.00	0.53	0.25	8	5.17	8.66	
including	139.80	140.10	0.30	0.16	0.14	7	2.18	3.73	
KMDD0426	161.20	164.20	3.00	1.09	5.89	180	5.93	17.67	K2
including	161.20	161.95	0.75	0.27	15.42	630	19.40	54.47	
including	161.95	162.40	0.45	0.16	0.16	13	4.95	8.28	
including	162.40	163.15	0.75	0.27	0.14	9	0.88	1.66	
including	163.15	163.75	0.60	0.22	0.55	12	0.48	1.47	
including	163.75	164.20	0.45	0.16	12.43	106	0.14	13.98	
KMDD0428	50.50	59.00	8.50	4.87	4.00	6	0.04	4.14	K1
including	50.50	51.00	0.50	0.29	6.88	2	0.02	6.94	
including	51.00	52.00	1.00	0.57	0.87	2	0.01	0.92	
including	52.00	53.00	1.00	0.57	6.40	4	0.03	6.50	
including	53.00	54.00	1.00	0.57	13.97	6	0.05	14.12	
including	54.00	54.80	0.80	0.46	4.26	5	0.01	4.34	
including	54.80	55.60	0.80	0.46	1.04	2	0.01	1.07	
including	55.60	57.20	1.60	0.92	1.91	13	0.03	2.12	
including	57.20	59.00	1.80	1.03	1.13	7	0.09	1.36	
KMDD0428	90.40	92.10	1.70	0.97	1.92	10	0.16	2.30	
including	90.40	91.00	0.60	0.34	2.08	8	0.05	2.27	
including	91.00	91.36	0.36	0.21	1.85	6	0.05	2.00	
including	91.36	92.10	0.74	0.42	1.82	13	0.31	2.48	
KMDD0428	133.30	133.58	0.28	0.19	0.38	14	3.72	6.53	
including	133.30	133.58	0.28	0.19	0.38	14	3.72	6.53	
KMDD0428	156.05	157.00	0.95	0.65	0.20	24	1.11	2.28	
including	156.05	156.30	0.25	0.17	0.67	1	4.09	7.26	
including	156.30	157.00	0.70	0.48	0.03	32	0.04	0.50	
KMDD0428	177.85	179.30	1.45	0.99	2.47	10	0.07	2.71	K2
including	177.85	179.30	1.45	0.99	2.47	10	0.07	2.71	
KMDD0430	131.00	140.80	9.80	4.60	0.22	26	2.04	3.82	K1
Including	130.40	131.00	0.60	0.27	0.30	33	3.46	6.27	
Including	131.00	132.00	1.00	0.44	0.47	11	1.50	3.02	
Including	132.00	133.00	1.00	0.44	0.06	4	0.56	1.01	
Including	133.00	133.55	0.55	0.24	0.20	8	3.42	5.80	
Including	133.55	134.50	0.95	0.42	0.08	5	0.94	1.65	
Including	134.50	135.40	0.90	0.40	0.14	10	2.47	4.23	
Including	135.40	136.40	1.00	0.44	0.10	16	2.15	3.76	
Including	136.40	137.40	1.00	0.44	0.01	5	0.16	0.33	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KMDD0344*	52.00	62.15	10.15	4.30	1.98	6	0.09	2.20	K1
<i>Including</i>	137.40	138.30	0.90	0.40	0.02	8	0.35	0.68	
<i>Including</i>	138.30	139.16	0.86	0.38	0.13	9	2.23	3.83	
<i>Including</i>	139.16	139.80	0.64	0.28	0.30	27	7.25	12.29	
<i>Including</i>	139.80	140.40	0.60	0.27	1.22	265	2.24	8.13	
<i>Including</i>	140.40	140.80	0.40	0.18	0.15	15	6.05	10.06	
KMDD0430	159.75	160.60	0.85	0.87	5.65	101	5.36	15.53	K2
<i>Including</i>	158.80	159.75	0.95	0.46	1.63	67	1.96	5.62	
<i>Including</i>	159.75	160.60	0.85	0.41	10.15	139	9.16	26.61	
KMDD0434	155.30	159.10	3.80	2.22	1.09	26	1.21	3.36	K2
<i>Including</i>	155.30	156.30	1.00	0.59	1.66	14	0.57	2.76	
<i>Including</i>	156.30	157.80	1.50	0.88	0.25	11	0.34	0.93	
<i>Including</i>	157.80	158.50	0.70	0.41	2.68	71	3.76	9.61	
<i>Including</i>	158.50	159.10	0.60	0.35	0.41	33	1.50	3.23	
KMDD0434	173.05	174.70	1.65	0.96	0.24	18	5.04	8.56	K2HW
<i>Including</i>	173.05	173.40	0.35	0.20	0.18	19	3.05	5.32	
<i>Including</i>	173.40	173.70	0.30	0.18	0.57	49	16.81	28.19	
<i>Including</i>	173.70	174.70	1.00	0.58	0.16	8	2.21	3.81	
KMDD0434	184.87	186.33	1.46	0.85	1.95	111	2.35	7.11	K3
<i>Including</i>	184.87	185.87	1.00	0.58	2.52	145	3.04	9.22	
<i>Including</i>	185.87	186.33	0.46	0.27	0.72	36	0.86	2.55	
KMDD0436	143.50	163.00	19.50	11.95	0.67	35	4.45	8.26	K2
<i>including</i>	143.50	144.20	0.70	0.43	0.11	3	1.28	2.20	
<i>including</i>	144.20	145.30	1.10	0.67	0.39	9	2.32	4.23	
<i>including</i>	145.30	145.50	0.20	0.12	0.51	11	3.85	6.83	
<i>including</i>	145.50	146.00	0.50	0.31	0.56	9	3.47	6.25	
<i>including</i>	146.00	146.75	0.75	0.46	0.34	14	3.16	5.59	
<i>including</i>	146.75	148.00	1.25	0.77	1.23	15	4.31	8.34	
<i>including</i>	148.00	149.00	1.00	0.61	1.01	91	4.22	8.93	
<i>including</i>	149.00	150.00	1.00	0.61	0.62	43	6.22	11.16	
<i>including</i>	150.00	151.00	1.00	0.61	1.28	70	6.02	11.83	
<i>including</i>	151.00	152.00	1.00	0.61	1.32	116	8.92	17.11	
<i>including</i>	152.00	153.00	1.00	0.61	0.91	84	5.69	11.11	
<i>including</i>	153.00	154.08	1.08	0.66	1.85	63	5.20	11.00	
<i>including</i>	154.08	154.25	0.17	0.10	1.02	83	6.95	13.23	
<i>including</i>	154.25	154.60	0.35	0.21	0.19	11	1.03	1.98	
<i>including</i>	154.60	155.00	0.40	0.25	0.09	3	0.16	0.38	
<i>including</i>	155.00	155.80	0.80	0.49	0.49	12	0.44	1.34	
<i>including</i>	155.80	156.80	1.00	0.61	0.80	25	6.11	10.93	
<i>including</i>	156.80	157.60	0.80	0.49	0.42	29	11.33	18.99	
<i>including</i>	157.60	158.60	1.00	0.61	0.18	18	4.71	7.97	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KMDD0344*	52.00	62.15	10.15	4.30	1.98	6	0.09	2.20	K1
including	158.60	159.40	0.80	0.49	0.07	2	0.21	0.44	
including	159.40	160.40	1.00	0.61	0.25	11	1.44	2.70	
including	160.40	161.50	1.10	0.67	0.28	31	7.49	12.70	
including	161.50	162.00	0.50	0.31	0.29	10	1.21	2.37	
including	162.00	163.00	1.00	0.61	0.42	16	4.12	7.24	
KMDD0436	172.25	173.20	0.95	0.58	0.22	21	1.47	2.84	K2HW
including	172.25	173.20	0.95	0.58	0.22	21	1.47	2.84	
KMDD0438	122.86	130.23	7.37	3.68	21.76	11	0.78	23.17	K1
including	122.86	124.70	1.84	0.92	2.69	8	1.54	5.26	
including	124.70	125.00	0.30	0.15	1.37	2	0.17	1.67	
including	125.00	125.40	0.40	0.20	1.33	4	0.04	1.44	
including	125.40	126.16	0.76	0.38	128.02	11	0.34	128.70	
including	126.16	126.58	0.42	0.21	1.36	4	0.07	1.53	
including	126.58	127.24	0.66	0.33	11.78	16	0.87	13.38	
including	127.24	127.94	0.70	0.35	23.72	5	0.25	24.19	
including	127.94	128.20	0.26	0.13	58.21	29	1.35	60.74	
including	128.20	129.14	0.94	0.47	2.82	31	1.37	5.41	
including	129.14	129.93	0.79	0.39	0.75	5	0.21	1.15	
including	129.93	130.23	0.30	0.15	46.28	6	0.14	46.58	
KMDD0438	132.00	133.00	1.00	0.95	1.11	8	0.41	1.87	K2
including	132.00	132.30	0.30	0.29	1.83	13	0.68	3.09	
including	132.30	133.00	0.70	0.67	0.80	6	0.29	1.35	
KMDD0440	59.50	67.85	8.35	3.41	2.31	9	0.08	2.55	K1
including	59.50	60.50	1.00	0.41	3.34	9	0.03	3.50	
including	60.50	61.10	0.60	0.25	0.55	3	0.01	0.60	
including	61.10	62.50	1.40	0.57	8.37	32	0.11	8.94	
including	62.50	63.50	1.00	0.41	0.35	8	0.22	0.81	
including	63.50	64.50	1.00	0.41	0.58	4	0.09	0.77	
including	64.50	65.50	1.00	0.41	0.52	4	0.05	0.66	
including	65.50	66.70	1.20	0.49	0.29	2	0.03	0.37	
including	66.70	67.85	1.15	0.47	1.86	1	0.03	1.92	
KMDD0440	143.66	144.00	0.34	0.14	0.24	15	1.61	3.01	
KMDD0442	120.90	121.65	0.75	0.38	0.37	8	2.16	3.94	K1
including	120.90	121.65	0.75	0.38	0.37	8	2.16	3.94	
KMDD0442	158.60	165.64	7.04	3.63	1.27	21	2.29	5.20	K2
including	158.60	159.00	0.40	0.21	0.36	81	12.41	21.32	
including	159.00	160.00	1.00	0.52	0.58	8	1.09	2.43	
including	160.00	161.30	1.30	0.67	0.32	3	0.44	1.06	
including	161.30	162.30	1.00	0.52	6.30	33	2.84	11.28	
including	162.30	163.30	1.00	0.52	0.19	4	0.34	0.78	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KMDD0344*	52.00	62.15	10.15	4.30	1.98	6	0.09	2.20	K1
<i>including</i>	163.30	164.25	0.95	0.49	0.04	2	0.11	0.24	
<i>including</i>	164.25	165.00	0.75	0.39	0.82	41	4.31	8.26	
<i>including</i>	165.00	165.64	0.64	0.33	0.98	52	4.64	9.09	
KMDD0446	124.70	128.00	3.30	1.66	2.48	12	1.37	4.85	K1
<i>including</i>	124.70	125.20	0.50	0.25	12.62	62	8.11	26.43	
<i>including</i>	125.20	126.00	0.80	0.40	0.12	5	0.12	0.37	
<i>including</i>	126.00	127.00	1.00	0.50	0.01	1	0.02	0.06	
<i>including</i>	127.00	127.47	0.47	0.24	0.04	8	0.74	1.33	
<i>including</i>	127.47	128.00	0.53	0.27	3.33	1	0.02	3.37	
KMDD0446	165.66	175.23	9.57	4.43	1.62	20	2.61	6.06	K2
<i>including</i>	165.66	166.32	0.66	0.31	3.43	8	2.68	7.84	
<i>including</i>	166.32	167.10	0.78	0.36	0.02	1	0.04	0.09	
<i>including</i>	167.10	167.81	0.71	0.33	0.01	1	0.17	0.30	
<i>including</i>	167.81	168.25	0.44	0.20	0.97	5	1.18	2.93	
<i>including</i>	168.25	168.55	0.30	0.14	0.60	17	5.11	9.02	
<i>including</i>	168.55	168.93	0.38	0.18	1.30	12	2.21	5.00	
<i>including</i>	168.93	169.43	0.50	0.23	3.20	39	2.33	7.43	
<i>including</i>	169.43	170.43	1.00	0.46	6.80	65	10.64	24.71	
<i>including</i>	170.43	170.77	0.34	0.16	2.32	56	4.18	9.74	
<i>including</i>	170.77	171.21	0.44	0.20	0.58	18	2.05	4.10	
<i>including</i>	171.21	171.74	0.53	0.25	0.11	10	1.34	2.38	
<i>including</i>	171.74	172.40	0.66	0.31	0.80	41	2.56	5.43	
<i>including</i>	172.40	172.90	0.50	0.23	0.05	8	0.70	1.27	
<i>including</i>	172.90	173.80	0.90	0.42	0.14	6	0.99	1.80	
<i>including</i>	173.80	174.19	0.39	0.18	0.89	6	1.04	2.64	
<i>including</i>	174.19	174.79	0.60	0.28	0.50	12	1.66	3.31	
<i>including</i>	174.79	175.00	0.21	0.10	5.47	50	3.21	11.25	
<i>including</i>	175.00	175.23	0.23	0.11	0.40	7	1.37	2.69	
KMDD0448	130.16	134.10	3.94	1.74	0.71	15	2.88	5.53	K1FW
<i>including</i>	130.16	130.70	0.54	0.24	0.22	24	5.33	9.09	
<i>including</i>	130.70	131.10	0.40	0.18	0.18	15	6.04	10.07	
<i>including</i>	131.10	132.10	1.00	0.44	0.57	13	2.44	4.65	
<i>including</i>	132.10	133.10	1.00	0.44	0.40	8	1.58	3.03	
<i>including</i>	133.10	134.10	1.00	0.44	1.64	20	2.03	5.15	
KMDD0448	148.55	150.23	1.68	0.74	9.78	103	12.83	31.69	K1
<i>including</i>	148.55	148.95	0.40	0.18	0.61	18	8.65	14.74	
<i>including</i>	148.95	149.77	0.82	0.36	5.27	128	8.67	20.80	
<i>including</i>	149.77	150.23	0.46	0.20	25.79	133	23.88	65.83	
KMDD0448	170.95	173.10	2.15	0.90	4.63	47	3.42	10.71	K2
<i>including</i>	170.95	171.20	0.25	0.10	0.46	24	3.31	6.08	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KMDD0344*	52.00	62.15	10.15	4.30	1.98	6	0.09	2.20	K1
<i>including</i>	171.20	171.90	0.70	0.29	0.04	1	0.10	0.21	
<i>including</i>	171.90	172.20	0.30	0.13	31.63	305	17.83	64.10	
<i>including</i>	172.20	173.10	0.90	0.38	0.36	3	1.22	2.36	
KMDD0448	192.67	194.00	1.33	0.56	7.12	1	0.02	7.16	K3
KMDD0450	61.00	64.00	3.00	1.23	3.56	13	0.11	3.89	K1
<i>including</i>	61.00	62.00	1.00	0.41	1.64	14	0.19	2.13	
<i>including</i>	62.00	63.00	1.00	0.41	2.61	15	0.07	2.92	
<i>including</i>	63.00	64.00	1.00	0.41	6.43	9	0.06	6.64	
KMDD0452	140.30	149.75	9.45	3.46	6.57	2	0.33	7.13	K1
<i>Including</i>	140.30	141.30	1.00	0.37	0.10	2	0.45	0.85	
<i>Including</i>	141.30	141.80	0.50	0.18	2.39	1	0.17	2.68	
<i>Including</i>	141.80	142.40	0.60	0.22	0.13	1	0.11	0.32	
<i>Including</i>	142.40	143.00	0.60	0.22	0.06	1	0.37	0.67	
<i>Including</i>	143.00	143.72	0.72	0.26	0.11	1	0.33	0.66	
<i>Including</i>	143.72	144.10	0.38	0.14	2.11	1	0.30	2.60	
<i>Including</i>	144.10	144.47	0.37	0.14	0.43	1	0.05	0.52	
<i>Including</i>	144.47	145.37	0.90	0.33	23.50	7	1.42	25.87	
<i>Including</i>	145.37	145.90	0.53	0.19	3.23	1	0.20	3.57	
<i>Including</i>	145.90	146.20	0.30	0.11	0.19	1	0.42	0.87	
<i>Including</i>	146.20	147.00	0.80	0.29	0.07	1	0.21	0.42	
<i>Including</i>	147.00	147.87	0.87	0.32	0.07	1	0.16	0.34	
<i>Including</i>	147.87	148.40	0.53	0.19	2.83	1	0.05	2.93	
<i>Including</i>	148.40	148.80	0.40	0.15	0.11	1	0.03	0.18	
<i>Including</i>	148.80	149.75	0.95	0.35	36.88	2	0.06	37.00	
KMDD0452	153.57	161.00	7.43	3.11	14.65	53	1.18	17.21	K2
<i>Including</i>	153.57	154.35	0.78	0.33	74.62	301	4.25	85.21	
<i>Including</i>	154.35	154.95	0.60	0.25	16.13	68	1.42	19.25	
<i>Including</i>	154.95	156.20	1.25	0.52	0.94	1	0.13	1.16	
<i>Including</i>	156.20	156.87	0.67	0.28	0.34	3	0.31	0.87	
<i>Including</i>	156.87	157.36	0.49	0.21	0.14	1	0.16	0.41	
<i>Including</i>	157.36	157.68	0.32	0.13	2.30	175	9.59	19.89	
<i>Including</i>	157.68	158.60	0.92	0.39	0.54	4	0.13	0.80	
<i>Including</i>	158.60	159.28	0.68	0.28	1.30	5	0.11	1.53	
<i>Including</i>	159.28	159.55	0.27	0.11	0.79	2	0.20	1.13	
<i>Including</i>	159.55	159.90	0.35	0.15	3.79	8	0.29	4.35	
<i>Including</i>	159.90	161.00	1.10	0.46	32.58	41	0.68	34.18	
KMDD0456	198.40	200.50	2.10	1.05	0.28	25	1.28	2.65	K2
<i>including</i>	198.40	199.00	0.60	0.30	0.02	11	0.71	1.29	
<i>including</i>	199.00	199.59	0.59	0.30	0.05	9	0.63	1.17	
<i>including</i>	199.59	200.50	0.91	0.45	0.61	45	2.08	4.52	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KMDD0344*	52.00	62.15	10.15	4.30	1.98	6	0.09	2.20	K1
KMDD0458	68.30	80.90	12.60	4.49	3.47	14	0.25	4.04	K1
<i>including</i>	68.30	68.55	0.25	0.09	6.28	35	0.24	7.10	
<i>including</i>	68.55	69.39	0.84	0.30	16.67	9	0.06	16.87	
<i>including</i>	69.39	69.64	0.25	0.09	38.29	1	0.02	38.33	
<i>including</i>	69.64	70.09	0.45	0.16	3.02	2	0.01	3.07	
<i>including</i>	70.09	70.95	0.86	0.31	2.97	24	0.03	3.32	
<i>including</i>	70.95	72.00	1.05	0.37	0.26	1	0.02	0.31	
<i>including</i>	72.00	72.67	0.67	0.24	0.28	1	0.01	0.31	
<i>including</i>	72.67	74.00	1.33	0.47	0.24	1	0.01	0.26	
<i>including</i>	74.00	75.60	1.60	0.57	0.34	2	0.04	0.43	
<i>including</i>	75.60	76.00	0.40	0.14	0.33	1	0.02	0.37	
<i>including</i>	76.00	77.10	1.10	0.39	0.66	1	0.03	0.72	
<i>including</i>	77.10	77.30	0.20	0.07	0.72	7	0.08	0.93	
<i>including</i>	77.30	78.25	0.95	0.34	2.47	3	0.07	2.62	
<i>including</i>	78.25	78.50	0.25	0.09	0.76	2	0.01	0.80	
<i>including</i>	78.50	80.00	1.50	0.53	0.33	1	0.11	0.52	
<i>including</i>	80.00	80.90	0.90	0.32	10.35	133	2.91	16.69	
KMDD0460	133.36	137.10	3.74	1.59	3.90	11	1.32	6.15	K1
<i>including</i>	133.36	134.25	0.89	0.38	1.17	8	0.44	1.98	
<i>including</i>	134.25	135.20	0.95	0.40	6.25	7	0.47	7.08	
<i>including</i>	135.20	136.00	0.80	0.34	3.68	20	2.94	8.65	
<i>including</i>	136.00	136.40	0.40	0.17	1.83	7	0.82	3.23	
<i>including</i>	136.40	137.10	0.70	0.30	5.63	11	2.02	9.01	
KMDD0460	142.70	143.60	0.90	0.38	4.11	5	0.06	4.27	
KMDD0460	146.40	161.50	15.10	6.53	4.96	16	0.89	6.59	K2
<i>including</i>	146.40	146.85	0.45	0.19	12.78	189	14.96	39.18	
<i>including</i>	146.85	147.42	0.57	0.25	0.61	5	6.38	10.93	
<i>including</i>	147.42	148.00	0.58	0.25	9.53	7	1.12	11.41	
<i>including</i>	148.00	148.80	0.80	0.35	0.81	2	0.06	0.93	
<i>including</i>	148.80	149.60	0.80	0.35	0.64	4	0.10	0.85	
<i>including</i>	149.60	150.20	0.60	0.26	0.35	3	0.04	0.44	
<i>including</i>	150.20	150.85	0.65	0.28	6.91	16	0.24	7.50	
<i>including</i>	150.85	151.70	0.85	0.37	0.80	2	0.05	0.91	
<i>including</i>	151.70	152.30	0.60	0.26	0.11	1	0.01	0.14	
<i>including</i>	152.30	153.20	0.90	0.39	0.41	1	0.02	0.45	
<i>including</i>	153.20	153.90	0.70	0.30	20.69	32	0.36	21.68	
<i>including</i>	153.90	154.20	0.30	0.13	5.38	2	0.04	5.47	
<i>including</i>	154.20	154.70	0.50	0.22	0.36	1	0.03	0.42	
<i>including</i>	154.70	155.50	0.80	0.35	0.27	1	0.02	0.32	
<i>including</i>	155.50	156.40	0.90	0.39	8.21	6	0.20	8.60	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KMDD0344*	52.00	62.15	10.15	4.30	1.98	6	0.09	2.20	K1
including	156.40	157.48	1.08	0.47	11.16	50	0.98	13.36	
including	157.48	158.20	0.72	0.31	0.56	3	0.03	0.64	
including	158.20	159.20	1.00	0.43	0.68	9	0.17	1.07	
including	159.20	160.50	1.30	0.56	11.09	3	0.05	11.20	
including	160.50	161.50	1.00	0.43	4.83	37	0.26	5.72	
KMDD0464	52.92	65.20	12.28	5.52	2.64	7	0.08	2.87	K1
including	52.92	53.70	0.78	0.35	1.70	14	0.27	2.30	
including	53.70	55.00	1.30	0.58	4.48	18	0.26	5.13	
including	55.00	56.70	1.70	0.76	1.42	7	0.03	1.55	
including	56.70	57.70	1.00	0.45	0.47	1	0.01	0.49	
including	57.70	58.20	0.50	0.22	0.63	1	0.02	0.67	
including	58.20	59.00	0.80	0.36	0.58	1	0.01	0.61	
including	59.00	59.42	0.42	0.19	2.02	2	0.01	2.06	
including	59.42	60.40	0.98	0.44	0.32	1	0.01	0.34	
including	60.40	62.20	1.80	0.81	0.29	3	0.14	0.54	
including	62.20	63.50	1.30	0.58	6.21	9	0.01	6.34	
including	63.50	64.10	0.60	0.27	12.71	12	0.04	12.92	
including	64.10	65.20	1.10	0.49	3.89	15	0.10	4.24	
KMDD0468	65.85	71.20	5.35	1.99	0.79	9	0.97	2.45	K1
including	65.85	68.20	2.35	0.88	0.76	9	2.02	4.12	
including	68.20	69.10	0.90	0.34	0.86	12	0.23	1.38	
including	69.10	71.20	2.10	0.78	0.80	7	0.10	1.04	
KMDD0470	59.70	66.80	7.10	3.16	20.00	4	0.08	20.18	K1
including	59.70	60.65	0.95	0.42	2.62	12	0.17	3.05	
including	60.65	61.40	0.75	0.33	0.89	5	0.05	1.03	
including	61.40	62.50	1.10	0.49	0.55	4	0.26	1.01	
including	62.50	63.00	0.50	0.22	9.42	2	0.03	9.49	
including	63.00	64.00	1.00	0.44	0.26	0	0.01	0.27	
including	64.00	65.30	1.30	0.58	55.86	2	0.03	55.93	
including	65.30	66.00	0.70	0.31	65.58	3	0.03	65.67	
including	66.00	66.80	0.80	0.36	18.43	2	0.03	18.51	
KMDD0473A	79.00	83.00	4.00	1.08	3.14	7	0.05	3.31	K1
including	79.00	80.00	1.00	0.27	1.81	5	0.02	1.90	
including	80.00	80.96	0.96	0.26	2.62	7	0.02	2.74	
including	80.96	82.20	1.24	0.33	2.98	7	0.04	3.13	
including	82.20	83.00	0.80	0.22	5.69	8	0.13	6.01	
KMDD0474	71.00	81.25	10.25	2.74	3.17	3	0.04	3.26	K1
including	71.00	72.10	1.10	0.29	0.80	4	0.05	0.93	
including	72.10	72.35	0.25	0.07	2.38	7	0.10	2.63	
including	72.35	73.10	0.75	0.20	0.10	1	0.00	0.12	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KMDD0344*	52.00	62.15	10.15	4.30	1.98	6	0.09	2.20	K1
<i>including</i>	73.10	74.10	1.00	0.27	0.62	2	0.06	0.75	
<i>including</i>	74.10	75.00	0.90	0.24	0.87	4	0.03	0.97	
<i>including</i>	75.00	76.00	1.00	0.27	0.71	2	0.06	0.82	
<i>including</i>	76.00	77.00	1.00	0.27	4.88	3	0.02	4.94	
<i>including</i>	77.00	78.00	1.00	0.27	4.02	7	0.02	4.14	
<i>including</i>	78.00	79.00	1.00	0.27	10.52	1	0.00	10.54	
<i>including</i>	79.00	79.80	0.80	0.21	10.16	1	0.01	10.18	
<i>including</i>	79.80	80.80	1.00	0.27	0.62	2	0.07	0.75	
<i>including</i>	80.80	81.25	0.45	0.12	1.44	1	0.04	1.51	
KMDD0474	86.10	87.10	1.00	0.27	1.14	2	0.29	1.63	
KMDD0474	89.10	90.01	0.91	0.24	1.25	11	0.29	1.85	
KMDD0476	79.30	86.29	6.99	1.84	2.28	15	0.12	2.66	K1
KMDD0476	92.40	93.62	1.22	0.32	1.82	6	0.05	1.98	
KMDD0476	97.00	100.20	3.20	0.84	1.73	7	0.05	1.90	KL

Table 2 - Kainantu Gold Mine – Significant Intercepts from Judd Diamond Drilling

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
JDD0023*	122.10	122.35	0.25	0.12	3.29	231	9.36	21.22	
JDD0023*	174.00	174.85	0.85	0.42	2.25	3	0.27	2.73	
JDD0023*	185.80	198.85	13.05	6.48	11.39	9	0.99	13.10	J1
<i>including</i>	185.80	186.10	0.30	0.15	1.67	35	2.21	5.66	
<i>including</i>	186.10	186.70	0.60	0.30	0.02	3	0.11	0.23	
<i>including</i>	186.70	187.80	1.10	0.55	1.68	3	0.46	2.46	
<i>including</i>	187.80	188.05	0.25	0.12	0.28	6	0.28	0.80	
<i>including</i>	188.05	188.85	0.80	0.40	0.28	2	0.49	1.09	
<i>including</i>	188.85	189.35	0.50	0.25	1.09	4	1.44	3.45	
<i>including</i>	189.35	190.05	0.70	0.35	2.94	15	3.42	8.62	
<i>including</i>	190.05	190.25	0.20	0.10	0.45	4	0.33	1.03	
<i>including</i>	190.25	190.45	0.20	0.10	5.72	8	1.60	8.39	
<i>including</i>	190.45	190.90	0.45	0.22	78.25	122	7.25	91.43	
<i>including</i>	190.90	191.25	0.35	0.17	2.69	7	0.66	3.83	
<i>including</i>	191.25	191.50	0.25	0.12	6.98	8	2.95	11.82	
<i>including</i>	191.50	192.00	0.50	0.25	5.85	18	5.06	14.21	
<i>including</i>	192.00	192.45	0.45	0.22	0.15	4	0.36	0.77	
<i>including</i>	192.45	193.10	0.65	0.32	2.49	3	0.13	2.74	
<i>including</i>	193.10	193.80	0.70	0.35	0.93	3	0.10	1.13	
<i>including</i>	193.80	194.50	0.70	0.35	133.00	2	0.06	133.12	
<i>including</i>	194.50	195.80	1.30	0.65	0.38	1	0.06	0.48	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
including	195.80	196.10	0.30	0.15	0.23	2	0.32	0.76	
including	196.10	196.75	0.65	0.32	0.16	3	0.13	0.41	
including	196.75	197.55	0.80	0.40	0.05	2	0.02	0.11	
including	197.55	198.10	0.55	0.27	7.08	12	0.46	7.97	
including	198.10	198.50	0.40	0.20	2.04	3	0.27	2.50	
including	198.50	198.85	0.35	0.17	1.35	4	0.02	1.43	
JDD0023*	213.80	214.10	0.30	0.15	2.81	5	0.44	3.57	
JDD0024*	105.40	106.20	0.80	0.69	1.08	32	0.32	1.99	
JDD0024*	106.86	113.06	6.20	5.37	6.55	36	2.11	10.39	J1
Including	106.86	107.10	0.24	0.21	15.65	98	0.32	17.39	
Including	107.10	107.40	0.30	0.26	5.96	22	0.87	7.64	
Including	107.40	108.35	0.95	0.82	0.08	4	0.34	0.68	
Including	108.35	109.11	0.76	0.66	0.19	3	0.35	0.80	
including	109.11	110.11	1.00	0.87	25.80	115	7.86	39.87	
including	110.11	110.82	0.71	0.61	0.65	6	0.03	0.77	
including	110.82	111.66	0.84	0.73	5.58	35	1.00	7.62	
including	111.66	112.07	0.41	0.36	0.32	2	0.02	0.38	
including	112.07	113.06	0.99	0.86	3.79	40	3.46	9.85	
JDD0024*	114.77	115.00	0.23	0.20	1.43	2	0.04	1.52	
JDD0025*	114.40	119.24	4.84	3.90	4.18	16	0.80	5.67	J1
Including	114.40	115.47	1.07	0.86	1.62	11	0.10	1.91	
Including	115.47	116.00	0.53	0.43	4.08	15	0.17	4.54	
Including	116.00	116.57	0.57	0.46	5.39	16	0.34	6.14	
Including	116.57	117.41	0.84	0.68	0.45	6	0.28	0.98	
Including	117.41	118.08	0.67	0.54	7.46	54	4.48	15.33	
Including	118.08	118.35	0.27	0.22	4.96	2	0.02	5.01	
Including	118.35	118.96	0.61	0.49	8.64	8	0.36	9.33	
Including	118.96	119.24	0.28	0.23	4.51	11	0.11	4.82	
JDD0026*	129.33	135.00	5.67	4.21	4.55	9	0.67	5.74	J1
Including	129.33	130.33	1.00	0.74	13.17	42	2.49	17.70	
Including	130.33	131.00	0.67	0.50	1.41	4	1.00	3.07	
Including	131.00	131.20	0.20	0.15	3.04	2	0.56	3.97	
Including	131.20	131.70	0.50	0.37	0.21	1	0.14	0.45	
Including	131.70	132.15	0.45	0.33	0.23	3	0.37	0.86	
Including	132.15	133.00	0.85	0.63	0.22	2	0.05	0.32	
Including	133.00	133.80	0.80	0.59	8.55	2	0.06	8.67	
Including	133.80	134.00	0.20	0.15	0.61	1	0.01	0.64	
Including	134.00	135.00	1.00	0.74	3.71	2	0.20	4.06	
JDD0027*	69.00	69.60	0.60	0.44	5.76	6	0.02	5.87	
Including	69.00	69.60	0.60	0.44	5.76	6	0.02	5.87	
JDD0027*	137.83	145.00	7.17	5.23	16.70	16	0.15	17.14	J1

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
including	137.83	139.05	1.22	0.89	1.77	2	0.08	1.93	
including	139.05	140.00	0.95	0.69	0.48	13	0.20	0.96	
including	140.00	141.00	1.00	0.73	0.86	2	0.04	0.95	
including	141.00	141.60	0.60	0.44	0.33	11	0.48	1.24	
including	141.60	142.10	0.50	0.36	219.40	181	0.71	222.80	
including	142.10	142.95	0.85	0.62	1.22	2	0.07	1.36	
including	142.95	143.70	0.75	0.55	0.13	2	0.02	0.18	
including	143.70	144.00	0.30	0.22	4.76	1	0.00	4.77	
including	144.00	145.00	1.00	0.73	3.77	1	0.01	3.79	
JDD0027*	172.12	172.55	0.43	0.35	1.04	28	1.57	3.91	J2
including	172.12	172.55	0.43	0.35	1.04	28	1.57	3.91	
JDD0028*	109.73	112.35	2.62	2.58	4.77	19	0.68	6.11	J1
including	109.73	110.73	1.00	0.98	7.38	24	0.82	9.00	
including	110.73	111.60	0.87	0.86	2.33	7	0.21	2.75	
including	111.60	112.02	0.42	0.41	5.94	37	1.24	8.39	
including	112.02	112.35	0.33	0.32	1.80	16	0.79	3.28	
JDD0029*	150.43	170.67	20.24	12.48	2.98	8	0.41	3.73	J1
including	150.43	150.77	0.34	0.21	5.12	6	4.25	12.02	
including	150.77	151.40	0.63	0.39	0.01	1	0.03	0.06	
including	151.40	151.60	0.20	0.12	0.16	4	0.73	1.38	
including	151.60	152.60	1.00	0.62	0.01	1	0.02	0.05	
including	152.60	153.60	1.00	0.62	0.03	1	0.00	0.05	
including	153.60	154.40	0.80	0.49	0.20	1	0.00	0.22	
including	154.40	154.70	0.30	0.18	0.17	2	0.08	0.32	
including	154.70	155.55	0.85	0.52	11.76	3	0.12	11.99	
including	155.55	156.55	1.00	0.62	0.01	1	0.02	0.05	
including	156.55	157.55	1.00	0.62	0.01	1	0.01	0.03	
including	157.55	158.20	0.65	0.40	0.01	1	0.01	0.04	
including	158.20	159.20	1.00	0.62	0.01	1	0.00	0.03	
including	159.20	160.20	1.00	0.62	0.21	2	0.06	0.34	
including	160.20	161.20	1.00	0.62	0.01	1	0.02	0.06	
including	161.20	162.20	1.00	0.62	0.01	1	0.00	0.03	
including	162.20	163.20	1.00	0.62	0.01	1	0.01	0.03	
including	163.20	163.75	0.55	0.34	0.01	1	0.00	0.03	
including	163.75	164.00	0.25	0.15	0.01	1	0.01	0.03	
including	164.00	164.70	0.70	0.43	0.01	1	0.03	0.07	
including	164.70	165.02	0.32	0.20	0.01	1	0.01	0.03	
including	165.02	166.05	1.03	0.64	0.01	1	0.02	0.05	
including	166.05	167.05	1.00	0.62	0.03	1	0.01	0.06	
including	167.05	167.45	0.40	0.25	10.65	26	0.68	12.07	
including	167.45	168.40	0.95	0.59	31.20	92	5.02	40.42	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
including	168.40	169.10	0.70	0.43	18.05	65	1.49	21.25	
including	169.10	169.57	0.47	0.29	0.11	4	0.34	0.70	
including	169.57	170.13	0.56	0.35	0.04	1	0.04	0.12	
including	170.13	170.67	0.54	0.33	2.33	2	0.08	2.49	
JDD0030*	64.65	65.50	0.85	0.60	1.39	22	1.46	4.00	
JDD0030*	67.00	68.20	1.20	0.84	1.31	26	1.26	3.66	
JDD0030*	145.00	148.45	3.45	2.42	3.70	23	2.47	7.96	J1
including	145.00	146.10	1.10	0.77	9.15	7	0.05	9.32	
including	146.10	146.47	0.37	0.26	0.35	5	0.69	1.53	
including	146.47	146.80	0.33	0.23	0.17	3	0.27	0.64	
Including	146.80	147.05	0.25	0.18	0.32	61	0.25	1.49	
Including	147.05	147.70	0.65	0.46	1.51	80	6.09	12.30	
Including	147.70	148.45	0.75	0.53	1.95	2	5.45	10.73	
JDD0030*	161.75	165.00	3.25	2.28	1.41	5	0.22	1.82	J2
including	161.75	162.00	0.25	0.18	1.20	7	0.23	1.66	
including	162.00	163.10	1.10	0.77	0.46	2	0.12	0.68	
including	163.10	163.70	0.60	0.42	1.63	5	0.39	2.33	
including	163.70	164.10	0.40	0.28	0.42	4	0.26	0.88	
including	164.10	164.60	0.50	0.35	3.91	10	0.28	4.49	
including	164.60	165.00	0.40	0.28	1.72	3	0.07	1.88	
JDD0031*	184.00	193.30	9.30	5.54	1.22	2	0.06	1.36	J1
including	184.00	185.15	1.15	0.68	1.01	2	0.03	1.08	
including	185.15	185.55	0.40	0.24	16.70	3	0.18	17.02	
including	185.55	186.90	1.35	0.80	0.22	2	0.14	0.46	
including	186.90	187.75	0.85	0.51	0.58	1	0.01	0.61	
including	187.75	188.00	0.25	0.15	1.17	2	0.04	1.26	
including	188.00	188.80	0.80	0.48	0.22	2	0.12	0.44	
including	188.80	190.05	1.25	0.74	0.25	2	0.06	0.37	
including	190.05	190.60	0.55	0.33	0.20	1	0.01	0.23	
including	190.60	191.80	1.20	0.71	0.25	4	0.01	0.32	
including	191.80	193.30	1.50	0.89	1.04	4	0.07	1.20	
JDD0032*	81.48	84.99	3.51	2.74	1.29	5	0.59	2.29	J1HW
Including	81.48	81.85	0.37	0.29	0.69	14	2.62	5.08	
Including	81.85	82.27	0.42	0.33	0.07	3	0.22	0.46	
Including	82.27	82.60	0.33	0.26	0.57	5	0.31	1.13	
Including	82.60	83.60	1.00	0.78	0.17	2	0.07	0.31	
Including	83.60	84.15	0.55	0.43	2.80	10	0.64	3.95	
Including	84.15	84.79	0.64	0.50	3.11	3	0.35	3.70	
Including	84.79	84.99	0.20	0.16	1.74	5	1.24	3.79	
JDD0032*	128.13	131.10	2.97	2.32	3.22	11	0.82	4.67	J1
Including	128.13	128.83	0.70	0.55	8.49	6	0.33	9.10	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	128.83	129.60	0.77	0.60	1.31	12	0.92	2.94	
Including	129.60	130.17	0.57	0.45	0.56	23	2.48	4.83	
Including	130.17	131.10	0.93	0.73	2.46	7	0.08	2.68	
JDD0034*	262.00	276.50	14.50	5.76	4.04	5	0.38	4.72	J1
Including	262.00	262.45	0.45	0.18	4.26	1	0.01	4.29	
Including	262.45	263.40	0.95	0.38	0.05	1	0.03	0.12	
Including	263.40	265.00	1.60	0.64	0.03	1	0.02	0.08	
Including	265.00	266.00	1.00	0.40	0.15	3	0.28	0.64	
Including	266.00	267.00	1.00	0.40	2.04	4	0.26	2.51	
Including	267.00	268.25	1.25	0.50	0.05	1	0.03	0.11	
Including	268.25	269.00	0.75	0.30	0.04	2	0.04	0.14	
Including	269.00	269.80	0.80	0.32	0.04	2	0.06	0.15	
including	269.80	270.30	0.50	0.20	0.02	1	0.02	0.07	
including	270.30	271.43	1.13	0.45	0.02	1	0.02	0.06	
including	271.43	272.56	1.13	0.45	0.07	2	0.07	0.20	
including	272.56	273.40	0.84	0.33	7.09	64	5.54	16.79	
including	273.40	274.10	0.70	0.28	0.94	2	0.03	1.01	
including	274.10	275.40	1.30	0.52	20.20	1	0.01	20.23	
including	275.40	276.50	1.10	0.44	19.30	1	0.01	19.33	
JDD0035*	167.55	168.30	0.75	0.45	1.45	2	0.06	1.57	J1
Including	167.55	168.30	0.75	0.45	1.45	2	0.06	1.57	
JDD0036*	107.88	108.36	0.48	0.24	2.88	8	1.59	5.54	
JDD0036*	165.50	167.00	1.50	0.74	4.60	2	0.06	4.73	J1
Including	165.50	167.00	1.50	0.74	4.60	2	0.06	4.73	
JDD0036*	245.83	246.78	0.95	0.47	1.72	4	0.14	1.99	
JDD0036*	248.10	248.80	0.70	0.34	1.62	11	0.29	2.22	
JDD0036*	262.42	263.30	0.88	0.43	1.81	1	0.01	1.83	
JDD0036*	268.85	269.27	0.42	0.21	16.80	113	0.70	19.33	
JDD0036*	284.00	292.70	8.70	4.21	2.82	5	0.13	3.09	J2
including	284.00	285.00	1.00	0.48	6.40	2	0.28	6.88	
including	285.00	286.15	1.15	0.56	0.21	1	0.09	0.37	
including	286.15	287.12	0.97	0.47	0.13	3	0.07	0.27	
including	287.12	288.38	1.26	0.61	3.11	3	0.06	3.25	
including	288.38	289.07	0.69	0.33	6.42	14	0.15	6.83	
including	289.07	289.64	0.57	0.28	2.80	13	0.58	3.90	
including	289.64	291.05	1.41	0.68	0.25	3	0.04	0.35	
including	291.05	291.70	0.65	0.31	0.60	3	0.04	0.70	
including	291.70	292.00	0.30	0.15	0.40	16	0.10	0.75	
including	292.00	292.70	0.70	0.34	9.90	9	0.11	10.18	
JDD0037*	135.90	137.18	1.28	0.77	4.98	3	0.42	5.70	J1HW
Including	135.90	137.18	1.28	0.77	4.98	3	0.42	5.70	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
JDD0037*	156.26	162.20	5.94	3.57	0.96	4	0.26	1.43	J1
<i>Including</i>	156.26	157.00	0.74	0.44	3.61	4	1.09	5.41	
<i>Including</i>	157.00	158.10	1.10	0.66	0.28	6	0.54	1.22	
<i>Including</i>	158.10	158.57	0.47	0.28	0.16	2	0.01	0.21	
<i>Including</i>	158.57	160.00	1.43	0.86	0.15	2	0.03	0.23	
<i>Including</i>	160.00	160.27	0.27	0.16	0.33	1	0.00	0.35	
<i>Including</i>	160.27	160.90	0.63	0.38	0.08	1	0.00	0.10	
<i>Including</i>	160.90	162.20	1.30	0.78	1.77	8	0.05	1.96	
JDD0037*	183.38	184.00	0.62	0.37	1.76	15	0.02	1.98	J2
<i>Including</i>	183.38	184.00	0.62	0.37	1.76	15	0.02	1.98	
JDD0039*	188.30	189.60	1.30	0.56	2.46	8	0.22	2.91	J1HW
<i>Including</i>	188.30	189.60	1.30	0.56	2.46	8	0.22	2.91	
JDD0039*	220.88	223.81	2.93	1.26	19.76	3	0.05	19.88	J1
<i>including</i>	220.88	221.60	0.72	0.31	79.35	2	0.03	79.42	
<i>including</i>	221.60	222.76	1.16	0.50	0.32	4	0.09	0.52	
<i>including</i>	222.76	223.40	0.64	0.28	0.07	1	0.00	0.09	
<i>including</i>	223.40	223.81	0.41	0.18	0.86	2	0.05	0.96	
JDD0040*	85.40	86.90	1.50	1.39	1.86	56	0.49	3.35	
<i>Including</i>	85.40	86.00	0.60	0.56	1.66	40	0.50	2.96	
<i>Including</i>	86.00	86.90	0.90	0.83	2.00	66	0.49	3.61	
JDD0040*	123.70	124.06	0.36	0.33	2.95	89	0.99	5.66	
<i>Including</i>	123.70	124.06	0.36	0.33	2.95	89	0.99	5.66	
JDD0040*	139.80	140.00	0.20	0.19	1.39	12	0.18	1.83	
<i>Including</i>	139.80	140.00	0.20	0.19	1.39	12	0.18	1.83	
JDD0040*	146.90	152.80	5.90	5.47	1.83	11	0.91	3.42	J1
<i>including</i>	146.90	147.90	1.00	0.93	1.05	7	0.81	2.44	
<i>including</i>	147.90	148.90	1.00	0.93	0.34	3	0.26	0.80	
<i>including</i>	148.90	149.90	1.00	0.93	0.36	3	0.53	1.26	
<i>including</i>	149.90	150.10	0.20	0.19	0.12	3	0.31	0.65	
<i>including</i>	150.10	150.54	0.44	0.41	0.26	2	0.53	1.13	
<i>including</i>	150.54	151.00	0.46	0.43	13.22	34	5.29	22.15	
<i>including</i>	151.00	152.15	1.15	1.07	1.44	28	0.85	3.15	
<i>including</i>	152.15	152.80	0.65	0.60	1.78	2	0.06	1.91	
JDD0041*	88.95	89.80	0.85	0.40	1.32	10	0.26	1.87	
JDD0041*	153.10	154.00	0.90	0.42	4.80	9	0.20	5.23	
JDD0041*	178.00	179.00	1.00	0.47	1.41	1	0.05	1.50	
JDD0041*	194.20	194.80	0.60	0.28	2.15	22	0.21	2.76	J1HW
<i>Including</i>	194.20	194.80	0.60	0.28	2.15	22	0.21	2.76	
JDD0041*	217.50	223.30	5.80	2.70	1.34	8	0.33	1.96	J1
<i>including</i>	217.50	218.50	1.00	0.47	0.67	3	0.09	0.85	
<i>including</i>	218.50	219.50	1.00	0.47	0.53	4	0.11	0.75	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
including	219.50	220.60	1.10	0.51	0.01	5	0.42	0.75	
including	220.60	221.20	0.60	0.28	3.17	40	1.55	6.16	
including	221.20	222.20	1.00	0.47	1.54	5	0.13	1.80	
including	222.20	223.30	1.10	0.51	2.81	6	0.17	3.15	
JDD0042*	20.00	21.00	1.00	0.80	1.22	1	0.01	1.25	
JDD0042*	21.00	22.00	1.00	0.80	5.29	1	0.01	5.32	
JDD0042*	23.00	24.00	1.00	0.80	1.03	1	0.01	1.06	
JDD0042*	31.55	31.75	0.20	0.16	1.16	10	0.08	1.42	
JDD0042*	62.00	64.00	2.00	1.60	3.21	1	0.01	3.24	J1HW
including	62.00	63.00	1.00	0.80	5.72	1	0.01	5.75	
including	63.00	64.00	1.00	0.80	0.70	1	0.01	0.74	
JDD0042*	92.07	92.44	0.37	0.30	3.09	19	0.89	4.75	
JDD0042*	112.00	114.90	2.90	2.33	1.67	3	0.38	2.33	J1
including	112.00	113.00	1.00	0.80	3.37	3	0.10	3.56	
including	113.00	114.00	1.00	0.80	0.33	1	0.01	0.36	
including	114.00	114.90	0.90	0.72	1.27	6	1.12	3.15	
JDD0043*	136.70	137.02	0.32	0.20	2.13	3	0.16	2.43	
JDD0043*	155.44	156.08	0.64	0.40	1.50	3	0.50	2.33	
JDD0043*	158.50	163.12	4.62	2.86	19.57	5	0.43	20.33	J1
including	158.50	159.47	0.97	0.60	2.72	4	0.07	2.89	
including	159.47	159.91	0.44	0.27	1.26	9	0.15	1.62	
including	159.91	160.55	0.64	0.40	0.30	4	0.16	0.60	
including	160.55	161.20	0.65	0.40	10.81	4	1.34	13.01	
including	161.20	161.91	0.71	0.44	1.38	1	0.01	1.41	
including	161.91	162.80	0.89	0.55	87.00	3	0.21	87.37	
including	162.80	163.12	0.32	0.20	5.03	21	2.18	8.80	
JDD0043*	172.48	172.70	0.22	0.14	2.29	29	2.31	6.36	
JDD0043*	187.20	187.82	0.62	0.38	5.37	40	0.79	7.15	J2
JDD0044*	27.00	28.00	1.00	0.53	2.00	1	0.01	2.03	
JDD0044*	34.80	35.06	0.26	0.14	0.44	70	3.14	6.36	
JDD0044*	156.00	161.75	5.75	3.07	1.07	4	0.13	1.33	J1HW
including	156.00	157.00	1.00	0.53	3.97	1	0.01	4.00	
including	157.00	158.00	1.00	0.53	0.06	1	0.00	0.08	
including	158.00	159.20	1.20	0.64	0.07	1	0.01	0.09	
including	159.20	160.00	0.80	0.43	0.03	1	0.01	0.06	
including	160.00	161.00	1.00	0.53	1.12	14	0.67	2.36	
including	161.00	161.30	0.30	0.16	0.13	4	0.06	0.27	
including	161.30	161.60	0.30	0.16	2.04	12	0.03	2.23	
including	161.60	161.75	0.15	0.08	1.65	3	0.13	1.90	
JDD0044*	188.80	198.75	9.95	5.31	3.36	9	0.42	4.15	J1
including	188.80	189.26	0.46	0.25	1.18	1	0.01	1.20	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
including	189.26	189.55	0.29	0.15	0.99	1	0.02	1.03	
including	189.55	190.00	0.45	0.24	36.40	149	5.03	46.35	
including	190.00	191.00	1.00	0.53	0.10	5	0.17	0.43	
including	191.00	191.90	0.90	0.48	0.16	4	0.16	0.47	
including	191.90	192.14	0.24	0.13	4.05	1	0.01	4.07	
including	192.14	193.00	0.86	0.46	0.31	2	0.16	0.58	
including	193.00	194.00	1.00	0.53	0.68	2	0.24	1.09	
including	194.00	195.00	1.00	0.53	2.08	5	0.35	2.70	
including	195.00	196.00	1.00	0.53	0.54	4	0.39	1.22	
including	196.00	197.58	1.58	0.84	0.19	1	0.22	0.55	
including	197.58	198.10	0.52	0.28	1.07	3	0.20	1.43	
including	198.10	198.35	0.25	0.13	29.50	2	0.03	29.57	
including	198.35	198.75	0.40	0.21	8.02	2	0.01	8.06	
JDD0044*	202.00	203.25	1.25	0.67	2.77	10	0.61	3.88	
JDD0045*	85.83	86.20	0.37	0.28	1.64	84	3.72	8.68	
Including	85.83	85.96	0.13	0.10	0.43	46	0.98	2.58	
Including	85.96	86.20	0.24	0.18	2.30	105	5.21	11.98	
JDD0045*	98.00	99.70	1.70	1.29	1.08	3	0.47	1.88	
including	98.00	98.75	0.75	0.57	1.84	1	0.03	1.90	
including	98.75	99.15	0.40	0.30	0.87	2	0.38	1.50	
including	99.15	99.30	0.15	0.11	0.73	4	1.23	2.75	
including	99.30	99.70	0.40	0.30	0.01	8	1.11	1.89	
JDD0045*	107.60	107.90	0.30	0.23	5.12	3	0.14	5.38	
Including	107.60	107.90	0.30	0.23	5.12	3	0.14	5.38	
JDD0045*	112.54	113.40	0.86	0.65	15.77	60	3.31	21.84	J1HW
Including	112.54	113.00	0.46	0.35	16.43	2	0.18	16.74	
Including	113.00	113.40	0.40	0.30	15.02	126	6.91	27.70	
JDD0045*	121.00	124.40	3.40	2.57	3.53	5	0.64	4.61	J1
Including	121.00	122.00	1.00	0.76	2.82	3	0.51	3.68	
Including	122.00	123.00	1.00	0.76	0.19	2	0.58	1.14	
Including	123.00	123.48	0.48	0.36	0.90	2	0.26	1.35	
Including	123.48	123.72	0.24	0.18	31.30	31	3.22	36.86	
Including	123.72	124.40	0.68	0.51	1.53	3	0.25	1.98	
JDD0045*	131.90	132.10	0.20	0.18	2.04	1	0.01	2.07	
Including	131.90	132.10	0.20	0.18	2.04	1	0.01	2.07	
JDD0045*	133.90	134.30	0.40	0.36	13.78	1	0.08	13.93	
Including	133.90	134.30	0.40	0.36	13.78	1	0.08	13.93	
JDD0045*	142.75	144.20	1.45	1.29	0.60	23	0.87	2.29	J2
including	142.75	143.40	0.65	0.58	0.51	21	0.46	1.51	
including	143.40	144.20	0.80	0.71	0.68	24	1.21	2.93	
JDD0046*	103.75	108.80	5.05	3.95	2.97	9	0.51	3.91	J1

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
including	103.75	104.75	1.00	0.78	6.59	5	0.17	6.93	
including	104.75	105.12	0.37	0.29	0.78	6	0.21	1.19	
including	105.12	105.70	0.58	0.45	0.75	2	0.03	0.83	
including	105.70	106.70	1.00	0.78	4.60	5	0.12	4.86	
including	106.70	107.70	1.00	0.78	1.88	10	0.71	3.15	
including	107.70	108.80	1.10	0.86	1.09	22	1.34	3.52	
JDD0047*	61.00	62.00	1.00	0.82	18.50	6	0.03	18.63	
including	61.00	62.00	1.00	0.82	18.50	6	0.03	18.63	
JDD0047*	69.35	70.32	0.97	0.80	2.61	5	2.31	6.39	J1HW
including	69.35	69.84	0.49	0.40	1.99	2	2.17	5.50	
including	69.84	70.32	0.48	0.40	3.25	8	2.46	7.30	
JDD0048*	120.67	120.80	0.13	0.08	2.15	2	0.65	3.22	
JDD0048*	122.19	122.80	0.61	0.37	2.43	70	3.49	8.91	J1HW
JDD0048*	145.18	150.68	5.50	3.57	8.42	5	1.00	10.09	J1
including	145.18	145.86	0.68	0.44	10.31	6	1.36	12.58	
including	145.86	146.10	0.24	0.16	6.46	4	0.17	6.79	
including	146.10	146.67	0.57	0.37	2.61	19	4.11	9.45	
including	146.67	146.87	0.20	0.13	0.56	2	0.40	1.23	
including	146.87	147.90	1.03	0.67	16.64	3	0.53	17.53	
including	147.90	148.25	0.35	0.23	0.09	1	0.01	0.12	
including	148.25	148.52	0.27	0.18	1.66	12	1.17	3.69	
including	148.52	148.65	0.13	0.08	0.08	7	0.59	1.12	
including	148.65	149.00	0.35	0.23	0.54	5	1.34	2.75	
including	149.00	150.07	1.07	0.70	15.42	2	0.51	16.26	
including	150.07	150.28	0.21	0.14	4.87	2	0.27	5.33	
including	150.28	150.68	0.40	0.26	2.02	4	0.25	2.47	
JDD0048*	167.30	170.10	2.80	1.86	1.32	4	0.30	1.85	J2
including	167.30	167.60	0.30	0.20	1.48	5	0.47	2.29	
including	167.60	168.04	0.44	0.29	4.63	2	0.03	4.71	
including	168.04	168.38	0.34	0.23	0.36	2	0.07	0.49	
including	168.38	168.82	0.44	0.29	0.65	8	1.02	2.38	
including	168.82	169.50	0.68	0.45	0.55	3	0.24	0.97	
including	169.50	170.10	0.60	0.40	0.72	2	0.11	0.92	
JDD0049	88.80	91.49	2.69	2.65	5.17	11	0.63	6.32	J1
including	88.80	89.20	0.40	0.39	2.02	21	0.48	3.05	
including	89.20	89.60	0.40	0.39	0.11	2	0.33	0.67	
including	89.60	90.15	0.55	0.54	12.46	16	0.15	12.90	
including	90.15	91.49	1.34	1.32	4.63	8	0.96	6.28	
JDD0050*	93.00	96.60	3.60	3.09	2.51	32	0.82	4.22	J1
including	93.00	93.69	0.69	0.59	2.85	13	0.45	3.73	
including	93.69	94.45	0.76	0.65	1.65	6	0.70	2.85	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
<i>including</i>	94.45	95.10	0.65	0.56	1.40	2	0.27	1.85	
<i>including</i>	95.10	95.40	0.30	0.26	8.37	76	1.60	11.89	
<i>including</i>	95.40	96.11	0.71	0.61	1.33	7	0.10	1.58	
<i>including</i>	96.11	96.60	0.49	0.42	2.96	145	2.82	9.30	
JDD0050*	100.52	101.00	0.48	0.41	1.22	8	1.41	3.58	
JDD0050*	116.00	116.59	0.59	0.51	2.10	75	0.29	3.51	
JDD0050*	122.47	122.94	0.47	0.40	7.81	7	0.40	8.54	J2
JDD0051	29.93	31.00	1.07	1.07	1.06	15	0.09	1.39	unk
<i>Including</i>	29.93	31.00	1.07	1.07	1.06	15	0.09	1.39	
JDD0051	62.23	62.60	0.37	0.37	4.42	27	1.03	6.41	J1HW
<i>Including</i>	62.23	62.60	0.37	0.37	4.42	27	1.03	6.41	
JDD0051	82.05	90.85	8.80	8.80	59.52	37	0.74	61.17	J1
<i>Including</i>	82.05	82.89	0.84	0.84	3.21	11	0.40	3.99	
<i>Including</i>	82.89	83.30	0.41	0.41	0.10	4	0.29	0.62	
<i>Including</i>	83.30	84.20	0.90	0.90	0.05	2	0.03	0.12	
<i>Including</i>	84.20	84.90	0.70	0.70	0.03	2	0.01	0.08	
<i>Including</i>	84.90	85.50	0.60	0.60	0.10	2	0.02	0.15	
<i>Including</i>	85.50	86.43	0.93	0.93	1.11	7	0.18	1.48	
<i>Including</i>	86.43	87.20	0.77	0.77	3.64	26	0.26	4.37	
<i>Including</i>	87.20	88.60	1.40	1.40	1.13	5	0.03	1.24	
<i>Including</i>	88.60	90.05	1.45	1.45	354.90	177	3.18	362.22	
<i>Including</i>	90.05	90.85	0.80	0.80	1.09	25	1.27	3.44	
JDD0052	129.35	147.90	18.55	10.46	1.00	2	0.06	1.12	J1HW
<i>Including</i>	129.35	130.38	1.03	0.73	2.36	1	0.01	2.39	
<i>Including</i>	130.38	131.35	0.97	0.69	0.13	1	0.01	0.15	
<i>Including</i>	131.35	132.35	1.00	0.71	0.97	1	0.00	0.99	
<i>Including</i>	132.35	133.35	1.00	0.71	0.02	1	0.01	0.04	
<i>Including</i>	133.35	134.35	1.00	0.71	0.17	1	0.00	0.19	
<i>Including</i>	134.35	135.35	1.00	0.71	1.41	1	0.00	1.43	
<i>Including</i>	139.14	140.14	1.00	0.71	0.01	1	0.01	0.03	
<i>Including</i>	140.14	141.14	1.00	0.71	0.69	1	0.00	0.71	
<i>Including</i>	141.14	142.12	0.98	0.69	0.25	1	0.00	0.27	
<i>Including</i>	142.12	143.14	1.02	0.72	0.09	1	0.01	0.11	
<i>Including</i>	143.14	144.44	1.30	0.92	4.38	2	0.03	4.46	
<i>Including</i>	144.44	145.00	0.56	0.40	2.25	8	0.77	3.58	
<i>Including</i>	145.00	145.25	0.25	0.18	0.08	4	0.31	0.63	
<i>Including</i>	145.25	146.25	1.00	0.71	0.35	1	0.01	0.37	
<i>Including</i>	146.25	146.70	0.45	0.32	0.19	2	0.03	0.27	
<i>Including</i>	146.70	146.90	0.20	0.14	0.71	29	1.08	2.80	
<i>Including</i>	146.90	147.90	1.00	0.71	1.08	1	0.01	1.10	
JDD0052	158.70	164.06	5.36	3.80	3.64	6	0.69	4.82	J1

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
<i>Including</i>	158.70	159.65	0.95	0.67	0.56	5	1.31	2.73	
<i>Including</i>	159.65	160.65	1.00	0.71	10.80	12	0.56	11.85	
<i>Including</i>	160.65	161.53	0.88	0.62	3.80	7	0.93	5.38	
<i>Including</i>	161.53	161.84	0.31	0.22	0.34	4	0.28	0.85	
<i>Including</i>	161.84	162.94	1.10	0.78	0.10	2	0.04	0.19	
<i>Including</i>	162.94	163.86	0.92	0.65	0.04	2	0.06	0.16	
<i>Including</i>	163.86	164.06	0.20	0.14	22.90	13	4.43	30.18	
JDD0053	102.08	106.00	3.92	3.20	2.26	6	0.11	2.51	J1
<i>including</i>	102.08	102.70	0.62	0.51	2.81	12	0.15	3.19	
<i>including</i>	102.70	103.00	0.30	0.25	0.07	4	0.06	0.21	
<i>including</i>	103.00	103.50	0.50	0.41	0.39	4	0.12	0.63	
<i>including</i>	103.50	103.70	0.20	0.16	0.67	7	0.20	1.07	
<i>including</i>	103.70	104.30	0.60	0.49	3.00	3	0.05	3.11	
<i>including</i>	104.30	104.80	0.50	0.41	1.04	4	0.08	1.21	
<i>including</i>	104.80	105.08	0.28	0.23	1.79	6	0.10	2.03	
<i>including</i>	105.08	105.31	0.23	0.19	3.66	2	0.10	3.85	
<i>including</i>	105.31	105.50	0.19	0.16	1.63	2	0.06	1.75	
<i>including</i>	105.50	106.00	0.50	0.41	5.57	7	0.23	6.02	
JDD0054	88.50	91.60	3.10	2.97	2.34	12	0.55	3.38	J1
<i>including</i>	88.50	89.27	0.77	0.74	3.91	20	0.36	4.74	
<i>including</i>	89.27	90.00	0.73	0.70	0.44	8	0.29	1.01	
<i>including</i>	90.00	90.40	0.40	0.38	6.52	3	0.07	6.67	
<i>including</i>	90.40	90.60	0.20	0.19	0.28	2	0.02	0.33	
<i>including</i>	90.60	91.60	1.00	0.96	1.26	14	1.19	3.35	
JDD0055	96.17	97.03	0.86	0.64	0.62	28	1.21	2.92	J1HW
<i>including</i>	96.17	97.03	0.86	0.64	0.62	28	1.21	2.92	
JDD0055	108.72	113.75	5.03	3.75	18.35	18	0.58	19.50	J1
<i>including</i>	108.72	109.15	0.43	0.32	4.33	26	1.03	6.30	
<i>including</i>	109.15	109.97	0.82	0.61	2.31	14	0.09	2.62	
<i>including</i>	109.97	110.37	0.40	0.30	6.54	50	1.41	9.44	
<i>including</i>	110.37	110.96	0.59	0.44	1.95	10	0.30	2.56	
<i>including</i>	110.96	112.26	1.30	0.97	61.46	27	1.20	63.73	
<i>including</i>	112.26	113.75	1.49	1.11	3.28	4	0.06	3.42	
JDD0056	92.60	93.56	0.96	0.91	5.57	4	0.25	6.03	J1
JDD0057	105.13	116.14	11.01	6.44	1.09	5	0.23	1.52	J1
<i>including</i>	105.13	106.00	0.87	0.51	0.05	1	0.01	0.07	
<i>including</i>	106.00	107.00	1.00	0.58	0.08	1	0.00	0.10	
<i>including</i>	107.00	107.25	0.25	0.15	6.91	2	0.06	7.03	
<i>including</i>	107.25	107.80	0.55	0.32	0.07	4	0.10	0.28	
<i>including</i>	107.80	108.00	0.20	0.12	0.01	1	0.01	0.03	
<i>including</i>	108.00	109.10	1.10	0.64	0.05	1	0.01	0.08	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
including	109.10	110.08	0.98	0.57	0.02	5	0.89	1.52	
including	110.08	111.00	0.92	0.54	0.11	1	0.02	0.15	
including	111.00	111.89	0.89	0.52	0.75	2	0.33	1.30	
including	111.89	112.80	0.91	0.53	0.15	1	0.11	0.33	
including	112.80	113.09	0.29	0.17	12.38	1	0.15	12.63	
including	113.09	113.50	0.41	0.24	0.21	2	0.02	0.27	
including	113.50	114.00	0.50	0.29	0.27	1	0.06	0.38	
including	114.00	114.30	0.30	0.18	0.41	4	0.01	0.48	
including	114.30	114.96	0.66	0.39	2.07	3	0.08	2.24	
including	114.96	115.30	0.34	0.20	2.60	34	2.58	7.17	
including	115.30	116.14	0.84	0.49	3.50	32	0.14	4.13	
JDD0057	130.40	130.50	0.10	0.06	2.02	67	4.27	9.72	J2
JDD0058	110.70	111.70	1.00	0.68	2.15	4	0.47	2.96	
JDD0058	112.55	124.20	11.65	7.92	1.38	6	0.16	1.71	J1
including	112.55	113.16	0.61	0.41	3.39	6	0.27	3.90	
including	113.16	114.00	0.84	0.57	0.04	1	0.01	0.06	
including	114.00	114.95	0.95	0.65	0.11	2	0.02	0.16	
including	114.95	115.20	0.25	0.17	0.48	1	0.01	0.50	
including	115.20	115.55	0.35	0.24	0.09	1	0.01	0.11	
including	115.55	115.85	0.30	0.20	6.86	9	1.39	9.20	
including	115.85	116.80	0.95	0.65	0.06	2	0.07	0.19	
including	116.80	117.78	0.98	0.67	0.01	2	0.04	0.10	
including	117.78	118.45	0.67	0.46	9.67	1	0.01	9.70	
including	118.45	119.20	0.75	0.51	0.25	3	0.10	0.44	
including	119.20	120.00	0.80	0.54	0.01	1	0.01	0.04	
including	120.00	120.85	0.85	0.58	0.01	1	0.01	0.04	
including	120.85	121.25	0.40	0.27	0.01	1	0.01	0.05	
including	121.25	122.30	1.05	0.71	0.01	4	0.10	0.22	
including	122.30	123.00	0.70	0.48	0.19	3	0.09	0.37	
including	123.00	124.00	1.00	0.68	4.26	49	0.85	6.24	
including	124.00	124.20	0.20	0.14	2.54	2	0.04	2.62	
JDD0059A	92.00	96.80	4.80	4.44	3.01	11	1.01	4.77	J1
including	92.00	92.80	0.80	0.74	3.75	8	1.68	6.55	
including	92.80	93.30	0.50	0.46	1.68	9	0.18	2.09	
including	93.30	94.05	0.75	0.69	1.05	2	0.03	1.13	
including	94.05	94.40	0.35	0.32	0.62	2	0.20	0.97	
including	94.40	95.30	0.90	0.83	2.23	7	0.50	3.11	
including	95.30	96.20	0.90	0.83	0.36	3	0.06	0.49	
including	96.20	96.80	0.60	0.55	12.11	54	4.69	20.32	
JDD0060	50.60	50.80	0.20	0.13	1.03	42	2.29	5.24	unk1
Including	50.60	50.80	0.20	0.13	1.03	42	2.29	5.24	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
JDD0060	91.45	91.70	0.25	0.17	1.80	104	3.26	8.34	unk2
<i>Including</i>	91.45	91.70	0.25	0.17	1.80	104	3.26	8.34	
JDD0060	126.19	127.80	1.61	1.06	3.25	31	1.31	5.76	J1HW
<i>Including</i>	126.19	127.00	0.81	0.53	1.24	1	0.02	1.29	
<i>Including</i>	127.00	127.80	0.80	0.53	5.29	62	2.62	10.28	
JDD0060	158.90	162.01	3.11	2.05	4.72	8	0.92	6.29	J1
<i>Including</i>	158.90	159.63	0.73	0.48	3.03	8	1.81	6.04	
<i>Including</i>	159.63	160.33	0.70	0.46	2.11	9	1.64	4.86	
<i>Including</i>	160.33	161.33	1.00	0.66	2.83	6	0.14	3.12	
<i>Including</i>	161.33	162.01	0.68	0.45	12.01	8	0.35	12.68	
JDD0060	165.30	165.70	0.40	0.26	2.42	3	0.95	3.98	J1FW
<i>Including</i>	165.30	165.70	0.40	0.26	2.42	3	0.95	3.98	
JDD0061	93.60	94.60	1.00	0.81	1.66	20	0.32	2.42	J1HW
<i>Including</i>	93.60	94.60	1.00	0.81	1.66	20	0.32	2.42	
JDD0061	102.10	105.80	3.70	3.01	9.57	32	0.50	10.78	J1
<i>Including</i>	102.10	102.60	0.50	0.41	16.74	6	0.07	16.93	
<i>Including</i>	102.60	103.20	0.60	0.49	29.50	108	0.35	31.42	
<i>Including</i>	103.20	104.05	0.85	0.69	5.41	29	0.86	7.16	
<i>Including</i>	104.05	104.90	0.85	0.69	2.66	18	0.73	4.05	
<i>Including</i>	104.90	105.80	0.90	0.73	2.74	13	0.29	3.37	
JDD0062	109.00	109.90	0.90	0.62	3.10	18	0.08	3.46	
JDD0062	130.21	131.94	1.73	1.19	5.60	15	0.68	6.87	J1HW
<i>Including</i>	130.21	131.37	1.16	0.80	7.70	16	0.54	8.76	
<i>Including</i>	131.37	131.94	0.57	0.39	1.33	12	0.96	3.03	
JDD0062	147.80	148.90	1.10	0.76	8.56	6	0.32	9.15	
JDD0062	172.34	173.07	0.73	0.50	0.69	7	2.63	5.00	
JDD0062	174.64	180.86	6.22	4.28	2.12	5	0.31	2.68	J1
<i>Including</i>	174.64	175.00	0.36	0.25	5.14	3	0.15	5.43	
<i>Including</i>	175.00	175.38	0.38	0.26	6.09	8	0.66	7.26	
<i>Including</i>	175.38	175.80	0.42	0.29	0.63	2	0.16	0.91	
<i>Including</i>	175.80	177.00	1.20	0.83	0.01	1	0.11	0.20	
<i>Including</i>	177.00	178.00	1.00	0.69	0.43	1	0.06	0.55	
<i>Including</i>	178.00	179.00	1.00	0.69	0.02	2	0.15	0.29	
<i>Including</i>	179.00	179.60	0.60	0.41	0.71	3	0.37	1.35	
<i>Including</i>	179.60	180.86	1.26	0.87	6.25	15	0.79	7.70	
JDD0062	193.90	194.33	0.43	0.30	12.50	14	1.35	14.85	J1FW
<i>Including</i>	193.90	194.33	0.43	0.30	12.50	14	1.35	14.85	
JDD0062	207.10	209.49	2.39	1.64	3.02	22	3.25	8.50	J2
<i>Including</i>	207.10	207.70	0.60	0.41	2.05	38	9.08	17.12	
<i>Including</i>	207.70	209.49	1.79	1.23	3.34	16	1.29	5.62	
JDD0064	145.59	146.14	0.55	0.37	3.21	70	1.13	5.90	J1HW

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	145.59	146.14	0.55	0.37	3.21	70	1.13	5.90	
JDD0064	164.93	165.20	0.27	0.18	1.07	3	0.10	1.26	
JDD0064	167.00	179.94	12.94	8.64	1.17	8	0.45	1.98	J1
Including	167.00	167.46	0.46	0.31	3.70	18	3.90	10.19	
Including	167.46	168.00	0.54	0.36	8.08	5	0.21	8.48	
Including	168.00	169.00	1.00	0.67	0.11	4	0.09	0.31	
Including	169.00	170.00	1.00	0.67	0.17	4	0.08	0.35	
Including	170.00	171.00	1.00	0.67	0.02	2	0.02	0.08	
Including	171.00	172.00	1.00	0.67	0.07	2	0.03	0.14	
Including	172.00	173.28	1.28	0.85	0.08	1	0.02	0.12	
Including	173.28	173.90	0.62	0.41	0.82	6	2.53	4.96	
Including	173.90	175.00	1.10	0.73	0.07	1	0.02	0.11	
Including	175.00	175.52	0.52	0.35	0.02	1	0.02	0.07	
Including	175.52	176.05	0.53	0.35	0.15	5	0.90	1.65	
Including	176.05	177.25	1.20	0.80	2.73	30	1.26	5.13	
Including	177.25	178.00	0.75	0.50	0.06	1	0.02	0.10	
Including	178.00	179.15	1.15	0.77	0.10	1	0.01	0.13	
Including	179.15	179.60	0.45	0.30	0.02	1	0.01	0.05	
Including	179.60	179.94	0.34	0.23	13.00	80	0.01	14.02	
JDD0064	190.36	190.59	0.23	0.15	1.43	11	1.19	3.48	J1FW
Including	190.36	190.59	0.23	0.15	1.43	11	1.19	3.48	
JDD0064	197.26	197.80	0.54	0.36	1.18	14	0.87	2.76	J2
Including	197.26	197.80	0.54	0.36	1.18	14	0.87	2.76	
JDD0065	115.75	117.90	2.15	1.60	2.50	13	0.65	3.71	J1
including	115.75	116.80	1.05	0.78	4.39	7	0.41	5.14	
including	116.80	117.00	0.20	0.15	1.32	66	3.35	7.53	
including	117.00	117.30	0.30	0.22	0.35	6	0.30	0.90	
including	117.30	117.90	0.60	0.45	0.66	10	0.35	1.35	
JDD0066	126.90	127.50	0.60	0.43	25.20	23	1.08	27.22	JHW
Including	126.90	127.50	0.60	0.43	25.20	23	1.08	27.22	
JDD0067	130.78	133.80	3.02	1.97	2.20	20	1.05	4.13	J1
including	130.78	131.62	0.84	0.55	3.86	5	0.06	4.02	
including	131.62	132.21	0.59	0.38	2.44	12	0.85	3.95	
including	132.21	132.87	0.66	0.43	1.90	21	0.90	3.60	
including	132.87	133.35	0.48	0.31	0.43	64	3.86	7.43	
including	133.35	133.80	0.45	0.29	1.09	11	0.39	1.85	
JDD0068	75.15	76.20	1.05	0.69	1.21	7	0.30	1.77	
JDD0068	94.50	95.50	1.00	0.66	10.70	1	0.02	10.74	J1HW
including	94.50	95.50	1.00	0.66	10.70	1	0.02	10.74	
JDD0068	129.00	136.00	7.00	4.62	1.35	10	0.38	2.09	J1
including	129.00	129.55	0.55	0.36	4.41	6	0.25	4.89	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
including	129.55	130.32	0.77	0.51	2.11	62	2.81	7.40	
including	130.32	131.40	1.08	0.71	0.42	5	0.11	0.66	
including	131.40	132.30	0.90	0.59	0.28	2	0.07	0.42	
including	132.30	132.80	0.50	0.33	0.08	3	0.12	0.31	
including	132.80	134.00	1.20	0.79	0.01	2	0.02	0.07	
including	134.00	134.70	0.70	0.46	0.01	1	0.04	0.08	
including	134.70	135.00	0.30	0.20	0.01	1	0.02	0.05	
including	135.00	136.00	1.00	0.66	4.65	4	0.08	4.84	
JDD0069	131.50	136.00	4.50	3.23	3.77	4	0.30	4.30	JHW1
Including	131.50	132.35	0.85	0.61	16.92	11	0.28	17.51	
Including	132.35	133.00	0.65	0.47	0.15	3	0.49	0.98	
Including	133.00	134.00	1.00	0.72	0.02	1	0.02	0.06	
Including	134.00	135.10	1.10	0.79	0.01	1	0.04	0.08	
Including	135.10	136.00	0.90	0.65	2.74	3	0.83	4.10	
JDD0069	65.80	66.85	1.05	0.75	0.10	23	2.05	3.68	JHW2
Including	65.80	66.85	1.05	0.75	0.10	23	2.05	3.68	
JDD0070	86.30	86.76	0.46	0.37	0.30	46	4.52	8.14	
including	86.30	86.76	0.46	0.37	0.30	46	4.52	8.14	
JDD0070	93.50	96.10	2.60	2.10	1.66	5	0.56	2.62	
including	93.50	94.20	0.70	0.56	4.97	3	0.09	5.16	
including	94.20	95.10	0.90	0.73	0.83	7	0.32	1.43	
including	95.10	96.10	1.00	0.81	0.08	5	1.10	1.92	
JDD0070	100.20	102.10	1.90	1.54	1.00	10	0.89	2.56	J1
including	100.20	100.45	0.25	0.20	1.25	5	0.70	2.44	
including	100.45	100.70	0.25	0.20	0.30	6	0.35	0.93	
including	100.70	101.25	0.55	0.45	1.31	23	2.35	5.37	
including	101.25	101.45	0.20	0.16	0.48	15	0.58	1.60	
including	101.45	102.10	0.65	0.53	1.07	2	0.03	1.14	
JDD0071	40.00	40.20	0.20	0.17	14.63	26	0.92	16.44	
including	40.00	40.20	0.20	0.17	14.63	26	0.92	16.44	
JDD0071	50.85	51.40	0.55	0.47	1.32	50	1.26	3.96	
including	50.85	51.40	0.55	0.47	1.32	50	1.26	3.96	
JDD0071	140.20	140.45	0.25	0.21	2.06	54	4.62	10.16	
including	140.20	140.45	0.25	0.21	2.06	54	4.62	10.16	
JDD0071	144.45	150.50	6.05	5.20	12.68	31	0.68	14.17	J1
including	144.45	145.10	0.65	0.56	1.20	8	0.06	1.39	
including	145.10	145.75	0.65	0.56	8.29	94	0.63	10.48	
including	145.75	146.40	0.65	0.56	76.90	140	3.79	84.74	
including	146.40	147.00	0.60	0.52	5.79	14	0.15	6.20	
including	147.00	148.00	1.00	0.86	2.91	6	0.23	3.36	
including	148.00	148.30	0.30	0.26	6.65	5	0.76	7.94	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
including	148.30	149.00	0.70	0.60	0.72	6	0.36	1.37	
including	149.00	149.65	0.65	0.56	11.31	11	0.56	12.34	
including	149.65	150.50	0.85	0.73	5.10	5	0.08	5.29	
JDD0071	152.50	153.50	1.00	0.86	4.85	42	0.02	5.40	
including	152.50	153.50	1.00	0.86	4.85	42	0.02	5.40	
JDD0072	79.00	81.40	2.40	2.18	4.25	13	0.92	5.90	
including	79.00	80.15	1.15	1.04	8.54	22	1.39	11.05	
including	80.15	80.80	0.65	0.59	0.11	1	0.01	0.14	
including	80.80	81.40	0.60	0.54	0.52	10	1.01	2.27	
JDD0072	86.98	88.27	1.29	1.17	1.31	4	0.64	2.40	
including	86.98	87.80	0.82	0.74	0.15	4	0.94	1.71	
including	87.80	88.27	0.47	0.43	3.34	5	0.12	3.60	
JDD0072	94.10	98.00	3.90	3.54	1.66	11	0.83	3.13	J1
including	94.10	94.84	0.74	0.67	0.68	10	0.23	1.18	
including	94.84	95.82	0.98	0.89	0.98	4	0.10	1.20	
including	95.82	96.45	0.63	0.57	2.10	1	0.02	2.14	
including	96.45	96.63	0.18	0.16	0.41	2	0.30	0.92	
including	96.63	97.12	0.49	0.44	2.01	44	5.43	11.29	
including	97.12	97.65	0.53	0.48	0.08	2	0.04	0.17	
including	97.65	98.00	0.35	0.32	7.40	20	0.64	8.67	
JDD0072	141.70	142.21	0.51	0.40	2.46	6	0.65	3.57	J2
including	141.70	142.21	0.51	0.40	2.46	6	0.65	3.57	
JDD0073	46.35	46.80	0.45	0.33	3.80	19	0.46	4.78	
including	46.35	46.80	0.45	0.33	3.80	19	0.46	4.78	
JDD0073	101.85	102.45	0.60	0.43	0.45	65	1.32	3.38	
including	101.85	102.45	0.60	0.43	0.45	65	1.32	3.38	
JDD0073	159.50	168.10	8.60	6.23	11.57	24	0.60	12.83	J1
including	159.50	160.05	0.55	0.40	2.46	69	5.46	12.10	
including	160.05	160.95	0.90	0.65	0.29	3	0.33	0.86	
including	160.95	161.95	1.00	0.72	0.28	1	0.10	0.45	
including	161.95	162.95	1.00	0.72	4.02	2	0.02	4.08	
including	162.95	163.95	1.00	0.72	1.58	1	0.05	1.67	
including	163.95	164.35	0.40	0.29	2.73	35	1.02	4.81	
including	164.35	165.00	0.65	0.47	53.14	101	0.52	55.24	
including	165.00	165.80	0.80	0.58	0.50	3	0.06	0.64	
including	165.80	166.30	0.50	0.36	2.98	26	0.82	4.63	
including	166.30	167.10	0.80	0.58	62.86	78	0.47	64.60	
including	167.10	168.10	1.00	0.72	4.17	4	0.10	4.38	
JDD0073	176.60	176.90	0.30	0.22	2.80	43	4.43	10.46	
including	176.60	176.90	0.30	0.22	2.80	43	4.43	10.46	
JDD0073	178.90	179.90	1.00	0.72	2.23	1	0.01	2.25	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
including	178.90	179.90	1.00	0.72	2.23	1	0.01	2.25	
JDD0074	112.60	113.00	0.40	0.27	1.27	72	2.32	5.90	
including	112.60	113.00	0.40	0.27	1.27	72	2.32	5.90	
JDD0074	164.05	164.60	0.55	0.37	1.14	2	0.03	1.22	
including	164.05	164.60	0.55	0.37	1.14	2	0.03	1.22	
JDD0074	180.80	188.50	7.70	5.17	17.97	20	0.38	18.83	J1
including	180.80	181.50	0.70	0.47	8.09	5	0.24	8.54	
including	181.50	182.20	0.70	0.47	0.05	1	0.01	0.08	
including	182.20	183.30	1.10	0.74	1.22	11	0.33	1.89	
including	183.30	183.70	0.40	0.27	0.38	2	0.05	0.48	
including	183.70	184.45	0.75	0.50	1.72	5	0.15	2.03	
including	184.45	185.00	0.55	0.37	2.91	2	0.01	2.95	
including	185.00	185.50	0.50	0.34	3.17	3	0.29	3.68	
including	185.50	186.50	1.00	0.67	3.14	4	0.20	3.51	
including	186.50	187.50	1.00	0.67	121.80	105	1.71	125.86	
including	187.50	188.50	1.00	0.67	1.77	22	0.20	2.36	
JDD0075	41.40	42.10	0.70	0.52	3.67	1	0.01	3.71	
including	41.40	42.10	0.70	0.52	3.67	1	0.01	3.71	
JDD0075	106.80	107.30	0.50	0.37	1.04	31	0.74	2.62	
including	106.80	107.30	0.50	0.37	1.04	31	0.74	2.62	
JDD0075	138.70	139.00	0.30	0.22	1.35	35	0.90	3.23	
including	138.70	139.00	0.30	0.22	1.35	35	0.90	3.23	
JDD0075	157.00	163.60	6.60	4.94	2.58	9	0.80	3.98	J1
including	157.00	158.00	1.00	0.75	2.28	21	2.23	6.13	
including	158.00	158.35	0.35	0.26	0.02	1	0.02	0.06	
including	158.35	159.15	0.80	0.60	1.27	4	0.13	1.53	
including	159.15	159.60	0.45	0.34	5.34	58	5.81	15.40	
including	159.60	160.60	1.00	0.75	2.20	2	0.07	2.33	
including	160.60	161.60	1.00	0.75	0.58	3	0.15	0.85	
including	161.60	162.60	1.00	0.75	4.27	2	0.12	4.49	
including	162.60	163.60	1.00	0.75	4.28	1	0.01	4.31	
JDD0077	85.70	87.00	1.30	1.11	1.03	6	0.21	1.45	
JDD0077	97.10	98.00	0.90	0.77	2.52	12	0.74	3.86	J1HW
including	97.10	98.00	0.90	0.77	2.52	12	0.74	3.86	
JDD0077	107.40	109.30	1.90	1.63	4.44	2	0.06	4.56	J1
including	107.40	108.55	1.15	0.98	0.69	2	0.06	0.82	
including	108.55	109.30	0.75	0.64	10.20	2	0.05	10.31	
JDD0078	26.22	26.36	0.14	0.12	0.18	44	4.14	7.38	
JDD0078	96.17	96.83	0.66	0.55	1.41	7	0.09	1.64	
JDD0078	100.00	104.42	4.42	3.65	1.91	10	0.37	2.63	J1
including	100.00	101.00	1.00	0.83	4.24	5	0.29	4.76	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
including	101.00	101.61	0.61	0.50	0.18	4	0.45	0.96	
including	101.61	102.50	0.89	0.74	0.86	11	0.09	1.14	
including	102.50	103.07	0.57	0.47	2.22	8	0.23	2.70	
including	103.07	103.65	0.58	0.48	1.65	4	0.12	1.88	
including	103.65	104.42	0.77	0.64	1.46	26	1.02	3.43	
JDD0080	72.40	72.90	0.50	0.45	1.37	20	0.54	2.49	J1HW
JDD0080	78.90	79.30	0.40	0.36	1.87	6	0.27	2.38	
JDD0080	87.00	87.25	0.25	0.22	1.85	64	4.67	10.15	
JDD0080	91.42	95.67	4.25	3.80	1.68	11	0.40	2.45	J1
Including	91.42	91.76	0.34	0.30	1.19	2	0.04	1.28	
Including	91.76	92.97	1.21	1.08	0.74	1	0.02	0.79	
Including	92.97	93.26	0.29	0.26	1.84	6	0.13	2.12	
Including	93.26	94.00	0.74	0.66	5.22	29	0.07	5.70	
Including	94.00	94.70	0.70	0.63	1.23	13	0.94	2.90	
Including	94.70	95.35	0.65	0.58	0.39	4	0.18	0.74	
Including	95.35	95.67	0.32	0.29	1.01	32	2.41	5.28	
JDD0080	128.40	129.19	0.79	0.71	3.69	40	0.08	4.32	J2
JDD0081	81.35	82.20	0.85	0.71	2.91	25	0.95	4.74	J1HW
JDD0081	97.58	102.45	4.87	4.05	1.56	4	0.06	1.71	J1
Including	97.58	98.60	1.02	0.85	1.02	8	0.07	1.24	
Including	98.60	99.66	1.06	0.88	0.13	4	0.07	0.29	
Including	99.66	100.72	1.06	0.88	0.21	2	0.03	0.29	
Including	100.72	101.60	0.88	0.73	2.30	1	0.01	2.33	
Including	101.60	102.45	0.85	0.71	4.92	6	0.11	5.17	
JDD0082	73.50	82.75	9.25	8.96	1.03	5	0.15	1.33	J1
including	73.50	74.25	0.75	0.73	3.27	27	1.01	5.24	
including	74.25	75.00	0.75	0.73	0.49	5	0.11	0.72	
including	75.00	76.50	1.50	1.45	1.21	3	0.11	1.43	
including	76.50	77.25	0.75	0.73	0.06	3	0.09	0.23	
including	77.25	78.00	0.75	0.73	0.03	1	0.01	0.07	
including	78.00	78.80	0.80	0.78	0.81	1	0.01	0.84	
including	78.80	79.70	0.90	0.87	0.01	2	0.01	0.05	
including	79.70	80.60	0.90	0.87	0.01	2	0.01	0.05	
including	80.60	81.50	0.90	0.87	0.02	3	0.25	0.45	
including	81.50	82.20	0.70	0.68	0.01	3	0.06	0.14	
including	82.20	82.75	0.55	0.53	7.45	3	0.09	7.64	
JDD0083	80.45	81.00	0.55	0.50	0.28	19	2.26	4.15	J1HW
including	80.45	81.00	0.55	0.50	0.28	19	2.26	4.15	
JDD0083	98.50	102.76	4.26	3.84	4.95	26	1.71	8.03	J1
including	98.50	99.50	1.00	0.90	1.14	28	0.98	3.06	
including	99.50	99.83	0.33	0.30	5.28	38	0.47	6.51	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
<i>including</i>	99.83	100.65	0.82	0.74	10.81	71	7.25	23.35	
<i>including</i>	100.65	101.36	0.71	0.64	2.08	8	0.13	2.40	
<i>including</i>	101.36	102.00	0.64	0.58	0.62	4	0.02	0.70	
<i>including</i>	102.00	102.30	0.30	0.27	9.28	5	0.06	9.43	
<i>including</i>	102.30	102.76	0.46	0.41	10.22	5	0.18	10.57	
JDD0083	121.10	121.80	0.70	0.63	5.93	33	0.53	7.19	J2
<i>including</i>	121.10	121.45	0.35	0.32	11.14	57	0.63	12.87	
<i>including</i>	121.45	121.80	0.35	0.32	0.72	8	0.44	1.52	
JDD0084	74.00	75.09	1.09	0.91	30.50	73	4.07	37.96	J1HW
<i>Including</i>	74.00	74.55	0.55	0.46	10.78	72	3.51	17.32	
<i>Including</i>	74.55	74.82	0.27	0.22	0.16	3	0.09	0.34	
<i>Including</i>	74.82	75.09	0.27	0.22	101.00	147	9.21	117.64	
JDD0084	101.65	108.55	6.90	5.74	1.00	6	0.15	1.31	J1
<i>Including</i>	101.65	102.15	0.50	0.42	3.28	7	0.36	3.94	
<i>Including</i>	102.15	102.80	0.65	0.54	0.16	2	0.20	0.50	
<i>Including</i>	102.80	103.50	0.70	0.58	0.64	3	0.07	0.79	
<i>Including</i>	103.50	104.40	0.90	0.75	0.04	2	0.03	0.12	
<i>Including</i>	104.40	105.30	0.90	0.75	0.06	1	0.01	0.10	
<i>Including</i>	105.30	106.10	0.80	0.67	0.08	3	0.07	0.22	
<i>Including</i>	106.10	106.90	0.80	0.67	0.15	3	0.24	0.58	
<i>Including</i>	106.90	107.20	0.30	0.25	0.28	1	0.17	0.56	
<i>Including</i>	107.20	107.65	0.45	0.37	6.12	25	0.27	6.86	
<i>Including</i>	107.65	108.55	0.90	0.75	1.75	18	0.24	2.36	
JDD0085	103.85	109.15	5.30	4.65	5.16	14	0.76	6.55	J1
<i>including</i>	103.85	104.70	0.85	0.75	3.13	19	0.60	4.34	
<i>including</i>	104.70	105.60	0.90	0.79	0.13	3	0.58	1.11	
<i>including</i>	105.60	106.25	0.65	0.57	0.18	3	0.06	0.32	
<i>including</i>	106.25	107.25	1.00	0.88	13.70	10	0.02	13.85	
<i>including</i>	107.25	108.25	1.00	0.88	1.53	3	0.01	1.59	
<i>including</i>	108.25	109.15	0.90	0.79	10.27	45	3.22	16.01	
JDD0085	134.20	135.10	0.90	0.79	1.20	6	0.07	1.40	J2
<i>including</i>	134.20	135.10	0.90	0.79	1.20	6	0.07	1.40	
JDD0087	98.15	104.20	6.05	4.89	2.47	17	0.95	4.20	J1
<i>Including</i>	98.15	98.93	0.78	0.63	1.65	53	4.12	8.93	
<i>Including</i>	98.93	99.58	0.65	0.53	2.95	57	2.81	8.18	
<i>Including</i>	99.58	100.20	0.62	0.50	4.32	4	0.04	4.43	
<i>Including</i>	100.20	101.20	1.00	0.81	0.44	4	0.31	0.99	
<i>Including</i>	102.20	103.20	1.00	0.81	0.07	3	0.21	0.45	
<i>Including</i>	103.20	104.20	1.00	0.81	8.55	12	0.15	8.94	
JDD0090	125.00	130.30	5.30	4.24	3.47	5	0.09	3.69	J1
<i>Including</i>	125.00	126.00	1.00	0.80	1.52	3	0.09	1.70	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
<i>Including</i>	126.00	127.00	1.00	0.80	8.29	11	0.04	8.49	
<i>Including</i>	127.00	128.00	1.00	0.80	3.36	5	0.08	3.56	
<i>Including</i>	128.00	128.80	0.80	0.64	0.10	3	0.25	0.54	
<i>Including</i>	128.80	129.50	0.70	0.56	0.12	2	0.02	0.18	
<i>Including</i>	129.50	130.30	0.80	0.64	6.31	6	0.09	6.54	
JDD0089	175.24	177.50	2.26	1.68	10.67	4.62	0.29	11.19	J1
<i>including</i>	175.24	175.94	0.70	0.52	9.04	10	0.71	10.31	
<i>including</i>	175.94	177.00	1.06	0.79	16.13	3	0.15	16.41	
<i>including</i>	177.00	177.50	0.50	0.37	1.36	1	0.01	1.38	
JDD0089	218.00	220.00	2.00	1.49	1.64	2.50	0.02	1.70	J2
<i>including</i>	218.00	219.00	1.00	0.74	2.61	2	0.01	2.66	
<i>including</i>	219.00	220.00	1.00	0.74	0.66	3	0.03	0.74	
JDD0098	139.85	141.92	2.07	0.82	8.66	16.80	1.39	11.10	J1HW
<i>including</i>	139.85	140.85	1.00	0.40	8.46	25	2.79	13.26	
<i>including</i>	140.85	141.25	0.40	0.16	1.65	6	0.06	1.82	
<i>including</i>	141.25	141.92	0.67	0.27	13.15	11	0.09	13.43	
JDD0098	172.30	173.83	1.53	0.61	0.64	21.28	1.61	3.49	
<i>including</i>	172.30	172.83	0.53	0.21	0.52	52	4.07	7.71	
<i>including</i>	172.83	173.83	1.00	0.40	0.70	5	0.30	1.25	
JDD0098	178.30	183.20	4.90	1.94	5.49	6.51	0.24	5.96	J1
<i>including</i>	178.30	179.30	1.00	0.40	5.74	11	0.54	6.74	
<i>including</i>	179.30	180.30	1.00	0.40	3.06	12	0.47	3.96	
<i>including</i>	180.30	181.30	1.00	0.40	0.31	6	0.17	0.66	
<i>including</i>	181.30	182.30	1.00	0.40	13.76	2	0.01	13.80	
<i>including</i>	182.30	183.20	0.90	0.36	4.46	1	0.01	4.48	

Table 3 - Kainantu Gold Mine – Collar Locations for Kora Diamond Drilling

Hole_id	Collar location			Collar orientation		EOH depth (m)	Lode
	Local north	Local East	RL	Dip	Local azimuth		
KMDD0344*	59130	29896	1152	-40.03	271.58	202.40	Kora
KMDD0348*	58529	29853	1216	-12.10	228.10	139.50	Kora
KMDD0354*	59129	29896	1153	-24.56	323.97	142.00	Kora
KMDD0356*	58819	29895	1140	-46.40	279.95	182.50	Kora
KMDD0362*	58529	29853	1215	-26.35	220.78	187.60	Kora
KMDD0364*	58592	29841	1260	49.10	326.39	118.70	Kora
KMDD0370*	58765	29880	1289	45.86	281.05	138.40	Kora
KMDD0374	58419	29846	1219	14.72	217.42	162.90	Kora
KMDD0376*	58529	29853	1215	-18.37	218.91	174.20	Kora
KMDD0378	58766	29881	1288	44.54	296.64	142.00	Kora

Hole_id	Collar location			Collar orientation		EOH depth (m)	Lode
	Local north	Local East	RL	Dip	Local azimuth		
KMDD0380	59130	29896	1153	-16.25	324.12	161.80	Kora
KMDD0382	58820	29895	1140	-40.53	288.13	149.20	Kora
KMDD0384	58529	29853	1217	23.64	217.53	164.70	Kora
KMDD0386	58591	29841	1259	42.09	289.62	82.00	Kora
KMDD0388	59130	29896	1152	-34.55	331.03	244.30	Kora
KMDD0390	58767	29884	1288	42.35	312.12	106.40	Kora
KMDD0392	58819	29895	1140	-46.43	287.34	196.90	Kora
KMDD0394	58418	29847	1219	26.55	216.67	198.20	Kora
KMDD0396	59130	29896	1153	-13.45	282.12	187.20	Kora
KMDD0398	59130	29896	1152	-28.70	329.90	206.80	Kora
KMDD0400	58767	29884	1288	36.27	323.16	120.10	Kora
KMDD0402	58766	29885	1288	46.77	317.66	138.40	Kora
KMDD0404	58767	29886	1287	26.22	328.58	127.90	Kora
KMDD0406	59134	29897	1153	-24.32	335.30	242.60	Kora
KMDD0408	58767	29886	1288	33.90	279.11	169.10	Kora
KMDD0410	59134	29897	1152	-39.48	336.93	349.50	Kora
KMDD0412	58417	29846	1217	-25.74	217.41	185.90	Kora
KMDD0414	58767	29886	1288	41.89	329.91	150.80	Kora
KMDD0416	58418	29846	1218	-7.04	218.88	159.70	Kora
KMDD0418	58528	29853	1215	-25.02	215.49	203.40	Kora
KMDD0420	58528	29853	1215	-31.46	216.71	179.40	Kora
KMDD0422	58418	29846	1219	21.10	213.92	215.20	Kora
KMDD0424	59129	29895	1152	-53.16	273.70	229.10	Kora
KMDD0426	58418	29847	1219	27.30	212.20	194.10	Kora
KMDD0428	59129	29895	1152	-56.26	274.70	218.50	Kora
KMDD0430	58418	29847	1220	36.20	211.93	180.50	Kora
KMDD0434	58528	29853	1215	-17.20	214.92	190.60	Kora
KMDD0436	58528	29853	1216	-7.37	215.10	182.10	Kora
KMDD0438	58766	29887	1287	25.58	333.60	148.00	Kora
KMDD0440	59129	29896	1152	-60.00	289.00	269.50	Kora
KMDD0442	58528	29853	1217	20.55	210.53	187.30	Kora
KMDD0446	58528	29853	1218	28.28	210.78	186.00	Kora
KMDD0448	58418	29847	1220	42.34	211.86	211.10	Kora
KMDD0450	59129	29896	1151	-60.39	270.45	101.00	Kora
KMDD0452	58766	29888	1288	33.23	337.52	171.20	Kora
KMDD0456	58528	29853	1215	-28.44	213.46	227.50	Kora
KMDD0458	59129	29896	1151	-64.54	270.13	107.30	Kora
KMDD0460	58766	29888	1288	38.87	335.86	170.70	Kora
KMDD0464	59130	29896	1151	-54.36	303.02	101.20	Kora
KMDD0468	59130	29896	1152	-60.37	301.06	119.00	Kora

Hole_id	Collar location			Collar orientation		EOH depth (m)	Lode
	Local north	Local East	RL	Dip	Local azimuth		
KMDD0470	59131	29896	1152	-46.01	324.06	101.20	Kora
KMDD0473A	59129	29896	1152	-51.93	328.30	122.20	Kora
KMDD0474	59130	29896	1152	-36.17	336.62	123.70	Kora
KMDD0476	59130	29897	1152	-41.54	336.50	101.90	Kora

Table 4 - Kainantu Gold Mine – Collar Locations for Judd Diamond Drilling

Hole_id	Collar location			Collar orientation		EOH depth (m)	Lode
	Local north	Local East	mRL	Dip	Local azimuth		
JDD0023*	58692	29863	1214	25.83	143.99	223.70	Judd
JDD0024*	58692	29863	1214	22.35	90.93	137.40	Judd
JDD0025*	58693	29863	1214	21.98	75.35	138.70	Judd
JDD0026*	58693	29863	1214	19.98	62.30	152.00	Judd
JDD0027*	58692	29863	1214	17.51	54.77	202.60	Judd
JDD0028*	58692	29863	1214	22.46	103.04	137.10	Judd
JDD0029*	58537	29860	1218	34.86	58.10	182.40	Judd
JDD0030*	58592	29849	1259	35.32	74.33	178.00	Judd
JDD0031*	58592	29848	1259	35.01	53.26	237.40	Judd
JDD0032*	58534	29860	1215	-42.22	115.14	153.30	Judd
JDD0034*	58592	29848	1259	49.28	54.00	292.60	Judd
JDD0035*	58694	29863	1212	-17.06	34.80	197.00	Judd
JDD0036*	58534	29859	1214	-67.52	122.35	302.50	Judd
JDD0037*	58534	29860	1215	-49.53	43.26	202.40	Judd
JDD0039*	58694	29863	1211	-45.69	30.21	244.40	Judd
JDD0040*	58591	29849	1258	19.80	123.70	169.80	Judd
JDD0041*	58534	29859	1215	-64.31	41.82	236.20	Judd
JDD0042*	58692	29863	1212	-47.88	85.93	162.60	Judd
JDD0043*	58536	29859	1218	40.08	63.53	194.20	Judd
JDD0044*	58692	29862	1211	-69.29	88.22	241.80	Judd
JDD0045*	58536	29860	1218	34.41	80.35	176.40	Judd
JDD0046*	58691	29863	1212	-33.01	124.50	136.20	Judd
JDD0047*	58428	29857	1217	-37.44	97.28	131.60	Judd
JDD0048*	58536	29860	1219	42.51	78.58	182.00	Judd
JDD0049	58693	29863	1213	1.49	95.08	119.50	Judd
JDD0050*	58535	29859	1217	25.10	90.05	134.00	Judd
JDD0051	58693	29863	1213	96.29	-14.74	114.20	Judd
JDD0052	58591	29849	1259	128.91	28.76	180.80	Judd
JDD0053	58536	29859	1216	-0.65	54.07	125.10	Judd
JDD0054	58692	29863	1213	-13.46	110.01	111.60	Judd

Hole_id	Collar location			Collar orientation		EOH depth (m)	Lode
	Local north	Local East	mRL	Dip	Local azimuth		
JDD0055	58537	29859	1216	-11.37	46.46	152.00	Judd
JDD0056	58693	29863	1213	1.50	78.29	110.80	Judd
JDD0057	58537	29859	1215	-24.27	44.84	145.20	Judd
JDD0058	58537	29859	1215	-33.79	44.58	172.80	Judd
JDD0059A	58693	29863	1213	-14.42	78.30	110.80	Judd
JDD0060	58591	29849	1258	123.86	23.01	185.80	Judd
JDD0061	58693	29863	1213	64.63	1.56	129.90	Judd
JDD0062	58591	29849	1258	30.90	123.47	220.80	Judd
JDD0064	58592	29849	1259	32.49	113.04	197.80	Judd
JDD0065	58694	29863	1213	1.20	55.02	180.10	Judd
JDD0066	58912	29849	1259	36.00	99.00	152.70	Judd
JDD0067	58694	29863	1213	2.03	46.76	157.80	Judd
JDD0068	58694	29863	1213	-9.70	47.02	147.70	Judd
JDD0069	58912	29849	1259	34.00	87.00	155.0	Judd
JDD0070	58691	29863	1212	-24.75	125.33	121.10	Judd
JDD0071	58592	29849	1258	21.35	61.30	162.00	Judd
JDD0072	58692	29863	1212	-29.27	112.08	154.00	Judd
JDD0073	58593	29849	1258	30.00	62.09	197.50	Judd
JDD0074	58592	29849	1258	28.61	53.19	194.20	Judd
JDD0075	58592	29849	1258	19.67	55.12	185.50	Judd
JDD0077	58537	29859	1215	-39.09	76.06	131.40	Judd
JDD0078	58692	29863	1212	-40.61	112.55	129.36	Judd
JDD0080	58693	29863	1212	-30.00	96.07	131.60	Judd
JDD0081	58693	29862	1212	-38.50	96.46	131.60	Judd
JDD0082	58536	29859	1215	-24.48	95.52	130.60	Judd
JDD0083	58693	29863	1212	-29.11	76.32	128.50	Judd
JDD0084	58693	29863	1212	-20.30	113.62	149.00	Judd
JDD0085	58693	29863	1212	-39.12	78.87	143.30	Judd
JDD0087	58693	29863	1212	-25.15	68.77	155.2	Judd
JDD0089	58592	29849	1258	16.41	46.90	224.5	Judd
JDD0098	59081	29913	1152	-19.78	160.09	192.0	Judd
JDD0090	58694	29863	1212	-22.09	52.58	149.50	Judd

Note*: The hole was included in the Kora and Judd Mineral Resource Estimate (Effective Date October 31, 2021 for Kora and December 31, 2021 for Judd).

Table 5 – Global Kora and Judd Mineral Resource (Effective Date October 31, 2021 for Kora and December 31, 2021 for Judd)

	Tonnes	Gold		Silver		Copper		AuEq	
	Mt	g/t	moz	g/t	moz	%	kt	g/t	moz
<u>Kora</u>									
Measured	2.8	9.07	0.8	15.7	1.4	0.85	24.1	10.51	1.0
Indicated	4.4	6.68	0.9	20.2	2.8	0.97	42.4	8.35	1.2
Total M&I	7.2	7.62	1.8	18.4	4.3	0.92	66.4	9.20	2.1
Inferred	8.1	7.12	1.8	27.3	7.1	1.38	111.1	9.48	2.5
<u>Judd</u>									
Measured	0.22	11.26	0.08	19.9	0.14	0.72	1.59	12.56	0.09
Indicated	0.15	7.46	0.04	13.9	0.07	0.77	1.20	8.76	0.04
Total M&I	0.38	9.70	0.12	17.5	0.21	0.74	2.79	11.00	0.13
Inferred	1.01	4.24	0.14	11.0	0.36	0.87	8.82	5.66	0.18
<u>Kora and Judd</u>									
Measured	3.1	9.23	0.9	16.0	1.6	0.84	25.7	10.66	1.0
Indicated	4.5	6.70	1.0	20.0	2.9	0.97	43.6	8.36	1.2
Total M&I	7.6	7.72	1.9	18.3	4.5	0.91	69.2	9.29	2.3
Inferred	9.1	6.80	2.0	25.5	7.4	1.32	0.1	9.05	2.6

- Estimates are in Technical Report titled, “Independent Technical Report, Mineral Resources Estimate Update Kora and Judd Gold Deposit, Kainantu Project, Papua New Guinea”.
- The Independent and Qualified Person responsible for the Mineral Resource estimate is Simon Tear, P.Geo. of H & S Consultants Pty. Ltd., Sydney, Australia, and the effective date of the estimate is October 31, 2021 for Kora and December 31, 2021 for Judd.
- Mineral Resources are not Mineral Reserves and do not have demonstrated economic viability.
- Resources were compiled at 1.75,2.5,3,4,5,6,7,8,9 and 10 g/t gold cut-off grades for Kora and 1.75,2.5,3,4,5 for Judd.
- Density (t/m^3) is on a per zone basis, K1, K2: $2.84 t/m^3$; Kora Link: $2.74 t/m^3$; Judd: $2.71 t/m^3$; Waste: $2.67 t/m^3$
- Minimum mining width for wireframes: Kora: 5.2 m; Judd: 5.2 m
- Reported tonnage and grade figures are rounded from raw estimates to reflect the order of accuracy of the estimate.
- Minor variations may occur during the addition of rounded numbers.
- Estimations used metric units (metres, tonnes and g/t)
- Gold equivalents are calculated as $AuEq = Au \text{ g/t} + Cu\% * 1.607 * 92.8\% + Ag \text{ g/t} * 0.0125 * 89\%$. Gold price US\$1,600/oz; Silver US\$20/oz; Copper US\$3.75/lb. Metal payabilities and recoveries are incorporated into the AuEq formula. Recoveries of 92.8% for copper and 89% for silver.

Drill Hole Sampling Methodology, QA/QC and Qualified Person

Diamond drill hole is first logged to determine the sampling intervals, which range from a minimum of 0.1 metres to generally 1 metre. The drill core is sawn half core cut along a reference line, with the remainder of the core returned to the core tray. Core samples are then placed in numbered calico and plastic bags, with a numbered sample ticket for dispatch to the assay laboratory. Samples are separately assayed for gold, copper and silver. K92's procedure includes the insertion standards, blanks and duplicates. Gold assays are by the fire assay method. Copper and silver assays are by three-acid-digestion method (nitric, perchloric & hydrochloric mix).

K92 maintains an industry-standard analytical quality assurance and quality control (QA/QC) and data verification program to monitor laboratory performance and ensure high quality assays. Results from this program confirm reliability of the assay results. All sampling and analytical work for the mine exploration program is performed by Intertek Testing Services (PNG) LTD, an independent accredited laboratory that is located on site. External check assays for QA/QC purposes are performed at SGS Australia Pty Ltd in Townsville, Queensland, Australia.

The analytical QA/QC program is currently overseen by Andrew Kohler, PGeo, Mine Geology Manager and Mine Exploration Manager for K92. Andrew Kohler, a qualified person under the meaning of Canadian National Instrument 43-101 – *Standards of Disclosure for Mineral Projects*, has reviewed and is responsible for the technical content of this news release.

About K92

K92 Mining Inc. is engaged in the production of gold, copper and silver from the Kora deposit at the Kainantu Gold Mine in the Eastern Highlands province of Papua New Guinea, as well as exploration and development of mineral deposits in the immediate vicinity of the mine. The Company declared commercial production from Kainantu in February 2018 and is in a strong financial position.

The Company commenced an expansion of the mine based on an updated Preliminary Economic Assessment on the property which was published in January 2019 and updated in July 2020. K92 is operated by a team of mining company professionals with extensive international mine-building and operational experience.

On Behalf of the Company,

John Lewins, Chief Executive Officer and Director

For further information, please contact David Medilek, P.Eng., CFA at +1-604-416-4445.

CAUTIONARY STATEMENT REGARDING FORWARD-LOOKING INFORMATION: *This news release includes certain "forward-looking statements" under applicable Canadian securities legislation. All statements in this news release that address events or developments that we expect to occur in the future are forward-looking statements. Forward-looking statements are statements that are not historical facts and are generally, although not always, identified by words such as "expect", "plan", "anticipate",*

“project”, “target”, “potential”, “schedule”, “forecast”, “budget”, “estimate”, “intend” or “believe” and similar expressions or their negative connotations, or that events or conditions “will”, “would”, “may”, “could”, “should” or “might” occur. All such forward-looking statements are based on the opinions and estimates of management as of the date such statements are made. Forward-looking statements are necessarily based on estimates and assumptions that are inherently subject to known and unknown risks, uncertainties and other factors, many of which are beyond our ability to control, that may cause our actual results, level of activity, performance or achievements to be materially different from those expressed or implied by such forward-looking information. Such factors include, without limitation, Public Health Crises, including the COVID-19 Pandemic; changes in the price of gold, silver, copper and other metals in the world markets; fluctuations in the price and availability of infrastructure and energy and other commodities; fluctuations in foreign currency exchange rates; volatility in price of our Common Shares; inherent risks associated with the mining industry, including problems related to weather and climate in remote areas in which certain of the Company’s operations are located; failure to achieve production, cost and other estimates; risks and uncertainties associated with exploration and development; the fact that a feasibility study of mineral reserves demonstrating economic and technical viability has not been prepared for the Kainantu Mine; uncertainties relating to estimates of mineral resources including uncertainty that mineral resources may never be converted into mineral reserves; the Company’s ability to carry on current and future operations, including development and exploration activities; the timing, extent, duration and economic viability of such operations, including any mineral resources or reserves identified thereby; the accuracy and reliability of estimates, projections, forecasts, studies and assessments; the Company’s ability to meet or achieve estimates, projections and forecasts; the availability and cost of inputs; the price and market for outputs, including gold, silver and copper; inability of the Company to identify appropriate acquisition targets or complete desirable acquisitions; failures of information systems or information security threats; political, economic and other risks associated with the Company’s foreign operations; geopolitical events and other uncertainties, such as the conflict in Ukraine; compliance with various laws and regulatory requirements to which the Company is subject to, including taxation; the ability to obtain timely financing on reasonable terms when required; the current and future social, economic and political conditions, including relationship with the communities in jurisdictions it operates; other assumptions and factors generally associated with the mining industry; and the risks, uncertainties and other factors referred to in the Company’s Annual Information Form under the heading “Risk Factors”. Estimates of mineral resources are also forward-looking statements because they constitute projections, based on certain estimates and assumptions, regarding the amount of minerals that may be encountered in the future and/or the anticipated economics of production, should mining occur. Forward-looking statements are not a guarantee of future performance, and actual results and future events could materially differ from those anticipated in such statements. Although we have attempted to identify important factors that could cause actual results to differ materially from those contained in the forward-looking statements, there may be other factors that cause actual results to differ materially from those that are anticipated, estimated, or intended. There can be no assurance that such statements will prove to be accurate, as actual results and future events could differ materially from those anticipated in such statements. Accordingly, readers should not place undue reliance on forward-looking statements. The Company disclaims any intention or obligation to update or revise any forward-looking statements, whether as a result of new information, future events or otherwise, except as required by law.

Figure 1 - K1 Vein Long Section




Figure 2 – K2 Vein Long Section




Figure 3 – J1 Vein Long Section




Figure 4 – Kora-Irumafimpa Mine Section




Figure 5 – Judd Long Section




Figure 6 – KMDD0402 Core Photograph, 104.36 – 108.39m; within intersection of 8.50 m at 26.34 g/t AuEq or 24.77 g/t Au, 10 g/t Ag and 0.90% Cu from the K1 Vein.



Figure 7 – JDD0051 Core Photograph, 88.00 – 92.38m; within intersection of 8.80 m at 61.17 g/t AuEq or 59.52 g/t Au, 37 g/t Ag and 0.74% Cu from the J1 Vein.

