



Suite 488 - 1090 West Georgia Street
Vancouver, British Columbia
Canada V6E 3V7

Telephone: +1 (604) 416-4445
Facsimile: +1 (604) 608-9110
www.k92mining.com

NEWS RELEASE

K92 MINING ANNOUNCES LATEST HIGH-GRADE GOLD & COPPER DRILL RESULTS AT KORA-KORA SOUTH AND JUDD-JUDD SOUTH; MULTIPLE DILATANT ZONES INTERSECTED

- Kora South surface drill hole KUDD0035 intersects dilatant zone, recording multiple intersections including 50.05 m at 5.25 g/t gold equivalent (“AuEq”)⁽²⁾ or 1.60 g/t Au, 34 g/t Ag and 2.01% Cu from the K1 Vein, 6.35 m at 12.29 g/t AuEq or 1.81 g/t Au, 483 g/t Ag and 2.77% Cu from the K2 Vein and 6.40 m at 9.00 g/t AuEq or 0.83 g/t Au, 237 g/t Ag and 3.24% Cu from the Kora Link Structure. This represents the first dilatant zone intersected that includes the K1 Vein.
- Kora South surface drill hole KUDD0033 intersects dilatant zone, recording multiple intersections including 27.90 m at 10.48 g/t AuEq or 4.65 g/t Au, 76 g/t Ag and 3.03% Cu from the K2 Vein. It is situated ~100 m up-dip from the previously reported hole KUDD0002, which intersected a dilatant zone, recording 35.90 m at 5.98 g/t AuEq.
- Judd South surface drill hole KUDD0032 intersects dilatant zone, recording multiple intersections including 30.30 m at 6.13 g/t AuEq or 3.49 g/t Au, 27 g/t Ag and 1.43% Cu from the J1 Vein. KUDD0032 is located ~100 m to the north from the previously reported hole KUDD0001, which intersected a dilatant zone of 66.55 m at 5.02 g/t AuEq.
- Judd South surface drill hole KUDD0038 intersects dilatant zone, recording multiple intersections including 28.70 m at 4.53 g/t AuEq or 2.85 g/t Au, 25 g/t Ag and 0.85% Cu from the J1 Vein. It is located ~100 m up-dip from previously reported drill hole KUDD0001. KUDD0038 also intersected 6.90 m at 18.12 g/t AuEq or 5.86 g/t Au, 111 g/t Ag and 6.77% Cu from the K2 Vein and 14.00 m at 5.49 g/t AuEq or 0.91 g/t Au, 35 g/t Ag and 2.58% Cu from the K1 Vein.
- Judd surface drill hole KODD0026 records multiple intersections including 5.40 m at 56.76 g/t AuEq or 56.46 g/t Au, 2 g/t Ag and 0.17% Cu from the J1 Vein. The intersection is a step-out and is part of the drill program targeting the substantial undrilled target area between the Judd resource estimate and surface within ML150.
- Kora underground drill hole KMDD0504 records multiple intersections including 6.12 m at 88.44 g/t AuEq or 88.12 g/t Au, 5 g/t Ag and 0.16% Cu from the K1 Vein.

Notes:

(1) Drill highlights presented above are core lengths (not true widths).

(2) Gold equivalent (AuEq) exploration results are calculated using longer-term commodity prices with a copper price of US\$3.75/lb, a silver price of US\$20/oz and a gold price of US\$1,600/oz.

Vancouver, British Columbia, February 21, 2023 - K92 Mining Inc. (“K92” or the “Company”) (TSX: **KNT**; OTCQX: **KNTNF**) is pleased to announce its latest high-grade results from the ongoing surface and underground diamond drilling of the Kora, Kora South, Judd and Judd South deposits in addition to the Kora Northern Deeps target at the Kainantu Gold Mine in Papua New Guinea.

The results for the latest 89 diamond drill holes completed from surface and underground are summarized in the tables below. The results continue to demonstrate the high-grade, continuity and expansion potential of the Kora-Kora South and Judd-Judd South vein systems.

Surface drilling focused on southern strike extensions and extending Judd mineralization towards surface, while underground drilling focused on expanding the known Judd mineralization, increasing drill density at Kora and extending mineralization at Kora to the South of the Kora resource. Importantly, all drill holes at Kora-Kora South intersected mineralization, with 13 intersections exceeding 10 g/t AuEq and 36 intersections exceeding 5 g/t AuEq. At Judd-Judd South, all drill holes intersected mineralization, with 11 intersections exceeding 10 g/t AuEq and 29 intersections exceeding 5 g/t AuEq.

Kora South Drilling Results

At Kora South, the results are highlighted by surface hole KUDD0035 recording multiple intersections including 50.05 m at 1.60 g/t Au, 34 g/t Ag and 2.01% Cu (5.25 g/t AuEq, 31.53 m true width) from the K1 Vein, 6.35 m at 1.81 g/t Au, 483 g/t Ag and 2.77% Cu (12.29 g/t AuEq, 4.00 m true width) from the K2 Vein and 6.40 m at 0.83 g/t Au, 237 g/t Ag and 3.24% Cu (9.00 g/t AuEq, 4.03 m true width) from the Kora Link Structure. KUDD0035 is especially significant as it represents the first dilatant zone to be intersected from the K1 Vein. Previous dilatant zones at Kora South have only been intersected from and between the K2 and K3 Veins.

The latest surface step-out drilling at Kora South intersected mineralization in all holes and recorded multiple dilatant zone intersections. Step-out drill highlights include holes KUDD0033, which also intersected a dilatant zone, recording multiple intersections including: 27.90 m at 4.65 g/t Au, 76 g/t Ag and 3.03% Cu (10.48 g/t AuEq, 19.25 m true width) from the K2 Vein; KUDD0038 recording multiple intersections including 14.00 m at 0.91 g/t Au, 35 g/t Ag and 2.58% Cu (5.49 g/t AuEq, 8.82 m true width) from the K1 Vein and 6.90 m at 5.86 g/t Au, 111 g/t Ag and 6.77% Cu (18.12 g/t AuEq, 4.35 m true width) from the K2 Vein; KUDD0037 recording multiple intersections including: 6.70 m at 5.04 g/t Au, 135 g/t Ag and 6.99% Cu (17.96 g/t AuEq, 4.76 m true width) from the K1 Vein, and; KUDD0039 recording multiple intersections including 6.50 m at 3.32 g/t Au, 103 g/t Ag and 7.76% Cu (17.08 g/t AuEq, 4.81 m true width) from the K2 Vein. We note that within the existing Kora

deposit, grade tenor is higher at depth, and drilling is underway to target this area from the southern 1205 Level underground drill drive plus deeper surface drilling.

Judd South Drilling Results

At Judd South, the results are highlighted by hole KUDD0032 recording multiple intersections and a dilatant zone, including 30.30 m at 3.49 g/t Au, 27 g/t Ag and 1.43% Cu (6.13 g/t AuEq, 16.06 m true width) from the J1 Vein. KUDD0032 is located in a cluster of J1 Vein dilatant zone intersections, including previously reported hole KUDD0001 located ~100 m to the north of KUDD0032, which recorded 66.55 m at 3.65 g/t Au, 9 g/t Ag and 0.78% Cu (5.02 g/t AuEq, 43.26 m true width) and KUDD0038, ~100 m up-dip and to the south from hole KUDD0032, which also recorded multiple intersections, including 28.70 m at 2.85 g/t Au, 25 g/t Ag and 0.85% Cu (4.53 g/t AuEq, 18.08 m true width) from the J1 Vein.

Other drill highlights include: KUDD0034 recording multiple intersections including 10.32 m at 9.20 g/t Au, 30 g/t Ag and 2.36% Cu (13.36 g/t AuEq, 5.68 m true width) from the J2 Vein; KUDD0033 recording multiple intersections including 1.50 m at 11.03 g/t Au, 18 g/t Ag and 0.03% Cu (11.30 g/t AuEq, 1.04 m true width) from the J2 Vein, and; KUDD0036 recording multiple intersections including 7.70 m at 3.98 g/t Au, 10 g/t Ag and 1.18% Cu (6.01 g/t AuEq, 4.93 m true width) from the J1 Vein. The system remains strong to the south recording solid thicknesses and 52% of all Judd South J1 Vein surface holes have recorded grades exceeding 5 g/t AuEq to date.

Kora Drilling Results

At Kora, underground drilling towards the south is highlighted by holes KMDD0503 recording multiple intersections including 6.63 m at 0.91 g/t Au, 91 g/t Ag and 6.34% Cu (12.21 g/t AuEq, 2.34 m true width) from the K2 Vein and KMDD0511 recording multiple intersections including 12.04 m at 7.20 g/t Au, 28 g/t Ag and 2.22% Cu (11.11 g/t AuEq, 7.34 m true width) from the K2 Vein. These holes extended high-grade mineralization to the south and notably, the holes continue to demonstrate increasing copper grade tenor as drilling approaches the A1 Porphyry target. This has also been observed in Kora South surface holes KUDD0033, KUDD0035, KUDD0037, KUDD0038 and KUDD0039 noted above. Mineralization remains open along strike to the south and at depth, and the Company plans to target both areas from underground via the 1205 Level southern drill drive (Kora South) and once the twin incline development progresses closer to the Kora resource (Kora Deeps, targeting 2Q 2023).

Underground drilling in the central and northern areas of Kora continue to record high-grade intersections, highlighted by holes KMDD0504 recording multiple intersections including: 6.12 m at 88.12 g/t Au, 5 g/t Ag and 0.16% Cu (88.44 g/t AuEq, 4.87 m true width) from the K1 Vein; KMDD0499 recording multiple intersections including 6.23 m at 13.93 g/t Au, 3 g/t Ag and 0.13% Cu (14.18 g/t AuEq, 4.60 m true width) from the K1 Vein, and; KMDD0506 recording multiple intersections including 3.45 m at 15.79 g/t Au, 3 g/t Ag and 0.41% Cu (16.48 g/t AuEq, 3.20 m true width) from the K1 Vein.

Other underground drill highlights include KMDD0519 recording multiple intersections including: 5.30 m at 13.49 g/t Au, 30 g/t Ag and 0.61% Cu (14.84 g/t AuEq, 4.65 m true width) from the K2 Vein; KMDD0516 recording multiple intersections including 4.15 m at 8.83 g/t Au, 39 g/t Ag and 1.82% Cu (12.24 g/t AuEq, 3.30 m true width) from the K2 Vein, and; KMDD0515 recording multiple intersections including 8.30 m at 8.61 g/t Au, 19 g/t Ag and 0.51% Cu (9.67 g/t AuEq, 7.83 m true width) from the K2 Vein.

Judd Drilling Results

At Judd, underground and surface drilling continue to demonstrate high-grade and expansion potential with the known deposit open along strike in both directions, up-dip and down-dip. To date, four known veins have been recorded at Judd, with the J1 Vein being the most productive, and similar vein orientation and quartz-sulphide Au-Cu-Ag mineralization as Kora.

The drill results are highlighted by surface hole KODD0026 recording multiple intersections including 5.40 m at 56.46 g/t Au, 2 g/t Ag and 0.17% Cu (56.76 g/t AuEq, 3.46 m true width) from the J1 Vein. KODD0026 demonstrates the strong potential for high grade mineralization to extend up-dip from the Judd resource estimate towards surface. This substantial area is largely untested and is a key focus of our surface drilling program.

Underground drilling to the south and down-dip encountered multiple high-grade intersections with highlights including: JDD0163 recording multiple intersections including 4.06 m at 14.27 g/t Au, 65 g/t Ag and 0.90% Cu (16.53 g/t AuEq, 2.80 m true width) from the J1 Vein; JDD0159 recording multiple intersections including 2.49 m at 6.62 g/t Au, 32 g/t Ag and 1.91% Cu (10.08 g/t AuEq, 1.40 m true width) from the J1 Vein, and; JDD0172 recording multiple intersections including 10.90 m at 6.06 g/t Au, 16 g/t Ag and 0.73% Cu (7.43 g/t AuEq, 4.74 m true width) from the J1 Vein.

Other drill highlights include KODD0020 recording multiple intersections including 16.65 m at 6.92 g/t Au, 4 g/t Ag and 0.33% Cu (7.49 g/t AuEq, 9.66 m true width) from the J1 Vein, and underground hole JDD0170 recording multiple intersections including 3.15 m at 10.10 g/t Au, 12 g/t Ag and 1.12% Cu (12.05 g/t AuEq, 2.09 m true width) from the J1 Vein. These results continue to demonstrate that the vein system remains open at depth, to surface and along strike.

Figures

Long sections of K1, K2 and J1 showing the location of the latest drill holes are provided in Figures 1, 2 and 3, respectively. A long section showing Kora drilling to date is provided in Figure 4. A long section showing Judd drilling to date is provided in Figure 5. Core photographs of drill hole KMDD0504 is provided in Figure 6, KUDD0035 in Figure 7 and KUDD0032 in Figure 8.

John Lewins, K92 Chief Executive Officer and Director, stated, *“The drill results continue to demonstrate the significant resource growth potential of the Kora-Kora South and Judd-Judd South vein systems as shown by multiple high-grade gold and copper intersections at significant thickness.*

The most recent results have certainly enhanced our understanding of the dilatant zones with 5 dilatant intersections recorded from surface drilling, including KUDD0035 recording 50.05 m at 5.25 g/t AuEq from the K1 Vein and KUDD0033 recording 27.90 m at 10.48 g/t AuEq from the K2 Vein, and KUDD0038 recording 14.00 m at 5.49 g/t AuEq from the K1 Vein at Kora South, plus KUDD0032 recording 30.30 m at 6.13 g/t AuEq from the J1 Vein, and KUDD0038 recording 28.70 m at 4.53 g/t AuEq from the J1 Vein at Judd South. Dilatant zones have the potential to be a significant endowment multiplier due to their thickness being several times greater than the vein system thickness average.

The results have also significantly expanded the known deposit dimensions at Judd-Judd South, documenting multiple high-grade intersections. In addition to the highlights noted above, highlights include: KODD0026 recording 5.40 m at 56.76 g/t AuEq from the J1 Vein, JDD0163 recording 4.06 m at 16.53 g/t AuEq from the J1 Vein, JDD0172 recording 10.90 m at 7.43 g/t AuEq from the J1 Vein and KODD0020 recording 16.65 m at 7.49 g/t AuEq from the J1 Vein. Judd South has demonstrated a very strong hit rate to date, with 52% of surface holes drilled exceeding 5 g/t AuEq and at solid thickness. It is important to note that high-grade mineralization at Judd was encountered from underground development in 3Q 2020 and has only been a recent exploration focus. We see significant expansion potential along strike, at depth and towards surface.

Also, we are pleased with the results at Kora, highlighted by hole KMDD0504 recording 6.12 m at 88.44 g/t AuEq from the K1 Vein. Over the next few months, the twin incline, which is currently advancing ahead of budget, will be in position for drilling to target Kora Deeps, the down-dip extension of Kora, which we see as a high-potential target area.

We have almost completed a new drill cuddy at the southern extent of the 1205 level development, which is located in our Exploration Lease 470, approximately 125 metres to the south of the previously most southerly drill cuddy and almost 200 metres along strike from the Mining Lease 150 boundary. This will allow us to further ramp-up drilling to the south from underground. We plan to continue the development of 1205 to the south to allow additional drill cuddies to be developed, enabling us to further increase the number of underground drill rigs operating in EL 470 targeting Kora South and Judd South from underground.

Lastly, porphyry exploration drilling is planned to commence shortly at A1, our top porphyry target.”

Table 1
Kainantu Gold Mine – Significant Intercepts from Kora Underground Diamond Drilling

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KMDD0496	265.90	268.45	2.55	0.70	0.64	6	1.18	2.61	KFW
Including	265.90	266.40	0.50	0.14	1.40	10	1.54	3.99	
Including	266.40	267.00	0.60	0.16	0.09	4	0.46	0.88	
Including	267.00	267.85	0.85	0.23	0.63	4	1.20	2.60	
Including	267.85	268.45	0.60	0.16	0.59	8	1.60	3.25	
KMDD0496	361.00	364.65	3.65	1.05	1.56	10	1.01	3.30	K1
Including	361.00	361.55	0.55	0.16	0.54	20	2.61	4.98	
Including	361.55	362.30	0.75	0.22	6.50	7	0.39	7.22	
Including	362.30	362.90	0.60	0.17	0.21	3	0.06	0.34	
Including	362.90	363.70	0.80	0.23	0.17	9	0.78	1.53	
Including	363.70	364.65	0.95	0.27	0.28	11	1.36	2.61	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KMDD0497	113.39	125.30	11.91	2.13	0.25	4	0.36	0.88	K1
Including	113.39	113.74	0.35	0.06	1.15	8	0.40	1.89	
Including	113.74	114.37	0.63	0.11	0.87	9	0.24	1.37	
Including	114.37	115.00	0.63	0.11	0.34	2	0.05	0.44	
Including	115.00	116.30	1.30	0.23	0.23	5	0.24	0.67	
Including	116.30	116.90	0.60	0.11	0.15	2	0.07	0.28	
Including	116.90	118.00	1.10	0.20	0.14	3	0.17	0.44	
Including	118.00	119.00	1.00	0.18	0.09	2	0.05	0.19	
Including	119.00	119.58	0.58	0.10	0.08	3	0.13	0.33	
Including	119.58	120.00	0.42	0.08	0.41	8	1.32	2.63	
Including	120.00	120.90	0.90	0.16	0.22	9	0.82	1.64	
Including	120.90	122.00	1.10	0.20	0.24	1	0.05	0.33	
Including	122.00	123.06	1.06	0.19	0.20	3	0.14	0.46	
Including	123.06	123.70	0.64	0.11	0.07	4	0.64	1.14	
Including	123.70	124.45	0.75	0.13	0.15	8	1.32	2.37	
Including	124.45	125.30	0.85	0.15	0.09	4	0.56	1.04	
KMDD0497	145.00	146.00	1.00	0.18	1.13	1	0.01	1.16	
Including	145.00	146.00	1.00	0.18	1.13	1	0.01	1.16	
KMDD0497	196.40	197.51	1.11	0.20	0.89	119	8.02	15.24	
Including	196.40	197.00	0.60	0.11	1.04	111	6.75	13.26	
Including	197.00	197.51	0.51	0.09	0.72	128	9.51	17.58	
KMDD0497	203.26	203.70	0.44	0.08	0.22	20	2.24	4.06	
Including	203.26	203.70	0.44	0.08	0.22	20	2.24	4.07	
KMDD0497	226.50	238.00	11.50	2.06	0.81	54	3.15	6.54	K2
Including	226.50	227.60	1.10	0.20	1.46	24	4.33	8.71	
Including	227.60	228.50	0.90	0.16	0.92	46	4.22	8.26	
Including	228.50	229.41	0.91	0.16	0.60	71	6.24	11.49	
Including	229.41	230.11	0.70	0.13	0.13	10	0.93	1.74	
Including	230.11	230.90	0.79	0.14	0.12	12	2.23	3.85	
Including	230.90	231.74	0.84	0.15	0.01	4	0.55	0.94	
Including	231.74	232.70	0.96	0.17	1.87	35	3.72	8.27	
Including	232.70	234.04	1.34	0.24	0.97	29	0.99	2.92	
Including	234.04	235.00	0.96	0.17	0.71	85	3.81	7.88	
Including	235.00	236.00	1.00	0.18	0.93	144	4.08	9.27	
Including	236.00	237.00	1.00	0.18	1.24	142	5.44	11.74	
Including	237.00	238.00	1.00	0.18	0.23	27	1.05	2.26	
KMDD0497	251.10	252.48	1.38	0.25	0.23	24	2.68	4.83	
Including	251.10	252.48	1.38	0.25	0.23	24	2.68	4.83	
KMDD0497	256.10	257.28	1.18	0.21	2.46	35	0.50	3.70	
Including	256.10	257.28	1.18	0.21	2.46	35	0.50	3.70	
KMDD0498	258.00	259.90	1.90	0.11	2.59	9	0.77	3.94	
Including	258.00	259.10	1.10	0.06	1.20	4	0.03	1.31	
Including	259.10	259.52	0.42	0.02	0.05	1	0.02	0.09	
Including	259.52	259.90	0.38	0.02	9.40	30	3.72	15.74	
KMDD0498	372.13	372.80	0.67	0.04	0.81	50	5.82	10.77	
Including	372.13	372.80	0.67	0.04	0.81	50	5.82	10.76	
KMDD0498	424.90	456.70	31.80	1.86	2.46	39	1.53	5.40	K1
Including	424.90	426.00	1.10	0.06	0.64	14	1.01	2.44	
Including	426.00	427.00	1.00	0.06	1.40	49	2.42	5.90	
Including	427.00	427.68	0.68	0.04	0.89	77	3.12	6.85	
Including	427.68	429.14	1.46	0.09	1.49	68	9.71	17.92	
Including	429.14	430.00	0.86	0.05	0.61	27	2.19	4.45	
Including	430.00	431.30	1.30	0.08	0.17	4	0.14	0.44	
Including	431.30	432.00	0.70	0.04	0.05	1	0.02	0.09	
Including	432.00	432.30	0.30	0.02	0.14	3	0.17	0.45	
Including	432.30	433.00	0.70	0.04	1.01	8	0.47	1.86	
Including	433.00	433.90	0.90	0.05	0.59	16	1.30	2.87	
Including	433.90	435.00	1.10	0.06	0.12	9	1.10	1.99	
Including	435.00	436.00	1.00	0.06	0.18	2	0.02	0.24	
Including	436.00	437.20	1.20	0.07	0.01	2	0.02	0.06	
Including	437.20	437.60	0.40	0.02	0.28	14	0.35	1.02	
Including	437.60	438.00	0.40	0.02	0.03	2	0.03	0.10	
Including	438.00	439.00	1.00	0.06	0.33	22	0.39	1.22	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	439.00	440.00	1.00	0.06	0.20	34	0.69	1.73	
Including	440.00	441.00	1.00	0.06	0.05	6	0.08	0.25	
Including	441.00	441.80	0.80	0.05	0.08	27	0.20	0.73	
Including	441.80	443.12	1.32	0.08	0.16	2	0.01	0.21	
Including	443.12	444.00	0.88	0.05	0.25	1	0.01	0.27	
Including	444.00	445.00	1.00	0.06	0.07	1	0.01	0.09	
Including	445.00	445.96	0.96	0.06	0.79	3	0.05	0.91	
Including	445.96	447.00	1.04	0.06	0.64	6	0.06	0.80	
Including	447.00	448.00	1.00	0.06	1.09	31	0.53	2.32	
Including	448.00	448.90	0.90	0.05	1.99	14	0.26	2.58	
Including	448.90	449.90	1.00	0.06	31.59	227	3.42	39.92	
Including	449.90	451.00	1.10	0.06	8.68	80	4.38	16.70	
Including	451.00	451.90	0.90	0.05	1.75	46	1.02	3.97	
Including	451.90	453.00	1.10	0.06	1.52	47	1.48	4.48	
Including	453.00	453.70	0.70	0.04	0.41	25	0.33	1.25	
Including	453.70	454.45	0.75	0.04	3.58	203	0.60	7.08	
Including	454.45	455.65	1.20	0.07	8.85	114	5.54	19.17	
Including	455.65	456.00	0.35	0.02	13.26	141	5.81	24.34	
Including	456.00	456.70	0.70	0.04	3.78	51	2.09	7.77	
KMDD0498	465.93	468.00	2.07	0.12	1.00	46	1.30	3.66	
Including	465.93	467.00	1.07	0.06	1.42	41	1.01	3.55	
Including	467.00	468.00	1.00	0.06	0.56	51	1.60	3.77	
KMDD0498	479.00	484.90	5.90	0.35	0.96	28	0.58	2.24	
Including	479.00	480.00	1.00	0.06	1.02	15	0.09	1.36	
Including	480.00	481.00	1.00	0.06	0.23	5	0.05	0.37	
Including	481.00	481.95	0.95	0.06	0.48	16	0.10	0.85	
Including	481.95	482.50	0.55	0.03	0.42	22	0.24	1.08	
Including	482.50	483.00	0.50	0.03	1.33	51	1.35	4.13	
Including	483.00	483.40	0.40	0.02	1.65	68	1.65	5.14	
Including	483.40	484.90	1.50	0.09	1.61	43	1.15	3.99	
KMDD0499	54.89	61.12	6.23	4.60	13.93	3	0.13	14.18	K1
Including	54.89	55.76	0.87	0.64	82.00	5	0.23	82.43	
Including	55.76	56.60	0.84	0.62	14.70	3	0.06	14.84	
Including	56.60	57.70	1.10	0.81	0.65	3	0.17	0.97	
Including	57.70	58.17	0.47	0.35	1.97	2	0.02	2.03	
Including	58.17	58.67	0.50	0.37	0.16	1	0.02	0.20	
Including	58.67	59.60	0.93	0.69	0.79	2	0.05	0.89	
Including	59.60	60.12	0.52	0.38	0.32	1	0.04	0.39	
Including	60.12	60.62	0.50	0.37	0.32	2	0.07	0.46	
Including	60.62	61.12	0.50	0.37	0.64	4	0.45	1.41	
KMDD0499	130.43	132.84	2.41	1.80	0.60	12	0.89	2.18	K2
Including	130.43	131.00	0.57	0.43	1.05	4	0.22	1.45	
Including	131.00	132.00	1.00	0.75	0.05	2	0.07	0.19	
Including	132.00	132.84	0.84	0.63	0.94	30	2.33	5.05	
KMDD0500	89.42	92.90	3.48	1.30	1.86	12	3.04	6.89	KFW
Including	89.42	90.52	1.10	0.41	0.66	26	6.90	12.06	
Including	90.52	91.15	0.63	0.24	0.59	14	3.88	6.99	
Including	91.15	91.90	0.75	0.28	0.24	4	0.39	0.92	
Including	91.90	92.90	1.00	0.37	5.19	3	0.23	5.59	
KMDD0500	99.00	109.00	10.00	3.70	4.88	20	2.37	8.93	K1
Including	99.00	100.00	1.00	0.37	2.42	2	0.04	2.51	
Including	100.00	101.00	1.00	0.37	4.40	8	0.12	4.69	
Including	101.00	102.00	1.00	0.37	2.24	7	0.48	3.10	
Including	102.00	102.65	0.65	0.24	7.50	13	4.62	15.07	
Including	102.65	103.00	0.35	0.13	13.50	12	0.35	14.21	
Including	103.00	103.83	0.83	0.31	26.41	16	0.25	27.00	
Including	103.83	104.64	0.81	0.30	2.92	23	2.51	7.23	
Including	104.64	105.90	1.26	0.47	0.19	6	0.80	1.54	
Including	105.90	106.89	0.99	0.37	1.56	101	12.34	22.62	
Including	106.89	108.00	1.11	0.41	3.43	18	2.31	7.36	
Including	108.00	109.00	1.00	0.37	0.26	14	1.89	3.47	
KMDD0500	151.67	167.75	16.08	5.90	0.66	23	3.70	6.88	K2 (terminated early in mineralization)

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	151.67	152.12	0.45	0.17	0.36	22	5.08	8.78	
Including	152.12	153.00	0.88	0.32	0.23	28	4.37	7.58	
Including	153.00	153.50	0.50	0.18	0.68	52	15.26	25.80	
Including	153.50	154.50	1.00	0.37	0.17	9	1.29	2.36	
Including	154.50	155.00	0.50	0.18	0.06	2	0.03	0.13	
Including	155.00	155.50	0.50	0.18	0.02	2	0.03	0.09	
Including	155.50	156.62	1.12	0.41	0.18	8	2.24	3.88	
Including	156.62	158.00	1.38	0.51	0.34	15	4.96	8.48	
Including	158.00	159.95	1.95	0.72	1.02	38	11.40	19.78	
Including	159.95	161.00	1.05	0.39	0.21	2	0.06	0.34	
Including	161.00	163.90	2.90	1.06	0.12	3	0.14	0.38	
Including	163.90	165.10	1.20	0.44	4.57	125	8.81	20.26	
Including	165.10	165.90	0.80	0.29	0.28	33	1.37	2.90	
Including	165.90	167.75	1.85	0.68	0.37	4	0.36	0.99	
KMDD0501	80.41	84.25	3.84	1.80	8.54	3	0.04	8.64	K1
Including	80.41	80.90	0.49	0.23	40.53	3	0.04	40.63	
Including	80.90	81.60	0.70	0.33	9.11	5	0.12	9.36	
Including	81.60	82.23	0.63	0.30	0.92	3	0.01	0.98	
Including	82.23	83.00	0.77	0.36	6.61	2	0.01	6.65	
Including	83.00	83.82	0.82	0.38	0.24	1	0.01	0.27	
Including	83.82	84.25	0.43	0.20	1.58	2	0.05	1.69	
KMDD0501	179.76	184.73	4.97	2.39	1.00	7	0.13	1.30	K2
Including	179.76	180.40	0.64	0.31	0.51	6	0.04	0.65	
Including	180.40	181.10	0.70	0.34	3.41	27	0.15	3.98	
Including	181.10	181.80	0.70	0.34	0.30	5	0.07	0.48	
Including	181.80	182.48	0.68	0.33	0.17	3	0.21	0.55	
Including	182.48	183.00	0.52	0.25	0.02	3	0.25	0.45	
Including	183.00	183.60	0.60	0.29	0.05	2	0.07	0.19	
Including	183.60	183.93	0.33	0.16	0.20	1	0.03	0.26	
Including	183.93	184.45	0.52	0.25	2.30	3	0.09	2.49	
Including	184.45	184.73	0.28	0.13	2.23	4	0.42	2.95	
KMDD0502	63.75	71.95	8.20	5.17	2.44	4	0.18	2.78	K1
Including	63.75	65.30	1.55	0.98	2.12	3	0.08	2.28	
Including	65.30	66.44	1.14	0.72	8.79	2	0.05	8.90	
Including	66.44	67.10	0.66	0.42	2.74	3	0.04	2.84	
Including	67.10	67.60	0.50	0.32	1.80	1	0.01	1.82	
Including	67.60	68.00	0.40	0.25	1.60	1	0.01	1.63	
Including	68.00	68.80	0.80	0.50	0.44	3	0.07	0.59	
Including	68.80	69.35	0.55	0.35	1.19	3	0.06	1.32	
Including	69.35	70.45	1.10	0.69	0.40	5	0.22	0.81	
Including	70.45	71.00	0.55	0.35	1.88	6	0.49	2.75	
Including	71.00	71.95	0.95	0.60	0.88	7	0.73	2.14	
KMDD0502	145.85	150.80	4.95	3.12	0.29	2	0.22	0.67	K2
Including	145.85	146.50	0.65	0.41	0.27	2	0.92	1.78	
Including	146.50	147.20	0.70	0.44	0.14	3	0.26	0.59	
Including	147.20	148.00	0.80	0.50	0.08	2	0.06	0.20	
Including	148.00	148.80	0.80	0.50	0.15	2	0.21	0.51	
Including	148.80	149.50	0.70	0.44	0.23	1	0.02	0.28	
Including	149.50	150.20	0.70	0.44	0.44	2	0.05	0.54	
Including	150.20	150.80	0.60	0.38	0.85	2	0.04	0.94	
KMDD0503	133.10	139.73	6.63	2.34	0.91	91	6.34	12.21	K2
Including	133.10	133.38	0.28	0.10	0.56	19	5.54	9.68	
Including	133.38	133.57	0.19	0.07	0.18	12	2.66	4.59	
Including	133.57	134.40	0.83	0.29	0.16	11	2.60	4.46	
Including	134.40	135.20	0.80	0.28	0.64	45	11.47	19.59	
Including	135.20	136.00	0.80	0.28	0.34	9	1.43	2.74	
Including	136.00	136.90	0.90	0.32	1.28	26	5.67	10.69	
Including	136.90	137.33	0.43	0.15	0.14	2	0.36	0.74	
Including	137.33	137.78	0.45	0.16	3.84	549	8.00	23.53	
Including	137.78	138.35	0.57	0.20	1.45	185	18.25	33.04	
Including	138.35	138.70	0.35	0.12	2.69	455	15.63	33.45	
Including	138.70	139.73	1.03	0.36	0.20	10	2.68	4.62	
KMDD0504	51.00	57.12	6.12	4.87	88.12	5	0.16	88.44	K1

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	51.00	51.62	0.62	0.49	5.46	5	0.25	5.93	
Including	51.62	52.14	0.52	0.41	441.00	6	0.07	441.19	
Including	52.14	52.57	0.43	0.34	679.20	4	0.03	679.30	
Including	52.57	53.00	0.43	0.34	5.32	1	0.10	5.49	
Including	53.00	53.82	0.82	0.65	1.67	1	0.11	1.85	
Including	53.82	54.21	0.39	0.31	0.51	1	0.02	0.55	
Including	54.21	54.54	0.33	0.26	0.32	2	0.16	0.60	
Including	54.54	55.00	0.46	0.37	0.43	3	0.30	0.95	
Including	55.00	56.00	1.00	0.80	0.19	1	0.17	0.48	
Including	56.00	56.70	0.70	0.56	4.31	8	0.29	4.88	
Including	56.70	57.12	0.42	0.33	17.06	24	0.22	17.71	
KMDD0504	121.00	126.00	5.00	4.01	0.26	4	0.21	0.65	K2
Including	121.00	121.39	0.39	0.31	0.14	2	0.10	0.32	
Including	121.39	122.00	0.61	0.49	0.37	13	0.14	0.76	
Including	122.00	122.43	0.43	0.34	0.32	2	0.10	0.50	
Including	122.43	123.00	0.57	0.46	0.85	13	0.45	1.73	
Including	123.00	124.40	1.40	1.12	0.12	1	0.07	0.24	
Including	124.40	125.00	0.60	0.48	0.10	1	0.37	0.70	
Including	125.00	126.00	1.00	0.80	0.15	1	0.33	0.70	
KMDD0505	48.04	52.40	4.36	3.88	1.84	4	0.15	2.13	K1
Including	48.04	48.27	0.23	0.20	2.53	3	0.22	2.92	
Including	48.27	48.63	0.36	0.32	7.33	6	0.17	7.67	
Including	48.63	49.05	0.42	0.37	1.40	8	0.74	2.69	
Including	49.05	49.30	0.25	0.22	0.43	4	0.14	0.70	
Including	49.30	50.30	1.00	0.89	0.17	1	0.05	0.26	
Including	50.30	50.90	0.60	0.53	2.93	2	0.05	3.03	
Including	50.90	51.15	0.25	0.22	3.01	10	0.09	3.28	
Including	51.15	51.75	0.60	0.53	0.53	2	0.02	0.58	
Including	51.75	52.00	0.25	0.22	1.47	1	0.04	1.55	
Including	52.00	52.40	0.40	0.36	1.86	12	0.23	2.39	
KMDD0505	114.45	116.11	1.66	1.48	1.79	5	0.82	3.17	K2
Including	114.45	115.00	0.55	0.49	2.54	2	0.39	3.19	
Including	115.00	115.47	0.47	0.42	2.45	4	0.28	2.96	
Including	115.47	115.73	0.26	0.23	0.22	1	0.01	0.25	
Including	115.73	115.94	0.21	0.19	0.85	4	0.41	1.55	
Including	115.94	116.11	0.17	0.15	1.07	22	5.42	10.04	
KMDD0505	137.54	138.40	0.86	0.77	10.51	5	0.42	11.25	K2HW
Including	137.54	137.80	0.26	0.23	34.58	10	0.82	36.02	
Including	137.80	138.40	0.60	0.54	0.08	3	0.24	0.50	
KMDD0506	45.55	49.00	3.45	3.20	15.79	3	0.41	16.48	K1
Including	45.55	46.42	0.87	0.81	6.72	2	0.03	6.80	
Including	46.42	48.00	1.58	1.46	29.36	5	0.82	30.74	
Including	48.00	49.00	1.00	0.93	2.25	2	0.07	2.38	
KMDD0506	105.40	110.00	4.60	4.25	1.43	6	0.55	2.39	K2
Including	105.40	106.40	1.00	0.92	3.42	21	1.04	5.36	
Including	106.40	107.40	1.00	0.92	0.16	1	0.01	0.19	
Including	107.40	108.20	0.80	0.74	2.13	1	0.04	2.21	
Including	108.20	109.20	1.00	0.92	0.56	3	0.77	1.83	
Including	109.20	110.00	0.80	0.74	0.92	5	0.86	2.36	
KMDD0506	130.00	133.85	3.85	3.55	0.72	8	0.50	1.62	K2HW
Including	130.00	130.40	0.40	0.37	2.32	16	1.36	4.70	
Including	130.40	131.40	1.00	0.92	1.25	14	0.96	2.96	
Including	131.40	132.10	0.70	0.65	0.18	2	0.11	0.39	
Including	132.10	133.10	1.00	0.92	0.16	2	0.03	0.23	
Including	133.10	133.85	0.75	0.69	0.42	10	0.42	1.22	
KMDD0507	356.90	373.00	16.10	4.54	0.30	10	1.87	3.42	K2
Including	356.90	357.25	0.35	0.10	0.02	15	4.76	7.84	
Including	357.25	357.70	0.45	0.13	0.03	2	0.28	0.50	
Including	357.70	358.10	0.40	0.11	0.02	2	0.10	0.21	
Including	358.10	358.40	0.30	0.08	0.06	2	0.05	0.16	
Including	358.40	358.70	0.30	0.08	0.07	1	0.11	0.27	
Including	358.70	359.11	0.41	0.12	0.03	1	0.33	0.58	
Including	359.11	359.50	0.39	0.11	0.02	3	0.69	1.17	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	359.50	359.93	0.43	0.12	0.78	3	0.37	1.40	
Including	359.93	360.48	0.55	0.16	1.06	62	5.68	10.94	
Including	360.48	360.90	0.42	0.12	0.47	8	0.67	1.64	
Including	360.90	361.50	0.60	0.17	0.14	4	1.28	2.24	
Including	361.50	361.88	0.38	0.11	0.73	27	2.23	4.65	
Including	361.88	362.50	0.62	0.17	0.29	6	1.39	2.60	
Including	362.50	363.20	0.70	0.20	0.31	9	1.79	3.30	
Including	363.20	363.58	0.38	0.11	0.19	3	0.51	1.05	
Including	363.58	364.00	0.42	0.12	0.09	4	0.32	0.66	
Including	364.00	364.36	0.36	0.10	0.12	1	0.42	0.81	
Including	364.36	364.68	0.32	0.09	0.07	3	0.14	0.34	
Including	364.68	365.13	0.45	0.13	0.14	3	0.38	0.78	
Including	365.13	365.49	0.36	0.10	0.07	2	0.20	0.41	
Including	365.49	365.80	0.31	0.09	0.11	4	0.42	0.84	
Including	365.80	366.20	0.40	0.11	0.16	3	0.49	0.98	
Including	366.20	366.86	0.66	0.19	0.22	5	0.42	0.95	
Including	366.86	367.38	0.52	0.15	0.36	7	0.45	1.17	
Including	367.38	368.00	0.62	0.17	1.46	41	6.04	11.66	
Including	368.00	368.34	0.34	0.10	1.02	31	2.76	5.83	
Including	368.34	368.50	0.16	0.05	0.05	5	0.56	1.01	
Including	368.50	369.00	0.50	0.14	0.03	4	0.33	0.62	
Including	369.00	369.60	0.60	0.17	0.01	2	0.14	0.27	
Including	369.60	370.18	0.58	0.16	0.01	3	0.15	0.28	
Including	370.18	371.20	1.02	0.29	0.22	12	3.13	5.39	
Including	371.20	371.70	0.50	0.14	0.13	6	8.36	13.61	
Including	371.70	372.51	0.81	0.23	0.74	16	6.65	11.61	
Including	372.51	373.00	0.49	0.14	0.01	2	2.24	3.63	
KMDD0508	99.00	108.04	9.04	7.44	2.13	3	0.12	2.36	K1
Including	99.00	99.30	0.30	0.25	9.16	4	0.28	9.66	
Including	99.30	100.00	0.70	0.58	1.05	2	0.10	1.23	
Including	100.00	101.00	1.00	0.82	1.24	2	0.07	1.38	
Including	101.00	102.12	1.12	0.92	2.32	5	0.02	2.41	
Including	102.12	103.00	0.88	0.72	2.16	4	0.27	2.64	
Including	103.00	104.00	1.00	0.82	0.05	2	0.20	0.40	
Including	104.00	105.00	1.00	0.82	0.36	2	0.27	0.81	
Including	105.00	106.06	1.06	0.87	0.39	1	0.03	0.46	
Including	106.06	106.49	0.43	0.35	4.31	5	0.03	4.42	
Including	106.49	106.82	0.33	0.27	1.37	2	0.01	1.42	
Including	106.82	107.20	0.38	0.31	0.82	5	0.02	0.92	
Including	107.20	108.04	0.84	0.69	7.85	5	0.04	7.98	
KMDD0508	117.00	130.00	13.00	10.74	4.30	14	0.50	5.28	K2
Including	117.00	118.00	1.00	0.83	1.02	2	0.07	1.16	
Including	118.00	119.00	1.00	0.83	3.80	14	0.24	4.36	
Including	119.00	119.38	0.38	0.31	0.33	8	0.21	0.76	
Including	119.38	119.80	0.42	0.35	1.74	21	0.26	2.42	
Including	119.80	120.28	0.48	0.40	2.68	23	0.18	3.25	
Including	120.28	121.00	0.72	0.59	4.57	28	0.09	5.07	
Including	121.00	122.00	1.00	0.83	13.65	18	0.18	14.16	
Including	122.00	122.40	0.40	0.33	3.13	14	0.07	3.42	
Including	122.40	123.00	0.60	0.50	6.66	19	0.19	7.20	
Including	123.00	124.00	1.00	0.83	1.04	5	0.09	1.25	
Including	124.00	124.50	0.50	0.41	4.84	7	0.09	5.06	
Including	124.50	125.60	1.10	0.91	7.64	1	0.05	7.73	
Including	125.60	126.00	0.40	0.33	5.44	12	0.37	6.18	
Including	126.00	127.50	1.50	1.24	3.77	21	2.24	7.62	
Including	127.50	128.00	0.50	0.41	9.27	15	0.45	10.18	
Including	128.00	129.00	1.00	0.83	0.32	14	1.12	2.29	
KMDD0509	63.70	67.80	4.10	2.60	7.89	2	0.08	8.04	K1 (terminated early in mineralization)
Including	63.70	64.46	0.76	0.48	35.68	2	0.21	36.04	
Including	64.46	64.75	0.29	0.18	0.85	1	0.05	0.94	
Including	64.75	65.10	0.35	0.22	7.30	5	0.21	7.70	
Including	65.10	65.60	0.50	0.32	0.47	1	0.04	0.55	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	65.60	66.16	0.56	0.36	0.66	1	0.03	0.72	
Including	66.16	66.44	0.28	0.18	0.81	1	0.01	0.84	
Including	66.44	67.30	0.86	0.55	1.24	2	0.02	1.30	
Including	67.30	67.80	0.50	0.32	1.10	1	0.01	1.13	
KMDD0510	297.00	298.05	1.05	0.30	0.77	4	1.12	2.62	
Including	297.00	297.25	0.25	0.07	0.33	11	4.61	7.86	
Including	297.25	297.60	0.35	0.10	0.03	2	0.04	0.11	
Including	297.60	298.05	0.45	0.13	1.58	2	0.02	1.64	
KMDD0510	308.00	313.00	5.00	1.43	0.43	3	0.47	1.22	
Including	308.00	309.00	1.00	0.29	1.47	2	0.01	1.51	
Including	309.00	310.00	1.00	0.29	0.29	3	0.18	0.62	
Including	310.00	311.00	1.00	0.29	0.08	1	0.02	0.12	
Including	311.00	311.40	0.40	0.11	0.06	2	0.38	0.70	
Including	311.40	311.90	0.50	0.14	0.27	11	2.71	4.75	
Including	311.90	313.00	1.10	0.31	0.13	4	0.59	1.12	
KMDD0510	319.30	338.70	19.40	5.47	0.21	10	0.75	1.54	K2
Including	319.30	319.70	0.40	0.11	0.25	7	0.98	1.91	
Including	319.70	320.30	0.60	0.17	0.47	5	0.17	0.81	
Including	320.30	321.00	0.70	0.20	0.28	86	7.92	14.06	
Including	321.00	322.00	1.00	0.28	0.16	7	0.32	0.77	
Including	322.00	323.00	1.00	0.28	0.10	4	0.08	0.29	
Including	323.00	323.80	0.80	0.23	0.14	5	0.16	0.46	
Including	323.80	324.80	1.00	0.28	0.19	1	0.01	0.22	
Including	324.80	325.50	0.70	0.20	0.18	1	0.01	0.21	
Including	325.50	326.20	0.70	0.20	0.24	1	0.01	0.26	
Including	326.20	326.90	0.70	0.20	0.13	2	0.01	0.18	
Including	326.90	328.00	1.10	0.31	0.11	3	0.01	0.16	
Including	328.00	329.00	1.00	0.28	0.04	2	0.02	0.10	
Including	329.00	330.00	1.00	0.28	0.12	1	0.01	0.15	
Including	330.00	331.00	1.00	0.28	0.09	2	0.02	0.14	
Including	331.00	331.60	0.60	0.17	0.33	6	0.27	0.84	
Including	331.60	332.50	0.90	0.25	0.14	1	0.01	0.17	
Including	332.50	333.50	1.00	0.28	0.89	11	0.24	1.42	
Including	333.50	334.40	0.90	0.25	0.06	6	0.47	0.89	
Including	334.40	334.90	0.50	0.14	0.04	4	0.20	0.41	
Including	334.90	335.80	0.90	0.25	0.09	6	0.69	1.27	
Including	335.80	336.90	1.10	0.31	0.12	17	1.15	2.18	
Including	336.90	338.00	1.10	0.31	0.07	15	1.53	2.70	
Including	338.00	338.70	0.70	0.20	0.91	46	4.89	9.33	
KMDD0511	59.90	71.94	12.04	7.34	7.20	28	2.22	11.11	K2
Including	59.90	61.90	2.00	1.22	2.42	1	0.21	2.77	
Including	61.90	63.70	1.80	1.10	0.38	2	0.41	1.07	
Including	63.70	65.70	2.00	1.22	12.90	83	5.50	22.76	
Including	65.70	67.10	1.40	0.85	1.63	6	0.51	2.52	
Including	67.10	67.60	0.50	0.30	34.27	91	4.21	42.16	
Including	67.60	68.50	0.90	0.55	22.42	56	5.31	31.63	
Including	68.50	69.44	0.94	0.57	6.32	15	2.00	9.71	
Including	69.44	70.20	0.76	0.46	0.33	6	0.92	1.89	
Including	70.20	70.83	0.63	0.38	0.39	9	0.75	1.71	
Including	70.83	71.40	0.57	0.35	9.61	47	3.41	15.67	
Including	71.40	71.94	0.54	0.33	7.14	26	3.65	13.32	
KMDD0514	10.55	11.30	0.75	0.70	0.01	3	3.01	4.87	
Including	10.55	11.30	0.75	0.70	0.01	3	3.01	4.88	
KMDD0514	18.00	20.40	2.40	2.25	1.39	10	1.55	4.00	
Including	18.00	19.00	1.00	0.94	1.92	13	1.01	3.70	
Including	19.00	20.40	1.40	1.31	1.01	7	1.94	4.21	
KMDD0514	32.10	33.10	1.00	0.94	1.63	1	0.01	1.66	
Including	32.10	33.10	1.00	0.94	1.63	1	0.01	1.66	
KMDD0514	46.10	49.85	3.75	3.52	0.96	25	3.33	6.61	K2
Including	46.10	48.80	2.70	2.53	0.45	26	3.28	6.04	
Including	48.80	49.85	1.05	0.99	2.26	23	3.47	8.11	
KMDD0514	53.00	57.50	4.50	4.22	3.20	33	2.12	7.01	K2HW
Including	53.00	54.50	1.50	1.41	0.31	31	1.27	2.73	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	54.50	56.00	1.50	1.41	8.29	51	3.42	14.41	
Including	56.00	57.00	1.00	0.94	1.25	14	2.00	4.64	
Including	57.00	57.50	0.50	0.47	0.47	21	1.02	2.37	
KMDD0514	60.50	62.10	1.60	1.50	1.54	63	0.81	3.63	
Including	60.50	62.10	1.60	1.50	1.54	63	0.81	3.63	
KMDD0514	72.80	76.10	3.30	3.10	0.88	46	0.93	2.95	K3
Including	72.80	74.10	1.30	1.22	1.25	36	0.15	1.94	
Including	74.10	75.80	1.70	1.60	0.64	60	1.37	3.58	
Including	75.80	76.10	0.30	0.28	0.62	15	1.82	3.73	
KMDD0515	88.00	92.32	4.32	4.07	4.57	2	0.20	4.92	K1
Including	88.00	88.60	0.60	0.57	3.68	2	0.05	3.78	
Including	88.60	89.20	0.60	0.57	0.58	1	0.02	0.62	
Including	89.20	89.82	0.62	0.58	0.15	1	0.02	0.19	
Including	89.82	90.21	0.39	0.37	37.30	5	0.09	37.50	
Including	90.21	90.68	0.47	0.44	4.09	3	0.31	4.63	
Including	90.68	90.96	0.28	0.26	0.84	2	0.32	1.38	
Including	90.96	91.25	0.29	0.27	1.04	1	0.29	1.51	
Including	91.25	92.32	1.07	1.01	0.08	2	0.45	0.82	
KMDD0515	104.50	112.80	8.30	7.83	8.61	19	0.51	9.67	K2
Including	104.50	106.70	2.20	2.08	2.09	24	0.61	3.37	
Including	106.70	107.00	0.30	0.28	0.51	11	1.06	2.34	
Including	107.00	107.85	0.85	0.80	12.72	23	1.58	15.55	
Including	107.85	108.30	0.45	0.42	6.85	28	0.24	7.59	
Including	108.30	109.07	0.77	0.73	10.05	12	0.78	11.45	
Including	109.07	110.70	1.63	1.54	24.29	15	0.13	24.69	
Including	110.70	111.50	0.80	0.75	5.11	13	0.19	5.58	
Including	111.50	112.00	0.50	0.47	0.67	46	0.06	1.34	
Including	112.00	112.80	0.80	0.75	1.33	7	0.12	1.62	
KMDD0516	13.00	14.00	1.00	0.80	1.16	17	3.65	7.23	
Including	13.00	14.00	1.00	0.80	1.16	17	3.65	7.23	
KMDD0516	47.60	51.75	4.15	3.30	8.83	39	1.82	12.24	K2
Including	47.60	48.60	1.00	0.80	1.71	15	0.48	2.67	
Including	48.60	49.60	1.00	0.80	10.70	54	0.58	12.30	
Including	49.60	50.60	1.00	0.80	19.50	23	2.45	23.72	
Including	50.60	51.75	1.15	0.91	4.11	62	3.52	10.53	
KMDD0517	405.00	406.00	1.00	0.17	7.82	53	3.23	13.66	
Including	405.00	406.00	1.00	0.17	7.82	53	3.23	13.66	
KMDD0517	416.25	416.85	0.60	0.10	4.34	94	8.87	19.74	
Including	416.25	416.85	0.60	0.10	4.34	94	8.87	19.74	
KMDD0517	450.17	456.97	6.80	1.07	0.33	23	3.91	6.89	K2
Including	450.17	451.20	1.03	0.16	1.42	85	14.66	25.99	
Including	451.20	452.00	0.80	0.13	0.19	10	0.85	1.68	
Including	452.00	453.20	1.20	0.19	0.04	3	0.12	0.27	
Including	453.20	454.00	0.80	0.13	0.17	13	3.44	5.85	
Including	454.00	455.15	1.15	0.18	0.12	8	1.91	3.28	
Including	455.15	456.00	0.85	0.13	0.09	5	0.90	1.59	
Including	456.00	456.50	0.50	0.08	0.16	13	1.79	3.19	
Including	456.50	456.97	0.47	0.07	0.29	55	8.65	14.85	
KMDD0518	59.05	60.20	1.15	1.05	0.15	10	1.00	1.88	K1
Including	59.05	59.72	0.67	0.61	0.19	13	1.58	2.88	
Including	59.72	60.20	0.48	0.44	0.10	5	0.18	0.45	
KMDD0518	84.80	94.10	9.30	8.45	0.22	4	0.36	0.85	K2
Including	84.80	85.80	1.00	0.91	0.75	9	1.27	2.91	
Including	85.80	87.10	1.30	1.18	0.20	4	0.84	1.60	
Including	87.10	89.40	2.30	2.09	0.22	2	0.12	0.43	
Including	89.40	90.80	1.40	1.27	0.10	1	0.07	0.23	
Including	90.80	92.60	1.80	1.64	0.01	1	0.02	0.05	
Including	92.60	93.57	0.97	0.88	0.04	2	0.05	0.14	
Including	93.57	94.10	0.53	0.48	0.60	22	0.95	2.39	
KMDD0519	95.94	99.00	3.06	2.65	4.36	2	0.26	4.80	K1
Including	95.94	96.80	0.86	0.74	2.82	3	0.29	3.32	
Including	96.80	97.60	0.80	0.69	3.11	3	0.64	4.18	
Including	97.60	98.34	0.74	0.64	5.80	2	0.02	5.86	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	98.34	99.00	0.66	0.57	6.27	1	0.03	6.32	
KMDD0519	115.60	118.00	2.40	2.10	2.34	15	0.51	3.35	KL
Including	115.60	115.80	0.20	0.18	5.28	6	0.28	5.81	
Including	115.80	116.40	0.60	0.53	0.52	4	0.52	1.40	
Including	116.40	116.75	0.35	0.31	1.30	16	0.56	2.40	
Including	116.75	117.10	0.35	0.31	3.32	4	0.14	3.59	
Including	117.10	118.00	0.90	0.79	2.92	28	0.67	4.35	
KMDD0519	123.70	129.00	5.30	4.65	13.49	30	0.61	14.84	K2
Including	123.70	124.30	0.60	0.53	23.52	92	0.11	24.84	
Including	124.30	125.20	0.90	0.79	11.07	22	0.10	11.51	
Including	125.20	126.10	0.90	0.79	29.35	38	1.42	32.10	
Including	126.10	127.10	1.00	0.88	7.76	13	1.30	10.01	
Including	127.10	127.40	0.30	0.26	2.34	6	0.59	3.36	
Including	127.40	127.90	0.50	0.44	3.48	31	0.10	4.03	
Including	127.90	128.60	0.70	0.61	11.81	16	0.14	12.23	
Including	128.60	129.00	0.40	0.35	6.37	24	0.50	7.46	
KMDD0520	94.85	97.00	2.15	1.91	6.66	4	0.69	7.82	K1
Including	94.85	95.08	0.23	0.20	26.10	2	0.09	26.27	
Including	95.08	95.27	0.19	0.17	5.29	2	0.08	5.44	
Including	95.27	95.45	0.18	0.16	25.67	3	0.29	26.17	
Including	95.45	96.15	0.70	0.62	0.94	2	0.28	1.41	
Including	96.15	97.00	0.85	0.76	2.39	7	1.43	4.76	
KMDD0520	116.55	119.86	3.31	2.95	8.18	77	0.51	9.96	K2
Including	116.55	116.81	0.26	0.23	2.27	6	0.10	2.50	
Including	116.81	117.10	0.29	0.26	3.50	15	0.07	3.80	
Including	117.10	117.50	0.40	0.36	51.54	420	0.23	57.16	
Including	117.50	117.83	0.33	0.29	6.02	22	0.13	6.51	
Including	117.83	118.71	0.88	0.78	0.81	7	0.38	1.50	
Including	118.71	119.14	0.43	0.38	1.25	25	0.43	2.25	
Including	119.14	119.44	0.30	0.27	3.66	148	2.31	9.21	
Including	119.44	119.86	0.42	0.37	1.24	29	0.73	2.77	
KMDD0522	83.70	91.10	7.40	7.02	3.99	4	0.41	4.70	K1
Including	83.70	84.23	0.53	0.50	8.18	2	0.12	8.40	
Including	84.23	85.15	0.92	0.87	0.67	3	0.51	1.52	
Including	85.15	85.50	0.35	0.33	1.43	8	1.18	3.42	
Including	85.50	86.50	1.00	0.95	0.09	2	0.14	0.34	
Including	86.50	87.12	0.62	0.59	4.33	3	0.32	4.88	
Including	87.12	87.63	0.51	0.48	36.42	16	0.06	36.72	
Including	87.63	88.13	0.50	0.47	0.51	1	0.02	0.55	
Including	88.13	88.36	0.23	0.22	4.06	3	0.27	4.52	
Including	88.36	89.20	0.84	0.80	0.56	3	0.30	1.08	
Including	89.20	90.14	0.94	0.89	0.03	3	0.42	0.74	
Including	90.14	91.10	0.96	0.91	1.05	5	1.02	2.75	
KMDD0522	108.50	112.50	4.00	3.88	4.18	10	0.56	5.20	K2
Including	108.50	109.10	0.60	0.58	10.83	8	0.45	11.65	
Including	109.10	109.74	0.64	0.62	7.18	6	0.47	8.01	
Including	109.74	109.90	0.16	0.15	2.62	25	2.22	6.50	
Including	109.90	110.50	0.60	0.58	0.24	2	0.13	0.47	
Including	110.50	110.95	0.45	0.43	2.12	11	1.37	4.46	
Including	110.95	111.45	0.50	0.48	0.96	25	0.85	2.63	
Including	111.45	111.71	0.26	0.25	4.72	4	0.22	5.13	
Including	111.71	111.90	0.19	0.18	0.29	2	0.16	0.57	
Including	111.90	112.50	0.60	0.58	3.92	9	0.17	4.31	
KMDD0524	93.80	96.40	2.60	2.28	0.21	3	0.14	0.47	K2
Including	93.80	94.50	0.70	0.61	0.41	4	0.31	0.95	
Including	94.50	95.50	1.00	0.88	0.13	3	0.12	0.37	
Including	95.50	96.40	0.90	0.79	0.14	2	0.02	0.19	
KMDD0513	116.20	122.20	6.00	4.68	8.77	3	0.19	9.11	K1
Including	116.20	117.00	0.80	0.62	12.23	4	0.33	12.81	
Including	117.00	117.80	0.80	0.62	0.31	2	0.16	0.59	
Including	117.80	118.50	0.70	0.55	2.13	7	0.07	2.32	
Including	118.50	119.15	0.65	0.51	0.50	2	0.12	0.71	
Including	119.15	120.15	1.00	0.78	18.86	2	0.03	18.94	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	120.15	121.15	1.00	0.78	20.10	3	0.05	20.22	
Including	121.15	122.20	1.05	0.82	1.73	3	0.50	2.57	
KMDD0513	126.00	131.00	5.00	3.91	6.00	43	0.64	7.56	KL
Including	126.00	129.70	3.70	2.90	7.01	58	0.82	9.05	
Including	129.70	131.00	1.30	1.02	3.11	2	0.11	3.31	
KMDD0521	56.35	56.70	0.35	0.34	0.29	10	0.70	1.54	K1
Including	56.35	56.70	0.35	0.34	0.29	10	0.70	1.54	
KMDD0521	81.55	83.90	2.35	2.25	0.26	14	1.88	3.45	K2
Including	81.55	82.30	0.75	0.72	0.20	10	1.41	2.58	
Including	82.30	83.15	0.85	0.81	0.36	7	0.59	1.40	
Including	83.15	83.64	0.49	0.47	0.09	4	0.36	0.72	
Including	83.64	83.90	0.26	0.25	0.45	66	10.30	17.80	
KMDD0525	78.08	80.20	2.12	1.46	5.88	6	0.73	7.13	K1
Including	78.08	78.30	0.22	0.15	0.34	7	0.46	1.16	
Including	78.30	79.42	1.12	0.77	0.48	2	0.02	0.54	
Including	79.42	80.20	0.78	0.54	15.19	11	1.82	18.25	
KMDD0525	111.92	118.30	6.38	4.46	1.45	19	1.95	4.81	K2
Including	111.92	113.50	1.58	1.10	5.32	27	4.12	12.27	
Including	113.50	114.20	0.70	0.49	0.11	13	1.29	2.35	
Including	114.20	114.92	0.72	0.50	0.76	44	4.17	8.00	
Including	114.92	116.80	1.88	1.31	0.01	9	0.37	0.72	
Including	116.80	117.60	0.80	0.56	0.01	2	0.08	0.17	
Including	117.60	118.30	0.70	0.49	0.29	32	1.76	3.52	
KMDD0529	71.30	77.10	5.80	3.41	0.71	7	0.19	1.10	K1
Including	71.30	71.80	0.50	0.29	1.52	2	0.04	1.61	
Including	71.80	72.10	0.30	0.18	0.96	2	0.06	1.08	
Including	72.10	73.00	0.90	0.53	0.12	6	0.05	0.28	
Including	73.00	74.30	1.30	0.76	0.48	6	0.28	1.00	
Including	74.30	74.70	0.40	0.24	1.02	2	0.03	1.09	
Including	74.70	75.10	0.40	0.24	0.32	11	0.62	1.45	
Including	75.10	75.95	0.85	0.50	0.99	12	0.14	1.36	
Including	75.95	76.60	0.65	0.38	0.57	4	0.18	0.91	
Including	76.60	77.10	0.50	0.29	1.13	19	0.27	1.80	
K92DD0003	399.00	401.00	2.00	0.73	2.03	2	0.03	2.10	K1/M6
Including	399.00	400.00	1.00	0.37	0.24	2	0.04	0.33	
Including	400.00	401.00	1.00	0.37	3.82	2	0.01	3.87	
K92DD0003	529.50	534.15	4.65	1.70	0.85	3	0.07	1.00	K2/R3
Including	529.50	531.00	1.50	0.55	0.39	3	0.07	0.54	
Including	531.00	532.50	1.50	0.55	0.75	2	0.07	0.88	
Including	532.50	534.15	1.65	0.60	1.37	3	0.06	1.51	
K92DD0004	77.30	78.60	1.30	1.00	1.61	7	0.05	1.78	J1
Including	77.30	78.00	0.70	0.54	2.03	10	0.06	2.25	
Including	78.00	78.60	0.60	0.46	1.12	4	0.04	1.23	
K92DD0004	276.00	277.00	1.00	0.77	1.43	1	0.01	1.45	K1/M6
Including	276.00	277.00	1.00	0.77	1.43	1	0.01	1.45	
K92DD0005	218.10	218.65	0.55	0.32	2.36	6	0.65	3.48	
Including	218.10	218.30	0.20	0.12	0.85	7	1.26	2.96	
Including	218.30	218.65	0.35	0.21	3.23	6	0.30	3.79	
K92DD0005	345.70	351.40	5.70	3.36	0.59	3	0.03	0.68	K1/M6
Including	345.70	346.70	1.00	0.59	1.02	2	0.02	1.07	
Including	346.70	347.50	0.80	0.47	0.55	1	0.02	0.59	
Including	347.50	348.20	0.70	0.41	0.42	5	0.07	0.60	
Including	348.20	349.20	1.00	0.59	0.42	4	0.02	0.51	
Including	349.20	350.00	0.80	0.47	0.33	3	0.02	0.39	
Including	350.00	350.70	0.70	0.41	0.51	4	0.04	0.62	
Including	350.70	351.40	0.70	0.41	0.80	6	0.04	0.94	
K92DD0005	363.40	364.14	0.74	0.44	1.34	86	3.01	7.24	
Including	363.40	364.14	0.74	0.44	1.34	86	3.01	7.24	
K92DD0005	108.50	109.00	0.50	0.34	0.18	4	0.16	0.49	J1
Including	108.50	109.00	0.50	0.34	0.18	4	0.16	0.49	
K92DD0005	214.50	218.65	4.15	2.79	0.48	4	0.16	0.79	
Including	214.50	214.90	0.40	0.27	0.67	5	0.01	0.75	
Including	214.90	215.90	1.00	0.67	0.10	1	0.01	0.13	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	215.90	216.60	0.70	0.47	0.01	1	0.02	0.05	
Including	216.60	217.35	0.75	0.50	0.23	3	0.07	0.37	
Including	217.35	218.10	0.75	0.50	0.21	9	0.29	0.79	
Including	218.10	218.30	0.20	0.13	0.85	7	1.26	2.96	
Including	218.30	218.65	0.35	0.24	3.23	6	0.30	3.79	
K92DD0005	345.70	351.40	5.70	4.28	0.59	3	0.03	0.68	K1/M6
Including	345.70	346.70	1.00	0.75	1.02	2	0.02	1.07	
Including	346.70	347.50	0.80	0.60	0.55	1	0.02	0.59	
Including	347.50	348.20	0.70	0.53	0.42	5	0.07	0.60	
Including	348.20	349.20	1.00	0.75	0.42	4	0.02	0.51	
Including	349.20	350.00	0.80	0.60	0.33	3	0.02	0.39	
Including	350.00	350.70	0.70	0.53	0.51	4	0.04	0.62	
Including	350.70	351.40	0.70	0.53	0.80	6	0.04	0.94	
K92DD0005	361.00	365.00	4.00	2.63	0.33	23	0.89	2.04	K2/R3
Including	361.00	363.40	2.40	1.58	0.10	6	0.29	0.65	
Including	363.40	364.14	0.74	0.49	1.34	86	3.01	7.24	
Including	364.14	365.00	0.86	0.57	0.12	17	0.71	1.46	
K92DD0006	13.50	16.40	2.90	1.76	1.18	2	0.01	1.22	J2
Including	13.50	14.40	0.90	0.55	3.53	4	0.01	3.60	
Including	14.40	15.40	1.00	0.61	0.10	1	0.01	0.12	
Including	15.40	16.40	1.00	0.61	0.14	1	0.01	0.16	
K92DD0006	66.85	74.00	7.15	4.43	0.70	5	0.01	0.78	J1
Including	66.85	67.40	0.55	0.34	0.84	1	0.01	0.87	
Including	67.40	68.40	1.00	0.62	0.52	8	0.01	0.63	
Including	68.40	69.30	0.90	0.56	0.32	3	0.01	0.38	
Including	69.30	70.23	0.93	0.58	0.17	5	0.01	0.25	
Including	70.23	71.20	0.97	0.60	1.03	8	0.01	1.15	
Including	71.20	72.30	1.10	0.68	1.07	9	0.01	1.19	
Including	72.30	74.00	1.70	1.05	0.81	1	0.01	0.83	
K92DD0006	235.90	237.57	1.67	1.18	0.24	2	0.01	0.28	
Including	235.90	236.62	0.72	0.51	0.12	1	0.02	0.16	
Including	236.62	237.57	0.95	0.67	0.33	2	0.01	0.37	
K92DD0006	293.50	301.60	8.10	6.01	0.13	2	0.08	0.28	K1/M6
Including	293.50	294.50	1.00	0.74	0.22	3	0.07	0.37	
Including	294.50	295.40	0.90	0.67	0.26	4	0.13	0.52	
Including	295.40	296.50	1.10	0.82	0.11	2	0.06	0.23	
Including	296.50	298.10	1.60	1.19	0.01	2	0.01	0.05	
Including	298.10	299.70	1.60	1.19	0.12	2	0.03	0.19	
Including	299.70	300.90	1.20	0.89	0.01	1	0.01	0.04	
Including	300.90	301.60	0.70	0.52	0.38	4	0.44	1.13	
K92DD0006	353.00	354.00	1.00	0.77	1.06	10	0.14	1.41	K2/R3
Including	353.00	354.00	1.00	0.77	1.06	10	0.14	1.40	

Table 2

Kainantu Gold Mine – Significant Intercepts from Judd Underground Diamond Drilling

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
JDD0092	58.50	59.10	0.60	0.59	4.85	16	8.03	17.93	J1
JDD0092	75.00	77.19	2.19	2.15	0.31	9	1.49	2.81	J1FW
Including	75.00	75.44	0.44	0.43	0.54	8	0.87	2.03	
Including	75.44	76.00	0.56	0.55	0.15	3	0.03	0.23	
Including	76.00	76.74	0.74	0.73	0.16	4	0.19	0.51	
Including	76.74	77.19	0.45	0.44	0.55	23	6.06	10.55	
JDD0092	113.28	116.07	2.79	2.75	0.77	13	1.10	2.70	J1L
Including	113.28	113.76	0.48	0.47	0.18	12	2.41	4.19	
Including	113.76	114.12	0.36	0.35	3.02	12	1.51	5.59	
Including	114.12	114.81	0.69	0.68	0.36	6	0.38	1.04	
Including	114.81	115.60	0.79	0.78	0.77	16	0.88	2.38	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	115.60	116.07	0.47	0.46	0.28	18	0.89	1.94	
JDD0092	201.91	202.89	0.98	0.97	2.23	13	0.16	2.65	J2
Including	201.91	202.40	0.49	0.49	1.15	12	0.09	1.44	
Including	202.40	202.89	0.49	0.48	3.32	14	0.23	3.86	
JDD0127	247.90	248.15	0.25	0.08	3.06	10	0.13	3.39	J
JDD0127	257.43	262.78	5.35	1.60	0.57	4	0.34	1.17	
Including	257.43	257.86	0.43	0.13	2.94	2	0.13	3.17	
Including	257.86	258.45	0.59	0.18	0.13	7	0.65	1.27	
Including	258.45	258.70	0.25	0.07	1.70	3	0.29	2.21	
Including	258.70	259.06	0.36	0.11	0.09	2	0.15	0.36	
Including	259.06	260.00	0.94	0.28	0.58	4	0.23	1.00	
Including	260.00	260.30	0.30	0.09	0.24	5	0.49	1.08	
Including	260.30	260.52	0.22	0.07	0.56	4	0.47	1.37	
Including	260.52	261.19	0.67	0.20	0.03	2	0.14	0.28	
Including	261.19	262.00	0.81	0.24	0.20	4	0.43	0.93	
Including	262.00	262.30	0.30	0.09	0.11	3	0.31	0.64	
Including	262.30	262.78	0.48	0.14	0.57	4	0.55	1.50	
JDD0127	287.60	288.70	1.10	0.33	0.94	42	2.84	6.03	J1
Including	287.60	287.81	0.21	0.06	1.46	10	0.25	1.99	
Including	287.81	288.70	0.89	0.27	0.82	50	3.44	6.98	
JDD0127	305.53	310.00	4.47	1.34	1.50	10	1.18	3.52	J2
Including	305.53	306.57	1.04	0.31	2.83	18	2.47	7.03	
Including	306.57	307.40	0.83	0.25	0.95	7	0.46	1.78	
Including	307.40	307.73	0.33	0.10	0.72	16	1.40	3.17	
Including	307.73	310.00	2.27	0.68	1.21	7	0.82	2.61	
JDD0129	79.80	80.00	0.20	0.14	0.74	19	5.17	9.28	
JDD0129	88.10	88.35	0.25	0.17	11.12	16	6.55	21.84	J1
JDD0129	208.00	210.00	2.00	0.92	6.28	62	2.00	10.27	
Including	208.00	208.60	0.60	0.27	11.84	56	1.51	14.96	
Including	208.60	209.00	0.40	0.18	2.48	30	0.95	4.37	
Including	209.00	210.00	1.00	0.46	4.47	78	2.71	9.80	
JDD0129	253.30	258.71	5.41	2.57	0.63	14	0.23	1.17	J
Including	253.30	253.90	0.60	0.28	1.22	23	0.37	2.10	
Including	253.90	254.80	0.90	0.43	0.91	26	0.43	1.92	
Including	254.80	255.20	0.40	0.19	0.13	9	0.08	0.38	
Including	255.20	256.00	0.80	0.38	0.42	2	0.04	0.50	
Including	256.00	256.30	0.30	0.14	0.07	13	0.51	1.05	
Including	256.30	257.00	0.70	0.33	0.83	6	0.11	1.08	
Including	257.00	257.35	0.35	0.17	0.51	17	0.28	1.17	
Including	257.35	257.80	0.45	0.21	0.42	28	0.42	1.44	
Including	257.80	258.46	0.66	0.31	0.32	3	0.01	0.38	
Including	258.46	258.71	0.25	0.12	1.23	15	0.12	1.61	
JDD0129	279.80	280.60	0.80	0.38	0.91	106	1.55	4.73	J3
JDD0138	94.00	94.85	0.85	0.35	0.02	45	2.28	4.28	
Including	94.00	94.85	0.85	0.35	0.02	45	2.28	4.28	
JDD0138	190.54	191.00	0.46	0.19	0.53	140	2.19	5.92	
Including	190.54	191.00	0.46	0.19	0.53	140	2.19	5.92	
JDD0138	281.30	288.10	6.80	2.88	1.10	30	1.20	3.43	J1
Including	281.30	282.00	0.70	0.30	0.58	57	2.46	5.29	
Including	282.00	282.80	0.80	0.34	3.03	76	5.48	12.84	
Including	282.80	284.00	1.20	0.51	0.18	4	0.15	0.48	
Including	284.00	285.10	1.10	0.47	0.08	2	0.02	0.14	
Including	285.10	285.72	0.62	0.26	0.15	3	0.06	0.29	
Including	285.72	286.56	0.84	0.36	0.69	16	1.27	2.93	
Including	286.56	287.20	0.64	0.27	4.51	18	0.16	5.00	
Including	287.20	287.65	0.45	0.19	0.13	2	0.10	0.31	
Including	287.65	288.10	0.45	0.19	1.69	146	1.30	5.72	
JDD0136	152.08	158.62	6.54	2.98	1.55	4	0.38	2.21	J1
Including	152.08	152.33	0.25	0.11	19.36	8	1.55	21.95	
Including	152.33	153.00	0.67	0.31	0.09	3	0.12	0.33	
Including	153.00	153.80	0.80	0.36	0.21	3	0.63	1.26	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	153.80	154.05	0.25	0.11	0.18	5	0.17	0.52	
Including	154.05	155.00	0.95	0.43	0.15	2	0.06	0.27	
Including	155.00	156.00	1.00	0.46	0.07	2	0.16	0.34	
Including	156.00	157.00	1.00	0.46	0.09	3	0.14	0.35	
Including	157.00	158.00	1.00	0.46	0.15	3	0.26	0.61	
Including	158.00	158.32	0.32	0.15	2.26	2	0.20	2.60	
Including	158.32	158.62	0.30	0.14	12.90	28	2.69	17.58	
JDD0136	250.00	255.00	5.00	2.36	1.80	33	0.98	3.79	
Including	250.00	251.00	1.00	0.47	1.02	8	1.13	2.94	
Including	251.00	252.00	1.00	0.47	0.27	7	0.70	1.48	
Including	252.00	253.00	1.00	0.47	0.23	5	0.70	1.41	
Including	253.00	253.27	0.27	0.13	0.24	9	0.50	1.16	
Including	253.27	254.00	0.73	0.34	1.72	48	1.23	4.30	
Including	254.00	255.00	1.00	0.47	6.14	106	1.35	9.63	
JDD0136	294.22	295.00	0.78	0.37	4.23	168	6.89	17.40	
Including	294.22	294.55	0.33	0.16	0.47	254	15.02	27.77	
Including	294.55	295.00	0.45	0.21	6.99	105	0.93	9.80	
JDD0136	313.70	316.00	2.30	1.02	2.60	212	7.22	16.85	
Including	313.70	315.00	1.30	0.58	2.88	275	9.81	22.08	
Including	315.00	316.00	1.00	0.44	2.23	129	3.86	10.04	
JDD0136	325.00	327.00	2.00	0.89	0.88	2	0.49	1.69	J
Including	325.00	326.20	1.20	0.53	0.79	2	0.31	1.31	
Including	326.20	327.00	0.80	0.36	1.02	2	0.76	2.26	
JDD0136	348.00	349.90	1.90	0.85	1.02	17	1.93	4.33	J
Including	348.00	349.10	1.10	0.49	0.82	4	0.12	1.06	
Including	349.10	349.90	0.80	0.36	1.29	36	4.42	8.84	
JDD0141	256.07	266.60	10.53	5.75	1.80	15	0.99	3.59	J1L
Including	256.07	256.97	0.90	0.49	5.70	86	7.32	18.59	
Including	256.97	257.30	0.33	0.18	1.62	24	1.23	3.91	
Including	257.30	258.70	1.40	0.76	0.22	4	0.44	0.98	
Including	258.70	259.27	0.57	0.31	0.34	10	0.40	1.12	
Including	259.27	259.60	0.33	0.18	0.19	8	0.31	0.80	
Including	259.60	260.60	1.00	0.55	0.24	1	0.02	0.28	
Including	260.60	261.46	0.86	0.47	0.14	2	0.01	0.18	
Including	261.46	262.07	0.61	0.33	0.24	2	0.05	0.35	
Including	262.07	262.79	0.72	0.39	0.28	4	0.05	0.42	
Including	262.79	263.08	0.29	0.16	6.27	51	5.17	15.24	
Including	263.08	263.30	0.22	0.12	1.74	24	0.77	3.29	
Including	263.30	263.60	0.30	0.16	3.01	19	0.38	3.87	
Including	263.60	264.25	0.65	0.35	0.51	3	0.11	0.72	
Including	264.25	264.58	0.33	0.18	0.94	3	0.04	1.05	
Including	264.58	264.93	0.35	0.19	0.16	5	0.24	0.61	
Including	264.93	265.82	0.89	0.49	0.17	7	0.28	0.71	
Including	265.82	266.60	0.78	0.43	10.40	26	0.18	11.03	
JDD0141	304.80	311.20	6.40	3.96	0.32	21	0.35	1.16	J2
Including	304.80	305.00	0.20	0.12	0.95	77	0.82	3.29	
Including	305.00	306.04	1.04	0.64	0.07	1	0.00	0.09	
Including	306.04	306.31	0.27	0.17	1.44	151	1.27	5.50	
Including	306.31	307.00	0.69	0.43	0.01	1	0.01	0.03	
Including	307.00	307.45	0.45	0.28	0.18	8	0.66	1.34	
Including	307.45	308.15	0.70	0.43	0.08	1	0.01	0.10	
Including	308.15	309.22	1.07	0.66	0.43	19	0.51	1.51	
Including	309.22	310.35	1.13	0.70	0.20	5	0.07	0.38	
Including	310.35	311.20	0.85	0.53	0.68	56	0.90	2.88	
JDD0141	373.78	375.31	1.53	0.97	0.25	84	1.10	3.14	J3
Including	373.78	374.30	0.52	0.33	0.37	212	0.26	3.62	
Including	374.30	374.57	0.27	0.17	0.41	45	4.06	7.52	
Including	374.57	375.31	0.74	0.47	0.11	9	0.60	1.20	
JDD0135	69.00	70.00	1.00	0.80	0.99	40	2.08	4.83	
Including	69.00	70.00	1.00	0.80	0.99	40	2.08	4.83	
JDD0135	115.93	116.20	0.27	0.20	2.16	10	0.66	3.34	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	115.93	116.20	0.27	0.20	2.16	10	0.66	3.35	
JDD0135	134.30	137.80	3.50	2.80	5.80	4	0.37	6.44	J1
Including	134.30	135.19	0.89	0.71	3.23	1	0.11	3.42	
Including	135.19	135.53	0.34	0.27	33.98	2	1.11	35.78	
Including	135.53	136.00	0.47	0.38	1.69	2	0.02	1.75	
Including	136.00	137.17	1.17	0.94	0.31	1	0.20	0.64	
Including	137.17	137.52	0.35	0.28	13.23	23	1.32	15.63	
Including	137.52	137.80	0.28	0.22	0.28	8	0.38	0.98	
JDD0135	159.45	163.00	3.55	2.80	0.87	11	0.51	1.83	J
Including	159.45	160.00	0.55	0.43	0.52	6	0.23	0.96	
Including	160.00	160.60	0.60	0.47	0.80	38	1.57	3.80	
Including	160.60	161.00	0.40	0.32	0.63	1	0.02	0.67	
Including	161.00	162.00	1.00	0.79	0.35	2	0.27	0.81	
Including	162.00	163.00	1.00	0.79	1.72	9	0.48	2.60	
JDD0135	195.13	195.42	0.29	0.20	4.34	13	0.68	5.59	
Including	195.13	195.42	0.29	0.20	4.34	13	0.68	5.59	
JDD0135	200.20	200.90	0.70	0.60	0.22	42	2.08	4.08	
Including	200.20	200.90	0.70	0.60	0.22	42	2.08	4.08	
JDD0137	109.70	112.40	2.70	1.60	1.65	8	0.48	2.52	J
Including	109.70	110.00	0.30	0.18	11.47	28	0.37	12.41	
Including	110.00	110.20	0.20	0.12	1.15	12	1.56	3.80	
Including	110.20	111.10	0.90	0.53	0.40	4	0.28	0.90	
Including	111.10	112.10	1.00	0.59	0.13	2	0.07	0.26	
Including	112.10	112.40	0.30	0.18	0.99	13	1.88	4.17	
JDD0137	132.40	132.95	0.55	0.32	68.06	15	1.42	70.52	
Including	132.40	132.75	0.35	0.20	1.23	21	2.14	4.92	
Including	132.75	132.95	0.20	0.12	185.00	5	0.16	185.33	
JDD0137	146.30	146.54	0.24	0.14	1.20	7	1.48	3.66	
Including	146.30	146.54	0.24	0.14	1.20	7	1.48	3.66	
JDD0137	155.15	155.35	0.20	0.12	5.55	7	2.74	10.03	
Including	155.15	155.35	0.20	0.12	5.55	7	2.74	10.03	
JDD0137	162.95	167.45	4.50	2.60	1.28	10	0.62	2.40	J1
Including	162.95	163.25	0.30	0.17	0.64	42	2.53	5.22	
Including	163.25	164.65	1.40	0.81	0.36	9	0.48	1.24	
Including	164.65	165.55	0.90	0.52	0.38	8	0.31	0.98	
Including	165.55	165.80	0.25	0.14	1.33	5	0.72	2.54	
Including	165.80	166.15	0.35	0.20	4.20	8	0.56	5.20	
Including	166.15	166.80	0.65	0.38	2.10	9	0.94	3.71	
Including	166.80	167.45	0.65	0.38	2.42	7	0.17	2.78	
JDD0137	171.85	172.15	0.30	0.17	5.16	5	0.31	5.72	
Including	171.85	172.15	0.30	0.17	5.16	5	0.31	5.72	
JDD0137	176.30	176.48	0.18	0.10	3.62	22	3.46	9.44	
Including	176.30	176.48	0.18	0.10	3.62	22	3.46	9.44	
JDD0137	197.80	203.9	6.1	3.56	1.02	3	0.08	1.19	J1L
Including	197.80	198.15	0.35	0.20	16.35	6	0.32	16.93	
Including	198.15	199.00	0.85	0.50	0.06	2	0.02	0.11	
Including	199.00	200.00	1.00	0.58	0.02	3	0.01	0.08	
Including	200.00	201.00	1.00	0.58	0.13	1	0.01	0.15	
Including	201.00	202.15	1.15	0.67	0.02	1	0.01	0.04	
Including	202.15	203.00	0.85	0.50	0.06	1	0.00	0.08	
Including	203.00	203.25	0.25	0.15	0.08	3	0.25	0.51	
Including	203.25	203.90	0.65	0.38	0.33	14	0.40	1.15	
JDD0139	140.17	152.00	11.83	5.6	0.54	5	0.26	1.01	
Including	140.17	141.00	0.83	0.39	0.76	2	0.05	0.87	
Including	141.00	142.00	1.00	0.47	1.22	4	0.14	1.49	
Including	142.00	143.30	1.30	0.62	0.98	6	0.08	1.18	
Including	143.30	144.00	0.70	0.33	0.38	8	0.42	1.16	
Including	144.00	145.08	1.08	0.51	0.10	2	0.30	0.60	
Including	145.08	146.00	0.92	0.44	0.19	8	0.63	1.30	
Including	146.00	146.60	0.60	0.28	0.23	15	0.60	1.38	
Including	146.60	148.00	1.40	0.66	1.16	5	0.24	1.61	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	148.00	149.10	1.10	0.52	0.27	2	0.09	0.43	
Including	149.10	149.50	0.40	0.19	1.07	3	0.11	1.29	
Including	149.50	150.00	0.50	0.24	0.14	2	0.15	0.41	
Including	150.00	150.90	0.90	0.43	0.07	2	0.08	0.22	
Including	150.90	152.00	1.10	0.52	0.09	4	0.53	0.99	
JDD0139	177.25	178.23	0.98	0.50	1.32	5	0.03	1.43	
Including	177.25	178.23	0.98	0.50	1.32	5	0.03	1.43	
JDD0139	199.40	206.00	6.60	3.10	2.30	6	0.06	2.47	J1
Including	199.40	200.00	0.60	0.28	0.93	7	0.03	1.06	
Including	200.00	201.27	1.27	0.60	6.51	10	0.17	6.91	
Including	201.27	202.00	0.73	0.34	0.60	13	0.02	0.79	
Including	202.00	202.45	0.45	0.21	0.57	8	0.06	0.77	
Including	202.45	203.00	0.55	0.26	0.28	3	0.04	0.39	
Including	203.00	203.50	0.50	0.23	0.78	5	0.02	0.87	
Including	203.50	203.90	0.40	0.19	0.13	1	0.01	0.15	
Including	203.90	204.70	0.80	0.38	0.16	3	0.07	0.31	
Including	204.70	206.00	1.30	0.61	3.82	2	0.03	3.89	
JDD0142	237.00	245.00	8.00	5.53	0.92	4	0.25	1.39	
Including	237.00	237.20	0.20	0.06	1.87	21	3.62	7.94	
Including	237.20	237.51	0.31	0.10	1.19	12	2.14	4.77	
Including	237.51	237.90	0.39	0.12	0.45	11	0.21	0.92	
Including	237.90	238.10	0.20	0.06	0.14	5	0.09	0.34	
Including	238.10	239.00	0.90	0.29	0.30	4	0.33	0.88	
Including	239.00	240.00	1.00	0.32	0.05	2	0.03	0.12	
Including	240.00	241.00	1.00	0.32	0.03	1	0.01	0.05	
Including	241.00	241.40	0.40	0.13	7.22	5	0.03	7.32	
Including	241.40	241.76	0.36	0.11	4.63	24	0.12	5.13	
Including	241.76	242.40	0.64	0.20	0.63	1	0.02	0.68	
Including	242.40	243.00	0.60	0.19	0.56	3	0.01	0.62	
Including	243.00	244.00	1.00	0.32	0.31	1	0.01	0.34	
Including	244.00	244.67	0.67	0.21	0.21	1	0.01	0.24	
Including	244.67	245.00	0.33	0.10	1.05	4	0.38	1.71	
JDD0142	304.14	305.60	1.46	0.50	0.05	-	0.01	0.07	J1
Including	304.14	305.00	0.86	0.29	0.06	0.1	0.01	0.08	
Including	305.00	305.30	0.30	0.10	0.01	0.1	0.00	0.02	
Including	305.30	305.60	0.30	0.10	0.08	0.1	0.01	0.10	
JDD0143	66.00	66.30	0.30	0.30	6.60	3	0.04	6.70	JHW
Including	66.00	66.30	0.30	0.30	6.60	3	0.04	6.70	
JDD0143	109.10	118.16	9.06	8.10	0.82	3	0.13	1.07	J1
Including	109.10	109.57	0.47	0.42	6.92	13	0.97	8.64	
Including	109.57	110.10	0.53	0.47	0.16	2	0.22	0.54	
Including	110.10	110.70	0.60	0.54	0.61	1	0.05	0.70	
Including	110.70	111.52	0.82	0.73	0.05	2	0.01	0.09	
Including	111.52	112.30	0.78	0.70	0.08	1	0.00	0.10	
Including	112.30	112.75	0.45	0.40	0.31	2	0.02	0.37	
Including	112.75	113.30	0.55	0.49	0.31	2	0.07	0.45	
Including	113.30	113.50	0.20	0.18	0.24	2	0.04	0.33	
Including	113.50	113.77	0.27	0.24	0.88	2	0.04	0.97	
Including	113.77	113.97	0.20	0.18	0.41	3	0.03	0.49	
Including	113.97	114.27	0.30	0.27	1.18	4	0.04	1.30	
Including	114.27	115.00	0.73	0.65	0.17	4	0.22	0.58	
Including	115.00	115.80	0.80	0.72	0.28	2	0.09	0.44	
Including	115.80	116.40	0.60	0.54	0.04	1	0.02	0.09	
Including	116.40	117.18	0.78	0.70	0.24	4	0.06	0.38	
Including	117.18	117.50	0.32	0.29	3.93	5	0.13	4.21	
Including	117.50	118.16	0.66	0.59	1.14	2	0.21	1.50	
JDD0149	117.32	120.60	2.9	2.48	1.13	2	0.06	1.26	J1
Including	117.70	118.00	0.30	0.26	2.72	5	0.02	2.82	
Including	118.00	118.76	0.76	0.65	0.66	1	0.02	0.71	
Including	118.76	119.43	0.67	0.57	1.27	2	0.02	1.33	
Including	119.43	119.93	0.50	0.43	0.13	3	0.25	0.57	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	119.93	120.25	0.32	0.27	0.57	2	0.05	0.68	
Including	120.25	120.60	0.35	0.30	2.46	1	0.01	2.49	
JDD0149	124.70	126.10	1.40	1.20	4.75	24	0.67	6.12	J2
Including	124.70	125.25	0.55	0.47	1.37	12	0.48	2.28	
Including	125.25	126.10	0.85	0.73	6.93	31	0.80	8.60	
JDD0141	214.85	215.12	0.27	0.14	0.35	15	0.90	1.98	J1
JDD0141	256.07	266.60	10.53	5.47	180	15	0.99	3.58	
Including	256.07	256.97	0.90	0.47	5.70	86	7.32	18.52	
Including	256.97	257.30	0.33	0.17	1.62	24	1.23	3.89	
Including	257.30	258.70	1.40	0.73	0.22	4	0.44	0.98	
Including	258.70	259.27	0.57	0.30	0.34	10	0.40	1.11	
Including	259.27	259.60	0.33	0.17	0.19	8	0.31	0.79	
Including	259.60	260.60	1.00	0.52	0.24	1	0.02	0.28	
Including	260.60	261.46	0.86	0.45	0.14	2	0.01	0.18	
Including	261.46	262.07	0.61	0.32	0.24	2	0.05	0.35	
Including	262.07	262.79	0.72	0.37	0.28	4	0.05	0.41	
Including	262.79	263.08	0.29	0.15	6.27	51	5.17	15.20	
Including	263.08	263.30	0.22	0.11	1.74	24	0.77	3.27	
Including	263.30	263.60	0.30	0.16	3.01	19	0.38	3.85	
Including	263.60	264.25	0.65	0.34	0.51	3	0.11	0.72	
Including	264.25	264.58	0.33	0.17	0.94	3	0.04	1.05	
Including	264.58	264.93	0.35	0.18	0.16	5	0.24	0.60	
Including	264.93	265.82	0.89	0.46	0.17	7	0.28	0.70	
Including	265.82	266.60	0.78	0.41	10.40	26	0.18	11.01	
JDD0141	304.80	311.20	6.40	3.30	0.32	21	0.35	1.14	J2
Including	304.80	305.00	0.20	0.10	0.95	77	0.82	3.22	
Including	305.00	306.04	1.04	0.54	0.07	1	0.00	0.09	
Including	306.04	306.31	0.27	0.14	1.44	151	1.27	5.37	
Including	306.31	307.00	0.69	0.36	0.01	1	0.01	0.03	
Including	307.00	307.45	0.45	0.23	0.18	8	0.66	1.34	
Including	307.45	308.15	0.70	0.36	0.08	1	0.01	0.10	
Including	308.15	309.22	1.07	0.55	0.43	19	0.51	1.49	
Including	309.22	310.35	1.13	0.58	0.20	5	0.07	0.38	
Including	310.35	311.20	0.85	0.44	0.68	56	0.90	2.83	
JDD0141	373.78	375.31	1.53	0.80	0.25	84	1.10	3.06	J3
Including	373.78	374.30	0.52	0.27	0.37	212	0.26	3.43	
Including	374.30	374.57	0.27	0.14	0.41	45	4.06	7.48	
Including	374.57	375.31	0.74	0.39	0.11	9	0.60	1.19	
JDD0140	106.17	108.30	2.13	1.16	0.44	5	1.15	2.35	J1
Including	106.17	106.50	0.33	0.18	1.79	3	0.43	2.51	
Including	106.50	107.00	0.50	0.27	0.05	2	0.01	0.09	
Including	107.00	107.84	0.84	0.46	0.07	3	0.02	0.13	
Including	107.84	108.30	0.46	0.25	0.55	14	4.97	8.70	
JDD0140	201.80	202.24	0.44	0.24	2.36	24	2.81	7.17	
Including	201.80	202.24	0.44	0.24	2.36	24	2.81	7.16	
JDD0140	217.00	221.00	4.00	2.18	1.50	15	0.34	2.23	J
Including	217.00	218.00	1.00	0.55	1.96	10	0.08	2.22	
Including	218.00	218.90	0.90	0.49	2.57	14	0.34	3.29	
Including	218.90	219.90	1.00	0.55	1.65	26	0.12	2.16	
Including	219.90	220.63	0.73	0.40	0.07	12	0.86	1.60	
Including	220.63	221.00	0.37	0.20	0.11	6	0.59	1.13	
JDD0146	92.95	93.20	0.25	0.13	4.95	7	0.06	5.13	J
Including	92.95	93.20	0.25	0.13	4.95	7	0.06	5.13	
JDD0146	163.00	178.74	15.74	8.09	0.65	6	0.51	1.55	J1
Including	163.00	164.00	1.00	0.51	0.97	36	3.81	7.53	
Including	164.00	164.80	0.80	0.41	0.05	3	0.09	0.23	
Including	164.80	165.00	0.20	0.10	0.18	4	0.06	0.32	
Including	165.00	165.90	0.90	0.46	1.24	12	0.43	2.09	
Including	165.90	166.12	0.22	0.11	0.53	7	0.07	0.73	
Including	166.12	166.55	0.43	0.22	0.16	1	0.01	0.18	
Including	166.55	167.30	0.75	0.39	0.15	2	0.01	0.20	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	167.30	167.50	0.20	0.10	0.16	4	0.08	0.34	
Including	167.50	168.20	0.70	0.36	0.50	8	0.50	1.39	
Including	168.20	169.00	0.80	0.41	0.21	5	0.61	1.25	
Including	169.00	170.00	1.00	0.51	1.51	8	0.65	2.65	
Including	170.00	170.25	0.25	0.13	3.03	9	0.89	4.56	
Including	170.25	171.00	0.75	0.39	0.22	1	0.01	0.25	
Including	171.00	172.00	1.00	0.51	0.31	2	0.04	0.40	
Including	172.00	173.00	1.00	0.51	0.02	1	0.01	0.04	
Including	173.00	174.00	1.00	0.51	0.18	2	0.03	0.25	
Including	174.00	174.80	0.80	0.41	0.48	14	2.06	3.96	
Including	174.80	175.40	0.60	0.31	0.76	1	0.05	0.85	
Including	175.40	176.50	1.10	0.57	1.09	4	0.10	1.31	
Including	176.50	176.90	0.40	0.21	2.51	4	0.06	2.66	
Including	176.90	177.60	0.70	0.36	0.73	1	0.03	0.79	
Including	177.60	178.40	0.80	0.41	0.01	1	0.01	0.04	
Including	178.40	178.74	0.34	0.17	2.09	8	0.10	2.34	
JDD0147	198.85	199.30	0.45	0.15	0.86	48	6.41	11.74	J
Including	198.85	199.30	0.45	0.15	0.86	48	6.41	11.74	
JDD0147	222.00	224.35	2.35	0.80	1.31	3	0.15	1.59	
Including	222.00	222.80	0.80	0.27	3.31	3	0.23	3.72	
Including	222.80	223.50	0.70	0.24	0.33	1	0.07	0.45	
Including	223.50	224.00	0.50	0.17	0.19	2	0.06	0.31	
Including	224.00	224.35	0.35	0.12	0.33	7	0.28	0.87	
JDD0147	266.60	268.80	2.20	0.75	0.03	5	0.34	0.64	J1
Including	266.60	267.00	0.40	0.14	0.05	5	0.23	0.49	
Including	267.00	268.00	1.00	0.34	0.03	8	0.64	1.15	
Including	268.00	268.80	0.80	0.27	0.01	1	0.01	0.04	
JDD0147	331.82	332.45	0.63	0.21	0.13	58	4.29	7.73	
Including	331.82	332.45	0.63	0.21	0.13	58	4.29	7.73	
JDD0151	120.00	120.70	0.70	0.63	2.85	27	0.28	3.64	J1
Including	120.00	120.70	0.70	0.63	2.85	27	0.28	3.64	
JDD0151	135.00	137.45	2.45	2.20	1.94	4	0.07	2.10	
Including	135.00	136.00	1.00	0.90	1.85	2	0.01	1.89	
Including	136.00	136.70	0.70	0.63	0.01	1	0.02	0.05	
Including	136.70	137.12	0.42	0.38	6.40	11	0.35	7.10	
Including	137.12	137.45	0.33	0.30	0.61	4	0.03	0.71	
JDD0151	147.00	150.00	3.00	2.70	3.18	1	0.01	3.21	
Including	147.00	148.00	1.00	0.90	0.62	1	0.01	0.64	
Including	148.00	149.00	1.00	0.90	6.80	1	0.02	6.84	
Including	149.00	150.00	1.00	0.90	2.11	1	0.01	2.14	
JDD0148	105.50	106.60	1.10	0.59	0.45	8	1.55	3.04	J
Including	105.50	106.60	1.10	0.59	0.45	8	1.55	3.03	
JDD0148	125.00	126.90	1.90	1.07	1.28	2	1.08	3.04	J1
Including	125.00	126.00	1.00	0.56	0.47	2	0.76	1.72	
Including	126.00	126.90	0.90	0.51	2.17	2	1.43	4.49	
JDD0148	188.80	194.20	5.40	3.01	1.15	7	0.79	2.50	
Including	188.80	190.60	1.80	1.00	0.16	1	0.32	0.68	
Including	190.60	191.60	1.00	0.56	0.09	2	0.24	0.50	
Including	191.60	192.60	1.00	0.56	0.24	2	0.06	0.35	
Including	192.60	193.20	0.60	0.33	3.01	22	4.73	10.86	
Including	193.20	194.20	1.00	0.56	3.79	20	0.56	4.94	
JDD0148	258.80	263.20	4.40	2.55	3.38	10	0.11	3.68	
Including	258.80	259.55	0.75	0.43	6.58	10	0.12	6.90	
Including	259.55	260.20	0.65	0.38	4.00	23	0.13	4.50	
Including	260.20	261.14	0.94	0.54	0.54	7	0.13	0.83	
Including	261.14	261.87	0.73	0.42	7.69	9	0.14	8.03	
Including	261.87	263.20	1.33	0.77	0.93	5	0.07	1.11	
JDD0148	303.3	311.10	7.80	4.62	1.01	11	0.43	1.83	J2
Including	303.30	306.00	2.70	1.60	2.12	19	0.41	3.01	
Including	306.00	307.10	1.10	0.65	0.13	2	0.01	0.17	
Including	307.10	308.20	1.10	0.65	0.08	1	0.01	0.10	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	308.20	310.20	2.00	1.18	0.39	9	0.50	1.31	
Including	310.20	311.10	0.90	0.53	1.24	16	1.34	3.59	
JDD0150	142.66	151.20	8.54	6.21	1.61	8	0.29	2.18	J1
Including	142.66	143.36	0.70	0.51	0.99	7	1.31	3.18	
Including	143.36	143.80	0.44	0.32	3.71	10	0.60	4.79	
Including	143.80	144.36	0.56	0.41	3.19	7	0.16	3.53	
Including	144.36	145.07	0.71	0.52	3.70	5	0.01	3.79	
Including	145.07	145.41	0.34	0.25	0.80	7	0.02	0.92	
Including	145.41	146.00	0.59	0.43	0.25	3	0.03	0.33	
Including	146.00	147.00	1.00	0.73	0.08	4	0.01	0.15	
Including	147.00	147.64	0.64	0.47	0.08	2	0.11	0.29	
Including	147.64	148.14	0.50	0.36	0.13	3	0.33	0.70	
Including	148.14	148.66	0.52	0.38	0.54	9	0.46	1.39	
Including	148.66	149.06	0.40	0.29	9.30	32	0.48	10.47	
Including	149.06	149.80	0.74	0.54	2.17	18	0.31	2.90	
Including	149.80	150.80	1.00	0.73	0.38	7	0.13	0.68	
Including	150.80	151.20	0.40	0.29	0.92	8	0.29	1.49	
JDD0150	157.89	160.37	2.48	1.80	0.84	19	1.08	2.81	J2
Including	157.89	158.43	0.54	0.39	1.97	56	3.78	8.73	
Including	158.43	159.35	0.92	0.67	0.18	2	0.12	0.39	
Including	159.35	160.37	1.02	0.74	0.83	14	0.52	1.83	
JDD0154	232.50	238.70	6.20	2.26	4.80	12	0.57	5.86	J1
Including	232.50	234.00	1.50	0.55	0.20	3	0.95	1.76	
Including	234.00	235.09	1.09	0.40	14.10	15	1.04	15.95	
Including	235.09	236.22	1.13	0.41	7.19	16	0.16	7.65	
Including	236.22	237.00	0.78	0.28	0.60	3	0.01	0.65	
Including	237.00	237.90	0.90	0.33	1.52	21	0.80	3.07	
Including	237.90	238.70	0.80	0.29	5.20	16	0.12	5.59	
JDD0144	155.00	155.50	0.50	0.15	57.31	46	2.71	62.23	
Including	155.00	155.50	0.50	0.15	57.31	46	2.71	62.23	
JDD0144	211.25	211.92	0.67	0.20	1.23	1	0.02	1.27	
Including	211.25	211.60	0.35	0.10	1.90	1	0.03	1.95	
Including	211.60	211.92	0.32	0.09	0.50	1	0.01	0.54	
JDD0144	217.09	217.70	0.61	0.18	1.46	1	0.06	1.57	
Including	217.09	217.70	0.61	0.18	1.46	1	0.06	1.57	
JDD0144	233.32	233.83	0.51	0.15	1.69	3	0.22	2.08	
Including	233.32	233.83	0.51	0.15	1.69	3	0.22	2.08	
JDD0144	241.30	241.70	0.40	0.12	2.46	54	5.19	11.46	
Including	241.30	241.70	0.40	0.12	2.46	54	5.19	11.46	
JDD0144	326.30	327.92	1.62	0.48	3.07	7	1.27	5.19	J1
Including	326.30	326.89	0.59	0.17	0.95	17	2.66	5.43	
Including	326.89	327.24	0.35	0.10	4.24	1	0.01	4.26	
Including	327.24	327.61	0.37	0.11	6.95	2	0.10	7.13	
Including	327.61	327.92	0.31	0.09	1.17	3	1.46	3.54	
JDD0144	389.86	390.30	0.44	0.13	2.08	8	0.80	3.46	
Including	389.86	390.30	0.44	0.13	2.08	8	0.80	3.47	
JDD0153	152.00	153.40	1.40	0.51	1.39	60	4.59	9.50	
Including	152.00	153.00	1.00	0.37	1.76	65	4.94	10.50	
Including	153.00	153.40	0.40	0.15	0.48	48	3.72	7.05	
JDD0153	188.32	189.17	0.85	0.31	3.27	3	0.10	3.47	
Including	188.32	189.17	0.85	0.31	3.27	3	0.10	3.47	
JDD0153	235.75	239.00	3.25	1.19	0.12	3	0.27	0.59	J1
Including	235.75	236.00	0.25	0.09	0.24	4	0.44	0.99	
Including	236.00	237.00	1.00	0.37	0.03	1	0.01	0.05	
Including	237.00	237.50	0.50	0.18	0.05	1	0.01	0.08	
Including	237.50	238.20	0.70	0.26	0.09	2	0.14	0.34	
Including	238.20	238.48	0.28	0.10	0.08	1	0.04	0.16	
Including	238.48	239.00	0.52	0.19	0.36	11	1.25	2.50	
JDD0153	332.60	338.40	5.80	2.12	0.72	12	1.11	2.65	
Including	332.60	335.60	3.00	1.10	1.27	16	1.17	3.34	
Including	335.60	337.15	1.55	0.57	0.01	1	0.01	0.04	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	337.15	338.04	0.89	0.33	0.02	2	0.12	0.23	
Including	338.04	338.40	0.36	0.13	0.86	45	7.86	14.03	
JDD0153	424.50	429.25	4.75	1.74	0.35	15	3.75	6.55	
Including	424.50	425.30	0.80	0.29	0.57	25	13.62	22.73	
Including	425.30	425.87	0.57	0.21	0.03	1	0.06	0.14	
Including	425.87	427.10	1.23	0.45	0.06	4	2.61	4.30	
Including	427.10	427.52	0.42	0.15	0.12	3	0.92	1.63	
Including	427.52	428.00	0.48	0.18	0.12	5	0.62	1.18	
Including	428.00	428.80	0.80	0.29	0.10	14	0.87	1.67	
Including	428.80	429.25	0.45	0.16	2.08	71	5.10	11.14	
JDD0156	163.06	170.30	7.24	4.14	0.64	10	0.86	2.14	J1
Including	163.06	163.53	0.47	0.27	1.79	42	1.64	4.95	
Including	163.53	163.86	0.33	0.19	0.26	2	0.06	0.38	
Including	163.86	164.40	0.54	0.31	0.06	3	0.11	0.27	
Including	164.40	164.97	0.57	0.33	0.47	4	0.20	0.84	
Including	164.97	166.02	1.05	0.60	0.20	2	0.05	0.31	
Including	166.02	167.90	1.88	1.08	0.24	8	0.42	1.02	
Including	167.90	168.88	0.98	0.56	1.93	28	3.58	8.01	
Including	168.88	170.30	1.42	0.81	0.59	5	0.65	1.69	
JDD0156	174.43	175.00	0.57	0.33	0.47	15	3.45	6.19	
Including	174.43	175.00	0.57	0.33	0.47	15	3.45	6.19	
JDD0157	140.00	145.10	5.10	2.70	0.86	43	0.39	2.02	J1
Including	140.00	141.00	1.00	0.53	0.83	12	0.24	1.37	
Including	141.00	142.00	1.00	0.53	1.07	48	0.43	2.36	
Including	142.00	143.00	1.00	0.53	1.27	121	0.26	3.21	
Including	143.00	144.00	1.00	0.53	0.37	17	0.29	1.05	
Including	144.00	145.10	1.10	0.58	0.75	18	0.70	2.10	
JDD0157	180.21	186.18	5.97	3.16	2.87	10	0.48	3.76	
Including	180.21	181.31	1.10	0.58	7.77	19	0.23	8.38	
Including	181.31	181.62	0.31	0.16	3.18	60	5.06	12.04	
Including	181.62	182.44	0.82	0.43	7.21	13	0.90	8.82	
Including	182.44	183.08	0.64	0.34	0.11	3	0.11	0.32	
Including	183.08	183.48	0.40	0.21	0.04	1	0.01	0.06	
Including	183.48	184.00	0.52	0.28	0.14	1	0.01	0.17	
Including	184.00	185.00	1.00	0.53	0.31	1	0.01	0.34	
Including	185.00	185.78	0.78	0.41	0.05	1	0.11	0.23	
Including	185.78	186.18	0.40	0.21	2.91	8	0.28	3.46	
JDD0161	75.45	84.73	9.28	7.12	1.36	4	0.28	1.86	J1
Including	75.45	75.95	0.50	0.38	2.01	6	0.46	2.82	
Including	75.95	76.55	0.60	0.46	0.35	1	0.06	0.46	
Including	76.55	77.00	0.45	0.35	1.43	10	0.23	1.93	
Including	77.00	77.70	0.70	0.54	0.14	1	0.46	0.89	
Including	77.70	78.60	0.90	0.69	6.74	11	0.73	8.05	
Including	78.60	79.10	0.50	0.38	0.12	2	0.23	0.51	
Including	79.10	80.03	0.93	0.71	0.11	1	0.10	0.28	
Including	80.03	81.00	0.97	0.74	0.03	1	0.09	0.19	
Including	81.00	81.76	0.76	0.58	3.46	2	0.14	3.71	
Including	81.76	82.40	0.64	0.49	0.51	2	0.02	0.57	
Including	82.40	83.00	0.60	0.46	0.35	1	0.03	0.41	
Including	83.00	83.88	0.88	0.68	0.25	4	0.25	0.71	
Including	83.88	84.73	0.85	0.65	1.19	15	0.65	2.42	
JDD0163	77.80	81.86	4.06	2.80	14.27	65	0.90	16.53	J1
Including	77.80	78.90	1.10	0.76	28.76	218	2.86	36.07	
Including	78.90	79.30	0.40	0.28	17.68	5	0.19	18.05	
Including	79.30	80.00	0.70	0.48	3.24	3	0.19	3.59	
Including	80.00	80.44	0.44	0.30	23.92	34	0.01	24.36	
Including	80.44	80.66	0.22	0.15	0.36	4	0.15	0.65	
Including	80.66	81.18	0.52	0.36	11.63	5	0.03	11.74	
Including	81.18	81.63	0.45	0.31	0.17	3	0.49	0.99	
Including	81.63	81.86	0.23	0.16	1.02	6	0.10	1.26	
JDD0159	103.66	106.15	2.49	1.40	6.62	32	1.91	10.08	J1

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	103.66	104.10	0.44	0.25	3.09	14	0.33	3.80	
Including	104.10	104.60	0.50	0.28	1.16	3	0.01	1.22	
Including	104.60	105.00	0.40	0.22	1.31	14	0.92	2.97	
Including	105.00	105.35	0.35	0.20	1.44	31	2.52	5.87	
Including	105.35	105.80	0.45	0.25	0.64	8	0.20	1.07	
Including	105.80	106.15	0.35	0.20	37.76	150	9.28	54.52	
JDD0159	112.17	112.44	0.27	0.15	1.18	7	0.36	1.84	
Including	112.17	112.44	0.27	0.15	1.18	7	0.36	1.85	
JDD0159	114.60	114.90	0.30	0.17	5.05	1	0.20	5.38	
Including	114.60	114.90	0.30	0.17	5.05	1	0.20	5.39	
JDD0159	118.70	122.20	3.50	0.53	1.19	5	0.18	1.54	
Including	118.70	118.90	0.20	0.03	3.63	5	0.08	3.82	
Including	118.90	120.00	1.10	0.17	0.02	1	0.01	0.04	
Including	120.00	120.70	0.70	0.11	0.03	2	0.04	0.11	
Including	120.70	121.25	0.55	0.08	3.05	4	0.08	3.23	
Including	121.25	121.45	0.20	0.03	0.60	3	0.09	0.78	
Including	121.45	122.20	0.75	0.11	2.12	15	0.68	3.40	
JDD0172	132.20	143.10	10.90	4.74	6.06	16	0.73	7.43	J1
Including	132.20	132.65	0.45	0.20	1.29	3	0.02	1.37	
Including	132.65	133.60	0.95	0.41	0.56	1	0.01	0.59	
Including	133.60	134.65	1.05	0.46	4.32	8	0.11	4.60	
Including	134.65	135.50	0.85	0.37	1.89	2	0.06	2.00	
Including	135.50	136.40	0.90	0.39	1.05	1	0.02	1.10	
Including	136.40	137.20	0.80	0.35	0.13	2	0.34	0.70	
Including	137.20	138.00	0.80	0.35	0.70	2	0.05	0.80	
Including	138.00	138.30	0.30	0.13	2.38	2	0.05	2.49	
Including	138.30	139.30	1.00	0.43	0.03	1	0.02	0.08	
Including	139.30	140.10	0.80	0.35	0.02	1	0.02	0.06	
Including	140.10	140.30	0.20	0.09	0.07	1	0.00	0.09	
Including	140.30	141.00	0.70	0.30	0.06	3	0.02	0.13	
Including	141.00	141.60	0.60	0.26	0.01	1	0.00	0.03	
Including	141.60	142.35	0.75	0.33	0.54	61	5.17	9.59	
Including	142.35	143.10	0.75	0.33	74.60	141	4.64	83.80	
JDD0172	126.55	127.20	0.65	0.28	5.18	4	0.41	5.89	
Including	126.55	127.20	0.65	0.28	5.18	4	0.41	5.89	
JDD0145	87.98	93.82	5.84	3.66	5.62	5	0.31	6.18	J1
Including	87.98	89.00	1.02	0.64	6.77	6	0.30	7.32	
Including	89.00	89.60	0.60	0.38	36.47	17	1.51	39.11	
Including	89.60	90.35	0.75	0.47	1.32	2	0.19	1.65	
Including	90.35	91.40	1.05	0.66	0.31	3	0.13	0.56	
Including	91.40	92.60	1.20	0.75	0.30	3	0.18	0.63	
Including	92.60	93.82	1.22	0.77	1.93	2	0.07	2.07	
JDD0145	105.97	108.20	2.23	1.41	1.52	20	1.17	3.65	J1L
Including	105.97	106.20	0.23	0.15	3.87	3	0.22	4.27	
Including	106.20	107.20	1.00	0.63	2.36	39	2.47	6.81	
Including	107.20	108.20	1.00	0.63	0.15	5	0.09	0.36	
JDD0175	70.30	78.43	8.13	5.22	1.00	7	0.21	1.42	J1
Including	70.30	70.55	0.25	0.16	0.57	8	3.46	6.22	
Including	70.55	71.70	1.15	0.74	1.95	28	0.43	3.00	
Including	71.70	72.80	1.10	0.71	0.01	2	0.01	0.05	
Including	72.80	74.00	1.20	0.77	0.01	3	0.02	0.08	
Including	74.00	75.00	1.00	0.64	0.02	2	0.02	0.08	
Including	75.00	75.60	0.60	0.39	3.05	3	0.07	3.20	
Including	75.60	76.50	0.90	0.58	0.01	1	0.00	0.03	
Including	76.50	76.90	0.40	0.26	0.11	3	0.15	0.39	
Including	76.90	77.73	0.83	0.53	0.12	3	0.10	0.32	
Including	77.73	78.43	0.70	0.45	5.36	11	0.17	5.78	
JDD0165	43.00	43.24	0.24	0.20	0.70	16	3.28	6.16	
Including	43.00	43.24	0.24	0.20	0.70	16	3.28	6.17	
JDD0165	62.18	62.38	0.20	0.17	1.10	2	0.15	1.37	
Including	62.18	62.38	0.20	0.17	1.10	2	0.15	1.36	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
JDD0165	69.70	70.90	1.20	0.99	1.99	6	0.30	2.55	J1
Including	69.70	70.00	0.30	0.25	1.90	7	0.13	2.19	
Including	70.00	70.35	0.35	0.29	3.23	1	0.03	3.28	
Including	70.35	70.90	0.55	0.45	1.24	8	0.56	2.24	
JDD0166	40.40	40.87	0.47	0.44	1.85	5	0.22	2.27	
Including	40.40	40.87	0.47	0.44	1.85	5	0.22	2.27	
JDD0166	60.82	62.68	1.86	1.76	0.70	3	0.34	1.28	J1
Including	60.82	61.16	0.34	0.32	1.23	2	0.06	1.35	
Including	61.16	61.50	0.34	0.32	0.05	8	1.57	2.67	
Including	61.50	62.23	0.73	0.69	0.84	1	0.01	0.86	
Including	62.23	62.68	0.45	0.43	0.57	5	0.15	0.88	
JDD0169	112.25	115.52	3.27	1.79	1.45	7	0.11	1.71	J1
Including	112.25	112.60	0.35	0.19	2.62	2	0.02	2.68	
Including	112.60	113.12	0.52	0.28	0.75	3	0.07	0.90	
Including	113.12	114.00	0.88	0.48	0.04	3	0.07	0.19	
Including	114.00	114.78	0.78	0.43	0.03	2	0.02	0.09	
Including	114.78	115.52	0.74	0.41	4.58	21	0.34	5.39	
JDD0169	127.70	128.36	0.66	0.36	1.42	15	0.26	2.02	
Including	127.70	128.36	0.66	0.36	1.42	15	0.26	2.03	
JDD0170	42.70	42.90	0.20	0.13	1.25	3	0.11	1.46	
Including	42.70	42.90	0.20	0.13	1.25	3	0.11	1.47	
JDD0170	62.80	65.95	3.15	2.09	10.10	12	1.12	12.05	J1
Including	62.80	63.00	0.20	0.13	40.20	35	0.35	41.20	
Including	63.00	64.15	1.15	0.76	16.04	6	0.48	16.88	
Including	64.15	65.00	0.85	0.56	4.83	26	2.65	9.40	
Including	65.00	65.95	0.95	0.63	1.30	3	0.68	2.43	
JDD0170	88.70	90.50	1.80	1.19	3.70	21	0.67	5.04	J1L
Including	88.70	89.50	0.80	0.53	4.25	4	0.51	5.12	
Including	89.50	90.00	0.50	0.33	1.28	38	1.10	3.52	
Including	90.00	90.50	0.50	0.33	5.25	32	0.50	6.44	
JDD0162	96.10	103.40	7.30	3.84	2.95	5	0.85	4.38	J1
Including	96.10	96.47	0.37	0.19	33.08	12	1.33	35.37	
Including	96.47	97.30	0.83	0.44	0.44	7	2.16	3.99	
Including	97.30	98.00	0.70	0.37	0.06	2	0.02	0.12	
Including	98.00	98.85	0.85	0.45	0.07	3	0.07	0.22	
Including	98.85	100.00	1.15	0.60	0.56	6	0.52	1.46	
Including	100.00	101.00	1.00	0.53	0.14	4	0.16	0.45	
Including	101.00	102.00	1.00	0.53	6.47	6	1.86	9.53	
Including	102.00	103.10	1.10	0.58	0.50	6	1.11	2.35	
Including	103.10	103.40	0.30	0.16	3.32	2	0.03	3.39	
JDD0162	140.47	141.58	1.11	0.62	2.48	18	0.28	3.15	J1L
Including	140.47	141.58	1.11	0.62	2.48	18	0.28	3.15	

Table 3

Kainantu Gold Mine – Significant Intercepts from Kora South, Judd and Judd South Surface Diamond Drilling

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KUDD0027	225.75	227.50	1.75	0.51	0.15	68	1.19	2.92	KLS
including	225.75	226.80	1.05	0.30	0.12	35	0.48	1.32	
including	226.80	227.50	0.70	0.20	0.20	117	2.27	5.31	
KUDD0027	349.00	349.63	0.63	0.18	0.04	30	1.05	2.11	J1
Including	349.00	349.63	0.63	0.18	0.04	30	1.05	2.11	
KUDD0028	291.50	292.30	0.80	0.17	2.92	62	0.01	3.71	
KUDD0028	316.40	318.00	1.60	0.34	5.80	8	0.01	5.92	K2
including	316.40	317.40	1.00	0.21	3.01	5	0.01	3.08	
including	317.40	318.00	0.60	0.13	10.46	12	0.02	10.64	
KUDD0028	334.40	335.10	0.70	0.15	5.10	6	0.01	5.19	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KUDD0029	259.40	260.00	0.60	0.28	12.05	169	0.01	14.17	J1
KUDD0029	289.30	290.20	0.90	0.42	0.35	134	0.02	2.05	
KUDD0030	195.50	199.70	4.20	0.84	1.18	28	0.01	1.54	
including	195.50	196.30	0.80	0.16	1.43	5	0.01	1.50	
including	196.30	197.50	1.20	0.24	1.74	8	0.03	1.88	
including	197.50	198.50	1.00	0.20	0.78	72	0.00	1.68	
including	198.50	199.70	1.20	0.24	0.78	25	0.01	1.11	
KUDD0030	214.30	223.26	8.96	1.79	0.83	44	0.05	1.46	K1
including	214.30	215.30	1.00	0.20	0.92	23	0.03	1.25	
including	215.30	216.60	1.30	0.26	0.77	22	0.04	1.11	
including	216.60	218.10	1.50	0.30	1.01	48	0.02	1.64	
including	218.10	219.20	1.10	0.22	0.54	144	0.03	2.39	
including	219.20	220.20	1.00	0.20	0.97	36	0.03	1.47	
including	220.20	221.40	1.20	0.24	0.45	10	0.01	0.59	
including	221.40	222.30	0.90	0.18	1.48	45	0.14	2.26	
including	222.30	223.26	0.96	0.19	0.62	25	0.11	1.11	
KUDD0030	249.80	258.90	9.10	1.82	1.08	28	0.14	1.65	
including	249.80	251.10	1.30	0.26	2.45	112	0.58	4.78	
including	251.10	252.40	1.30	0.26	0.21	1	0.02	0.25	
including	252.40	253.60	1.20	0.24	0.15	2	0.02	0.21	
including	253.60	254.80	1.20	0.24	0.08	-	0.01	0.09	
including	254.80	256.29	1.49	0.30	0.08	1	0.01	0.11	
including	256.29	256.75	0.46	0.09	5.67	31	0.16	6.31	
including	256.75	258.55	0.46	0.36	0.14	4	0.02	0.22	
including	258.55	258.90	0.35	0.07	8.92	224	1.03	13.37	
KUDD0030	285.75	292.30	6.55	1.31	0.24	154	0.21	2.50	K2
including	285.75	286.50	0.75	0.15	0.38	1,070	0.62	14.75	
including	286.50	288.00	1.50	0.30	0.13	56	0.03	0.87	
including	288.00	289.90	1.90	0.38	0.26	8	0.03	0.40	
including	289.90	291.80	1.90	0.38	0.22	33	0.03	0.68	
including	291.80	292.30	0.50	0.10	0.39	84	1.50	3.85	
KUDD0031	40.31	41.50	1.19	0.57	1.69	2	0.01	1.73	KLS
KUDD0031	172.20	173.60	1.40	0.67	1.24	2	0.02	1.30	J1
KUDD0032	219.30	219.90	0.60	0.32	0.16	25	2.13	3.89	
KUDD0032	241.10	271.40	30.30	16.06	3.49	27	1.43	6.13	J1
Including	241.10	242.00	0.90	0.48	0.45	10	1.57	3.09	
Including	242.00	243.00	1.00	0.53	0.05	-	0.03	0.10	
Including	243.00	244.00	1.00	0.53	0.05	4	0.55	0.98	
Including	244.00	245.10	1.10	0.58	0.11	3	0.40	0.79	
Including	245.10	246.50	1.40	0.74	0.69	10	1.46	3.16	
Including	246.50	247.50	1.00	0.53	2.05	41	5.02	10.63	
Including	247.50	249.50	2.00	1.06	1.95	10	0.84	3.43	
Including	249.50	251.35	1.85	0.98	5.70	69	1.52	9.01	
Including	251.35	252.40	1.05	0.56	8.50	39	2.00	12.21	
Including	252.40	253.90	1.50	0.80	15.80	16	0.85	17.37	
Including	253.90	254.50	0.60	0.32	2.99	13	4.97	11.14	
Including	254.50	256.50	2.00	1.06	0.50	6	1.19	2.49	
Including	256.50	257.60	1.10	0.58	0.15	4	0.40	0.85	
Including	257.60	258.10	0.50	0.27	13.30	22	0.46	14.31	
Including	258.10	258.70	0.60	0.32	20.70	99	11.68	40.71	
Including	258.70	259.93	1.23	0.65	0.25	6	0.85	1.68	
Including	259.93	261.10	1.17	0.62	16.20	28	2.11	19.93	
Including	261.10	262.20	1.10	0.58	2.11	83	2.57	7.28	
Including	262.20	263.50	1.30	0.69	0.05	2	0.06	0.16	
Including	263.50	265.00	1.50	0.80	0.83	96	2.87	6.64	
Including	265.00	265.50	0.50	0.27	0.76	-	0.02	0.80	
Including	265.50	266.80	1.30	0.69	0.62	34	0.99	2.63	
Including	266.80	268.50	1.70	0.90	2.07	9	0.06	2.27	
Including	268.50	269.00	0.50	0.27	1.32	11	0.06	1.55	
Including	269.00	270.60	1.60	0.85	0.29	2	0.02	0.34	
Including	270.60	271.40	0.80	0.42	5.50	115	1.04	8.61	
KUDD0033	-	1.50	1.50	1.04	11.03	18	0.03	11.30	J2
KUDD0033	80.00	80.85	0.85	0.59	1.20	28	1.86	4.53	J1

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KUDD0033	271.00	273.20	2.20	1.52	0.15	13	3.45	5.85	
Including	271.00	271.75	0.75	0.52	0.06	27	6.78	11.30	
Including	271.75	272.50	0.75	0.52	0.22	4	0.57	1.19	
Including	272.50	273.20	0.70	0.48	0.16	9	2.94	5.00	
KUDD0033	277.30	281.00	3.70	2.55	0.46	19	1.57	3.22	K1
Including	277.30	277.75	0.45	0.31	0.25	17	1.06	2.16	
Including	277.75	278.30	0.55	0.38	0.88	94	6.88	13.12	
Including	278.30	279.00	0.70	0.48	0.26	4	0.36	0.89	
Including	279.00	279.60	0.60	0.41	0.27	2	0.06	0.40	
Including	279.60	280.35	0.75	0.52	0.51	4	0.77	1.80	
Including	280.35	281.00	0.65	0.45	0.61	7	1.02	2.34	
KUDD0033	294.40	322.30	27.90	19.25	4.65	76	3.03	10.48	K2
including	294.40	295.15	0.75	0.52	57.61	36	2.03	61.32	
including	295.15	296.00	0.85	0.59	0.24	2	0.03	0.32	
including	296.00	297.00	1.00	0.69	0.13	-	0.00	0.13	
including	297.00	297.85	0.85	0.59	0.16	-	0.02	0.18	
including	297.85	299.10	1.25	0.86	0.03	3	0.12	0.26	
including	299.10	299.70	0.60	0.41	0.18	15	1.47	2.72	
including	299.70	300.40	0.70	0.48	0.26	76	5.19	9.55	
including	300.40	300.90	0.50	0.35	0.02	4	0.30	0.56	
including	300.90	301.20	0.30	0.21	4.57	136	8.31	19.62	
including	301.20	301.90	0.70	0.48	0.18	21	0.93	1.94	
including	301.90	303.00	1.10	0.76	1.08	46	2.34	5.42	
including	303.00	304.00	1.00	0.69	-	3	0.27	0.48	
including	304.00	305.00	1.00	0.69	0.03	2	0.27	0.48	
including	305.00	306.00	1.00	0.69	0.65	19	0.91	2.35	
including	306.00	306.90	0.90	0.62	0.20	2	0.04	0.29	
including	306.90	307.50	0.60	0.41	1.79	52	5.21	10.81	
including	307.50	308.30	0.80	0.55	28.73	298	15.15	56.80	
including	308.30	309.50	1.20	0.83	11.43	345	7.79	28.26	
including	309.50	310.30	0.80	0.55	10.51	262	10.19	30.16	
including	310.30	311.00	0.70	0.48	2.88	38	2.89	7.99	
including	311.00	311.80	0.80	0.55	1.15	14	2.45	5.26	
including	311.80	312.50	0.70	0.48	0.05	6	1.88	3.15	
including	312.50	313.60	1.10	0.76	19.03	145	9.66	36.37	
including	313.60	314.50	0.90	0.62	10.63	96	1.29	13.91	
including	314.50	315.00	0.50	0.35	0.08	11	2.07	3.54	
including	315.00	316.80	1.80	1.24	0.05	10	0.82	1.49	
including	316.80	317.25	0.45	0.31	0.23	56	1.44	3.24	
including	317.25	318.20	0.95	0.66	0.40	177	1.50	5.02	
including	318.20	318.90	0.70	0.48	0.13	6	0.21	0.54	
including	318.90	319.50	0.60	0.41	0.41	74	7.33	13.12	
including	319.50	320.50	1.00	0.69	0.15	37	2.12	4.02	
including	320.50	321.50	1.00	0.69	1.17	309	6.93	16.16	
including	321.50	322.30	0.80	0.55	0.38	140	3.86	8.33	
KUDD0033	326.70	327.45	0.75	0.52	0.08	9	4.07	6.73	
KUDD0033	331.80	332.50	0.70	0.48	4.19	15	3.36	9.78	
KUDD0034	200.00	210.92	10.92	6.01	0.29	8	0.61	1.36	
including	200.00	200.50	0.50	0.28	2.11	52	3.58	8.51	
including	200.50	201.00	0.50	0.28	0.84	18	2.60	5.24	
including	201.00	202.00	1.00	0.55	0.10	3	0.10	0.29	
including	202.00	202.70	0.70	0.39	0.03	3	0.09	0.21	
including	202.70	203.32	0.62	0.34	0.07	4	0.66	1.18	
including	203.32	203.63	0.31	0.17	0.29	7	1.06	2.09	
including	203.63	205.00	1.37	0.75	0.20	1	0.06	0.31	
including	205.00	205.65	0.65	0.36	0.13	1	0.03	0.20	
including	205.65	206.95	1.30	0.72	0.09	1	0.04	0.17	
including	206.95	208.00	1.05	0.58	0.12	3	0.03	0.20	
including	208.00	208.57	0.57	0.31	0.18	3	0.01	0.24	
including	208.57	209.20	0.63	0.35	0.51	33	1.24	2.91	
including	209.20	210.40	1.20	0.66	0.23	8	0.56	1.24	
including	210.40	210.92	0.52	0.29	0.25	8	1.90	3.40	
KUDD0034	225.20	235.52	10.32	5.68	9.20	30	2.36	13.36	J2

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	225.20	226.05	0.85	0.47	0.29	12	3.91	6.72	
Including	226.05	226.85	0.80	0.44	24.28	26	2.73	28.99	
Including	226.85	227.15	0.30	0.17	0.10	3	0.91	1.60	
Including	227.15	228.20	1.05	0.58	0.35	13	2.32	4.24	
Including	228.20	229.25	1.05	0.58	0.33	15	3.53	6.20	
Including	229.25	230.65	1.40	0.77	40.24	124	3.62	47.61	
Including	230.65	232.00	1.35	0.74	0.87	13	2.15	4.49	
Including	232.00	232.70	0.70	0.39	20.77	33	2.18	24.69	
Including	232.70	233.50	0.80	0.44	2.20	23	2.11	5.88	
Including	233.50	233.85	0.35	0.19	0.72	5	0.26	1.21	
Including	233.85	234.57	0.72	0.40	0.47	11	1.05	2.30	
Including	234.57	235.10	0.53	0.29	-	-	0.16	0.26	
Including	235.10	235.52	0.42	0.23	0.40	9	0.66	1.57	
KUDD0035	82.80	92.00	9.2	5.80	1.78	19	0.80	3.30	J1
Including	82.80	84.00	1.20	0.76	0.09	32	0.86	1.87	
Including	84.00	84.80	0.80	0.50	0.53	3	0.11	0.74	
Including	84.80	85.60	0.80	0.50	0.21	3	0.04	0.32	
Including	85.60	87.05	1.45	0.91	3.79	29	1.23	6.13	
Including	87.05	88.60	1.55	0.98	0.08	8	0.80	1.46	
Including	88.60	89.90	1.30	0.82	2.14	17	0.82	3.67	
Including	89.90	91.40	1.50	0.95	1.14	31	1.28	3.59	
Including	91.40	92.00	0.60	0.38	9.28	8	0.32	9.90	
KUDD0035	280.60	287.00	6.40	4.03	0.83	237	3.24	9.00	KLS
Including	280.60	282.05	1.45	0.91	2.34	1,022	13.42	36.69	
Including	282.05	283.76	1.71	1.08	0.41	10	0.43	1.22	
Including	283.76	285.00	1.24	0.78	0.33	5	0.07	0.50	
Including	285.00	286.40	1.40	0.88	0.34	4	0.04	0.45	
Including	286.40	287.00	0.60	0.38	0.57	9	0.68	1.78	
KUDD0035	309.75	359.80	50.05	31.53	1.60	34	2.01	5.25	K1
including	309.75	310.80	1.05	0.66	0.28	103	3.07	6.50	
including	310.80	312.10	1.30	0.82	0.06	2	0.03	0.13	
including	312.10	313.50	1.40	0.88	0.17	5	0.15	0.48	
including	313.50	314.50	1.00	0.63	0.18	4	0.61	1.21	
including	314.50	316.25	1.75	1.10	0.14	8	0.80	1.53	
including	316.25	316.60	0.35	0.22	0.76	134	4.78	10.12	
including	316.60	318.60	2.00	1.26	0.39	42	8.90	15.22	
including	318.60	320.60	2.00	1.26	0.08	2	0.04	0.16	
including	320.60	321.60	1.00	0.63	0.06	-	0.01	0.07	
including	321.60	322.80	1.20	0.76	0.10	-	0.01	0.12	
including	322.80	324.20	1.40	0.88	0.25	7	0.19	0.65	
including	324.20	325.40	1.20	0.76	0.14	2	0.03	0.21	
including	325.40	326.50	1.10	0.69	0.11	1	0.02	0.16	
including	326.50	327.50	1.00	0.63	0.16	10	1.48	2.66	
including	327.50	328.50	1.00	0.63	0.31	11	2.24	4.05	
including	328.50	330.00	1.50	0.95	0.12	4	0.49	0.95	
including	330.00	330.70	0.70	0.44	0.85	22	7.23	12.75	
including	330.70	332.20	1.50	0.95	0.73	71	15.92	27.19	
including	332.20	333.05	0.85	0.54	2.64	61	9.63	18.88	
including	333.05	334.00	0.95	0.60	1.49	35	2.42	5.82	
including	334.00	335.50	1.50	0.95	0.14	11	1.01	1.90	
including	335.50	336.60	1.10	0.69	1.10	14	0.40	1.91	
including	336.60	338.00	1.40	0.88	0.30	-	0.03	0.34	
including	338.00	339.20	1.20	0.76	0.37	4	0.29	0.89	
including	339.20	342.60	3.40	2.14	3.09	6	0.31	3.66	
including	342.60	343.00	0.40	0.25	3.78	7	0.14	4.09	
including	343.00	343.40	0.40	0.25	0.26	7	0.12	0.55	
including	343.40	344.45	1.05	0.66	0.08	9	0.25	0.60	
including	344.45	344.90	0.45	0.28	0.65	7	0.67	1.82	
including	344.90	345.25	0.35	0.22	0.11	16	0.76	1.54	
including	345.25	345.90	0.65	0.41	0.55	190	5.42	11.63	
including	345.90	346.55	0.65	0.41	9.40	46	1.78	12.83	
including	346.55	347.00	0.45	0.28	55.50	85	4.23	63.35	
including	347.00	347.85	0.85	0.54	5.20	70	1.21	8.02	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
including	347.85	348.55	0.70	0.44	2.88	150	1.42	7.03	
including	348.55	349.15	0.60	0.38	1.28	41	0.19	2.10	
including	349.15	350.00	0.85	0.54	0.91	265	3.05	9.12	
including	350.00	351.00	1.00	0.63	0.16	20	0.32	0.92	
including	351.00	352.00	1.00	0.63	0.09	3	0.05	0.22	
including	352.00	353.00	1.00	0.63	0.24	4	0.13	0.51	
including	353.00	353.80	0.80	0.50	0.04	3	0.15	0.32	
including	353.80	354.25	0.45	0.28	0.71	59	6.81	12.39	
including	354.25	355.00	0.75	0.47	0.31	5	1.13	2.19	
including	355.00	356.00	1.00	0.63	0.06	4	0.28	0.55	
including	356.00	356.50	0.50	0.32	0.14	5	0.38	0.82	
including	356.50	357.10	0.60	0.38	0.52	24	2.16	4.30	
including	357.10	357.50	0.40	0.25	0.80	187	8.92	17.47	
including	357.50	357.80	0.30	0.19	0.57	296	13.14	25.39	
including	357.80	358.60	0.80	0.50	4.91	83	2.33	9.69	
including	358.60	358.95	0.35	0.22	7.65	157	0.16	9.86	
including	358.95	359.80	0.85	0.54	9.61	137	0.06	11.42	
KUDD0035	399.65	406.00	6.35	4.00	1.81	483	2.77	12.29	K2
including	399.65	400.40	0.75	0.47	5.79	3,189	4.19	52.39	
including	400.40	401.55	1.15	0.72	0.76	251	0.68	4.99	
including	401.55	402.50	0.95	0.60	2.42	174	2.59	8.75	
including	402.50	403.50	1.00	0.63	0.25	25	0.31	1.06	
including	403.50	403.90	0.40	0.25	0.96	151	7.60	15.06	
including	403.90	404.40	0.50	0.32	1.61	82	4.66	10.13	
including	404.40	404.80	0.40	0.25	4.70	182	10.30	23.53	
including	404.80	405.30	0.50	0.32	0.28	25	2.09	3.95	
including	405.30	406.00	0.70	0.44	0.78	12	0.48	1.70	
KUDD0036	128.85	129.60	0.75	0.48	3.07	2	0.01	3.12	
KUDD0036	141.00	141.40	0.40	0.26	6.21	8	0.02	6.34	J2
KUDD0036	149.70	150.49	0.79	0.51	0.89	105	0.01	2.22	
KUDD0036	228.90	229.46	0.56	0.36	0.50	16	1.57	3.23	
KUDD0036	271.30	279.00	7.70	4.93	3.98	10	1.18	6.01	J1
Including	271.30	272.50	1.20	0.77	0.76	3	0.57	1.72	
Including	272.50	273.50	1.00	0.64	0.42	-	0.02	0.45	
Including	273.50	274.70	1.20	0.77	21.56	45	4.13	28.76	
Including	274.70	276.00	1.30	0.83	1.35	6	0.71	2.57	
Including	276.00	276.85	0.85	0.54	0.08	2	0.25	0.50	
Including	276.85	277.80	0.95	0.61	0.16	4	1.60	2.79	
Including	277.80	279.00	1.20	0.77	1.23	4	0.66	2.35	
KUDD0036	423.50	426.20	2.70	1.73	0.37	12	1.08	2.26	
Including	423.50	425.00	1.50	0.96	0.25	6	0.69	1.43	
Including	425.00	426.20	1.20	0.77	0.52	19	1.57	3.29	
KUDD0037	82.00	82.85	0.85	0.60	0.69	2	0.20	1.03	J1
KUDD0037	260.85	263.60	2.75	1.95	1.67	22	1.37	4.16	KLS
Including	260.85	261.75	0.90	0.64	4.04	44	3.03	9.46	
Including	261.75	262.60	0.85	0.60	0.70	13	0.75	2.07	
Including	262.60	263.60	1.00	0.71	0.37	11	0.40	1.15	
KUDD0037	304.00	310.25	6.25	4.44	1.10	9	0.66	2.27	
Including	304.00	304.90	0.90	0.64	4.94	27	0.77	6.52	
Including	304.90	306.00	1.10	0.78	0.10	3	0.02	0.17	
Including	306.00	307.10	1.10	0.78	0.02	-	0.01	0.03	
Including	307.10	308.70	1.60	1.14	0.82	-	0.01	0.84	
Including	308.70	309.40	0.70	0.50	0.19	3	0.10	0.39	
Including	309.40	310.25	0.85	0.60	1.01	29	3.89	7.62	
KUDD0037	318.10	324.80	6.70	4.76	5.04	135	6.99	17.96	K1
Including	318.10	319.30	1.20	0.85	0.07	5	0.91	1.60	
Including	319.30	320.00	0.70	0.50	0.09	7	14.31	23.18	
Including	320.00	320.40	0.40	0.28	0.16	12	3.30	5.61	
Including	320.40	321.25	0.85	0.60	25.33	630	14.95	57.23	
Including	321.25	322.10	0.85	0.60	12.09	289	13.09	36.74	
Including	322.10	322.80	0.70	0.50	0.58	83	5.34	10.20	
Including	322.80	324.00	1.20	0.85	0.29	11	0.80	1.72	
Including	324.00	324.80	0.80	0.57	1.23	44	7.36	13.61	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KUDD0037	329.00	329.80	0.80	0.57	2.03	-	0.01	2.04	
KUDD0037	356.50	361.40	4.90	3.48	0.70	12	0.18	1.14	K2
Including	356.50	357.70	1.20	0.85	1.21	5	0.14	1.49	
Including	357.70	359.65	1.95	1.38	0.84	2	0.02	0.89	
Including	359.65	360.80	1.15	0.82	0.02	3	0.01	0.07	
Including	360.80	361.40	0.60	0.43	0.52	72	1.16	3.29	
KUDD0038	176.30	178.20	1.90	1.20	0.24	14	1.08	2.16	
KUDD0038	184.20	191.30	7.10	4.47	0.66	30	1.40	3.29	J2
Including	184.20	185.60	1.40	0.88	1.02	28	1.22	3.33	
Including	185.60	187.30	1.70	1.07	0.22	15	0.52	1.24	
Including	187.30	188.00	0.70	0.44	0.86	91	0.04	2.06	
Including	188.00	190.10	2.10	1.32	0.28	15	0.53	1.32	
Including	190.10	190.80	0.70	0.44	0.21	18	1.15	2.28	
Including	190.80	191.30	0.50	0.32	3.11	82	10.84	21.55	
KUDD0038	197.60	226.30	28.70	18.08	2.85	25	0.85	4.53	J1
Including	197.60	198.60	1.00	0.63	1.18	6	0.02	1.29	
Including	198.60	199.60	1.00	0.63	0.27	6	0.04	0.41	
Including	199.60	200.70	1.10	0.69	0.68	6	0.02	0.79	
Including	200.70	201.40	0.70	0.44	0.90	150	1.04	4.45	
Including	201.40	203.30	1.90	1.20	5.63	84	0.75	7.89	
Including	203.30	204.50	1.20	0.76	49.58	36	0.61	51.01	
Including	204.50	205.40	0.90	0.57	0.14	2	0.01	0.18	
Including	205.40	206.40	1.00	0.63	0.76	10	0.09	1.03	
Including	206.40	207.40	1.00	0.63	1.50	6	0.02	1.61	
Including	207.40	209.00	1.60	1.01	0.06	3	0.02	0.13	
Including	209.00	211.00	2.00	1.26	0.14	9	0.13	0.46	
Including	211.00	213.00	2.00	1.26	0.13	11	0.10	0.43	
Including	213.00	213.90	0.90	0.57	0.48	25	0.29	1.26	
Including	213.90	215.10	1.20	0.76	0.46	46	2.61	5.23	
Including	215.10	216.90	1.80	1.13	0.12	15	0.17	0.58	
Including	216.90	218.00	1.10	0.69	0.71	50	5.54	10.24	
Including	218.00	220.00	2.00	1.26	0.02	7	0.07	0.22	
Including	220.00	221.00	1.00	0.63	0.12	5	0.03	0.23	
Including	221.00	221.90	0.90	0.57	0.56	25	2.21	4.42	
Including	221.90	222.40	0.50	0.32	4.89	124	3.72	12.42	
Including	222.40	223.80	1.40	0.88	0.11	15	1.21	2.24	
Including	223.80	224.50	0.70	0.44	0.25	10	1.05	2.06	
Including	224.50	226.30	1.80	1.13	0.20	17	2.55	4.51	
KUDD0038	395.00	405.75	10.75	6.77	2.92	20	1.12	4.96	KLS
Including	395.00	395.90	0.90	0.57	0.22	29	4.29	7.48	
Including	395.90	396.30	0.40	0.25	0.10	20	2.81	4.87	
Including	396.30	397.30	1.00	0.63	0.57	11	0.29	1.17	
Including	397.30	398.00	0.70	0.44	0.02	7	0.48	0.88	
Including	398.00	399.00	1.00	0.63	0.03	3	0.09	0.21	
Including	399.00	399.40	0.40	0.25	1.31	85	5.05	10.49	
Including	399.40	400.20	0.80	0.50	1.65	10	0.09	1.92	
Including	400.20	400.70	0.50	0.32	7.66	13	0.09	7.97	
Including	400.70	401.20	0.50	0.32	0.30	5	0.06	0.46	
Including	401.20	401.60	0.40	0.25	1.45	11	0.09	1.73	
Including	401.60	402.45	0.85	0.54	0.30	13	0.26	0.88	
Including	402.45	403.00	0.55	0.35	0.52	10	0.46	1.38	
Including	403.00	403.35	0.35	0.22	0.31	4	0.15	0.60	
Including	403.35	403.85	0.50	0.32	0.55	8	0.28	1.10	
Including	403.85	404.20	0.35	0.22	0.30	8	0.31	0.90	
Including	404.20	405.25	1.05	0.66	21.55	61	1.16	24.18	
Including	405.25	405.75	0.50	0.32	0.90	31	4.21	8.05	
KUDD0038	466.00	467.40	1.40	0.88	3.33	76	0.22	4.64	
Including	466.00	467.00	1.00	0.63	4.35	98	0.15	5.82	
Including	467.00	467.40	0.40	0.25	0.79	21	0.40	1.70	
KUDD0038	471.10	485.10	14.00	8.82	0.91	35	2.58	5.49	K1
Including	471.10	471.60	0.50	0.32	0.18	6	1.27	2.30	
Including	471.60	472.00	0.40	0.25	0.12	-	0.17	0.39	
Including	472.00	472.50	0.50	0.32	0.18	12	1.43	2.63	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	472.50	472.80	0.30	0.19	0.35	112	1.03	3.41	
Including	472.80	473.30	0.50	0.32	0.15	3	0.12	0.38	
Including	473.30	473.90	0.60	0.38	0.47	10	0.42	1.27	
Including	473.90	474.60	0.70	0.44	0.71	16	1.37	3.11	
Including	474.60	475.20	0.60	0.38	0.80	10	0.28	1.37	
Including	475.20	475.60	0.40	0.25	-	2	0.21	0.36	
Including	475.60	476.40	0.80	0.50	0.37	10	1.79	3.37	
Including	476.40	477.10	0.70	0.44	1.58	12	1.04	3.40	
Including	477.10	477.40	0.30	0.19	0.47	16	4.92	8.58	
Including	477.40	478.10	0.70	0.44	0.67	77	3.56	7.35	
Including	478.10	478.70	0.60	0.38	0.37	140	11.14	20.02	
Including	478.70	479.30	0.60	0.38	1.13	13	0.57	2.21	
Including	479.30	479.80	0.50	0.32	0.32	8	0.25	0.82	
Including	479.80	480.20	0.40	0.25	2.26	28	0.90	4.06	
Including	480.20	480.50	0.30	0.19	0.30	2	0.07	0.44	
Including	480.50	480.90	0.40	0.25	0.02	10	0.66	1.21	
Including	480.90	481.20	0.30	0.19	-	2	0.19	0.33	
Including	481.20	482.20	1.00	0.63	0.30	69	4.00	7.59	
Including	482.20	482.90	0.70	0.44	0.08	13	0.86	1.62	
Including	482.90	483.25	0.35	0.22	0.06	28	4.77	8.08	
Including	483.25	483.70	0.45	0.28	1.40	75	8.70	16.32	
Including	483.70	484.50	0.80	0.50	4.99	106	8.48	19.94	
Including	484.50	485.10	0.60	0.38	3.40	39	3.14	8.93	
KUDD0038	504.20	511.10	6.90	4.35	5.86	111	6.77	18.12	K2
Including	504.20	504.60	0.40	0.25	1.26	76	2.47	6.18	
Including	504.60	505.00	0.40	0.25	0.50	50	3.59	6.89	
Including	505.00	505.45	0.45	0.28	3.85	261	15.89	32.65	
Including	505.45	506.40	0.95	0.60	1.46	125	9.77	18.72	
Including	506.40	506.90	0.50	0.32	10.03	300	21.13	47.74	
Including	506.90	507.70	0.80	0.50	11.36	279	6.31	24.99	
Including	507.70	508.10	0.40	0.25	28.35	91	6.87	40.53	
Including	508.10	508.80	0.70	0.44	15.18	86	11.26	34.35	
Including	508.80	509.10	0.30	0.19	0.34	5	0.61	1.38	
Including	509.10	509.50	0.40	0.25	0.35	3	0.58	1.32	
Including	509.50	509.80	0.30	0.19	0.21	5	1.51	2.70	
Including	509.80	510.50	0.70	0.44	0.08	2	0.51	0.92	
Including	510.50	511.10	0.60	0.38	0.30	3	0.65	1.38	
KUDD0039	225.00	228.10	3.10	2.29	0.19	38	4.47	7.84	KLS
Including	225.00	225.70	0.70	0.52	0.14	8	1.40	2.49	
Including	225.70	226.60	0.90	0.67	0.22	107	12.53	21.69	
Including	226.60	227.10	0.50	0.37	0.39	15	2.13	4.00	
Including	227.10	228.10	1.00	0.74	0.10	7	0.52	1.02	
KUDD0039	238.00	239.00	1.00	0.74	0.29	20	2.87	5.15	
Including	238.00	238.55	0.55	0.41	0.22	19	3.52	6.11	
Including	238.55	239.00	0.45	0.33	0.38	21	2.07	3.97	
KUDD0039	254.00	255.70	1.70	1.26	0.59	41	2.37	4.91	
Including	254.00	255.00	1.00	0.74	0.59	59	3.10	6.31	
Including	255.00	255.70	0.70	0.52	0.58	16	1.32	2.90	
KUDD0039	259.80	263.00	3.20	2.37	0.32	6	1.94	3.52	K1
Including	259.80	260.50	0.70	0.52	1.01	11	2.88	5.78	
Including	260.50	261.30	0.80	0.59	0.03	3	0.76	1.29	
Including	261.30	262.00	0.70	0.52	0.07	8	4.31	7.10	
Including	262.00	263.00	1.00	0.74	0.24	3	0.58	1.21	
KUDD0039	271.40	273.50	2.10	1.55	0.33	8	1.22	2.39	
Including	271.40	272.00	0.60	0.44	0.28	7	0.46	1.11	
Including	272.00	272.90	0.90	0.67	0.12	4	0.19	0.48	
Including	272.90	273.50	0.60	0.44	0.69	14	3.53	6.54	
KUDD0039	274.50	281.00	6.50	4.81	3.32	103	7.76	17.08	K2
Including	274.50	275.30	0.80	0.59	0.22	5	0.50	1.09	
Including	275.30	275.90	0.60	0.44	0.57	8	0.20	0.99	
Including	275.90	276.90	1.00	0.74	0.59	13	2.00	3.97	
Including	276.90	277.95	1.05	0.78	2.04	308	8.84	20.10	
Including	277.95	278.70	0.75	0.56	23.46	351	27.20	71.56	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
Including	278.70	279.80	1.10	0.81	0.58	46	14.49	24.44	
Including	279.80	281.00	1.20	0.89	0.10	10	1.91	3.29	
KUDD0039	291.10	293.80	2.70	2.00	0.69	43	4.05	7.73	
Including	291.10	291.70	0.60	0.44	0.05	16	3.56	5.97	
Including	291.70	292.80	1.10	0.81	-	3	0.43	0.73	
Including	292.80	293.80	1.00	0.74	1.83	104	8.32	16.50	
KODD0019	117.70	118.60	0.90	0.44	3.00	-	0.01	3.01	
KODD0019	281.85	284.50	2.65	1.30	0.20	14	1.34	2.53	
including	281.85	282.40	0.55	0.27	0.39	42	4.71	8.48	
including	282.40	283.70	1.30	0.64	0.12	3	0.20	0.49	
including	283.70	284.50	0.80	0.39	0.20	14	0.85	1.75	
KODD0019	322.80	325.40	2.60	1.27	3.76	62	1.20	6.46	J1
including	322.80	323.70	0.90	0.44	1.07	16	0.22	1.62	
including	323.70	324.50	0.80	0.39	2.01	96	0.95	4.73	
including	324.50	325.10	0.60	0.29	10.54	97	0.49	12.54	
including	325.10	325.40	0.30	0.15	2.94	40	6.21	13.42	
KODD0019	412.70	422.40	9.70	4.75	0.41	9	0.33	1.06	J2
including	412.70	414.00	1.30	0.64	0.58	23	2.08	4.21	
including	414.00	415.60	1.60	0.78	0.22	-	0.01	0.23	
including	415.60	416.80	1.20	0.59	0.02	-	0.00	0.02	
including	416.80	418.20	1.40	0.69	-	1	0.01	0.03	
including	418.20	419.40	1.20	0.59	0.21	3	0.01	0.27	
including	419.40	421.10	1.70	0.83	0.13	16	0.01	0.35	
including	421.10	421.80	0.70	0.34	3.25	27	0.09	3.73	
including	421.80	422.40	0.60	0.29	0.17	11	0.66	1.37	
KODD0020	362.15	378.80	16.65	9.66	6.92	4	0.33	7.49	J1
including	362.15	362.60	0.45	0.26	0.29	14	2.74	4.87	
including	362.60	363.60	1.00	0.58	31.25	11	1.96	34.53	
including	363.60	364.55	0.95	0.55	0.12	2	0.06	0.25	
including	364.55	365.50	0.95	0.55	-	-	0.01	0.01	
including	365.50	366.50	1.00	0.58	-	-	0.01	0.01	
including	366.50	367.90	1.40	0.81	-	3	0.06	0.14	
including	367.90	368.50	0.60	0.35	0.11	3	0.23	0.52	
including	368.50	369.25	0.75	0.44	1.03	4	0.30	1.56	
including	369.25	370.25	1.00	0.58	2.23	5	0.40	2.93	
including	370.25	371.25	1.00	0.58	2.40	3	0.14	2.67	
including	371.25	372.43	1.18	0.68	1.59	1	0.02	1.64	
including	372.43	373.00	0.57	0.33	3.32	4	0.05	3.44	
including	373.00	374.00	1.00	0.58	11.17	8	0.03	11.32	
including	374.00	374.90	0.90	0.52	1.28	3	0.04	1.38	
including	374.90	375.43	0.53	0.31	10.47	2	0.05	10.57	
including	375.43	376.43	1.00	0.58	2.67	2	0.24	3.08	
including	376.43	377.20	0.77	0.45	53.28	2	0.13	53.51	
including	377.20	378.20	1.00	0.58	11.38	6	0.63	12.47	
including	378.20	378.80	0.60	0.35	2.45	3	0.09	2.63	
KODD0020	401.20	407.70	6.50	3.77	1.41	5	0.33	2.00	
including	401.20	402.40	1.20	0.70	4.29	3	0.14	4.54	
including	402.40	404.00	1.60	0.93	0.16	2	0.05	0.27	
including	404.00	404.70	0.70	0.41	1.80	2	0.10	1.99	
including	404.70	406.50	1.80	1.04	0.38	9	0.72	1.65	
including	406.50	407.70	1.20	0.70	1.52	6	0.43	2.28	
KODD0021	301.65	302.35	0.70	0.37	0.30	18	2.61	4.72	
KODD0021	307.10	307.50	0.40	0.21	0.17	4	0.94	1.73	
KODD0021	316.40	321.00	4.60	2.44	1.45	2	0.19	1.78	
including	316.40	316.80	0.40	0.21	16.00	14	0.75	17.38	
including	316.80	318.00	1.20	0.64	0.07	-	0.01	0.09	
including	318.00	319.00	1.00	0.53	0.04	2	0.01	0.07	
including	319.00	320.50	1.50	0.80	-	-	0.01	0.01	
including	320.50	321.00	0.50	0.27	0.28	6	1.04	2.02	
KODD0021	345.10	347.40	2.30	1.22	1.77	16	0.71	3.11	J2
including	345.10	346.00	0.90	0.48	0.72	30	1.53	3.55	
including	346.00	347.40	1.40	0.74	2.45	7	0.18	2.83	
KODD0021	407.50	408.15	0.65	0.34	0.27	30	3.98	7.04	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KODD0021	489.75	490.65	0.90	0.48	2.45	28	1.00	4.40	J1
KODD0021	545.30	549.90	4.60	2.44	1.10	10	0.96	2.78	
including	545.30	545.40	0.10	0.05	-	3	0.68	1.14	
including	545.40	547.00	1.60	0.85	-	2	0.19	0.32	
including	547.00	548.00	1.00	0.53	-	4	0.43	0.73	
including	548.00	549.25	1.25	0.66	-	2	0.01	0.05	
including	549.25	549.90	0.65	0.34	7.80	57	5.57	17.47	
KODD0022	280.70	292.00	11.30	8.96	0.51	11	1.07	2.37	
including	280.70	281.20	0.50	0.56	0.24	9	1.51	2.78	
including	281.20	282.00	0.80	0.84	0.04	2	0.04	0.12	
including	282.00	282.40	0.40	0.84	0.45	17	2.40	4.52	
including	282.40	283.85	1.45	1.01	0.13	3	0.21	0.51	
including	283.85	285.00	1.15	0.56	4.66	52	0.91	6.77	
including	285.00	286.40	1.40	0.56	0.11	5	0.12	0.36	
including	286.40	287.20	0.80	0.67	0.13	6	0.43	0.89	
including	287.20	288.00	0.80	0.56	0.04	-	0.04	0.10	
including	288.00	288.70	0.70	1.12	0.29	12	3.69	6.36	
including	288.70	289.85	1.15	0.67	0.28	17	0.48	1.26	
including	289.85	290.75	0.90	0.78	0.73	15	0.65	1.96	
including	290.75	292.00	1.25	0.78	0.09	5	0.80	1.44	
KODD0022	423.50	429.00	5.50	5.60	5.54	25	0.56	6.76	J2
including	423.50	424.60	1.10	0.78	1.62	19	0.72	3.01	
including	424.60	425.55	0.95	0.90	0.18	5	0.13	0.45	
including	425.55	426.00	0.45	0.81	0.28	6	0.37	0.94	
including	426.00	426.45	0.45	0.84	0.16	2	0.32	0.70	
including	426.45	427.00	0.55	0.76	14.39	13	0.11	14.73	
including	427.00	428.20	1.20	0.67	22.79	155	2.61	28.92	
including	428.20	429.00	0.80	0.84	3.61	3	0.07	3.76	
KODD0023	290.45	292.73	2.28	1.35	1.14	23	2.62	5.63	
including	290.45	290.90	0.45	0.27	2.93	24	4.61	10.64	
including	290.90	292.15	1.25	0.74	0.07	2	0.09	0.24	
including	292.15	292.73	0.58	0.34	2.05	68	6.51	13.37	
KODD0023	303.45	303.90	0.45	0.27	5.39	26	2.63	9.94	
KODD0023	308.90	311.15	2.25	1.33	0.74	31	0.75	2.34	
including	308.90	309.80	0.90	0.53	0.86	54	1.55	4.03	
including	309.80	310.45	0.65	0.38	0.23	12	0.17	0.65	
including	310.45	311.15	0.70	0.41	1.06	20	0.27	1.75	
KODD0023	316.25	325.70	9.45	5.58	4.04	6	0.29	4.57	J1
including	316.25	316.90	0.65	0.38	16.54	4	1.31	18.70	
including	316.90	317.39	0.49	0.29	10.88	7	0.37	11.56	
including	317.39	318.00	0.61	0.36	0.09	3	0.05	0.20	
including	318.00	318.65	0.65	0.38	0.15	3	0.40	0.83	
including	318.65	319.00	0.35	0.21	0.50	4	0.38	1.16	
including	319.00	319.70	0.70	0.41	0.62	2	0.04	0.70	
including	319.70	321.16	1.46	0.86	0.16	1	0.02	0.20	
including	321.16	322.30	1.14	0.67	0.39	2	0.01	0.44	
including	322.30	322.80	0.50	0.30	0.76	1	0.07	0.88	
including	322.80	323.35	0.55	0.32	25.66	15	0.82	27.16	
including	323.35	324.20	0.85	0.50	0.86	6	0.34	1.47	
including	324.20	324.80	0.60	0.35	0.52	4	0.20	0.88	
including	324.80	325.30	0.50	0.30	0.16	2	0.17	0.46	
including	325.30	325.70	0.40	0.24	12.49	49	0.66	14.16	
KODD0023	334.15	335.80	1.65	0.97	1.31	7	2.39	5.25	
including	334.15	335.10	0.95	0.56	0.17	2	0.53	1.05	
including	335.10	335.80	0.70	0.41	2.86	14	4.92	10.94	
KODD0023	478.90	479.30	0.40	0.24	17.68	9	0.47	18.54	
KODD0024	268.00	271.10	3.10	2.18	1.96	16	1.14	3.98	J1HW
including	268.00	269.00	1.00	0.70	1.51	3	0.07	1.66	
including	269.00	269.75	0.75	0.53	0.22	-	-	0.22	
including	269.75	270.15	0.40	0.28	0.31	14	1.01	2.11	
including	270.15	270.65	0.50	0.35	0.58	60	5.40	10.01	
including	270.65	271.10	0.45	0.32	8.79	22	0.79	10.33	
KODD0024	300.60	301.60	1.00	0.70	2.64	-	-	2.64	

Hole_ID	From (m)	To (m)	Interval (m)	True width (m)	Gold g/t	Silver g/t	Copper %	Gold Eq g/t	Lode
KODD0024	306.34	307.40	1.06	0.74	0.94	30	5.96	10.89	J1
KODD0024	337.20	338.07	0.87	0.61	0.23	6	1.17	2.19	
KODD0025	128.85	129.60	0.75	0.48	3.07	2	0.01	3.11	
KODD0025	141.00	141.40	0.40	0.26	6.21	8	0.02	6.34	J2
KODD0025	149.70	150.49	0.79	0.51	0.89	105	0.01	2.22	
KODD0025	228.90	229.46	0.56	0.36	0.50	16	1.57	3.22	
KODD0025	271.30	280.50	9.20	5.89	3.41	9	1.04	5.20	J1
including	271.30	272.50	1.20	0.77	0.76	3	0.57	1.71	
including	272.50	273.50	1.00	0.64	0.42	-	0.02	0.45	
including	273.50	274.70	1.20	0.77	21.56	45	4.13	28.76	
including	274.70	276.00	1.30	0.83	1.35	6	0.71	2.57	
including	276.00	276.85	0.85	0.54	0.08	2	0.25	0.51	
including	276.85	277.80	0.95	0.61	0.16	4	1.60	2.78	
including	277.80	279.00	1.20	0.77	1.23	4	0.66	2.34	
including	279.00	280.50	1.50	0.96	0.49	3	0.33	1.06	
KODD0025	423.50	426.20	2.70	1.73	0.37	12	1.08	2.25	
including	423.50	425.00	1.50	0.96	0.25	6	0.69	1.43	
including	425.00	426.20	1.20	0.77	0.52	19	1.57	3.28	
KODD0027	252.17	263.90	11.73	7.39	1.51	9	0.56	2.53	J2
including	252.17	252.80	0.63	0.40	1.53	3	0.46	2.31	
including	252.80	253.50	0.70	0.44	0.07	1	0.25	0.48	
including	253.50	255.00	1.50	0.95	0.05	3	0.15	0.33	
including	255.00	255.60	0.60	0.38	0.69	16	1.03	2.55	
including	255.60	255.90	0.30	0.19	42.86	36	0.67	44.39	
including	255.90	256.40	0.50	0.32	0.18	21	0.57	1.36	
including	256.40	257.40	1.00	0.63	0.81	6	0.24	1.27	
including	257.40	258.00	0.60	0.38	0.17	4	0.16	0.48	
including	258.00	259.00	1.00	0.63	1.29	20	0.88	2.95	
including	259.00	260.10	1.10	0.69	0.09	8	0.58	1.12	
including	260.10	260.80	0.70	0.44	0.27	6	0.57	1.26	
including	260.80	261.45	0.65	0.41	0.19	8	0.71	1.43	
including	261.45	261.90	0.45	0.28	0.03	-	0.32	0.54	
including	261.90	262.50	0.60	0.38	0.96	11	0.31	1.60	
including	262.50	263.20	0.70	0.44	-	3	0.26	0.46	
including	263.20	263.90	0.70	0.44	0.15	17	2.26	3.99	
KODD0027	276.45	279.60	3.15	1.98	0.74	4	1.30	2.88	
including	276.45	277.20	0.75	0.47	0.55	3	2.79	5.07	
including	277.20	277.70	0.50	0.32	2.19	3	0.45	2.95	
including	277.70	278.00	0.30	0.19	1.44	6	0.80	2.80	
including	278.00	278.65	0.65	0.41	0.31	6	1.56	2.89	
including	278.65	279.00	0.35	0.22	0.21	-	0.60	1.17	
including	279.00	279.60	0.60	0.38	0.22	4	0.51	1.09	
KODD0027	423.40	426.70	3.30	2.08	0.38	5	1.22	2.40	J1
including	423.40	423.90	0.50	0.32	1.98	9	4.68	9.61	
including	423.90	424.20	0.30	0.19	0.06	2	0.02	0.12	
including	424.20	424.70	0.50	0.32	0.13	5	1.28	2.25	
including	424.70	425.30	0.60	0.38	0.05	2	0.12	0.27	
including	425.30	425.90	0.60	0.38	0.09	4	0.33	0.67	
including	425.90	426.70	0.80	0.50	0.13	6	0.95	1.73	
KODD0026	340.80	346.2	5.40	3.46	56.46	2	0.17	56.76	J1
including	340.80	341.30	0.50	0.32	1.00	3	0.25	1.44	
including	341.30	342.50	1.20	0.77	220.20	4	0.04	220.31	
including	342.50	343.50	1.00	0.64	0.21	0	0.15	0.45	
including	343.50	344.50	1.00	0.64	0.14	0	0.17	0.41	
including	344.50	346.20	1.70	1.09	23.40	3	0.26	23.86	
KODD0026	423.00	424.00	1	0.64	12.75	9	0.01	12.88	
KODD0026	206.00	209.00	3.00	1.92	0.58	19	0.68	1.91	J2
including	206.00	207.40	1.40	0.89	1.00	4	0.14	1.27	
including	207.40	208.30	0.90	0.58	0.08	3	0.05	0.20	
including	208.30	209.00	0.70	0.45	0.39	69	2.58	5.40	

Table 4
Kainantu Gold Mine – Collar Locations for Kora Underground Diamond Drilling

Hole_id	Collar location			Collar orientation		EOH depth (m)	Lode
	Local north	Local East	RL	Dip	Local azimuth		
KMDD0496	58460	29880	1216	-48	205	464	Kora
KMDD0497	58330	29822	1223	50	196	268	Kora
KMDD0498	58460	29880	1216	-53	206	485	Kora
KMDD0499	59084	29907	1152	-37	261	162	Kora
KMDD0500	58330	29822	1221	28	202	178	Kora
KMDD0501	59084	29907	1152	-54	274	102	Kora
KMDD0502	59084	29907	1152	-44	262	174	Kora
KMDD0503	58330	29822	1219	-24	207	206	Kora
KMDD0504	59085	29907	1152	-31	278	168	Kora
KMDD0505	59085	29907	1153	-22	275	164	Kora
KMDD0506	59085	29907	1153	-15	285	143	Kora
KMDD0507	58463	29878	1216	-67	288	161	Kora
KMDD0508	58820	29895	1141	-20	299	161	Kora
KMDD0509	59087	29907	1152	-37	309	69	Kora
KMDD0510	58461	29878	1216	-65	245	378	Kora
KMDD0511	58549	29820	1256	-47	264	110	Kora
KMDD0514	58619	29830	1255	5	256	82	Kora
KMDD0515	58820	29895	1141	-12	285	124	Kora
KMDD0516	58619	29830	1257	44	279	75	Kora
KMDD0517	58464	29879	1216	-64	320	505	Kora
KMDD0518	58422	29847	1219	22	257	132	Kora
KMDD0519	58820	29895	1141	-22	290	140	Kora
KMDD0520	58818	29894	1141	-16	257	138	Kora
KMDD0522	58818	29894	1142	-4	257	147	Kora
KMDD0524	58422	29846	1220	34	291	118	Kora
KMDD0513	58821	29896	1141	-22	317	141	Kora
KMDD0521	58422	29847	1219	22	272	105	Kora
KMDD0525	58422	29847	1220	47	290	131	Kora
KMDD0529	59096	29908	1152	-49	280	98	Kora
K92DD0003	60431	30145	864	-34	219	556	Northern Deeps
K92DD0004	60435	30146	865	-21	299	343	Northern Deeps
K92DD0005	60056	30096	873	23	224	386	Northern Deeps
K92DD0006	60058	30096	872	-16	223	392	Northern Deeps

Table 5
Kainantu Gold Mine – Collar Locations for Judd Underground Diamond Drilling

Hole ID	Collar Location			Collar Orientation		EOH depth (m)	Lode
	Local north	Local East	RL	Dip	Local Azimuth		
JDD0092	58421	29855	1218	-10	88	211	Judd
JDD0127	59083	29912	1151	-53	166	369	Judd
JDD0129	58420	29855	1220	28	134	293	Judd
JDD0135	58591	29849	1258	24	112	257	Judd
JDD0136	58420	29855	1216	-66	131	542	Judd
JDD0137	58591	29849	1258	19	133	261	Judd
JDD0138	58331	29828	1222	40	142	307	Judd
JDD0139	59083	29913	1151	-53	144	242	Judd
JDD0140	58422	29855	1216	-54	52	238	Judd
JDD0141	58331	29828	1221	23	143	387	Judd
JDD0142	59084	29913	1151	-70	143	343	Judd
JDD0143	59087	29914	1152	-37	76	149	Judd
JDD0144	58430	29855	1216	-60	20	441	Judd
JDD0145	58468	29886	1218	0	34	147	Judd
JDD0146	59087	29914	1151	-64	77	221	Judd
JDD0147	59086	29913	1152	-76	76	354	Judd
JDD0148	58421	29855	1216	-66	87	421	Judd
JDD0149	58932	29885	1255	19	110	141	Judd
JDD0150	58932	29885	1255	30	108	184	Judd
JDD0151	58933	29885	1255	20	92	156	Judd
JDD0153	58422	29855	1216	-73	52	445	Judd
JDD0154	58959	29899	1279	30	149	258	Judd
JDD0156	58961	29902	1280	42	119	185	Judd
JDD0157	58963	29902	1280	45	68	211	Judd
JDD0159	58814	29900	1141	-16	157	141	Judd
JDD0161	58815	29901	1142	1	134	94	Judd
JDD0162	58468	29886	1220	34	50	166	Judd
JDD0163	58815	29901	1141	-20	138	104	Judd
JDD0165	58816	29901	1141	19	114	105	Judd
JDD0166	58816	29901	1142	-2	116	82	Judd
JDD0169	58815	29900	1140	-57	133	138	Judd
JDD0170	58468	29886	1218	0	47	140	Judd
JDD0172	58815	29900	1140	-60	151	198	Judd
JDD0175	58467	29887	1220	43	71	92	Judd

Table 6
Kainantu Gold Mine – Collar Locations for Kora and Judd Surface Drilling

Hole_id	Collar location			Collar orientation		EOH depth (m)	Lode
	Local north	Local East	RL	Dip	Local azimuth		
KODD0019	58428	30186	1908	-60	270	552	Judd South
KODD0020	58757	30207	1840	-60	270	503	Judd South
KODD0021	58427	30183	1908	-56	240	574	Judd South
KODD0022	58757	30207	1840	-56	240	467	Judd South
KODD0023	58426	30183	1908	-56	300	573	Judd South
KODD0024	58757	30208	1840	-51	291	487	Judd South
KODD0025	58426	30183	1909	-55	265	453	Judd South
KODD0026	58757	30208	1840	-53	265	435	Judd South
KODD0027	58426	30183	1909	-53	288	456	Judd South
KUDD0027	57801	29900	1861	-73	29	435	Kora South
KUDD0028	57801	29900	1861	-71	270	366	Kora South
KUDD0029	57801	29900	1861	-53	147	303	Kora South
KUDD0030	57801	29900	1861	-74	270	435	Kora South
KUDD0031	57801	29900	1861	-71	83	288	Kora South
KUDD0032	58047	30076	1836	-59	310	501	Kora South
KUDD0033	58117	30011	1802	-53	275	414	Kora South
KUDD0034	58047	30076	1836	-56	299	320	Kora South
KUDD0035	58117	30011	1802	-55	254	550	Kora South
KUDD0036	58047	30076	1836	-63	283	376	Kora South
KUDD0037	58117	30011	1802	-52	297	464	Kora South
KUDD0038	58047	30076	1836	-56	280	546	Kora South
KUDD0039	58117	30011	1802	-48	295	386	Kora South

Table 7
Global Kora and Judd Mineral Resource (Effective Date November 11, 2021 for Kora and January 20, 2022 for Judd)

	Tonnes	Gold		Silver		Copper		AuEq	
	Mt	g/t	moz	g/t	moz	%	kt	g/t	moz
<u>Kora</u>									
Measured	2.8	9.07	0.8	15.7	1.4	0.85	24.1	10.51	1.0
Indicated	4.4	6.68	0.9	20.2	2.8	0.97	42.4	8.35	1.2
Total M&I	7.2	7.62	1.8	18.4	4.3	0.92	66.4	9.20	2.1
Inferred	8.1	7.12	1.8	27.3	7.1	1.38	111.1	9.48	2.5
<u>Judd</u>									
Measured	0.22	11.26	0.08	19.9	0.14	0.72	1.59	12.56	0.09
Indicated	0.15	7.46	0.04	13.9	0.07	0.77	1.20	8.76	0.04
Total M&I	0.38	9.70	0.12	17.5	0.21	0.74	2.79	11.00	0.13
Inferred	1.01	4.24	0.14	11.0	0.36	0.87	8.82	5.66	0.18

Kora and Judd									
Measured	3.1	9.23	0.9	16.0	1.6	0.84	25.7	10.66	1.0
Indicated	4.5	6.70	1.0	20.0	2.9	0.97	43.6	8.36	1.2
Total M&I	7.6	7.72	1.9	18.3	4.5	0.91	69.2	9.29	2.3
Inferred	9.1	6.80	2.0	25.5	7.4	1.32	0.1	9.05	2.6

- Estimates are in Technical Report titled, “Independent Technical Report, Kainantu Gold Mine Integrated Development Plan, Kainantu Project, Papua New Guinea Definitive Feasibility Study” dated October 26, 2022.
- Mineral Resources are not Mineral Reserves and do not have demonstrated economic viability. Mineral reserves are defined by the definitive feasibility study and are not predicated on the preliminary economic assessment in any way.
- Resources were compiled at 1.75,2.5,3,4,5,6,7,8,9 and 10 g/t gold cut-off grades for Kora and 1.75,2.5,3,4,5 for Judd.
- Density (t/m³) is on a per zone basis, K1, K2: 2.84 t/m³; Kora Link: 2.74 t/m³; Judd: 2.71 t/m³; Waste: 2.67 t/m³.
- Minimum mining width for wireframes: Kora: 5.2 m; Judd: 5.2 m
- Reported tonnage and grade figures are rounded from raw estimates to reflect the order of accuracy of the estimate.
- Minor variations may occur during the addition of rounded numbers.
- Estimations used metric units (metres, tonnes and g/t).
- Gold equivalents are calculated as $AuEq = Au\text{ g/t} + Cu\% * 1.607 * 92.8\% + Ag\text{ g/t} * 0.0125 * 89\%$. Gold price US\$1,600/oz; Silver US\$20/oz; Copper US\$3.75/lb. Metal payabilities and recoveries are incorporated into the AuEq formula. Recoveries of 92.8% for copper and 89% for silver.

Drill Hole Sampling Methodology, QA/QC and Qualified Person

Diamond drill hole is first logged to determine the sampling intervals, which range from a minimum of 0.1 metres to generally 1 metre. The drill core is sawn half core cut along a reference line, with the remainder of the core returned to the core tray. Core samples are then placed in numbered calico and plastic bags, with a numbered sample ticket for dispatch to the assay laboratory. Samples are separately assayed for gold, copper and silver. K92’s procedure includes the insertion standards, blanks and duplicates. Gold assays are by the fire assay method. Copper and silver assays are by three-acid-digestion method (nitric, perchloric & hydrochloric mix).

K92 maintains an industry-standard analytical quality assurance and quality control (QA/QC) and data verification program to monitor laboratory performance and ensure high quality assays. Results from this program confirm reliability of the assay results. All sampling and analytical work for the mine exploration program is performed by Intertek Testing Services (PNG) LTD, an independent accredited laboratory that is located on site. External check assays for QA/QC purposes are performed at SGS Australia Pty Ltd in Townsville, Queensland, Australia.

The analytical QA/QC program is currently overseen by Andrew Kohler, PGeo, Mine Geology Manager and Mine Exploration Manager for K92. Andrew Kohler, a qualified person under the meaning of Canadian National Instrument 43-101 – *Standards of Disclosure for Mineral Projects*, has reviewed and is responsible for the technical content of this news release.

About K92

K92 Mining Inc. is engaged in the production of gold, copper and silver at the Kainantu Gold Mine in the Eastern Highlands province of Papua New Guinea, as well as exploration and development of mineral deposits in the immediate vicinity of the mine. The Company declared commercial production from Kainantu in February 2018, is in a strong financial position. A maiden resource estimate on the Blue Lake porphyry project was completed in August 2022. K92 is operated by a team of mining company professionals with extensive international mine-building and operational experience.

On Behalf of the Company,

John Lewins, Chief Executive Officer and Director

For further information, please contact David Medilek, P.Eng., CFA, President at +1-604-416-4445

CAUTIONARY STATEMENT REGARDING FORWARD-LOOKING INFORMATION: *This news release includes certain “forward-looking statements” under applicable Canadian securities legislation. Such forward-looking statements include, without limitation: (i) the results of the Kainantu Project Definitive Feasibility Study, and the Kainantu 2022 Preliminary Economic Assessment, including the Stage 3 Expansion, a new standalone 1.2 mtpa process plant and supporting infrastructure; (ii) statements regarding the expansion of the mine and development of any of the deposits; and (iii) the Kainantu Stage 4 Expansion, operating two standalone process plants, larger surface infrastructure and mining throughputs.*

All statements in this news release that address events or developments that we expect to occur in the future are forward-looking statements. Forward-looking statements are statements that are not historical facts and are generally, although not always, identified by words such as “expect”, “plan”, “anticipate”, “project”, “target”, “potential”, “schedule”, “forecast”, “budget”, “estimate”, “intend” or “believe” and similar expressions or their negative connotations, or that events or conditions “will”, “would”, “may”, “could”, “should” or “might” occur. All such forward-looking statements are based on the opinions and estimates of management as of the date such statements are made. Forward-looking statements are necessarily based on estimates and assumptions that are inherently subject to known and unknown risks, uncertainties and other factors, many of which are beyond our ability to control, that may cause our actual results, level of activity, performance or achievements to be materially different from those expressed or implied by such forward-looking information. Such factors include, without limitation, Public Health Crises, including the COVID-19 Pandemic; changes in the price of gold, silver, copper and other metals in the world markets; fluctuations in the price and availability of infrastructure and energy and other commodities; fluctuations in foreign currency exchange rates; volatility in price of our common shares; inherent risks associated with the mining industry, including problems related to weather and climate in remote areas in which certain of the Company’s operations are located; failure to achieve production, cost and other estimates; risks and uncertainties associated with exploration and development; uncertainties relating to estimates of mineral resources including uncertainty that mineral resources may never be converted into mineral reserves; the Company’s ability to carry on current and future operations, including development and exploration activities; the timing, extent, duration and economic viability of such operations, including any mineral resources or reserves identified thereby; the accuracy and reliability of estimates, projections, forecasts, studies and assessments; the Company’s ability to meet or achieve estimates, projections and forecasts; the availability and cost of inputs; the availability and costs of achieving the Stage 3 Expansion or the Stage 4 Expansion; the ability of the Company to achieve the inputs the price and market for outputs, including gold, silver and copper; inability of the Company to identify appropriate acquisition targets or complete desirable acquisitions; failures of information systems or information security threats; political, economic and other risks associated with the Company’s foreign operations; geopolitical events and other uncertainties, such as the conflict in Ukraine; compliance with various laws and regulatory

requirements to which the Company is subject to, including taxation; the ability to obtain timely financing on reasonable terms when required; the current and future social, economic and political conditions, including relationship with the communities in Papua New Guinea and other jurisdictions it operates; other assumptions and factors generally associated with the mining industry; and the risks, uncertainties and other factors referred to in the Company's Annual Information Form under the heading "Risk Factors".

Estimates of mineral resources are also forward-looking statements because they constitute projections, based on certain estimates and assumptions, regarding the amount of minerals that may be encountered in the future and/or the anticipated economics of production. The estimation of mineral resources and mineral reserves is inherently uncertain and involves subjective judgments about many relevant factors. Mineral resources that are not mineral reserves do not have demonstrated economic viability. The accuracy of any such estimates is a function of the quantity and quality of available data, and of the assumptions made and judgments used in engineering and geological interpretation. Forward-looking statements are not a guarantee of future performance, and actual results and future events could materially differ from those anticipated in such statements. Although we have attempted to identify important factors that could cause actual results to differ materially from those contained in the forward-looking statements, there may be other factors that cause actual results to differ materially from those that are anticipated, estimated, or intended. There can be no assurance that such statements will prove to be accurate, as actual results and future events could differ materially from those anticipated in such statements. Accordingly, readers should not place undue reliance on forward-looking statements. The Company disclaims any intention or obligation to update or revise any forward-looking statements, whether as a result of new information, future events or otherwise, except as required by law.

Figure 1 – K1 Vein Long Section




Figure 2 – K2 Vein Long Section




Figure 3 – J1 Vein Long Section




Figure 4 – Kora-Irumafimpa Long Section




Figure 5 – Judd Long Section




Figure 6 – KMDD0504 Core Photograph, 48.65 – 56.14m; within intersection of 6.12 m at 88.44 g/t AuEq or 88.12 g/t Au, 5 g/t Ag and 0.16% Cu from the K1 Vein.



Figure 7 – KUDD0035 Core Photograph, 345.59 – 349.47m; within intersection of 50.05 m at 5.25 g/t AuEq or 1.60 g/t Au, 34 g/t Ag and 2.01% Cu from the K1 Vein (Dilatant Zone).



Figure 8 – KUDD0032 Core Photograph, 259.42 – 263.14m; within intersection of 30.30 m at 6.13 g/t AuEq or 3.49 g/t Au, 27 g/t Ag and 1.43% Cu from the J1 Vein (Dilatant Zone).

