

Awalé Confirms Gold and Copper Mineralization Over 2 km of Strike at Lando, Odienné Project

HIGHLIGHTS

- Diamond and initial RC drilling at Lando have confirmed continuous gold and copper mineralization across 2 km of strike, within a 4-km trend.
- Broad and shallow gold and copper intercepts demonstrate Lando's potential
 - 10m @ 1.3 g/t gold from 33m downhole in OELD-01
 - 8m @ 1.1 g/t gold from 183m downhole in OELD-04
 - 29m @ 0.4 g/t gold from 56m downhole in OELR-14
 - 39m @ 0.4 g/t gold from 2m downhole in OELR-15
 - 17m @ 0.7 g/t gold from 17m downhole in OELR-09
 - 1m @ 20.1 g/t gold from 14m downhole in OELR-17
- Follow-up diamond drilling is currently planned to commence in Q4 2025.
- Results reinforce Odienné's potential to host multiple deposits.

Toronto, Ontario--(Newsfile Corp. - July 24, 2025) - **Awalé Resources Limited (TSXV: ARIC)** ("**Awalé**" or the "**Company**") is pleased to announce the results from its 2,600-metre drill program at the Lando target, part of the broader Odienné copper-gold Project ("**Odienné**" or the "**Project**") in Côte d'Ivoire. This campaign has confirmed continuous gold and copper mineralization over 2 km of strike, validating Lando as a promising addition to Awalé's growing pipeline of targets. Furthermore, these results reinforce the Project's potential to host multiple deposit-scale mineralized centres within a fertile and prospective corridor.

"We are encouraged by these initial intercepts at Lando, which confirm the presence of a mineralized system consistent with our exploration model. These results demonstrate the strength of our targeting strategy and reinforce Odienné's potential as a district-scale gold-copper project. Lando will continue to be part of our growing pipeline of discovery drilling, and we believe these early-stage results have the potential to lead to a new discovery for the Project. We look forward to advancing Lando through continued drilling in a similar manner to our BBM, Charger, and Empire discoveries," commented Andrew Chubb, CEO of Awalé Resources.

[Link to Sections and Maps](#)

[Link to Core Photos](#)

[Watch CEO Andrew Chubb Discuss Results](#)

Background on Lando

The Lando target exhibits a large gold and copper geochemical footprint, both in size and tenor. This 4-km-long copper-gold anomaly is located in the northern region of the Odienné East permit, approximately 10 km northwest of the BBM target and 17 km north of the Sceptre target. Lando is positioned along a subsidiary structure to the west of the interpreted belt-basin margin, similar to BBM, which lies on a similar structure on the northeast side of the same major domain boundary.

The target scale geology of the Lando shear is predominantly basalts and sediments, with increasing tenor of gold +/- copper mineralization related to silica alteration and strain intensity at lithological and grain size boundaries. The alteration and strain features are similar to the controls on mineralization at

BBM, where changes in strike and variations in host rock competency will improve conditions for mineralization in the shear zone. Evidence of such favourable host rocks has been observed at Lando, including intrusive bodies. To the west, the flanking hill is dominated by the Denguélé Granite, and within the Lando trend, fingers of felsic dykes have been observed within the vicinity of the shear zone. Continuous gold and copper mineralization has been intercepted at Lando, with selected significant intercepts highlighted below and the full set of results presented in Table 2.

Next Steps

Following these encouraging results, the Company plans to commence follow-up drilling in Q4 2025, after the end of the wet season, to test down-dip mineralization continuity and infill between the current wide-spaced drill fences, with the aim of better defining the scale and grade of the system.

Table 1: Lando Drilling Collar Cable (all drilling)

Hole ID	Easting	Northing	RL (m)	Azimuth (true)	Dip	Depth (m)
OEDD0046	648725	1052488	521	40	-55	130.00
OEDD0047	648717	1052584	504	50	-60	119.00
OELD0001	648648	1052967	488	57	-60	230.35
OELD0002	648797	1052636	494	55	-62	128.20
OELD0003	648676	1052561	501	55	-62	338.20
OELD0004	648556	1052907	463	57	-53	227.36
OELD0005	648758	1052610	502	57	-53	110.04
OELD0006	649026	1052221	538	70	-50	215.18
OELD0007	648910	1052208	557	70	-50	323.22
OELD0008	648848	1052669	481	57	-50	116.33
OELR0001	648899	1052705	466	57	-55	66.00
OELR0002	648916	1052719	460	57	-55	80.00
OELR0003	648965	1052749	457	57	-55	80.00
OELR0004	649000	1052771	457	57	-55	80.00
OELR0005	649039	1052790	456	57	-55	80.00
OELR0006	649080	1052820	455	57	-55	80.00
OELR0007	649119	1052853	460	57	-55	100.00
OELR0008	648112	1053828	418	70	-50	45.00
OELR0009	648133	1053835	417	70	-50	84.00
OELR0010	648180	1053858	417	70	-50	90.00
OELR0011	648224	1053875	417	70	-50	90.00
OELR0012	648266	1053892	416	70	-50	80.00
OELR0013	648309	1053905	414	70	-50	80.00
OELR0014	648351	1053921	413	70	-50	86.00
OELR0015	648396	1053937	416	70	-50	84.00
OELR0016	648441	1053946	418	70	-50	96.00
OELR0017	649112	1052905	457	70	-50	96.00
OELR0018	648064	1053813	417	70	-50	80.00
OELR0019	647989	1053786	416	70	-50	80.00
OELR0020	649123	1053019	461	57	-55	114.00

Table 2: Gold Significant Intercepts (all drilling)

Hole ID	From (m)	To (m)	Length (m)	Au (g/t)	Ag (g/t)	Cu (%)	Mo (ppm)	Comp Trigger (g/t)
---------	----------	--------	------------	----------	----------	--------	----------	--------------------

OEDD0046	3.00	4.00	1.00	0.2	1.5	0.21	53	0.2
	30.40	38.00	7.60	0.3	3.2	0.29	47	0.2
	42.38	51.00	8.62	0.3	0.5	0.05	176	0.2
	105.00	106.00	1.00	0.2	3.7	0.37	18	0.2
OEDD0047	23.00	29.00	6.00	0.4	5.0	0.69	52	0.2
	33.00	42.00	9.00	0.3	4.2	0.55	210	0.2
	46.00	47.00	1.00	0.3	5.9	0.86	1575	0.2
	49.00	50.00	1.00	0.4	7.6	1.24	40	0.2
	55.00	56.00	1.00	0.6	2.1	0.29	87	0.2
	65.00	66.00	1.00	0.6	1.0	0.15	19	0.2
OELD0001	11.50	13.50	2.00	0.9	2.4	0.16	6	0.2
	26.00	27.00	1.00	0.3	3.3	0.26	249	0.2
	32.00	48.00	16.00	0.9	0.7	0.05	28	0.2
including	33.00	43.00	10.00	1.3	0.7	0.06	24	0.5
	87.00	94.00	7.00	0.4	0.3	0.03	2	0.2
	167.00	169.00	2.00	0.6	0.1	0.01	2	0.2
	219.00	220.00	1.00	0.6	0.1	0.01	3	0.2
OELD0003	49.00	50.00	1.00	0.5	0.5	0.06	2628	0.2
	104.00	105.00	1.00	0.3	2.6	0.26	6	0.2
	147.00	150.00	3.00	0.3	3.4	0.38	147	0.2
	166.00	167.00	1.00	0.3	3.4	0.27	3	0.2
	199.00	200.00	1.00	0.3	1.5	0.12	28	0.2
	275.00	276.00	1.00	0.2	2.5	0.24	34	0.2
OELD0004	59.00	60.00	1.00	0.2	1.2	0.10	13	0.2
	61.00	62.00	1.00	0.2	0.3	0.03	16	0.2
	141.00	165.00	24.00	0.7	2.6	0.15	141	0.2
including	143.00	145.00	2.00	2.2	2.5	0.18	18	0.50
and	155.00	156.00	1.00	2.2	0.7	0.06	5	1
	171.00	172.00	1.00	0.4	0.1	0.01	3	0.2
	181.00	193.00	12.00	0.9	0.8	0.07	4	0.2
including	183.00	191.00	8.00	1.1	0.8	0.07	4	1
	199.00	200.00	1.00	0.2	0.3	0.03	7	0.2
	208.00	209.00	1.00	0.4	0.3	0.00	1	0.2
OELD0005	70.00	71.00	1.00	0.3	0.6	0.07	45	0.2
	92.00	93.00	1.00	0.2	2.6	0.25	8	0.2
OELD0006	9.50	17.00	7.50	0.3	0.7	0.02	94	0.2
	25.50	30.50	5.00	1.8	0.6	0.02	2	0.2
	34.00	38.00	4.00	0.3	0.1	0.01	0	0.2
	44.00	45.00	1.00	0.3	0.1	0.01	1	0.2
	105.00	109.00	4.00	0.4	8.4	0.37	3	0.2
	179.00	180.00	1.00	0.5	0.3	0.03	2	0.2
OELD0007	1.50	9.50	8.00	0.4	0.6	0.03	30	0.2
Including	34.00	40.00	6.00	0.8	0.9	0.09	43	0.50
	34.00	35.00	1.00	4.4	1.5	0.11	41	0.2
	49.00	50.00	1.00	0.2	2.6	0.17	16	0.2
	106.00	107.00	1.00	0.7	0.3	0.02	3	0.2
	144.00	145.00	1.00	1.7	0.0	0.00	3	0.2
OELD0008	47.00	48.00	1.00	0.3	0.2	0.02	10	0.2
	106.00	107.00	1.00	0.4	0.6	0.03	2	0.2
	112.00	116.33	4.33	0.3	0.7	0.08	4	0.2
OELR0001	1.00	2.00	1.00	0.8	0.3	0.07	41	0.2
OELR0002	60.00	61.00	1.00	3.9	4.3	0.41	4	0.2

OELR0003	37.00	38.00	1.00	0.5	0.2	0.03	1	0.2
OELR0004	1.00	2.00	1.00	0.6	0.0	0.00	0	0.2
OELR0005	8.00	9.00	1.00	0.2	0.7	0.03	14	0.2
OELR0006	0.00	8.00	8.00	0.2	0.6	0.04	14	0.2
	27.00	28.00	1.00	1.2	0.2	0.00	0	0.2
	56.00	59.00	3.00	0.3	5.4	0.20	1	0.2
	63.00	67.00	4.00	0.9	2.6	0.12	1	0.2
including	66.00	67.00	1.00	2.5	2.7	0.10	2	1.00
OELR0007	37.00	38.00	1.00	0.2	1.3	0.05	2	0.2
	40.00	41.00	1.00	0.2	1.0	0.04	3	0.2
	82.00	84.00	2.00	0.7	0.4	0.02	11	0.2
OELR0008	5.00	12.00	7.00	0.2	0.2	0.02	3	0.2
OELR0009	17.00	34.00	17.00	0.7	0.2	0.02	3	0.2
	48.00	49.00	1.00	0.4	0.1	0.01	4	0.2
OELR0010	52.00	56.00	4.00	0.4	0.1	0.01	1	0.2
OELR0011	3.00	7.00	4.00	0.3	0.1	0.02	1	0.2
	62.00	63.00	1.00	0.3	0.1	0.01	3	0.2
	65.00	66.00	1.00	0.3	0.1	0.01	3	0.2
OELR0012	52.00	53.00	1.00	0.3	0.1	0.01	1	0.2
OELR0013	72.00	73.00	1.00	0.4	0.7	0.05	9	0.2
OELR0014	15.00	16.00	1.00	0.7	0.7	0.04	6	0.2
	28.00	29.00	1.00	0.3	1.0	0.06	1	0.2
	51.00	52.00	1.00	0.4	0.6	0.02	0	0.2
	56.00	85.00	29.00	0.4	0.4	0.02	3	0.2
including	69.00	84.00	15.00	0.6	0.519	0.02	3	0.5
OELR0015	2.00	41.00	39.00	0.4	0.7	0.03	5	0.2
including	11.00	17.00	6.00	0.7	1.1	0.04	7	0.5
OELR0016	3.00	4.00	1.00	0.2	0.1	0.05	44	0.2
	44.00	45.00	1.00	0.6	0.1	0.00	2	0.2
OELR0017	5.00	7.00	2.00	0.5	0.6	0.04	9	0.2
	14.00	17.00	3.00	6.8	1.1	0.04	5	0.2
including	14.00	15.00	1.00	20.1	2.6	0.05	12	0.5
	58.00	59.00	1.00	0.4	0.2	0.01	2	0.2

Table 3: Copper Significant Intercepts

Hole ID	From (m)	To (m)	Length (m)	Cu (%)	Au (g/t)	Ag (g/t)	Mo (ppm)
OEDD0046	30.40	38.00	7.60	0.29	0.3	3.2	47
OEDD0047	21.80	63.00	41.20	0.36	0.2	2.6	165
OELD0001	15.00	17.00	2.00	0.21	0.1	2.3	9
	26.00	33.00	7.00	0.20	0.2	2.6	275
OELD0002	40.00	41.00	1.00	0.35	0.0	5.5	26
	99.00	104.00	5.00	0.24	0.0	1.6	18
OELD0003	141.00	153.00	12.00	0.22	0.1	2.2	155
OELD0004	144.00	153.00	9.00	0.32	0.5	6.0	334
including	150.00	151.00	1.00	1.19	0.8	19.8	1105
OELD0006	105.00	107.00	2.00	0.56	0.5	14.1	4
including	105.00	106.00	1.00	0.86	0.9	23.3	6

About Awalé Resources

Awalé is a diligent and systematic mineral exploration company focused on discovering large high-grade gold and copper-gold deposits. Exploration activities are currently underway in the underexplored regions of Côte d'Ivoire, where the Company is exploring the Odienné Copper-Gold Project ("**Odienné**" or the "**Project**"), covering 2,346 km² across seven permits-five granted and two applications. This includes 797 km² in two permits held under the Awalé-Newmont Joint Venture ("OJV"). Awalé manages all exploration activities over the OJV, with funding provided by Newmont Joint Ventures Limited ("**Newmont**").

Awalé has discovered four gold, gold-copper, and gold-copper-silver-molybdenum mineralized systems within the OJV and has recently commenced exploration on its 100%-owned properties.

The Odienné Project is underexplored and has multiple pipeline prospects with similar geochemical signatures to Iron Oxide Copper Gold (**IOCG**) and intrusive-related mineral systems with substantial upside potential. The Company benefits from a skilled and well-seasoned technical team that allows it to continue exploring in a pro-mining jurisdiction that offers significant potential for district-scale discoveries.

Quality Control and Assurance

Analytical work for geochemistry samples is being carried out at the independent ALS Laboratories in Ghana and Ireland, an ISO 17025 Certified Laboratory. Samples are prepared and stored at the Company's field camps and put into sealed bags until collected by ALS from the Company's secure Odienné office and transported by ALS to their preparation laboratory in Yamoussoukro, Côte d'Ivoire, for preparation. Samples are logged in the tracking system, weighed, dried, and pulverized to greater than 85%, passing a 75-micron screen. Two pulps are prepared from each sample with one stream to ALS Ghana for fire assay and a second to Ireland where the sample is analyzed by 52 element ICP/MS with a 4-Acid digest. Blanks, duplicates, and certified reference material (standards) are being used to monitor laboratory performance during the analysis.

Mineralized Interval Calculations

Significant intervals reported in this news release are calculated as downhole length-weighted intercepts. For the Lando target, initial mineralized zones are calculated at a 0.2 g/t Au trigger and include up to 3 metres of internal waste for delineating mineralized zones. Included intervals are calculated at 0.5 g/t and 1 g/t trigger values, with up to 3 metres of internal waste. Table 1 contains a list of all Lando holes. Based on the limited diamond drilling true widths are estimated to be 70 to 80% of the downhole widths. Copper intercepts in Table 3 are calculated at a 2000ppm Cu (0.2%) trigger with selected 1 metre included intervals.

Qualified Person

The technical and scientific information contained in this news release has been reviewed and approved for release by Andrew Chubb, the Company's Qualified Person as defined by National Instrument 43-101. Mr. Chubb is the Company's Chief Executive Officer and holds an Economic Geology degree, is a Member of the Australian Institute of Geoscientists (AIG), and is a Member of the Society of Economic Geoscientists (SEG). Mr. Chubb has over 25 years of experience in international mineral exploration and mining project evaluation.

Abbreviations Used in this Release

Ag	Silver
Au	Gold
Cu	Copper
g/t	Grams per tonne
km	Kilometres

m	Metres
Mo	Molybdenum
ppb	Parts per billion
ppm	Parts per million
RC	Reverse circulation

AWALÉ Resources Limited

On behalf of the Board of Directors

"Andrew Chubb"

Chief Executive Officer

FOR FURTHER INFORMATION, PLEASE CONTACT:

Andrew Chubb, CEO

+356 9913 9117

a.chubb@awaleresources.com

Ardem Keshishian, VP Corporate Development

+1 (416) 471-5463


a.keshishian@awaleresources.com

The Company's public documents may be accessed at www.sedarplus.ca. For further information on the Company, please visit our website at www.awaleresources.com.

Forward-Looking Information

This press release contains forward-looking information within the meaning of Canadian securities laws (collectively "forward-looking statements"). Forward-looking statements are typically identified by words such as: believe, expect, anticipate, intend, estimate, plans, postulate and similar expressions, or are those, which, by their nature, refer to future events. All statements that are not statements of historical fact are forward-looking statements. Forward-looking statements in this press release include but are not limited to statements regarding, the Company's presence in Côte d'Ivoire and ability to achieve results, creation of value for Company shareholders, achievements under the Newmont JV, works on other properties, planned drilling, commencement of operations. Although the Company believes any forward-looking statements in this press release are reasonable, it can give no assurance that the expectations and assumptions in such statements will prove to be correct. Factors that could cause actual results to differ materially from such forward-looking information include, but are not limited to, changes in the state of equity and debt markets, fluctuations in commodity prices, delays in obtaining required regulatory or governmental approvals, and other risks involved in the mineral exploration and development industry, including those risks set out in the Company's management's discussion and analysis as filed under the Company's profile at www.sedarplus.ca. Forward-looking information in this news release is based on the opinions and assumptions of management considered reasonable as of the date hereof, including that all necessary governmental and regulatory approvals will be received as and when expected. Although the Company believes that the assumptions and factors used in preparing the forward-looking information in this news release are reasonable, undue reliance should not be placed on such information. The Company disclaims any intention or obligation to update or revise any forward-looking information, other than as required by applicable securities laws.

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.



AWALÉ
RESOURCES

To view the source version of this press release, please visit
<https://www.newsfilecorp.com/release/259921>