

Tectonic Metals Drills 9.94 g/t Au over 36.58 meters including 15.73 g/t Au over 22.86 metres with 104.23 g/t Au over 3.05 meters at Chicken Mountain, Flat Gold Project

364 Gram-Metre Near-Surface Drill Intercept Anchors New High-Grade Corridor

Assay Results Pending from 34 Additional Drill Holes Across Multiple Targets

VANCOUVER, BC / [ACCESS Newswire](#) / January 22, 2026 / Tectonic Metals Inc. ("Tectonic" or the "Company") (TSX-V:TCT)(OTCQB:TETOF) today announced additional drill assay results from the Company's flagship 99,800-acre Flat Gold Project in Southwest Alaska. Results are highlighted by a **364 gram-metre intercept** at Chicken Mountain returning **9.94 g/t Au over 36.58 m**, including **15.73 g/t Au over 22.86 m**, with a bonanza-grade interval of **104.23 g/t Au over 3.05 m** (hole CMR25-084), see Figure 1. The hole ended in mineralization at 54.86 m, indicating strong down-dip and along-strike expansion potential.

Assay results from 42 drill holes are reported herein – 4 diamond core holes and 38 reverse circulation ("RC") holes – representing approximately 3,950 metres ("m") of drilling from the Company's 18,373 m 2025 program. Drilling targeted step-out expansion and early-stage resource delineation in the southern portion of the Chicken Mountain intrusion.

CEO Commentary

"There aren't many times in your career when you can announce a 364 gram-meter intercept and follow that with '...and by the way, the project boasts a 100% drill success across 176 drill holes,' " stated Tony Reda, President and CEO. *"That combination is rare in exploration. Every single hole hit gold, which we believe is evidence of a very robust mineralizing gold system. Furthermore, the bonanza-grade intercept in drill hole CMR25-084 demonstrates that the Chicken Mountain system can generate high grades within mappable structural corridors."*

"And we're only scratching the surface....literally. The fact that 65% of our holes ended in mineralization, including a 425-metre-long drill hole, means we're drill-limited, not geology-limited. When you combine that depth extent with our demonstrated 3-kilometer strike length at Chicken Mountain, you start to see the scale potential here."

"We're systematically advancing toward a maiden mineral resource estimate while maintaining substantial blue-sky exploration upside across our 99,800-acre land package. With assays pending from 34 additional drill holes and aggressive drilling planned for 2026, our shareholders can expect continuous news flow and another exciting year ahead."

Chicken Mountain Video and Figures

- Please watch a video highlighting the 2025 resource delineation drilling at Chicken Mountain: [Click Here to View Video](#)

- Drill plan maps and images can be found below and by clicking here to view: [Click Here to View Plan Maps and Images](#)

Key Geological Achievements and Characteristics

1. 364 Gram-Metre Bonanza Intercept Anchors a New Interpreted Higher-Grade Corridor, see Figure 3 and 4.

- CMR25-084: **104.23 g/t Au over 3.05 m within 15.73 g/t Au over 22.86 m, all within 9.94 g/t Au over 36.58 m**
- Represents the highest gram-metre intercept reported to date at Chicken Mountain
- Hole ended in mineralization at 54.86 m, indicating down-dip and along-strike expansion potential.

2. 100% Drill Success Rate

- **176 of 176 holes intersected gold mineralization (100% success)**
- **108 of 176 holes (61.4%) ended in mineralization**
- Mineralization begins at or near surface along entire 3 km of strike length

3. Significant Resource Expansion Potential

- Chicken Mountain, including Alpha Bowl and Adit Zones, demonstrates over 3.0 km x 1 km x 400 m of potential mineralized strike, width and depth.
- Multiple higher-grade corridors identified; see below.
- Mineralization remains open at to the south, north, east, west and at depth. The depth is constrained only by drill depth, not by geological boundaries.
- Early resource delineation drilling demonstrates continuity and predictability of the mineralized envelope
 - Five drill sections on a ~200 m x ~75 m spacing executed with all drill holes collared in mineralization
- Diamond drilling on the central Chicken Mountain section confirms multiple mineralized intervals and corridor to at least ~230 m vertical extent, with mineralization continuing to >300 m downhole in deeper holes (e.g., CMD25-027).

4. Multiple Interpreted Higher-Grade Corridors Emerging, see Figure 2

1) Southern Chicken Mountain Corridor

- Anchored by CMR25-084 bonanza intercept, 15.73 g/t Au over 22.86 m including 104.23 g/t Au over 3.05 m, all within 9.94 g/t Au over 36.58 m (364 gram-metres)
- Supported by:
 - CMR25-080: 1.09 g/t Au over 25.91 m within 0.62 g/t Au over 89.92 m
 - CMR25-091: 1.02 g/t Au over 21.34 m within 0.55 g/t Au over 72.54 m
 - CRM25-100: 1.27 g/t Au over 15.24 m and 1.09 g/t Au over 9.14 m within 0.49 g/t Au over 115.82 m
 - F88-10: 1.01 g/t Au over 33.60 m and 1.18 g/t Au over 32.00 m
 - Trench: 1.09 g/t Au over 24.13 m
- **Current Mineralized Strike Length, Width and Depth of Corridor:** 400 m strike, 220 m width, 150 m depth and open

2) Central Chicken Mountain Corridor 1

- Anchored by CMD23-002 intersecting 1.22 g/t Au over 34.46 m, within 0.54 g/t Au over 170.00 m.
- Supported by:
 - DDH97-18CM: 1.12 g/t Au over 37.79 m
 - DDH97-17CM: 1.09 g/t Au over 13.72 m, within 0.59 g/t Au over 71.70 m
 - CMD25-029: 0.83 g/t Au over 49.00 m
 - Trench: 1.09 g/t Au over 19.81 m
- **Current Mineralized Strike Length, Width and Depth of Corridor:** 250 m strike, 150 m width, 150 m depth and open

3) Central Chicken Mountain Corridor 2

- Anchored by CMD25-011, intersecting 1.46 g/t Au over 26.00 m within 0.69 g/t Au over 124.97 m.
- Supported by:
 - CMD25-027: 1.07 g/t Au over 13.00 m within 0.52 g/t Au over 18.00 m
 - CMD25-014: 1.10 g/t Au over 34.00 m, within 0.79 g/t Au over 51.15 m
 - Trench: 6.64 g/t Au over 27.44 m
- **Current Mineralized Strike Length, Width and Depth of Corridor:** 200 m strike, 150 m width, 100 m depth and open

4) Northern Chicken Mountain Corridor

- Anchored by DDH97-16CM bonanza intercept, 12.56 g/t Au over 24.70 m, including 211.27 g/t Au over 1.40 m (310 gram-metres)
- Supported by:
 - F88-02: 1.27 g/t Au over 39.60 m
 - DDH98-05CM: 1.19 g/t Au over 27.43 m
 - CMD23-001: 1.02 g/t Au over 37.32 m, within 0.41 g/t Au over 423.15 m
- **Current Mineralized Strike Length, Width and Depth of Corridor:** 200 m strike, 200 m width, 250 m depth and open

5) Adit Higher-Grade Corridor

- Anchored by CMR25-121, intersecting 8.84 g/t Au over 13.72 m within 4.05 g/t Au over 30.48 m
- Supported by:
 - CMD03-025: 27.20 g/t Au over 1.53 m, within 1.05 g/t Au over 36.80 m
 - CMD23-008: 1.08 g/t Au over 24.39 m
 - F90-02: 1.16 g/t Au over 9.15 m and 1.08 g/t Au over 9.14 m
- **Current Mineralized Strike Length, Width and Depth of Corridor:** 1000 m strike, 150 m width, 200 m depth and open

6) Alpha Bowl Higher-Grade Corridor

- CMR25-035: 4.00 g/t Au over 21.34 m, within 3.00 g/t Au over 41.15 m, open to the east
- CMR24-026: 6.01 g/t Au including, 21.72 g/t Au over 1.52, all within 1.22 g/t Au over 65.53 m, open to the east
- CMD25-015: 1.36 g/t Au over 39.00 m, including 25.16 g/t Au over 0.60 m, all within 0.85 g/t Au over 74.00 m

Key Drill Highlights Reported Today

CMR25-084 (Bonanza grade intercept)

- **104.23 g/t Au over 3.05 m, within
15.73 g/t Au over 22.86 m, all within
9.94 g/t Au over 36.58 m**
RC drill ending in mineralization; total hole length 54.86 m

CMD25-027

- **4.79 g/t Au over 5.00 m, within
1.77 g/t Au over 16.00 m, all within
0.74 g/t Au over 95.00 m**

- **1.07 g/t Au over 13.00 m, and
0.61 g/t Au over 83.00 m, all within
0.52 g/t Au over 118.00 m**

Diamond drill hole drill ending in mineralization; total hole length 322.17 m

CMR25-080

- **1.09 g/t Au over 25.91 m, within
0.62 g/t Au over 89.92 m**

RC drill hole ending in mineralization; total hole length 91.44 m

CMR25-091

- **1.02 g/t Au over 21.34 m, within
0.55 g/t Au over 72.54 m**

RC drill hole ending in mineralization; total hole length 80.16 m

CMR25-100

- **1.27 g/t Au over 15.24 m, and
1.09 g/t Au over 9.14, all within
0.49 g/t Au over 115.82 m**

RC drill hole ending in mineralization; total hole length 121.92 m

CMR25-073

- **1.08 g/t Au over 13.72 m, and
0.96 g/t Au over 10.67 m, all within
0.46 g/t Au over 91.44 m**

- RC drill hole ending in mineralization; total hole length 91.44 m

CMD25-029

- **0.83 g/t Au over 49.00 m, within
0.45 g/t Au over 179.00 m**

Diamond drill hole drill ending in mineralization; total hole 321.56 m

Results Summary

A summary of the results released today for the 38 RC holes are presented by drill section in Table 1, and a summary of the four diamond drill core results are presented in Table 2. Data pertaining to locations of drill holes included in the announcement are presented in Table 3. Full assay results for the 38 RC and four core results can be found at this link: [Click Here for Full Assay Results](#).

Chicken Mountain Video and Figures: Please watch a video highlighting the scale and potential of the Chicken Mountain: [Click Here to View Video](#)

Drill Plan Maps and Images: [Click Here to View](#). Select images below.

Assay Results From 34 Additional Holes Pending

- Remaining 2025 resource delineation drilling at Chicken Mountain
- Exploration drilling at Alpha Bowl testing the additional 500m strike potential
- First-pass exploration drilling at Black Creek and Jam Intrusion targets
- Follow up drilling at Golden Apex
- Tectonic will provide further updates as results are received, interpreted, and validated

To learn more about the 2025 Drill Programs, click here: [Tectonic Metals Delivers Record 18,372 Metres Across 125 Drill Holes at Flat Gold Project, Alaska](#)

Figure 1: Plan View and Long Section looking Northeast, drill results and pending drill hole assays can be viewed at: [CLICK HERE TO VIEW FIGURE 1](#)




Figure 2: Plan View of Chicken Mountain, highlighting the interpreted higher grade corridors can be viewed at: [CLICK HERE TO VIEW FIGURE 2](#)




Figure 3: Plan View of Chicken Mountain South Area, highlighting the drilling lines, drill results and pending drill hole assays can be viewed at: [CLICK HERE TO VIEW FIGURE 3](#)




Figure 4: Cross Section Looking North of Drilling Line 1, highlighting drill results and higher grade corridors can be viewed at: [CLICK HERE TO VIEW FIGURE 4](#)




Table 1. Significant Highlights Chicken Mountain RC Drill Results Line 1*

Hole ID		From (m)	To (m)	Length (m)	Au (g/t)
CMR25-069		25.91	44.20	18.29	0.49
RC	including	28.96	30.48	1.52	1.17
TD=44.20 m	with	36.58	42.67	6.10	0.77
End in Min: Yes					
CMR25-070		38.11	83.84	45.73	0.55
RC	including	38.11	77.74	39.63	0.62
TD=105.18 m	with	56.40	77.74	21.34	0.78
End in Min: Yes					
		89.94	105.18	15.24	0.33
CMR25-073		0.00	91.44	91.44	0.46
RC	including	12.19	28.96	16.76	0.75
TD=91.44 m	with	15.24	25.91	10.67	0.96
End in Min: Yes	and including	74.68	88.39	13.72	1.08
TD=91.44 m					
End in Min: Yes		86.87	88.39	1.52	6.22

CMR25-076		64.01	92.96	28.96	0.52
RC	including	71.63	89.92	18.29	0.71
TD=103.63 m	with	79.25	89.92	10.67	1.00
End in Min: No	and with	83.82	85.34	1.52	4.57
CMR25-077		15.24	51.82	36.58	0.37
RC	including	18.29	32.00	13.72	0.52
TD=53.34 m					
End in Min: Yes					
CMR25-080		1.52	91.44	89.92	0.62
RC	including	9.14	18.29	9.14	0.78
TD=91.44 m	and including	38.10	64.01	25.91	1.09
End in Min: Yes					
CMR25-083		1.52	33.53	32.00	0.79
RC	including	9.14	28.96	19.81	1.06
TD=77.24 m					
End in Min: Yes		38.10	77.72	39.62	0.39
	including	50.29	53.34	3.05	1.18
	and including	62.48	67.06	4.57	0.78
CMR25-084		1.52	38.10	36.58	9.94
RC	including	13.72	36.58	22.86	15.73
TD=54.86 m	with	13.72	16.76	3.05	104.23
End in Min: Yes					
		44.20	47.24	3.05	0.64
		51.82	54.86	3.05	1.01
CMR25-086		0.00	42.67	42.67	0.48
RC	including	1.52	6.10	4.57	0.80
TD=96.01 m					
End in Min: Yes		28.96	39.62	10.67	0.97
	including	28.96	32.00	3.05	1.82
	with	36.58	39.62	3.05	1.27
		48.77	96.01	47.24	0.51
	including	51.82	70.10	18.29	0.73
	with	89.92	96.01	6.10	1.11
CMR25-087		0.00	48.77	48.77	0.51
RC	including	0.00	3.05	3.05	0.65

TD=74.68 m	and including	10.67	19.81	9.14	1.61
End in Min: Yes	with	12.19	13.72	1.52	7.06
CMR25-090		0.00	32.00	32.00	0.40
RC	including	6.10	30.48	24.38	0.48
TD=32.00 m	with	13.72	19.81	6.10	0.89
End in Min: Yes	and with	27.43	30.48	3.05	0.54
CMR25-091		7.62	80.16	72.54	0.55
RC	including	9.14	67.06	57.91	0.62
TD=80.16 m	with	13.72	41.15	27.43	0.88
End in Min: Yes	with	18.29	39.62	21.34	1.02

*All reported intercepts are reported as downhole lengths, as insufficient data exists to determine true widths. Select composites utilizing 0.10, 0.30 or 0.50 g/t Au cut-off with a maximum 3.2m continuous (two sample) below the cut-off inclusion.

Table 1. Significant Highlights Chicken Mountain RC Drill Results Line 2*

Hole No.		From (m)	To (m)	Length (m)	Au g/t
CMR25-072		1.52	7.62	6.10	0.66
RC	including	6.10	7.62	1.52	2.36
TD=65.53 m					
End in Min: Yes		13.72	24.38	10.67	0.39
	including	19.81	24.38	4.57	0.69
		35.05	41.15	6.10	0.34
	including	38.10	41.15	3.05	0.53
		48.77	65.53	16.76	0.30
		51.82	59.44	7.62	0.47
CMR25-074		0.00	48.78	48.78	0.25
RC	including	32.01	39.63	7.62	0.79
TD=82.32 m					
End in Min: No					
CMR25-078		47.24	64.01	16.76	0.34
RC	including	51.82	56.39	4.57	0.66
TD=50.29 m					
End in Min: Yes					
CMR25-081		12.19	24.38	12.19	0.50
RC	including	12.19	16.76	4.57	1.09

TD=44.20 m					
End in Min: No					
CMR25-082		0.00	16.76	16.76	0.30
RC		9.14	10.67	1.52	0.81
TD=19.81 m					
End in Min: Yes					
CMR25-085		32.00	97.54	65.53	0.31
RC	including	51.82	53.34	1.52	1.14
TD=99.06 m	and including	62.48	68.58	6.10	0.68
End in Min: Yes	and including	73.15	82.30	9.14	0.70
CMR25-088		1.52	51.82	50.29	0.32
RC	including	3.05	10.67	7.62	0.41
TD=79.25 m	and including	42.67	45.72	3.05	0.48
End in Min: Yes					
		56.39	79.25	22.86	0.20
	including	56.39	57.91	1.52	0.90
CMR25-089		4.57	57.91	53.34	0.45
RC	including	4.57	21.34	16.76	0.60
TD=57.91 m	with	9.14	16.76	7.62	0.97
End in Min: Yes	with	13.72	16.76	3.05	1.61
	and including	35.05	41.15	6.10	0.54
	and including	47.24	54.86	7.62	0.89
	with	51.82	54.86	3.05	1.64
CMR25-092		13.72	73.15	59.44	0.29
RC	including	16.76	33.53	16.76	0.44
TD=74.68 m	and including	44.20	48.77	4.57	0.65
End in Min: Yes					
CMR25-093		0.00	60.96	60.96	0.42
RC	including	10.67	15.24	4.57	0.64
TD=60.96 m	and including	47.24	60.96	13.72	1.01
End in Min: Yes	with	53.34	60.96	7.62	1.59
CMR25-096		6.10	68.58	62.48	0.34
RC	including	7.62	28.96	21.34	0.58
TD=106.68 m	with	7.62	13.72	6.10	0.92
End in Min: Yes					

		82.30	106.68	24.38	0.25
	including	102.11	103.63	1.52	1.04

*All reported intercepts are reported as downhole lengths, as insufficient data exists to determine true widths. Select composites utilizing 0.10, 0.30 or 0.50 g/t Au cut-off with a maximum 3.2m continuous (two sample) below the cut-off inclusion.

Table 1. Significant Highlights Chicken Mountain RC Drill Results Line 3*

Hole No.		From (m)	To (m)	Length (m)	Au g/t
CMR25-094		3.05	89.92	86.87	0.19
RC	including	6.10	12.19	6.10	0.41
TD=89.92 m	and including	35.05	42.67	7.62	0.30
End in Min: Yes	and including	86.87	89.92	3.05	0.49
CMR25-095		13.72	24.38	10.67	0.26
RC	including	13.72	15.24	1.52	0.85
TD=53.34m					
End in Min: Yes					
CMR25-097		44.20	83.82	39.62	0.37
RC	including	51.82	54.86	3.05	0.36
TD=85.34m	and including	57.91	77.72	19.81	0.49
End in Min: Yes	with	57.91	73.15	15.24	0.53
CMR25-100		3.05	118.87	115.82	0.49
RC	including	18.29	54.86	36.58	0.95
TD=121.92 m	with	21.34	30.48	9.14	1.09
End in Min: No	and with	39.62	54.86	15.24	1.27
CMR25-102		15.24	83.82	68.58	0.35
RC	including	18.29	32.00	13.72	0.56
TD=83.82	with	27.43	32.00	4.57	1.12
End in Min: Yes	and including	38.10	45.72	7.62	0.47
	and including	57.91	60.96	3.05	1.45
CMR25-104		9.14	38.10	28.96	0.27
RC	including	9.14	22.86	13.72	0.38
TD=90.01					
End in Min: Yes		42.67	96.01	53.34	0.40
	including	54.86	77.72	22.86	0.66
	with	57.91	64.01	6.10	1.20
	with	57.91	60.96	3.05	1.79
CMR25-105		7.62	59.44	51.82	0.29

RC	including	9.14	13.72	4.57	0.46
TD=59.44 m	and including	21.34	27.43	6.10	0.80
End in Min: Yes	with	24.38	25.91	1.52	2.05
CMR25-106		12.19	35.05	22.86	0.62
RC	including	19.81	35.05	15.24	0.82
TD=35.05	with	24.38	35.05	10.67	0.95
End in Min: Yes					

*All reported intercepts are reported as downhole lengths, as insufficient data exists to determine true widths. Select composites utilizing 0.10, 0.30 or 0.50 g/t Au cut-off with a maximum 3.2m continuous (two sample) below the cut-off inclusion.

Table 1. Significant Highlights Chicken Mountain RC Drill Results Line 4*

Hole No.		From (m)	To (m)	Length (m)	Au g/t
CMR25-098		4.57	60.96	56.39	0.41
RC	including	28.96	44.20	15.24	1.05
TD=79.25 m	with	36.58	42.67	6.10	2.09
End in Min: Yes	and including	57.91	60.96	3.05	0.76
		74.68	99.06	24.38	0.39
	including	76.20	80.77	4.57	0.47
	and including	94.49	96.01	1.52	2.70
CMR25-099		3.05	68.58	65.53	0.25
RC	including	13.72	15.24	1.52	1.28
TD=83.82 m	and including	44.20	51.82	7.62	0.65
End in Min: Yes	with	50.29	51.82	1.52	1.95
	and including	57.91	64.01	6.10	0.40
		74.68	83.82	9.14	0.36
	including	80.77	82.30	1.52	0.73
CMR25-101		6.10	36.58	30.48	0.17
RC	including	18.29	19.81	1.52	0.54
TD=109.73 m					
End in Min: No		70.10	74.68	4.57	1.21
CMR25-103		102.11	106.68	4.57	0.31
RC					
TD=106.68 m					
End in Min: Yes					

*All reported intercepts are reported as downhole lengths, as insufficient data exists to determine true widths. Select composites utilizing 0.10, 0.30 or 0.50 g/t Au cut-off with a maximum 3.2m continuous (two sample) below the cut-off inclusion.

Table 2. Significant Highlights Chicken Mountain Diamond Drill Core Assay Results Line 1*

Hole ID		From (m)	To (m)	Length (m)	Au (g/t)
CMD25-027		29.00	38.00	9.00	0.30
Core	including	29.00	34.00	5.00	0.45
TD=322.17 m					
End in Min: Yes		52.00	60.00	8.00	0.72
	including	59.00	60.00	1.00	4.61
		65.00	183.00	118.00	0.52
	including	91.00	174.00	83.00	0.61
	with	100.00	127.00	27.00	0.71
	and with	147.00	153.00	6.00	1.15
	and with	161.00	174.00	13.00	1.07
		189.00	223.00	34.00	0.41
	including	196.00	203.00	7.00	1.14
		227.00	322.17	95.17	0.74
	with	235.00	239.00	4.00	1.08
	and including	255.00	258.00	3.00	0.86
	and including	263.00	272.00	9.00	1.85
	and including	276.00	292.00	16.00	1.77
	with	282.00	292.00	10.00	2.65
	with	282.00	287.00	5.00	4.79
CMD25-029		0.00	107.00	107.00	0.25
Core	including	69.00	94.00	25.00	0.35
TD=321.56	with	76.00	84.00	8.00	0.42
End in Min: Yes	and including	99.00	107.00	8.00	0.39
	with	99.00	105.00	6.00	0.42
		125.00	304.00	179.00	0.45
	including	170.00	174.00	4.00	0.60
	and including	204.00	253.00	49.00	0.83
	with	206.00	236.00	30.00	0.87
	and with	242.00	251.00	9.00	1.21
	and including	275.00	288.00	13.00	0.65
	with	278.00	282.00	4.00	1.39
CMD25-032		1.70	83.00	81.30	0.42

Core	including	7.00	22.56	15.56	0.56
TD=271.76 m	with	16.00	22.56	6.56	0.82
End in Min: No	and including	45.00	47.00	2.00	0.53
	and including	53.00	62.00	9.00	0.85
	with	54.00	59.00	5.00	1.24
	and including	71.00	78.00	7.00	0.90
		105.00	182.00	77.00	0.45
	and including	131.00	152.00	21.00	0.67
	with	131.00	141.00	10.00	1.04
	and including	156.00	182.00	26.00	0.51
	with	163.00	177.00	14.00	0.64
		236.00	249.00	13.00	1.04
	including	241.00	249.00	8.00	1.62
CMD25-034		3.00	41.00	38.00	0.33
Core	including	3.00	15.00	12.00	0.46
TD=279.20 m	and including	24.00	35.00	11.00	0.42
End in Min: Yes					
		46.00	86.00	40.00	0.25
	including	84.00	86.00	2.00	1.08
		95.00	109.00	14.00	0.34
	including	97.00	106.00	9.00	0.43
		117.00	271.00	154.00	0.25
	including	129.00	131.00	2.00	1.60
	and including	184.00	187.00	3.00	0.76
	and including	193.00	194.00	1.00	1.08
	and including	204.00	206.00	2.00	0.56
	and including	213.00	227.00	14.00	0.87
	with	215.00	224.00	9.00	1.16

*All reported intercepts are reported as downhole lengths, as insufficient data exists to determine true widths. Select composites utilizing 0.10, 0.30 or 0.50 g/t Au cut-off with a maximum 3.2m continuous below cut-off inclusion.

Table 3. Details of Phase One and Two Alpha Bowl Drill Holes at Chicken Mountain

Hole No.	Type	Azimuth (o)	Dip (o)	Length (m)	UTM E	UTM N	Prospect	Purpose
CMD25-027	DDH	120	-55	322.17	552448	6916970	Chicken Mountain	Resource Delineation
CMD25-029	DDH	120	-55	321.56	552587	6916886	Chicken Mountain	Resource Delineation
CMD25-032	DDH	120	-55	251.76	552654	6916850	Chicken Mountain	Resource Delineation
CMD25-034	DDH	120	-55	279.20	552709	6916816	Chicken Mountain	Resource Delineation

CMR25-069	RC	120	-55	44.20	552545	6916743	Chicken Mountain	Exploration
CMR25-070	RC	120	-70	105.20	552545	6916743	Chicken Mountain	Resource Delineation
CMR25-071	RC	120	-55	16.80	552564	6916500	Chicken Mountain	Exploration
CMR25-072	RC	120	-60	65.53	552564	6916500	Chicken Mountain	Exploration
CMR25-073	RC	120	-55	91.45	552567	6916730	Chicken Mountain	Resource Delineation
CMR25-074	RC	120	-55	82.30	552593	6916483	Chicken Mountain	Exploration
CMR25-075	RC	120	-75	48.80	552592	6916484	Chicken Mountain	Exploration
CMR25-076	RC	120	-55	99.10	552611	6916699	Chicken Mountain	Resource Delineation
CMR25-077	RC	120	-75	53.34	552610	6916699	Chicken Mountain	Exploration
CMR25-078	RC	120	-50	71.62	552629	6916469	Chicken Mountain	Exploration
CMR25-079	RC	120	-75	24.40	552628	6916469	Chicken Mountain	Exploration
CMR25-080	RC	120	-55	91.44	552663	6916670	Chicken Mountain	Resource Delineation
CMR25-081	RC	120	-55	44.20	552667	6916451	Chicken Mountain	Exploration
CMR25-082	RC	120	-75	19.81	552666	6916451	Chicken Mountain	Exploration
CMR25-083	RC	120	-55	77.72	552710	6916641	Chicken Mountain	Resource Delineation
CMR25-084	RC	120	-65	54.90	552710	6916641	Chicken Mountain	Resource Delineation
CMR25-085	RC	120	-55	99.10	552684	6916442	Chicken Mountain	Exploration
CMR25-086	RC	120	-55	96.01	552750	6916621	Chicken Mountain	Resource Delineation
CMR25-087	RC	120	-75	76.68	552750	6916621	Chicken Mountain	Exploration
CMR25-088	RC	120	-55	79.25	552740	6916419	Chicken Mountain	Exploration
CMR25-089	RC	120	-75	57.91	552739	6916420	Chicken Mountain	Exploration
CMR25-090	RC	120	-55	32.00	552805	6916588	Chicken Mountain	Resource Delineation
CMR25-091	RC	120	-75	80.80	552804	6916589	Chicken Mountain	Exploration
CMR25-092	RC	120	-55	74.70	552827	6916386	Chicken Mountain	Exploration
CMR25-093	RC	120	-75	61.00	552827	6916386	Chicken Mountain	Exploration
CMR25-094	RC	120	-55	89.92	552637	6916349	Chicken Mountain	Exploration
CMR25-095	RC	120	-75	53.34	552636	6916349	Chicken Mountain	Exploration
CMR25-096	RC	120	-55	106.70	552888	6916359	Chicken Mountain	Exploration
CMR25-097	RC	120	-55	85.34	552681	6916319	Chicken Mountain	Exploration
CMR25-098	RC	120	-55	99.10	552769	6916150	Chicken Mountain	Exploration
CMR25-099	RC	120	-75	83.82	552769	6916150	Chicken Mountain	Exploration
CMR25-100	RC	120	-55	121.92	552723	6916290	Chicken Mountain	Exploration
CMR25-101	RC	120	-55	109.72	552819	6916125	Chicken Mountain	Exploration
CMR25-102	RC	120	-55	83.82	552784	6916259	Chicken Mountain	Exploration
CMR25-103	RC	120	-55	106.70	552896	6916091	Chicken Mountain	Exploration
CMR25-104	RC	120	-55	96.01	552826	6916231	Chicken Mountain	Exploration
CMR25-105	RC	120	-75	59.44	552825	6916232	Chicken Mountain	Exploration
CMR25-106	RC	120	-55	35.10	552870	6916204	Chicken Mountain	Exploration

Qualified Person

Tectonic Metals' disclosure of technical or scientific information in this press release has been reviewed, verified and approved by Peter Kleespies, M.Sc., P.Geo., Vice President of Exploration, who is a Qualified Person in accordance with Canadian regulatory requirements set out in National Instrument 43-101.

The analytical work for the 2025 Flat drilling program was performed by MSA Labs (MSA) an internationally recognized and accredited analytical services provider, which is independent of Tectonic. All core and RC samples were submitted to MSA's Fairbanks, Alaska facility. Certain sample shipments were shipped to MSA's Prince George, British Columbia facility to expedite analysis times. At either lab the entire sample was dried, crushed to 2mm and riffle split into nominal 500 g subsample jars for analysis (prep code CRU-CPA). Sample split jars were then analysed for gold using PhotonAssay™ (CPA-Au1). If additional nominal 500-gram PhotonAssay™ analysis splits are conducted for a given samples results from all splits are combined on a weight average basis. All initial PhotonAssay™ samples will undergo further analysis for a suite of 48 elements (IMS-230), with pulverization of jar contents to 85% passing 75um (PPU-510), with four acid digestion and ICP-MS finish.

QA/QC procedures for the drill program included insertion of a certificated reference material every 20 samples, blanks at rate of approximately every 25 samples and a field duplicate sample (split of the 1.5 m original sample) every 25 samples. All QAQC control samples returned values within acceptable limits

Samples are placed in sealed and security tagged bags and shipped directly to the MSA facility in Fairbanks, Alaska, utilizing strict Chain of Custody protocols.

On behalf of Tectonic Metals Inc.,

Tony Reda
President and Chief Executive Officer

For further information about Tectonic Metals Inc. or this news release, please visit our website at www.tectonicmetals.com or contact Investor Relations, toll-free at 1.888.685.8558 or by email at investorrelations@tectonicmetals.com.

Cautionary Note Regarding Forward-Looking Statements, Historical Information and Visual Observations

This news release contains "forward-looking statements" and "forward-looking information" (collectively, "forward-looking statements") within the meaning of applicable Canadian securities laws. All statements herein that are not statements of historical fact may be deemed to be forward-looking statements. Forward-looking statements are often, but not always, identified by words such as "may," "will," "should," "anticipate," "believe," "expect," "intend," "plan,"

“estimate,” “potential,” “target,” or similar terminology, or that events or conditions “may” or “will” occur.

Forward-looking statements in this release include, but are not limited to, statements regarding: the potential for mineralization at Tectonic’s projects; the nature, scope, and timing of future exploration activities; the interpretation of geological observations; the possible size or scale of mineralized systems; the receipt of regulatory approvals, and the anticipated benefits of current and future exploration programs.

This release also refers to historical information, including results from past exploration activities and placer production figures. Such historical information has not been independently verified by Tectonic, may not be reliable, and should not be relied upon as current, NI 43-101 compliant data

In addition, this release contains, detailed geological notes, and descriptive observations such as alteration styles, mineralogy and visible gold. These observations are preliminary in nature, may not be representative of the entire interval or system, and should not be relied upon as a guarantee of mineralized assay results or as the basis for any investment decision. Investors and readers are cautioned that visual estimates, core photographs, and geological descriptions are not substitutes for laboratory assay results and do not demonstrate the economic viability of any mineral deposit.

Forward-looking statements are not guarantees of future performance. They are based on a number of assumptions made as of the date such statements are provided, including, among others: assumptions regarding future gold and other metal prices; currency exchange and interest rates; favourable operating and political conditions; timely receipt of permits and regulatory approvals; availability of labour, equipment, and services; stability of financial and capital markets; availability of financing on acceptable terms; accuracy of exploration data and geological models; and the ability to successfully advance planned exploration programs. Many of these assumptions are beyond the control of Tectonic and may prove to be incorrect.

Forward-looking statements are subject to known and unknown risks, uncertainties, and other factors that may cause actual results, performance, or achievements to differ materially from those expressed or implied. These risks include, without limitation: risks inherent to mineral exploration and development; volatility of commodity prices; changes in laws, regulations, and policies; delays or inability to obtain required approvals and permits; availability of financing; general economic, political, and market conditions; labour disputes and shortages; equipment and supply risks; environmental and social risks; competition; inaccuracies in exploration results or geological interpretations; and other risks detailed from time to time in the Company’s continuous disclosure filings.

Although management believes the expectations expressed in such forward-looking statements are reasonable as of the date made, there can be no assurance they will prove to be correct. Readers are cautioned not to place undue reliance on forward-looking statements, historical information, or preliminary visual geological observations. Actual results and future events may differ materially from those anticipated. All forward-looking statements contained in this news release are expressly

qualified by this cautionary statement. Tectonic disclaims any intention or obligation to update or revise forward-looking statements, whether as a result of new information, future events, or otherwise, except as required by applicable securities laws.

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

SOURCE: Tectonic Metals Inc.