




Company Presentation

DEC, 2017

G-TECH Optoelectronics Corporation



Disclaimer



- ❖ This presentation and release contain “forward-looking statements” which may include projections of future results of operations, financial condition or business prospects based on our own information and other sources.
- ❖ Our actual results of operations, financial condition or business prospects may differ from those expressed or implied in these forward-looking statements for a variety of reasons, including but not limited to market demand, price fluctuations, competition, international economic conditions, supply chain issues, exchange rate fluctuations and other risks and factors beyond our control.
- ❖ The forward-looking statements in this release reflect the current belief of G-Tech as of the date of this release. G-Tech undertakes no obligation to update these forward-looking statements for events or circumstances that occur subsequent to such date.



Company Outline




- ❖ **Company Name** : G-Tech Optoelectronics Corp.
- ❖ **Capital** : 1.88 billion NTD (62.67million USD)
- ❖ **President** : Mr. Tony Chung
- ❖ **General Manager** : Mr. Alex Jiang



Product Lines :


- 1) Glass Slimming
- 2) Chemical Strengthening
- 3) Glass Coating (ITO / AR / AG / AS)
- 4) Cover Glass (TV / Monitor / Notebook / Tablet PC / Mobile Phone)
- 5) 3D Glass Forming
- 6) Touch Module
- 7) Green Architecture Glass





Worldwide Locations





GTOC within HonHai Group



Gtoc's Products

Glass Processing

Touch Sensor Glass

Coating Glass

Slimming Glass

3D Forming Glass

Processed Arch. Glass

Manufacturing

Cover Glass

Touch Sensor
GIS, Innoulux

LCD Panel
Innolux, CTC

Integration

Module Assembly
GIS, Innolux etc.

Component Assembly
FAiBG etc.

System Integration
Honhai / Foxconn / FIH etc.



Glass Total Solution




Applications



Project Developing




Gtoc Process





Applications of GTOC products - TFT Thinning



LCD Panel Slimming

* Size : Max G5 * Thickness : min 0.3mm





Applications of GTOC products - Cover Glass




Cover Glass (2D / 3D)

Size : 7"~16.4" & 21" ~70"





IMITO / AR / AG Coating





ITO/AR Coated Glass

* 40~500 $\Omega/\square$, T 90%~96% , Index Matching



3D Cover Glass




3D Formed Glass & Deco. Front CG/ Back CG
Custom Design





Touch Module



G1F / GG Projective Capacitive Touch Module Solutions





Low-E Glass



Low-E Glass is used pyrolytic CVD coating technology.

Advantages :


- High Transmittance
 - Anti-Reflection
 - Anti-Infrared
 - Excellent Heat Insulation
- ➔ Best choice for Energy-saving purpose.



Stop Heat & High transmittance
in Summer



Keep Warm in Winter



Valued Customer



SONY®

lenovo




InFocus®



AUO



CDY 深超光電
Century Display Co., Ltd



Monthly Revenue



正達(3149) 營收追蹤

營收走勢

營收明細

年度營收

110% CSV

合併 個別

2017/10

營業收入(百萬)

393

月增率

-2.82%

去年同期(百萬)

202

年增率

95.01%

累計營收(百萬)


2,872

累計年增率

41.99%

月 季 年

XQ





Thank You



The Global Leading
Total-solution Optoelectronics Glass Processing Service Provider
Confidential © G-TECH Co.,

