



CSL/2014-15/207  
July 30, 2014

**THROUGH FAX & COURIER**  
**022-26598237 / 38 OR 022-26598347 / 48**

National Stock Exchange of India Limited  
Exchange Plaza  
Bandra Kurla Complex  
Bandra (East)  
Mumbai – 400 051

Dear Sir,


**Sub: Intimation under Clause 36 of Listing Agreement**

"Due to heavy rain during last 18 hours, at Company's manufacturing plant at Kadi, disruption in production of Sanitaryware has occurred. The faucetware production too, out of abundant caution on account of electrical risk is under strict observation and may cause production loss. All this is likely to cause loss of production of around five days. All necessary actions have been initiated by the company to restore the normalcy. The company, under appropriate policy conditions, is covered for eventual loss".

Please bring the same to the notice of the members of the Stock Exchange.

Thanking you,

Yours faithfully,  
For Cera Sanitaryware Limited,

  
Narendra N. Patel  
President & Company Secretary

---

**Cera Sanitaryware Limited**

Madhusudan House, Opp. Navrangpura Telephone Exchange, Navrangpura, Ahmedabad 380 006  
Tel: +91 79 26449781, 26449789 Fax: +91 79 26569259 Email: marketing@cera-india.com www.cera-india.com

Registered Office & Works: 9, GIDC Industrial Estate, Kadi 382 715, District Mehsana, North Gujarat

CIN: L26910GJ1998PLC034400