



Level 2/9 Bowman Street, South Perth
PO Box 394 South Perth
Western Australia 6151

Telephone: (618) 9367 1433
Facsimile: (618) 9367 1944

Email: arafura@arafuraresources.com.au
Website: www.arafuraresources.com

ASX ANNOUNCEMENT

3 November 2005

OUTSTANDING RESULTS CONTINUE FROM NOLANS BORE DRILLING PROGRAM

*Assay results from the Nolans Bore drilling program return strong grades
including an interval of 14 metres at 7.82% REO and 1.04 lb/tonne U₃O₈*

HIGHLIGHTS

- Final assay results for the 2005 drilling program reveal a continuation of high grade rare earths and uranium mineralisation
 - High rare earth, uranium and phosphate grades intersected in the latest holes include:
 - 18 metres at 4.97% REO, 11.9% P₂O₅ and 0.64 lb/T U₃O₈ from 37 metres in NBRC092
 - And 14 metres at 7.82% REO, 8.9% P₂O₅ and 1.04 lb/T U₃O₈ from 58 metres NBRC092
 - 31 metres at 5.11% REO, 19.7% P₂O₅ and 0.63 lb/T U₃O₈ from 135 metres in NBRC095
 - 15 metres at 4.29% REO, 20.6% P₂O₅ and 0.79 lb/T U₃O₈ from 109 metres in NBRD062
-

Arafura Resources NL (ASX:ARU) today announced the most recent results of the company's drill program at the Nolans Bore rare earths and uranium project in the Northern Territory.

Arafura's 2005 drilling program at Nolans is complete and the results achieved to date have strengthened the likelihood of increasing the resource base.

"All drill results are highly significant and continue to prove up the quality of rare earth, phosphate and uranium mineralisation at Nolans Bore," Arafura's Managing Director Alistair Stephens said.

Significant intercepts include:

- 31 metres at **5.11% REO**, **19.7% P₂O₅** and **0.63 lb/T U₃O₈** from 109 metres
- 18 metres at **4.97% REO**, **11.9% P₂O₅** and **0.64 lb/T U₃O₈** from 37 metres,
- 4 metres at **4.86% REO**, **20.5% P₂O₅** and **0.867lb/T U₃O₈** from 128 metres
- 8 metres at **5.12% REO**, **19.8% P₂O₅** and **0.70 lb/T U₃O₈** from 34 metres

"Previous drilling has delineated the continuity of mineralisation from the surface to vertical depths in excess of 160 metres and we are continuing to pursue the lateral limits of the mineralisation which have yet to be defined.

"These results coupled with the continuing strength in both the rare earths and uranium markets ensure Arafura is well placed to capitalise on the opportunities this presents," Mr Stephens added.

The current results complete the assaying of 8,572 metres of drilling in 59 new drill holes for the 2005 drill program. This includes diamond drill hole extensions to 4 drill holes from previous drilling in 2004. Full details of all mineralised intervals are listed in the accompanying table.

The results in this release refers to drill results from diamond drill holes NBRD 006, 016, 021, 032, 045, 059, 060, 062, 064, 065 and reverse circulation drill holes NBRC 075, 077 through to 089 and NBRC 091 through to 096. All other drill results have been reported on 31/07/05, 9/08/05, 2/09/05, 28/09/05).

Fluorapatite mineralisation (the host for REO, P₂O₅ and U₃O₈) is now known to extend over a strike length of at least 1,200 metres and a width of at least 1,000 metres.

For further enquiries:

Alistair Stephens
Managing Director
Arafura Resources NL
Telephone: (08) 9367 1433
Mobile: 0421 612 573

Peter N Walker
Chairman
Mobile: 0411 714 142

The information in this press release that relates to drilling, geological interpretation and mineral resources has been compiled by Mr John Goulevitch, BSc(Hons), MSc, of Exploremine Pty Ltd. Mr Goulevitch is a Fellow of the Australian Institute of Geoscientists and he has sufficient experience relevant to this style of mineralisation to qualify as the Competent Person as defined in the *Australasian Code for Reporting of Mineral Resources and Ore Reserves* (JORC Code). Mr Goulevitch is Exploration Manager of Arafura Resources and he consents to the inclusion in this report of the matters contained in the form and context in which they appear.

Company Background

Arafura Resources NL holds a number of tenements in the Northern Territory, principally prospective for uranium and rare earths. The company's key assets include the Nolans Bore tenements located 135 north of Alice Springs which include rare earths and uranium and the Lagoon Creek tenements on the Northern Territory - Queensland border which contain uranium.

The company's primary objective is to become a significant producer of rare earth and uranium commodities, based on an aggressive strategy of growth and production.

NOLAN'S BORE 2005 DRILLING - ASSAY INTERVALS

Using a 1% Total REE Cut-Off

New results for diamond drill holes NBRD 006, 016, 021, 032, 045, 059, 060, 062, 064, 065

and reverse circulation drill holes NBRC 075, and 077 through to 089 and NBRC 091 through to 096

Previous drill results have been reported on 31/07/05, 9/08/05, 2/09/05, 28/09/05)

HOLENO*	MGA E	MGA N	RL	INCL	AZIM	EOH	FROM	TO	INT	REO**	P ₂ O ₅ **	U ₃ O ₈ **
	m	m	m	°	°	M	m	m	m	%	%	lb/T***
NBRD006*	318370.6	7502092.5	659.6	-60	149.5	146.6	85.55	87.00	1.45	1.22	4.35	0.181
							91.25	93.00	1.75	1.97	8.98	0.395
							95.55	98.90	3.35	5.27	24.87	1.235
							99.80	101.60	1.80	5.40	28.64	1.068
							102.40	104.55	2.15	4.25	19.73	0.715
							124.65	126.95	2.30	5.82	26.80	1.112
							131.00	133.00	2.00	0.99	4.72	0.185
							139.50	141.00	1.50	1.16	4.70	0.130
							TOTAL		16.30	3.61	17.02	0.716
NBRD016*	318713.4	7502138.0	657.1	-60	146	153.1	93.60	104.60				
								TOTAL	11.00	3.20	16.45	0.557
NBRD021*	318798.2	7502161.7	657.0	-60	146	154.7	90.10	110.00	19.90	3.24	18.00	0.588
							122.00	124.00	2.00	2.35	12.62	0.465
							130.00	130.70	0.70	1.77	9.10	0.252
							143.80	145.50	1.70	4.01	17.69	0.749
							TOTAL		24.30	3.18	17.28	0.579
NBRD032*	318656.6	7502092.4	655.8	-60	146	144.3	96.30	111.20	14.90	2.26	11.91	0.363
							116.00	118.00	2.00	1.42	7.31	0.199
							TOTAL		16.90	2.16	11.37	0.343
NBRD038*	318867.1	7502068.2	657.4	-60	145	160.6	7.00	10.00	3.00	4.30	20.45	0.672
							14.00	17.00	3.00	3.31	14.23	0.359
							63.90	64.80	0.90	4.87	21.03	0.832
							77.00	78.00	1.00	2.26	10.49	0.299
							82.40	83.00	0.60	3.09	15.72	0.434
							TOTAL		8.50	3.69	16.81	0.518
NBRC039	318773.2	7502207.3	657.0	-60	145	198	35.00	36.00	1.00	2.75	11.46	0.437
							41.00	43.00	2.00	2.53	10.97	0.431
							44.00	45.00	1.00	1.70	6.62	0.177
							51.00	59.00	8.00	4.21	18.51	0.675
							63.00	69.00	6.00	1.31	4.63	0.174
							136.00	152.00	16.00	2.94	14.12	0.537
							160.00	180.00	20.00	3.28	15.85	0.585
							192.00	195.00	3.00	3.16	15.59	0.484
TOTAL		57.00	3.04	14.13	0.520							

HOLENO*	MGA E	MGA N	RL	INCL	AZIM	EOH	FROM	TO	INT	REO**	P ₂ O ₅ **	U ₃ O ₈ **
	m	m	m	°	°	M	m	m	m	%	%	lb/T***
NBRC040	318904.9	7502082.0	657.2	-60	145	54	6.00	8.00	2.00	3.06	14.46	0.491
							13.00	15.00	2.00	2.89	15.49	0.426
							17.00	24.00	7.00	3.93	20.39	0.652
							TOTAL		11.00	3.58	18.42	0.582
NBRC041	318871.9	7502130.9	657.1	-60	145	144	6.00	19.00	13.00	2.86	11.76	0.311
							48.00	54.00	6.00	3.37	14.94	0.546
							60.00	70.00	10.00	2.83	14.32	0.500
							TOTAL		29.00	2.95	13.30	0.425
NBRC042	318845.4	7502169.8	656.8	-60	145	84	60.00	68.00				
							TOTAL		8.00	4.72	20.75	0.893
NBRC043	318947.1	7502099.9	657.1	-60	145	108	10.00	12.00	2.00	1.25	4.26	0.090
							31.00	36.00	5.00	1.60	11.46	0.344
							46.00	86.00	40.00	3.48	21.95	0.612
							90.00	104.00	14.00	4.22	19.97	0.488
							TOTAL		61.00	3.42	20.06	0.545
NBRD044*	318900.9	7502166.6	657.0	-60	145	195.4	32.00	37.00	5.00	4.70	18.75	0.464
							41.00	45.00	4.00	1.83	7.29	0.155
							61.00	63.00	2.00	2.01	12.03	0.338
							71.00	72.00	1.00	1.48	9.00	0.317
							82.00	86.00	4.00	3.06	16.30	0.606
TOTAL		16.00	3.04	13.82	0.397							
NBRD045*	318853.0	7502238.9	656.1	-60	145	234.4	15.00	32.00	17.00	3.71	16.24	0.513
							126.00	127.00	1.00	1.93	8.20	0.302
							153.00	164.00	11.00	4.70	24.57	0.750
							203.50	204.80	1.30	4.22	19.18	0.642
							TOTAL		30.30	4.03	19.12	0.598
NBRC046	318610.1	7502154.5	656.3	-60	145	174	54.00	55.00	1.00	1.40	5.09	0.214
							92.00	105.00	13.00	3.81	17.25	0.679
							111.00	114.00	3.00	3.22	15.32	0.531
							120.00	122.00	2.00	2.03	8.09	0.237
							127.00	141.00	14.00	2.91	13.61	0.482
							144.00	146.00	2.00	1.22	5.06	0.191
							164.00	168.00	4.00	1.93	8.75	0.368
							TOTAL		39.00	2.96	13.52	0.506
NBRC047	318561.8	7502025.2	658.0	-60	145	96	2.00	16.00	14.00	3.20	14.68	0.737
							26.00	28.00	2.00	1.28	4.63	0.166
							TOTAL		16.00	2.96	13.43	0.666
NBRC048	318530.2	7502072.7	657.6	-60	145	120	5.00	12.00	7.00	2.03	6.36	0.311
							32.00	43.00	11.00	2.47	10.10	0.440
							47.00	49.00	2.00	1.31	5.73	0.153
							54.00	56.00	2.00	1.30	4.81	0.195
							57.00	63.00	6.00	4.07	17.07	0.688
							TOTAL		28.00	2.53	9.97	0.423

HOLENO*	MGA E	MGA N	RL	INCL	AZIM	EOH	FROM	TO	INT	REO**	P ₂ O ₅ **	U ₃ O ₈ **
	m	m	m	°	°	M	m	m	m	%	%	lb/T***
NBRC049	318494.4	7502125.8	657.7	-60	145	156	10.00	11.00	1.00	5.51	20.46	0.754
							51.00	53.00	2.00	1.31	5.04	0.169
							73.00	75.00	2.00	2.03	7.61	0.220
							83.00	87.00	4.00	1.35	5.58	0.159
							108.00	120.00	12.00	2.50	9.43	0.330
							TOTAL		21.00	2.27	8.63	0.292
NBRC050	318991.5	7502105.3	656.5	-60	145	150	9.00	10.00	1.00	1.93	8.61	0.207
							18.00	19.00	1.00	6.28	30.24	0.863
							33.00	34.00	1.00	2.60	17.27	0.418
							39.00	71.00	32.00	3.50	24.16	0.659
							110.00	112.00	2.00	3.23	20.73	0.476
							119.00	123.00	4.00	2.35	17.32	0.311
							TOTAL		41.00	3.39	22.93	0.604
NBRC051	318936.2	7502184.5	656.7	-60	145	192	3.00	7.00	4.00	2.83	10.95	0.277
							99.00	103.00	4.00	2.59	12.09	0.374
							114.00	118.00	4.00	1.48	9.58	0.257
							132.00	150.00	18.00	3.35	22.32	0.579
							156.00	180.00	24.00	2.43	14.79	0.414
							TOTAL		54.00	2.71	16.43	0.445
NBRC052	319061.2	7502141.4	656.6	-60	145	150	9.00	11.00	2.00	1.62	7.70	0.281
							46.00	48.00	2.00	1.24	5.98	0.120
							50.00	52.00	2.00	1.31	4.95	0.131
							83.00	86.00	3.00	2.42	13.03	0.295
							89.00	96.00	7.00	3.59	19.15	0.408
							112.00	113.00	1.00	3.23	12.62	0.476
							117.00	120.00	3.00	1.37	6.32	0.268
							127.00	131.00	4.00	2.97	14.38	0.340
							TOTAL		24.00	2.50	12.48	0.310
NBRC053	319139.7	7502172.7	656.8	-60	145	156	11.00	14.00	3.00	4.32	21.26	0.611
							23.00	27.00	4.00	4.44	21.12	0.486
							54.00	56.00	2.00	1.17	6.78	0.156
							71.00	74.00	3.00	3.81	21.30	0.689
							82.00	83.00	1.00	1.64	6.96	0.246
							87.00	89.00	2.00	2.04	8.11	0.239
							123.00	125.00	2.00	2.46	9.53	0.229
							133.00	141.00	8.00	3.32	13.11	0.435
							155.00	156.00	1.00	1.22	5.25	0.139
							TOTAL		26.00	3.19	14.54	0.421
NBRC054	319093.0	7502237.8	656.1	-60	145	198	49.00	51.00	2.00	2.32	11.62	0.211
							65.00	67.00	2.00	1.19	6.12	0.156
							69.00	73.00	4.00	2.37	11.32	0.295
							80.00	82.00	2.00	3.41	15.85	0.439
							142.00	146.00	4.00	2.74	13.30	0.382
							154.00	155.00	1.00	1.81	7.40	0.221
							TOTAL		15.00	2.41	11.54	0.303

HOLENO*	MGA E	MGA N	RL	INCL	AZIM	EQH	FROM	TO	INT	REC**	P ₂ O ₅ **	U ₃ O ₈ **
	m	m	m	°	°	M	m	m	m	%	%	lb/T***
NBRC055	319015.6	7502210.1	656.3	-60	145	198	79.00	81.00	2.00	1.50	7.01	0.182
							93.00	95.00	2.00	2.23	10.72	0.243
							100.00	104.00	4.00	1.16	5.54	0.196
							107.00	109.00	2.00	2.30	7.26	0.229
							114.00	115.00	1.00	1.19	4.42	0.088
							TOTAL		11.00	1.63	6.96	0.198
NBRC056	318455.7	7502046.9	658.8	-60	145	132	25.00	28.00	3.00	1.66	7.25	0.182
							33.00	36.00	3.00	2.38	9.63	0.205
							110.00	118.00	8.00	1.23	4.30	0.173
							TOTAL		14.00	1.57	6.08	0.182
NBRC057	318415.6	7502097.6	658.9	-60	145	150	26.00	27.00	1.00	1.39	4.63	0.213
							29.00	35.00	6.00	1.42	6.33	0.175
							52.00	58.00	6.00	2.21	8.64	0.267
							67.00	87.00	20.00	3.72	16.17	0.425
							100.00	105.00	5.00	2.10	10.37	0.360
							TOTAL		38.00	2.84	12.36	0.347
NBRC058	318511.4	7502031.9	658.1	-60	145	54	6.00	8.00	2.00	1.45	5.89	0.238
							11.00	14.00	3.00	2.43	10.38	0.376
							TOTAL		5.00	2.04	8.58	0.321
NBRD059*	318695.3	7502181.0	656.8	-60	145	224.4	21.00	25.00	4.00	2.99	12.04	0.486
							27.00	28.00	1.00	2.45	10.31	0.444
							61.00	63.00	2.00	1.69	5.91	0.265
							81.00	85.00	4.00	5.59	24.74	1.094
							94.00	96.00	2.00	1.37	5.86	0.229
							128.00	132.00	4.00	4.86	20.57	0.867
							142.00	146.00	4.00	2.12	10.72	0.285
							150.00	153.50	3.50	2.12	9.61	0.336
							163.25	172.70	9.45	1.72	8.54	0.316
							190.00	194.15	4.15	1.90	10.06	0.346
							199.80	200.70	0.90	4.88	22.47	0.751
							TOTAL		39.00	2.74	12.37	0.478
NBRD060*	318810.4	7502222.2	656.8	-60	145	239.1	6.00	8.00	2.00	4.72	21.19	0.567
							37.00	42.00	5.00	3.95	16.84	0.617
							107.00	110.00	3.00	5.60	19.95	1.083
							112.00	131.00	19.00	3.74	18.03	0.662
							143.00	148.00	5.00	2.93	15.20	0.517
							149.50	158.00	8.50	3.04	16.09	0.510
							162.60	164.50	1.90	4.47	20.28	0.814
							166.00	168.10	2.10	5.87	27.03	1.060
							180.50	182.20	1.70	2.84	12.10	0.385
							219.60	220.30	0.70	2.23	9.90	0.372
							222.10	223.00	0.90	3.56	16.50	0.494
							229.20	231.30	2.10	4.19	20.05	0.759
							236.30	237.80	1.50	2.05	8.77	0.289
							TOTAL		53.40	3.74	17.50	0.639

HOLENO*	MGA E	MGA N	RL	INCL	AZIM	EOH	FROM	TO	INT	REC**	P ₂ O ₅ **	U ₃ O ₈ **
	m	m	m	°	°	M	m	m	m	%	%	lb/T***
NBRC061	318535.5	7502137.8	656.9	-60	145	174	2.00	3.00	1.00	1.70	7.26	0.248
							48.00	50.00	2.00	2.34	9.92	0.411
							54.00	56.00	2.00	1.41	5.09	0.182
							92.00	101.00	9.00	2.33	9.53	0.403
							105.00	109.00	4.00	2.44	11.21	0.387
							112.00	114.00	2.00	1.34	6.09	0.203
							123.00	125.00	2.00	2.29	11.27	0.457
							150.00	151.00	1.00	4.36	18.10	0.741
							TOTAL	23.00	2.24	9.60	0.377	
NBRD062*	318576.2	7502143.4	656.4	-60	145	177.2	77.60	83.70	6.10	2.24	10.67	0.400
							88.30	97.80	9.50	3.75	16.60	0.744
							98.80	101.00	2.20	3.01	13.88	0.491
							109.40	124.50	15.10	4.29	20.57	0.787
							155.60	156.60	1.00	2.79	12.42	0.413
							TOTAL	33.90	3.64	17.00	0.675	
NBRC063	318733.5	7502194.9	657.0	-60	145	210	53.00	56.00	3.00	6.12	26.19	0.879
							93.00	96.00	3.00	5.15	22.56	0.568
							98.00	100.00	2.00	5.48	24.74	0.842
							109.00	110.00	1.00	1.70	7.13	0.159
							138.00	153.00	15.00	2.77	11.16	0.410
							188.00	189.00	1.00	2.30	11.29	0.374
							191.00	196.00	5.00	2.94	14.32	0.449
							198.00	201.00	3.00	3.20	16.10	0.509
TOTAL	33.00	3.47	15.20	0.499								
NBDH064*	318457.9	7502108.1	658.15	-60	145	121.8	60.30	62.30	2.00	1.98	6.71	0.170
							76.60	77.80	1.20	2.28	8.29	0.147
							85.35	92.00	6.65	2.11	7.38	0.337
							95.30	96.80	1.50	3.14	11.57	0.533
							103.00	109.50	6.50	1.76	7.36	0.291
TOTAL	17.85	2.07	7.71	0.305								
NBRD065*	318893.2	7502246.7	656.3	-60	145	240.6	96.00	101.00	5.00	1.71	6.08	0.168
							105.00	110.00	5.00	2.76	10.19	0.401
							151.00	155.00	4.00	1.51	7.80	0.199
							165.70	166.30	0.60	2.31	6.53	0.217
							177.60	178.40	0.80	2.97	14.41	0.621
							184.00	185.20	1.20	4.05	20.41	0.621
TOTAL	16.60	2.23	9.18	0.302								
NBRC066	318914.2	7501660.7	657.9	-60	145	198	6.00	16.00	10.00	5.11	23.81	0.507
							18.00	27.00	9.00	4.77	25.71	0.566
							40.00	42.00	2.00	1.73	7.70	0.151
							155.00	160.00	5.00	2.07	8.98	0.339
							185.00	186.00	1.00	3.18	22.09	0.639
TOTAL	27.00	4.11	20.44	0.474								
NBRC067	318513.3	7502105.2	657.3	-90	60	60	24.00	26.00				
TOTAL	2.00	1.98	6.32	0.353								

HOLENO*	MGA E	MGA N	RL	INCL	AZIM	EOH	FROM	TO	INT	REO**	P ₂ O ₅ **	U ₃ O ₈ **
	m	m	m	°	°	M	m	m	m	%	%	lb/T***
NBRC068	319420.8	7501976.7	659.2	-60	145	168	53.00	55.00	2.00	1.56	3.00	0.097
							75.00	76.00	1.00	4.53	24.74	0.720
							78.00	80.00	2.00	4.39	25.20	0.689
							90.00	92.00	2.00	3.30	18.69	0.517
							98.00	110.00	12.00	5.27	26.81	0.662
							TOTAL		19.00	4.54	23.17	0.593
NBRC069	319398.5	7501603.2	660.9	-60	145	96	36.00	40.00	4.00	1.67	10.18	0.154
							51.00	53.00	2.00	1.68	8.77	0.155
							TOTAL		6.00	1.68	9.71	0.154
NBRC070	319367.9	7501649.6	660.7	-60	145	126	8.00	9.00	1.00	1.63	6.87	0.203
							36.00	46.00	10.00	1.85	10.96	0.282
							66.00	68.00	2.00	2.12	11.41	0.460
							TOTAL		13.00	1.88	10.72	0.303
NBRC071	319269.6	7501645.2	659.8	-60	145	84	0.00	6.00	6.00	5.17	28.48	0.981
							9.00	11.00	2.00	2.96	15.95	0.400
							14.00	20.00	6.00	5.48	31.84	0.898
							29.00	31.00	2.00	4.57	23.83	0.946
							50.00	52.00	2.00	1.35	7.38	0.237
							TOTAL		18.00	4.54	25.35	0.802
NBRC075	319184.2	7501765.1	659.1	-60	145	138	76.00	78.00	2.00	2.22	12.12	0.273
							92.00	95.00	3.00	2.93	19.01	0.503
							103.00	105.00	2.00	1.65	9.16	0.377
							111.00	119.00	8.00	3.19	15.65	0.767
							123.00	125.00	2.00	4.33	21.83	0.546
							TOTAL		17.00	2.98	15.79	0.590
NBRC077	319134.6	7501836.6	659.2	-60	145	84	8.00	10.00	2.00	2.06	12.19	0.351
							12.00	14.00	2.00	1.91	10.91	0.146
							58.00	60.00	2.00	2.42	12.05	0.273
							TOTAL		6.00	2.13	11.71	0.256
NBRC078	319110.8	7501869.0	659.1	-60	145	150	22.00	26.00	4.00	3.91	19.45	0.377
							46.00	48.00	2.00	4.23	17.05	0.364
							62.00	64.00	2.00	4.18	18.88	0.312
							72.00	74.00	2.00	2.44	14.69	0.187
							76.00	84.00	8.00	3.82	20.57	0.523
							86.00	88.00	2.00	2.78	10.77	0.442
							96.00	98.00	2.00	1.27	5.18	0.135
							100.00	112.00	12.00	2.96	17.22	0.522
							114.00	116.00	2.00	1.72	8.55	0.203
							120.00	130.00	10.00	3.22	17.89	0.486
							TOTAL		46.00	3.20	16.92	0.437
NBRC079	318829.9	7502269.6	656.5	-60	145	96	73.00	77.00	4.00	1.41	5.57	0.179
							80.00	82.00	2.00	3.01	11.94	0.546
							84.00	88.00	4.00	5.04	17.26	0.656
							TOTAL		10.00	3.18	11.52	0.443

HOLENO*	MGA E	MGA N	RL	INCL	AZIM	EOH	FROM	TO	INT	REO**	P ₂ O ₅ **	U ₃ O ₈ **
	m	m	m	°	°	M	m	m	m	%	%	lb/T***
NBRC080	318808.8	7502300.2	656.4	-60	145	84	16.00	18.00	2.00	2.22	8.02	0.260
							28.00	32.00	4.00	2.69	9.55	0.405
							TOTAL		6.00	2.53	9.04	0.357
NBRC081	318788.0	7502331.4	656.2	-60	145	84	6.00	8.00	2.00	2.03	7.84	0.299
							17.00	19.00	2.00	1.53	6.60	0.239
							TOTAL		4.00	1.78	7.22	0.269
NBRC082	318766.7	7502362.2	656.2	-60	145	84	12.00	14.00	2.00	1.19	4.74	0.113
							27.00	29.00	2.00	1.53	6.00	0.166
							31.00	33.00	2.00	1.18	5.11	0.151
							TOTAL		6.00	1.30	5.28	0.143
NBRC083	318744.6	7502392.8	655.8	-60	145	90	34.00	42.00	8.00	5.12	19.82	0.693
							58.00	60.00	2.00	3.71	15.37	0.520
							TOTAL		10.00	4.84	18.93	0.659
NBRC085	319064.6	7501933.5	658.2	-60	145	126	53.00	57.00	4.00	3.39	16.72	0.533
							69.00	72.00	3.00	3.94	22.24	1.040
							78.00	82.00	4.00	2.29	11.57	0.261
							120.00	121.00	1.00	1.78	11.29	0.806
							TOTAL		12.00	3.03	15.93	0.592
NBRC086	319020.5	7501997.2	657.0	-60	145	66	20.00	33.00	13.00	2.53	16.77	0.358
							60.00	64.00	4.00	1.74	8.01	0.200
							TOTAL		17.00	2.35	14.71	0.321
NBRC087	318984.3	7502047.6	656.8	-60	145	174	12.00	24.00	12.00	2.48	11.03	0.274
							27.00	32.00	5.00	2.06	8.29	0.198
							81.00	84.00	3.00	2.61	13.82	0.237
							120.00	124.00	4.00	2.14	10.49	0.192
							TOTAL		24.00	2.35	10.72	0.240
NBRC088	319105.8	7502075.4	657.4	-60	145	156	75.00	77.00	2.00	4.62	25.20	0.224
							79.00	80.00	1.00	2.44	11.46	0.218
							TOTAL		3.00	3.89	20.62	0.222
NBRC089	319186.2	7502109.0	657.6	-60	145	144	23.00	25.00	2.00	3.25	17.00	0.299
							50.00	51.00	1.00	2.70	14.14	0.364
							57.00	68.00	11.00	3.46	18.01	0.403
							70.00	74.00	4.00	2.40	12.60	0.221
							95.00	101.00	6.00	2.80	14.40	0.298
							104.00	106.00	2.00	1.27	5.25	0.099
							TOTAL		26.00	2.93	15.14	0.318
NBRC091	318379.0	7502143.2	659.3	-60	145	207	60.00	62.00	2.00	0.55	2.41	0.061
							70.00	71.00	1.00	2.24	9.55	0.218
							90.00	94.00	4.00	2.81	10.54	0.312
							96.00	100.00	4.00	1.50	5.50	0.226
							114.00	116.00	2.00	1.28	4.12	0.182
							118.00	140.00	22.00	3.82	15.69	0.522

HOLENO*	MGA E	MGA N	RL	INCL	AZIM	EOH	FROM	TO	INT	REO**	P ₂ O ₅ **	U ₃ O ₈ **
	m	m	m	°	°	M	m	m	m	%	%	lb/T***
							144.00	146.00	2.00	1.33	5.96	0.130
							171.00	177.00	6.00	1.43	5.83	0.184
							191.00	198.00	7.00	3.08	13.41	0.459
							200.00	204.00	4.00	1.66	7.08	0.205
							TOTAL	54.00	2.71	11.13	0.366	
NBRC092	318349.6	7502055.9	660.5	-60	145	102	8.00	10.00	2.00	1.73	5.38	0.161
							23.00	27.00	4.00	1.73	8.73	0.159
							31.00	33.00	2.00	1.41	5.18	0.151
							37.00	55.00	18.00	4.97	11.85	0.643
							58.00	72.00	14.00	7.82	8.89	1.043
							76.00	89.00	13.00	3.27	13.50	0.377
							TOTAL	53.00	4.81	10.74	0.610	
NBRC093	318287.4	7502073.2	661.4	-60	145	138	60.00	64.00	4.00	2.90	8.51	0.277
							66.00	85.00	19.00	2.68	5.12	0.401
							TOTAL	23.00	2.72	5.71	0.379	
NBRC094	318537.5	7502199.6	657.1	-60	145	200	55.00	57.00	2.00	1.61	4.86	0.198
							167.00	169.00	2.00	3.07	8.98	0.299
							171.00	175.00	4.00	2.22	6.21	0.192
							181.00	193.00	12.00	4.02	15.10	0.433
							TOTAL	20.00	3.33	11.69	0.348	
NBRC095	318650.8	7502167.3	656.0	-60	145	204	43.00	46.00	3.00	3.03	12.68	0.503
							60.00	61.00	1.00	2.01	8.09	0.213
							91.00	97.00	6.00	4.80	19.15	0.745
							117.00	119.00	2.00	2.53	8.48	0.338
							135.00	166.00	31.00	5.11	19.67	0.632
							170.00	172.00	2.00	2.05	8.75	0.325
							174.00	178.00	4.00	1.63	8.03	0.263
							181.00	182.00	1.00	3.34	15.14	0.572
							188.00	192.00	4.00	1.98	7.64	0.342
							194.00	197.00	3.00	4.37	19.65	0.615
							TOTAL	57.00	4.18	16.53	0.560	
NBRC096	318800.1	7501844.2	657.8	-60	145	201	18.00	20.00	2.00	5.43	22.09	0.325
							162.00	168.00	6.00	2.67	7.49	0.178
							181.00	186.00	5.00	4.47	18.90	0.561
							TOTAL	13.00	3.79	14.12	0.348	

*NBRD holes extended with core tails. NBDH is totally core

**Analytical data subject to confirmation by duplicate sampling and inter-laboratory analyses.

*** lb/T U₃O₈ equals 0.454% U₃O₈

No sample intervals >1% REO intersected in NBRC073, NBRC074, NBRC076, NBRC084 and NBRC090

