

## **BLAKALA DRILLING CONTINUES TO INTERSECT MINERALISED PEGMATITE – FIRST RESULTS PENDING**

### **HIGHLIGHTS**

- **14 diamond core drill holes now completed at Blakala for 1,560m and over 646m of strike**
- **Visual estimates of up to 20% have been identified at Blakala<sup>1</sup>**
- **All holes have intersected significant spodumene mineralisation from surface, remaining open at depth and along strike to the north and south**
- **First assay results expected early December**
- **Diamond core drilling has commenced at Faraba**

First Lithium Ltd (“FL1” or “the Company”) is pleased to announce the completion of a further 6 diamond drillholes at the Company’s Blakala prospect with completion of holes BDFS09, BDFS10, BDFS11, BDFS12, BDFS13 and BDFS14. A total of 1,850m of diamond drilling at both Blakala and Faraba prospects has now been completed as part of the expanded 8,000m diamond drilling program (ASX:FL1 20/11/23<sup>2</sup>).

<sup>1</sup>This announcement contains references to visual results and visual estimates of mineralisation. FL1 advises there is uncertainty in reporting visual results. Visual estimates of mineral findings should not be considered a substitute for laboratory analysis where concentrations or grades are provided with scientific accuracy. Visual estimates also potentially provide no information regarding impurities or other factors relevant to mineral result valuations. The presence of pegmatite rock does not necessarily indicate the presence of Lithium mineralisation. Laboratory chemical assays are required to determine the grade of mineralisation.

**FIRST LITHIUM LIMITED**  
**ACN 009 081 770**

Level 8, London House  
216 St. Georges Terrace  
Perth Western Australia 6000  
**Tel:** +61 (08) 9481 0389  
**Facsimile:** +61 (08) 9463 6103  
<http://firstlithium.com.au>

**CONTACT:**  
Venkatesh Padala  
Managing Director  
**Tel:** +61 8 9481 0389  
[info@firstlithium.com.au](mailto:info@firstlithium.com.au)

**DIRECTORS**  
Lee Christensen  
Venkatesh Padala  
Jason Ferris  
Andrew Law  
**CODE**  
**ASX:** FL1

## DETAILS – BLAKALA

Further to the very significant pegmatite intersections observed in earlier drill holes (ASX:FL1 14/11/23<sup>3</sup>), excellent pegmatite intersections continue to be identified in BDFS09 TO BDFS14 with cumulative intersected thickness of 43.8m, 30.88m, 30.56m, 17.42m, 51.93m and 40.12m respectively (*Figures 2 to 6*)(*Table 1*) and spodumene mineralisation exhibited in all fourteen drill holes to date. Visual estimates range from <1% up to 20% (*Table 2*), with samples revealing abundance of content of elongated coarser to large crystals of light green spodumene (*Figure 8*).

Simultaneous trenching and channel sampling continues, with the collection of an additional 56 channel samples from four channels along the surface outcrop (*Figure 1*). 43 previous channel samples have been sent to ALS laboratory South Africa for analysis, along with drill hole core samples from BDFS01, BDFS02 and BDFS03 which have been submitted to ALS laboratory in Bamako. Results are expected in December.

## DETAILS – FARABA

With the arrival of the 2<sup>nd</sup> diamond core drill rig on site (ASX:FL1 20/11/23<sup>2</sup>), the first two drillholes at FL1's second tier Faraba prospect have also been completed. The Faraba prospect is approximately 50km North-West of FL1's Blakala prospect and has been identified as having a strike length of 1.5kms comprising of multiple thin pegmatite bodies with widths up to 7m.


The completion of drill holes FDD03 and FDD04 at Faraba have identified a total of 22 pegmatite veins of more than 30 cm, with cumulative intercept thickness of 8.31m and 10.42m with sparse to moderately mineralised pegmatites identified with visual estimates of up to 10% (*Table 4*). A total of 287.5m has been drilled to date as part of the Company's 2,000m diamond core drilling program at Faraba (*Table 3*).

Target Drilling have confirmed the upcoming availability of two further drill rigs and the Company has committed to mobilise these to site once available.


### **FL1 managing director, Venkat Padala said:**



"The visual estimates confirming up to 20% spodumene along with identification of ongoing pegmatite intersections at the Blakala prospect continue to confirm the identification of a world class deposit. Increasing the drilling program to 8,000m to include the tier 2 Faraba prospect has also created interest, as although the pegmatites are expected to be thinner in this region, the prospect has identified a significant strike zone with an abundance of spodumene in drilling to date".



**Figure 1:** Locality of completed diamond drillholes (BDFS01 to BDFS14) at the Blakala prospect, location of pegmatite outcrop Channel (BCH01 to BCH05) .



**Figure 2:** Cross Section of drill hole BDFS09




**Figure 3: Cross Section of drill hole BDFS10**

**Figure 4: Cross Section of drill hole BDFS11**



**Figure 5: Cross Section of drill hole BDFS12**

**Figure 6: Cross Section of drill hole BDFS13**




**Figure 7: Cross Section of drill hole BDFS14**



**Figure 8: Spodumene mineralisation and large crystals in the split core**




**Figure 9:** Core logging and sampling by the geologists at core shed.




**Figure 10:** Diamond Core Drill Rig mobilised at FARABA Permit




**Figure 11:** Locality of completed diamond drillholes (FDD01, FDD02 and FDD03) at the Faraba prospect, as well as all the pegmatite outcrops.



**Figure 12:** Cross Section of drill hole FDD03







## ABOUT FIRST LITHIUM

First Lithium (ASX code: FL1) is at the forefront of lithium exploration and sustainable development, focusing on pioneering projects like Blakala and Faraba in Mali. Our management team has significant in-country experience and specialist advisors with extensive lithium exploration and government relations expertise.

Our commitment goes beyond the pursuit of lithium riches; it's about powering tomorrow responsibly. We recognise the global demand for lithium and are dedicated to positively impacting local communities while ensuring environmentally sensitive practices.

**Ends-**

The Board of Directors of First Lithium Ltd authorised this announcement to be given to the ASX.

Further information contact:

Venkatesh Padala  
*Managing Director*

**T :** +61 8 9481 0389

**E :** [info@firstlithium.com.au](mailto:info@firstlithium.com.au)

<sup>2</sup> ASX:FL1 announcement 20/11/2023 – Expansion of Drilling program – 2<sup>nd</sup> Diamond Core Rig Commences Drilling in Mali

<sup>3</sup> ASX:FL1 announcement 14/11/2023 – Spodumene mineralised pegmatite intersected in all 8 holes drilled at Blakala

<sup>4</sup> ASX:FL1 announcement 23/10/2023 – Drilling contract signed, Rigs onsite

### **Competent Persons Statement**

**Except where indicated, exploration results above have been reviewed and compiled by Mr Kobus Badenhorst, a Competent Person who is a Member of SACNASP and the South African Geological Society (GSSA), with over 25 years of experience in metallic and energy mineral exploration and development, and as such has sufficient experience which is relevant to the style of mineralisation and type of deposits under consideration as a Competent Person as defined in the 2012 Edition of the “Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves”. Mr Badenhorst is the Managing Director of GeoActiv Dynamic Geological Services and consents to the inclusion of this technical information in the format and context in which it appears.**

### **Cautionary Statement – Visual Estimates**

This announcement contains references to visual results and visual estimates of mineralisation. FL1 advises there is uncertainty in reporting visual results. Visual estimates of mineral findings should not be considered a substitute for laboratory analysis where concentrations or grades are provided with scientific accuracy. Visual estimates also potentially provide no information regarding impurities or other factors relevant to mineral result valuations. The presence of pegmatite rock does not necessarily indicate the presence of Lithium mineralisation. Laboratory chemical assays are required to determine the grade of mineralisation.

**Forward-Looking Statements**

This announcement contains forward-looking statements which are identified by words such as 'may', 'could', 'believes', 'estimates', 'targets', 'expects', or 'intends' and other similar words that involve risks and uncertainties.

These statements are based on an assessment of present economic and operating conditions, and on a number of assumptions regarding future events and actions that, as at the date of this announcement, are expected to take place.

Such forward-looking statements are not guarantees of future performance and involve known and unknown risks, uncertainties, assumptions and other important factors, many of which are beyond the control of the Company, the Directors and the Company's management.

The Company cannot and does not give any assurance that the results, performance or achievements expressed or implied by the forward-looking statements contained in this announcement will actually occur, and investors are cautioned not to place undue reliance on these forward-looking statements.

The Company has no intention to update or revise forward-looking statements, or to publish prospective financial information in the future, regardless of whether new information, future events or any other factors affect the information contained in this announcement, except where required by law.

These forward-looking statements are subject to various risk factors that could cause the Company's actual results to differ materially from the results expressed or anticipated in these statements.

**Table 1: Blakala Drill Collar Table**

| Borehole ID | Easting (m) | Northing (m) | Collar RL (m) | Inclination (deg) | Azimuth (deg) | Target Depth (m) | EOH Depth (m) | Status    | Comment       |
|-------------|-------------|--------------|---------------|-------------------|---------------|------------------|---------------|-----------|---------------|
| BDFS01      | 738547      | 1215382      | 354           | -60               | 290           | 68               | 80.7          | Completed | Blakala, Main |
| BDFS02      | 738530      | 1215306      | 357           | -50               | 290           | 98               | 172           | Completed | Blakala, Main |
| BDFS03      | 738476      | 1215241      | 355           | -50               | 290           | 68               | 110           | Completed | Blakala, Main |
| BDFS04      | 738459      | 1215162      | 372           | -50               | 290           | 98               | 117.5         | Completed | Blakala, Main |
| BDFS05      | 738350      | 1215114      | 352           | -50               | 110           | 110              | 116.5         | Completed | Blakala, Main |
| BDFS06      | 738316      | 1215050      | 358           | -50               | 110           | 110              | 121.5         | Completed | Blakala, Main |
| BDFS07      | 738295      | 1214968      | 350           | -50               | 110           | 88               | 104.5         | Completed | Blakala, Main |
| BDFS08      | 738266      | 1214894      | 349           | -50               | 110           | 88               | 89.5          | Completed | Blakala, Main |
| BDFS09      | 738234      | 1214819      | 352           | -50               | 110           | 78               | 89.5          | Completed | Blakala, Main |
| BDFS10      | 738208      | 1214744      | 350           | -50               | 110           | 88               | 83.5          | Completed | Blakala, Main |
| BDFS11      | 738191      | 1214673      | 349           | -50               | 110           | 85               | 98.5          | Completed | Blakala, Main |
| BDFS12      | 738163      | 1214590      | 350           | -50               | 110           | 80               | 119.5         | Completed | Blakala, Main |
| BDFS13      | 738474      | 1215372      | 374           | -50               | 110           | 80               | 92.5          | Completed | Blakala, Main |
| BDFS14      | 738510      | 1215442      | 353           | -50               | 110           | 68               | 110.5         | Completed | Blakala, Main |

**Table 2: Blakala visual estimates of spodumene mineralisation**

| Borehole ID | From (m) | To (m) | Thickness (m) | Description                                                                                                                                      | Visually Estimated Spodumene % |
|-------------|----------|--------|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|
| BDFS01      | 11.70    | 12.25  | 0.55          | Coarse grained pegmatite with light green spodumene, partially weathered.                                                                        | 2%                             |
|             | 59.42    | 64.00  | 4.58          | Coarse grained pegmatite with light green spodumene                                                                                              | 5%                             |
|             | 71.70    | 76.75  | 5.05          | Coarse grained pegmatite with elongated whitish spodumene crystals                                                                               | 2%                             |
| BDFS02      | 31.70    | 144.50 | 112.80        | Coarse grained pegmatite with large variations in the content of spodumene along the depth. Spodumene is elongated and light greenish in colour. | 2 - 20%                        |
|             | 153.80   | 154.90 | 1.10          | Coarse grained pegmatite with light green spodumene                                                                                              | 2%                             |
|             | 157.10   | 157.60 | 0.50          | Coarse grained pegmatite with elongated whitish spodumene crystals                                                                               | 5%                             |
|             | 159.60   | 160.70 | 1.10          | Coarse grained pegmatite with elongated whitish spodumene crystals                                                                               | 2%                             |



|        |       |       |       |                                                                                                                             |           |
|--------|-------|-------|-------|-----------------------------------------------------------------------------------------------------------------------------|-----------|
| BDFS03 | 2.70  | 18.00 | 15.30 | Weathered coarse grained pegmatite with altered spodumene elongated crystals. Highly weathered pegmatite from 2.7 to 8.65 m | 5 - 15%   |
|        | 39.00 | 92.25 | 53.25 | Coarse grained pegmatite with light green spodumene                                                                         | 5 - 20%   |
|        | 94.65 | 99.65 | 5.00  | Coarse grained pegmatite with light green whitish spodumene with minor intercalation of schist.                             | 5 - 10 %  |
| BDFS04 | 21.28 | 26    | 4.72  | Coarse grained pegmatite with whitish green spodumene                                                                       | 10 - 15%  |
|        | 31.8  | 48.55 | 16.75 | Coarse grained pegmatite with light green spodumene                                                                         | 10 - 20%  |
|        | 49.5  | 57    | 7.50  | Coarse grained pegmatite with light green spodumene                                                                         | 15 - 20 % |
|        | 60.58 | 63.94 | 3.36  | Coarse grained pegmatite with light green elongated spodumene                                                               | 20%       |
|        | 65.81 | 68    | 2.19  | Coarse grained pegmatite with light green spodumene                                                                         | 10%       |
|        | 68.5  | 70.8  | 2.30  | Coarse grained pegmatite with light green spodumene                                                                         | 10%       |
|        | 78.04 | 108.5 | 30.46 | Coarse grained pegmatite with light green spodumene                                                                         | 10 - 20%  |
| BDFS05 | 32.41 | 60.74 | 28.33 | Coarse grained pegmatite with elongated, light green spodumene                                                              | 10 - 20%  |
|        | 68.93 | 69.7  | 0.77  | Coarse grained pegmatite with light green spodumene crystals                                                                | 3%        |
|        | 70.14 | 70.46 | 0.32  | Coarse grained pegmatite with light green spodumene crystals                                                                | 3%        |
|        | 73.94 | 74.13 | 0.19  | Coarse grained pegmatite with light green and poor spodumene crystals                                                       | 3%        |
|        | 74.38 | 77.94 | 3.56  | Coarse grained pegmatite with light green spodumene crystals                                                                | 3 - 15%   |
|        | 78.2  | 97.29 | 19.09 | Coarse grained pegmatite with light green elongated spodumene crystals                                                      | 10 - 20 % |
| BDFS06 | 26.64 | 55.63 | 28.99 | Coarse grained pegmatite with light green elongated spodumene crystals                                                      | 10 - 20 % |
|        | 57.45 | 57.74 | 0.29  | Coarse grained pegmatite with whitish green spodumene                                                                       | 10%       |
|        | 81.3  | 83.2  | 1.90  | Coarse grained pegmatite with light green spodumene                                                                         | 15%       |
|        | 83.56 | 86.6  | 3.04  | Coarse grained pegmatite with light green spodumene                                                                         | 10%       |

|        |        |        |       |                                                                        |          |
|--------|--------|--------|-------|------------------------------------------------------------------------|----------|
|        | 91     | 92.38  | 1.38  | Coarse grained pegmatite with light green spodumene                    | 5%       |
|        | 94.85  | 99.54  | 4.69  | Coarse grained pegmatite with poor spodumene crystals                  | 1%       |
|        | 100.68 | 101.01 | 0.33  | Coarse grained Pegmatite with poor content of spodumene                | 2%       |
|        | 113.43 | 114.71 | 1.28  | Coarse grained pegmatite with light green spodumene                    | 10%      |
| BDFS07 | 19.8   | 30.33  | 10.53 | Coarse grained pegmatite with elongated light green spodumene          | 2 - 15%  |
|        | 33.64  | 33.83  | 0.19  | Coarse grained pegmatite with light green , poor spodumene crystals    | 1%       |
|        | 35.73  | 35.88  | 0.15  | Coarse grained pegmatite with poor spodumene crystals                  | 1%       |
|        | 36.04  | 36.2   | 0.16  | Coarse grained pegmatite with light green , poor spodumene crystals    | 1%       |
|        | 44.51  | 54.1   | 9.59  | Coarse grained pegmatite with poor spodumene crystals                  | 10 - 15% |
|        | 54.25  | 59.5   | 5.25  | Coarse grained pegmatite with elongated light green spodumene          | 10%      |
|        | 62.93  | 64.77  | 1.84  | Coarse grained pegmatite with light green spodumene                    | < 5%     |
|        | 67.7   | 71.35  | 3.65  | Coarse grained pegmatite with light green spodumene                    | 10 - 20% |
|        | 72.9   | 73.35  | 0.45  | Coarse grained pegmatite with light green , sparse spodumene           | < 5%     |
|        | 91.35  | 93.25  | 1.90  | Coarse grained pegmatite with light green, spodumene crystals          | 10%      |
| BDFS08 | 24.1   | 41.67  | 17.57 | Coarse grained pegmatite with light green spodumene                    | 10 - 20% |
|        | 42.9   | 47.27  | 4.37  | Coarse grained pegmatite with light green elongated spodumene crystals | 10%      |
|        | 47.66  | 48.9   | 1.24  | Coarse grained pegmatite with light green elongated spodumene crystals | 10%      |
|        | 49.38  | 52.08  | 2.70  | Coarse grained pegmatite with light green elongated spodumene crystals | 15%      |
|        | 52.48  | 63.8   | 11.32 | Coarse grained pegmatite with light green elongated spodumene crystals | 5 - 15 % |
|        | 66.85  | 66.97  | 0.12  | Coarse grained pegmatite with light green , sparse spodumene crystals  | <3%      |

|        |       |       |       |                                                                                |          |
|--------|-------|-------|-------|--------------------------------------------------------------------------------|----------|
|        | 67.04 | 67.2  | 0.16  | Coarse grained pegmatite with sparse spodumene crystals                        | <3%      |
|        | 68.7  | 69.08 | 0.38  | Coarse grained pegmatite with poor spodumene crystals                          | <3%      |
| BDFS09 | 22.8  | 43.93 | 21.13 | Coarse grained pegmatite with elongated light green moderate spodumene         | 10 - 15% |
|        | 45.11 | 45.21 | 0.10  | Coarse grained pegmatite with poor spodumene crystals                          | 3%       |
|        | 45.44 | 56.6  | 11.16 | Coarse grained pegmatite with greenish spodumene crystals                      | 10%      |
|        | 57    | 57.65 | 0.65  | Coarse grained pegmatite with no visible spodumene.                            | 0%       |
|        | 61.1  | 71.86 | 10.76 | Coarse grained pegmatite with light green, poor to moderate spodumene crystals | 5-7%     |
| BDFS10 | 30.45 | 38.66 | 8.21  | Coarse grained pegmatite with greenish, moderate spodumene crystals            | <10%     |
|        | 40.07 | 56.97 | 16.90 | Coarse grained pegmatite with light green, moderate spodumene crystals         | 10-15%   |
|        | 60.05 | 65.4  | 5.35  | Coarse grained pegmatite with greenish, moderate spodumene crystals            | 10-12%   |
|        | 66.1  | 66.52 | 0.42  | Coarse grained pegmatite with no visible spodumene crystals                    | 0%       |
| BDFS11 | 19.33 | 19.5  | 0.17  | Coarse grained pegmatite with no visible spodumene crystals                    | 0%       |
|        | 34    | 37.8  | 3.80  | Coarse grained pegmatite with light green, moderate spodumene crystals         | 10-15%   |
|        | 38.12 | 61.03 | 22.91 | Coarse grained pegmatite with light green, moderate spodumene crystals         | 10-15%   |
|        | 64.6  | 65.58 | 0.98  | Coarse grained pegmatite with light green, poor spodumene crystals             | 2%       |
|        | 73.1  | 74.8  | 1.70  | Coarse grained pegmatite with light green, poor spodumene crystals             | 2-3%     |
|        | 82.5  | 83.5  | 1.00  | Coarse grained pegmatite with no visible spodumene crystals                    | 0%       |
| BDFS12 | 79    | 83.35 | 4.35  | Coarse grain Pegmatite with light green, very minor spodumene crystals         | 1-2%     |
|        | 87.03 | 98.7  | 11.67 | Coarse grain pegmatite with light green, elongated spodumene crystals          | 10-15%   |
|        | 113.1 | 113.5 | 0.4   | Pegmatite with no visible spodumene                                            | 0%       |

|        |        |        |       |                                                                         |        |
|--------|--------|--------|-------|-------------------------------------------------------------------------|--------|
|        | 114.02 | 115.02 | 1     | Coarse grained pegmatite with light green, medium spodumene crystals    | 10%    |
| BDFS13 | 15.6   | 53.86  | 38.26 | Coarse grained pegmatite with elongated spodumene crystals              | 15%    |
|        | 55.66  | 57.4   | 1.74  | Coarse grained pegmatite, with moderate spodumene crystals              | 10-12% |
|        | 57.95  | 58.8   | 0.85  | Coarse grained pegmatite with little spodumene                          | <5%    |
|        | 62.5   | 72.4   | 9.9   | Coarse grained pegmatite with light green, little spodumene             | 5-8%   |
|        | 72.68  | 73.86  | 1.18  | Coarse grained pegmatite with minor spodumene crystals                  | 2%     |
| BDFS14 | 14.25  | 15.5   | 1.25  | Coarse grained pegmatite with light green, moderate spodumene crystals  | 3-6%   |
|        | 18.12  | 36.12  | 18    | Coarse grained pegmatite with light green, elongated spodumene crystals | 15-20% |
|        | 38     | 40.82  | 2.82  | Coarse grained pegmatite with minor spodumene crystals                  | 0-1%   |
|        | 45.83  | 49.31  | 3.48  | Coarse grained pegmatite with no visible spodumene crystals             | 0%     |
|        | 54.42  | 61.12  | 6.7   | Coarse grained pegmatite with no visible spodumene crystals             | 0%     |
|        | 81.4   | 82.35  | 0.95  | Coarse grained pegmatite with light green, minor spodumene crystals     | 1-2%   |
|        | 85.08  | 86.16  | 1.08  | Coarse grained pegmatite with light green, minor spodumene crystals     | 1%     |
|        | 86.34  | 92.18  | 5.84  | Coarse grained pegmatite with light green, moderate spodumene crystals  | 1-5%   |

**Table 3: Faraba Drill Collar Table**

| Borehole ID | Easting (m) | Northing (m) | Collar RL (m) | Inclination (deg) | Azimuth (deg) | Target Depth (m) | EOH Depth (m) | Status    | Comment       |
|-------------|-------------|--------------|---------------|-------------------|---------------|------------------|---------------|-----------|---------------|
| FDD03       | 0674537     | 1258415      | 327           | -50               | 340           | 100              | 119.5         | Completed | Faraba, North |
| FDD04       | 0674471     | 1258372      | 331           | -50               | 340           | 100              | 120           | Completed | Faraba, North |

**Table 4: Faraba visual estimates of spodumene mineralisation**

| Borehole ID | From (m) | To (m) | Thickness (m) | Description                                                                               | Visually Estimated Spodumene % |
|-------------|----------|--------|---------------|-------------------------------------------------------------------------------------------|--------------------------------|
| FDD03       | 17.97    | 19.95  | 1.98          | Coarse grained pegmatite with sparse to moderate light green elongated spodumene crystals | 5-10%                          |
|             | 30.36    | 30.76  | 0.40          | Coarse grained pegmatite with minor spodumene crystals                                    | 3%                             |
|             | 40.36    | 40.79  | 0.43          | Coarse grained pegmatite with no visible spodumene crystals                               | 0%                             |
|             | 48.85    | 50.50  | 1.65          | Coarse grained pegmatite with minor spodumene crystals                                    | 3-5%                           |
|             | 55.54    | 56.14  | 0.60          | Coarse grained pegmatite with minor spodumene crystals                                    | 2-3%                           |
|             | 61.37    | 62.00  | 0.63          | Coarse grained pegmatite with minor spodumene crystals                                    | 3%                             |
|             | 65.50    | 65.88  | 0.38          | Coarse grained pegmatite with light green, minor spodumene crystals                       | 3-5%                           |
|             | 73.20    | 73.57  | 0.37          | Coarse grained pegmatite with sparse to moderate light green elongated spodumene crystals | <5%                            |
|             | 76.36    | 76.95  | 0.59          | Coarse grained pegmatite with very poor spodumene crystals                                | 1%                             |
|             | 78.95    | 79.32  | 0.37          | Coarse grained pegmatite with no visible spodumene crystals                               | 0%                             |
|             | 79.95    | 80.26  | 0.31          | Coarse grained pegmatite with no visible spodumene crystals                               | 0%                             |
|             | 106.60   | 106.90 | 0.30          | Coarse grained pegmatite with no visible spodumene crystals                               | 0%                             |
| FDD04       | 116.10   | 116.40 | 0.30          | Coarse grained pegmatite with no visible spodumene crystals                               | 1%                             |
|             | 18.45    | 22.15  | 3.70          | Coarse grained pegmatite with light green minor spodumene crystals                        | 5%                             |
|             | 32.82    | 33.22  | 0.40          | Coarse grained pegmatite with minor spodumene crystals                                    | 1%                             |



|  |        |        |      |                                                                       |      |
|--|--------|--------|------|-----------------------------------------------------------------------|------|
|  | 35.3   | 35.82  | 0.52 | Coarse grained pegmatite with minor spodumene crystals                | 2%   |
|  | 50.53  | 50.92  | 0.39 | Coarse grained pegmatite with minor spodumene crystals                | 2%   |
|  | 65.81  | 66.9   | 1.09 | Coarse grained pegmatite with light green minor spodumene crystals    | 5%   |
|  | 75.05  | 76.38  | 1.33 | Coarse grained pegmatite with light green moderate spodumene crystals | 5-8% |
|  | 79.46  | 80.83  | 1.37 | Coarse grained pegmatite with light green moderate spodumene crystals | 5-8% |
|  | 87.1   | 87.41  | 0.31 | Coarse grained pegmatite with minor spodumene crystals                | 2%   |
|  | 114.17 | 115.48 | 1.31 | Coarse grained pegmatite with minor spodumene crystals                | 1%   |

# Appendix 1

## JORC Code, 2012 Edition – Table 1

### Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

| Criteria            | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Sampling techniques | <ul style="list-style-type: none"> <li>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</li> <li>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</li> <li>Aspects of the determination of mineralisation that are Material to the Public Report.</li> <li>In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</li> </ul> | <p><u>Diamond drilling at Blakala Prospect</u></p> <ul style="list-style-type: none"> <li>Diamond drilling of two HQ and NQ2 core size holes was used to obtain core for sampling and analysis.</li> <li>All logging and sampling took place according to detailed Standard Procedure documents.</li> <li>The core was first accurately fitted to the orientation line (bottom of hole) of the orientated core accurately drawn with a permanent paint marker; logging took place using the orientation line, and sampling was then marked on the retention portion of the core.</li> <li>Sampling in progress, with ½ core sampling.</li> <li>Core samples from BDFS01, BDFS02 and BDFS03 have been submitted to laboratory for multi-element analysis</li> </ul> |
| Drilling techniques | <ul style="list-style-type: none"> <li>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <ul style="list-style-type: none"> <li>Two Diamond wireline drillholes of HQ and NQ2 core size of a planned 8000m drilling program took place at Blakala Prospect.</li> <li>The drill core was downhole orientated using the electronic REFLEX ACT III tool; a core orientation line was marked for all geological and sampling depth information.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                      |

| Criteria                     | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                                                               | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  <ul style="list-style-type: none"> <li>• Diamond drilling is considered a standard industry drilling technique for vein or pegmatite deposits.</li> <li>• The drilling rig used was a YS1500 with a Cummins QSB 6.7 engine. Diamond drill rods used were 3m long.</li> <li>• The first hole was inclined at -60°, the second at -50°.</li> <li>• The drilling onsite is governed by a Daimond Drilling Guideline to ensure consistency in application of the method between geologists and drillers.</li> </ul> |
| <i>Drill sample recovery</i> | <ul style="list-style-type: none"> <li>• <i>Method of recording and assessing core and chip sample recoveries and results assessed.</i></li> <li>• <i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i></li> <li>• <i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i></li> </ul> | <ul style="list-style-type: none"> <li>• Drill sample recovery is monitored by measuring and recording the total core recovery on a drill run basis for the entire hole.</li> <li>• Core recovery data is entered into the project drillhole database.</li> <li>• RQD data is collected and core recoveries and associated RQD % for runs studied, where 100% recovery not obtained.</li> <li>• Very good recovery and generally solid core was found in the 2 drillholes.</li> </ul>                                                                                                               |
| <i>Logging</i>               | <ul style="list-style-type: none"> <li>• <i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i></li> <li>• <i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i></li> </ul>                                                               | <ul style="list-style-type: none"> <li>• Core logging took place only after careful fitting of all core, followed by the orientation of the core from the Reflex orientation data, followed by core recovery and RQD data collection.</li> <li>• Detailed and appropriate lithological, structural and weathering logging took place on the full core using the orientation line for interval</li> </ul>                                                                                                                                                                                            |

| Criteria                                       | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                | <ul style="list-style-type: none"> <li>The total length and percentage of the relevant intersections logged.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | <p>measurements.</p> <ul style="list-style-type: none"> <li>All logging data is entered into the project drillhole database.</li> <li>Sampling still to take place.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Sub-sampling techniques and sample preparation | <ul style="list-style-type: none"> <li>If core, whether cut or sawn and whether quarter, half or all core taken.</li> <li>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</li> <li>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</li> <li>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</li> <li>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</li> <li>Whether sample sizes are appropriate to the grain size of the material being sampled.</li> </ul> | <p><u>Diamond drilling at Blakala Prospect</u></p> <ul style="list-style-type: none"> <li>All spodumene mineralised portions of the core will be sampled.</li> <li>Bulk Density via wet-dry Archimedes technique will take place after sampling on site.</li> </ul> <p><u>Diamond drilling at Faraba Prospect</u></p> <ul style="list-style-type: none"> <li>All spodumene mineralised portions of the core will be sampled.</li> <li>Bulk Density via wet-dry Archimedes technique will take place after sampling on site.</li> </ul>                                                                                                                                                                         |
| Quality of assay data and laboratory tests     | <ul style="list-style-type: none"> <li>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</li> <li>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</li> <li>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</li> </ul>                                                                             | <p><u>Diamond drilling at Blakala Prospect</u></p> <ul style="list-style-type: none"> <li>Sampling in progress, no analytical results to report yet.</li> </ul> <p><u>Diamond drilling at Faraba Prospect</u></p> <ul style="list-style-type: none"> <li>Sampling in progress, no analytical results to report yet.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                 |
| Verification of sampling and assaying          | <ul style="list-style-type: none"> <li>The verification of significant intersections by either independent or alternative company personnel.</li> <li>The use of twinned holes.</li> <li>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                           | <ul style="list-style-type: none"> <li>On site logging took place with experienced geologists, and a senior company geologist checking all the logging being undertaken.</li> <li>A senior GeoActiv Pty Ltd geologist observed the logging and some of the pegmatite intersections.</li> <li>The geological field data is manually transcribed into a master Microsoft Excel spreadsheet which is appropriate for this stage in the exploration program.</li> <li>The raw field data is checked in the Microsoft Excel format first to identify any obvious errors or outlier data. The data is then imported into a Microsoft Access database where it is subjected to various validation queries.</li> </ul> |

| Criteria                                                       | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                                                | Commentary                                                                                                                                                                                           |
|----------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>Location of data points</i>                                 | <ul style="list-style-type: none"> <li>• Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</li> <li>• Specification of the grid system used.</li> <li>• Quality and adequacy of topographic control.</li> </ul>                                                                                            | <ul style="list-style-type: none"> <li>• Sample locations were recorded using a hand held GPS.</li> </ul>                                                                                            |
| <i>Data spacing and distribution</i>                           | <ul style="list-style-type: none"> <li>• <i>Data spacing for reporting of Exploration Results.</i></li> <li>• Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</li> <li>• Whether sample compositing has been applied.</li> </ul>                        | <ul style="list-style-type: none"> <li>• Drilling will take place in phases, the current inter-drillhole spacing is 80m, this spacing will be filled in during follow-up drilling phases.</li> </ul> |
| <i>Orientation of data in relation to geological structure</i> | <ul style="list-style-type: none"> <li>• Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</li> <li>• If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</li> </ul> | <ul style="list-style-type: none"> <li>• N/A</li> </ul>                                                                                                                                              |

## Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

| Criteria                                | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Mineral tenement and land tenure status | <ul style="list-style-type: none"> <li>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</li> <li>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</li> </ul> | <ul style="list-style-type: none"> <li>Permits for the Mali Lithium project are in their first renewal period granted by the original Mali decree “Order No. 2022-0276/MMEE-SG” (Blakala Prospect permit) and “Order No. 2022-0275/MMEE-SG” (Gouna permit). Both permits are valid for the exploration of Group 3 elements (Li, Co, Cr, Nb, Ni, PGE, REE, Sn, Ta, Ti, V, W and Zr) and are considered early stage Li exploration projects.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Exploration done by other parties       | <ul style="list-style-type: none"> <li>Acknowledgment and appraisal of exploration by other parties.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                  | <ul style="list-style-type: none"> <li>Historic exploration work was completed by Russian geologists during 1963-64. Geological prospecting was carried out in the central part of the Bougouni pegmatite field.</li> <li>The Company has obtained the digital data in relation to this historic information.</li> <li>The historic data comprises mapping, and 2 diamond drillholes on the Farba licence.</li> <li>The historic results have not been reported..</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Geology                                 | <ul style="list-style-type: none"> <li>Deposit type, geological setting and style of mineralisation.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                  | <p><u>Blakala Prospect</u></p> <ul style="list-style-type: none"> <li>Blakala prospect in the Gouna licence is Palaeo-Proterozoic in age. The regional lithological assemblages comprise of felsic intrusives such as granite, granodiorites, and schists of variable composition and laterite. The schists have a metasedimentary origin with coarse grains of quartz and mica, which have been subjected to multiple deformations to form schists.</li> <li>The pegmatites are a pale greyish-white colour, fresh hand specimen shows a whitish-earthy matrix of feldspar with phenocrysts of spodumene, quartz and muscovite. The pegmatites have a varied width from a few centimetres to up to 45 meters where the two separate pegmatite bands merge together.</li> </ul> <p><u>Faraba Prospect</u></p> <ul style="list-style-type: none"> <li>Faraba area consists of Palaeo-Proterozoic Biramin super group of rocks with lithological and structural complexity emplaced by granites and pegmatites. Faraba permit area exposes mainly granodiorite, gabbro, metavolcanics, and granite emplaced by pegmatites and quartz veins.</li> <li>Lithium bearing pegmaties of variable size are emplaced in</li> </ul> |



| Criteria                                                         | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Commentary                                                                                                                                                                                                                                                                                                         |
|------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | granodiorite and mainly contain quartz, feldspar and muscovite with light green colored elongated crystals of Spodumene.                                                                                                                                                                                           |
| Drill hole Information                                           | <ul style="list-style-type: none"> <li>• A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> <li>○ easting and northing of the drill hole collar</li> <li>○ elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</li> <li>○ dip and azimuth of the hole</li> <li>○ down hole length and interception depth</li> <li>○ hole length.</li> </ul> </li> <li>• If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</li> </ul> | <ul style="list-style-type: none"> <li>• Summary drill hole information is presented in the body of the text in Table 1 and 3.</li> </ul>                                                                                                                                                                          |
| Data aggregation methods                                         | <ul style="list-style-type: none"> <li>• In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</li> <li>• Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</li> <li>• The assumptions used for any reporting of metal equivalent values should be clearly stated.</li> </ul>                                                                                                                                                                                     | <ul style="list-style-type: none"> <li>• no analytical data received yet</li> </ul>                                                                                                                                                                                                                                |
| Relationship between mineralisation widths and intercept lengths | <ul style="list-style-type: none"> <li>• These relationships are particularly important in the reporting of Exploration Results.</li> <li>• If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</li> <li>• If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</li> </ul>                                                                                                                                                                                                                                                                                                                                                                 | <ul style="list-style-type: none"> <li>• The pegmatites generally dip at -80° to the west. The 8 diamond holes are drilled perpendicular to the general strike of the pegmatite bodies, at a dip of -60° for the first hole and -50° for the second to eighth.</li> <li>• Downhole widths are reported.</li> </ul> |

| Criteria                           | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                                                   | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Diagrams                           | <ul style="list-style-type: none"> <li>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</li> </ul>                                                                                                                    | <ul style="list-style-type: none"> <li>Figures are displayed in the main text.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Balanced reporting                 | <ul style="list-style-type: none"> <li>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</li> </ul>                                                                                                                                                             | <ul style="list-style-type: none"> <li>N/A</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Other substantive exploration data | <ul style="list-style-type: none"> <li>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</li> </ul> | <ul style="list-style-type: none"> <li>No other material exploration information has been gathered by the Company.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Further work                       | <ul style="list-style-type: none"> <li>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</li> <li>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</li> </ul>                                       | <p><u>Blakala Prospect</u></p> <ul style="list-style-type: none"> <li>A 6000m drilling program is taking place, with the first 14 holes completed.</li> <li>Drilling to be done in phases with initial drilling c 25m from the outcrop and holes 80m apart, follow up phases will infill this drilling and also drill deeper vertical depth intersections</li> <li>Additional trenching and trench sampling is taking place.</li> </ul> <p><u>Faraba Prospect</u></p> <ul style="list-style-type: none"> <li>A 2000m drilling program is taking place, with the first 2 holes completed as part of this program.</li> <li>Drilling to be done in phases with initial drilling c 25m from the outcrop and holes 80m apart, follow up phases will infill this drilling and also drill deeper vertical depth intersections</li> <li>Additional trenching and trench sampling is taking place.</li> </ul> |