

Developing Low-Cost, Low-Carbon Cement

April 2025

ASX:GT3

g360tech.au



Disclaimer

These presentation materials and the accompanying verbal presentation (together, the Presentation Materials) are confidential and have been prepared by Green 360 Technologies Limited. By receiving the Presentation Materials, you acknowledge and represent to the Company that you have read, understood and accept the terms of this disclaimer. It is the responsibility of all recipients of these Presentation Materials to obtain all necessary approvals to receive these Presentation Materials and receipt of the Presentation Materials will be taken by the Company to constitute a representation and warranty that all relevant approvals have been obtained.

NOT AN OFFER

These Presentation Materials are for information purposes only. The Presentation Materials do not comprise a prospectus, product disclosure statement or other offering document under Australian law (and will not be lodged with the Australian Securities and Investments Commission) or any other law.

The Presentation Materials also do not constitute or form part of any invitation, offer for sale or subscription or any solicitation for any offer to buy or subscribe for any securities nor shall they or any part of them form the basis of or be relied upon in connection there with or act as any inducement to enter into any contract or commitment with respect to securities. In particular, these Presentation Materials do not constitute an offer to sell or a solicitation to buy securities in the United States of America.

NOT INVESTMENT ADVICE

The Presentation Materials are not investment or financial product advice (nor tax accounting or legal advice) and are not intended to be used for the basis of making an investment decision. Recipients should obtain their own advice before making any investment decision.

SUMMARY INFORMATION

The Presentation Materials do not purport to be all inclusive or to contain all information about the Company or any of the assets, current or future of the Company. The Presentation Materials contain summary information about the Company and its activities which is current as at the date the Presentation Materials. The information in the Presentation Materials is of a general nature and does not purport to contain all information which a prospective investor may require in evaluating a possible investment in the Company or that would be required in a prospectus or product disclosure statement or other offering document prepared in accordance with the requirements of Australian law or the laws of any other jurisdiction, including the United States of America.

The Company does not undertake to provide any additional or updated information as a result of new information, future events to results otherwise. Certain statements contained in the Presentation Materials, including information as to the future financial or operating performance of the company and its projects are forward looking statements.

SUCH FORWARD LOOKING STATEMENTS;

- Are necessarily based upon a number of estimated assumptions that, while considered reasonable by the Company, are inherently subject to significant technical, business, economic, competitive, political and social uncertainties and contingencies;
- Involve known and unknown risks and uncertainties that could cause actual events or results to differ materially from estimated or anticipated events or results reflected in such forward looking statements; and
- May include, among other things, statements regarding estimates and assumptions in respect of prices, costs, results and capital expenditure, and are or may be based on assumptions and estimates related to future technical, economic, market, political, social and other conditions.

The Company disclaims any intent or obligation to publicly update any forward looking statements, whether as a result of new information, future events or results or otherwise.

The words "believe", "expect", "anticipate", "indicate", "contemplate", "target", "plan", "intends", "continue", "budget", "estimate", "may", "will", "schedule", and similar expressions identify forward looking statements.

All forward looking statements contained in the Presentation Materials are qualified by the foregoing cautionary statements. Recipients are cautioned that forward looking statements are not guarantees of future performance and accordingly recipients are cautioned not to put undue reliance on forward looking statements due to the inherent uncertainty therein.

The Company has prepared the Presentation Materials based on information available to it at the time of preparation. No representation or warranty, express or implied, is made as to the fairness, accuracy or completeness of the information, opinions and conclusions contained in the Presentation Materials. To the maximum extent permitted by law, the Company, its related bodies corporate (as that term is defined in the Corporations Act 2001 (Commonwealth of Australia)) and the officers, directors, employees, advisers and agents of those entities do not accept any responsibility or liability including, without limitation, any liability arising from fault or negligence on the part of any person, for any loss arising from the use of the Presentation Materials or content otherwise arising in connection with it.

COMPETENT PERSON

The Presentation Materials contain references to the Company's previous announcements, including announcements dated 22 September 2021 and 27 September 2024. The Company confirms that it is not aware of any new information or data that materially affects the information included in the relevant market announcements and that all material assumptions and technical parameters underpinning the estimates and production targets in the relevant market announcement continue to apply and have not materially changed.

Highlights

An Australian-based building materials company, leading the development of low-cost, low-carbon cement to address immediate demand in the market.

Urgent Market Demand

Australian government has set annual emissions caps on industries, requiring reductions in emissions year-on-year to meet regulatory demands.

Low-Carbon Cement

Developing a low-cost, low-carbon cement alternative, delivering superior performance and a reduced environmental footprint.

Pathway to Market

Executing a commercialisation plan alongside a reputable market leader, focused on near-term widespread industry adoption of low-carbon cement – with product already in the market.

Revenue Generation

Kaolin assets provide an immediate revenue stream and strong financial foundation, supporting innovation and growth.

Rapid Growth for Low-Carbon Building Materials

Cement and Concrete


Cement and concrete are essential building materials for modern construction

Cement

Traditional primary binder in concrete, produced through an energy-intensive, high-emissions process

Concrete

Durable **construction material** that hardens over time, made from **cement**, coarse aggregate, sand and water



Global Market for Cement and Concrete

Cement and concrete are markets of massive scale, with rapid growth forecasted

Market Size


Global cement and concrete markets are larger than the global lithium, copper and iron ore markets³

4.0 Billion Tonnes


Cement production equates to 4 billion tonnes annually, with demand expected to grow to 5 billion tonnes in the next decade⁴

2nd Most Consumed Resource

Concrete is the most widely used man-made product in the world and is second only to water as the worlds most consumed resource⁵



Global Concrete Market Forecast¹





Global Cement Market Forecast²

1. <https://www.alliedmarketresearch.com/concrete-market-A12420>
2. IMARC Cement Market Size, Share, Trends and Forecast by Type, End Use, and Region, 2025-2033
3. Grand View Research, Mordor Intelligence Reports
4. <https://www.chathamhouse.org/2018/06/making-concrete-change-innovation-low-carbon-cement-and-concrete>
5. World Cement Association

The Problem – Traditional Cement is a Polluter

Worldwide production of cement results in 3.2 billion tonnes of CO₂ per year, representing 8% of global emissions¹



Production Process

Mining and grinding of raw material to a powder

Powder is heated in a kiln to make **clinker**

Clinker is ground with gypsum to create **cement**

Cement is mixed with other inputs to create concrete

CO₂ Generation

~5%

Mining and grinding

~90%

Burning fossil fuels

~0%

Mixing with gypsum

~5%

Transportation/logistics

A map showing Southeast Asia and Australia. Countries in Southeast Asia (Indonesia, Japan, Thailand, Vietnam, and Singapore) are highlighted in light green. Australia is highlighted in a darker green. Two curved arrows originate from the Southeast Asian region and point towards Australia, indicating a flow of goods or trade.

Significant Market Opportunity

Safeguard Mechanism

The Australian government has set annual emissions limits on industrial facilities, including those in concrete and cement, requiring a reduction in emissions year-on-year to 2030¹

Strained Domestic Supply

Australia has experienced impactful closures of cement plants in recent years, causing local production shortages and necessitating imports of cement clinker from countries including Indonesia, Japan, Thailand, Vietnam and Singapore to fill the gap in the market²

Developing Low-Carbon Cement

Developing Low-Carbon Cement

Low-Carbon, Green Alternative

Significantly lower CO₂ emissions than traditional cement

Delivering Cost Efficiency


Utilising **cost-effective key input materials** to deliver a product at a **competitive price**

Repurposing Waste

Uses **industrial by-products** contributing to the **recycling of waste materials**

Utilising Kaolin

Incorporating calcined kaolin to **improve the performance of concrete products**



Repurposing Industrial By-Products

Reducing emissions, developing a commercial product, and solving industrial waste challenges

Innovative process

Characterising zero-carbon industrial by-products to incorporate into low-carbon cement formulations

Broad applications across industries

Opportunity to work with range of industries including producers of nickel, lithium, bauxite and many others to solve their industrial waste challenges

Developing a revenue stream

Working with global mining companies across various commodities in analysing and repurposing their industrial by-products

Success on nickel slag with PT Huadi

Green360 is working with one of the largest nickel producers in Indonesia to test and subsequently produce **low-carbon cement formulations** using **zero-carbon nickel slag**

Future opportunities

Green360 has entered into a Co-operation Agreement with PT Huadi to consider a commercial partnership for the ongoing offtake of nickel slag

>7,000

active tailings dams
in Western Australia, 2025¹

Replacing Cement to Reduce Emissions

Green360's low-carbon cement is an alternative and partial replacement for the traditional cement binder in concrete, therefore reducing emissions

Green360's formulations use industrial by-products and calcined kaolin as key inputs to create a low-carbon cement, rather than the traditional Portland cement production process

These key inputs have lower emission profiles than traditional cement, displacing the key polluter in the concrete production



Low-Carbon Cement



Replaces Cement in Concrete



Concrete with
Reduced Emissions



Product Benefits

Concrete made with calcined kaolin has been found to have:



An **accelerated initial setting time** for the concrete product¹



Increased **resistance to sulphate + chemical attack**¹



Increased **development of early-stage strength**, allowing early removal of formwork and **enhanced production rate**¹

Structural cost advantage

Green360's low-carbon cement formulations utilise cost-efficient key inputs when compared to Portland Cement, including industrial by-products and calcined kaolin

Reduced carbon profile

Creating a product with a reduced emissions profile to help companies reduce the total emissions of a project, in-line with construction standards and regulatory demands



Pathway to Market

Optimising low-carbon cement formulations

Various low-carbon materials are tested and optimised in a laboratory setting creating cement vials



Testing low-carbon cement formulations

Low-carbon cement formulations are rolled out into concrete products via PERMAcast to test for strength, workability, durability, slump, and other relevant factors



Validating low-carbon cement in concrete products

Working with PERMAcast to validate Green360's low-carbon cement formulations in saleable, ready for market, final concrete products



Scale up and delivery of low-carbon cement and or concrete products

Adoption of concrete products in the market allows for distribution of a low-carbon cement binder which has been validated through a final product

Product Validation

Joint Venture with PERMAcast

Partnered with WA's leading supplier of precast concrete products to validate our low-carbon cement formulations

Access to target market to validate product

Working with PERMAcast allows Green360 to validate the Company's low-carbon cement in pre-cast concrete products with local WA customers

Leading, reputable supplier

Supplied concrete to major projects such as Chevron's Gorgon Gas Project, Perth Optus Stadium, Elizabeth Quay, BHP's Jumblebar Iron Ore Project and the Mitchell Fwy Expansion

Precast concrete facility

PERMAcast has employed up to approx. 400 people, with in-house precast concrete manufacturing capabilities



Validating with Customers

Testing low-carbon cement in commoditised concrete products

Produced Low-Carbon Concrete for Government Project

Green360 has worked with PERMAcast to produce and deliver concrete blocks made with Green360's low-carbon cement to a major WA Government project, a significant step towards validating the Company's formulations

Positive results

28-day strength tests conducted on concrete blocks produced with Green360 low-carbon cement achieved up to 35 megapascals, exceeding the strength requirements of their end-use applications,¹ and providing the project with a significantly reduced emissions profile

Next steps

Green360 and PERMAcast JV is currently in the process of quoting jobs to supply other concrete products made with low-carbon cement to market



Concrete blocks made with Green360 low-carbon cement

Kaolin Operations

Pittong Kaolin Operation

Australia's only wet kaolin processing facility,
located 40km west of Ballarat in Victoria

Multi-decade mine life

Combined with the Trawalla Deposit, supported by over 18Mt total of Inferred and Indicated JORC Compliant Kaolin Resources¹

Revenue generating asset

\$12.3m revenue generated in FY24 from the sale of circa 20kt of product,² with recent plant upgrades allowing for scale up to 60kt per annum³ and strategic customer engagement to offtake additional product

Established customer base

Established sales contracts with recognisable brands, supplying into premium, high-margin industries, including Dulux, Sherwin Williams, Nippon Paint, and Estee Lauder

Vertically integrated business

Kaolin is a key input in Green360's low-carbon cement formulations allowing for further facility growth and expansion



Customers

Diverse Customer Base



Low-Carbon Cement

- Concrete producers
- Retail chains



Concrete Products

- Governments – Federal, State and Local
- Mining companies
- Major corporations with strong ESG credentials
- Price conscious customers



Industrial Byproducts

- Opportunity for supply agreements with major mining companies, in Australia and internationally



Wet Processed Kaolin

- Paint producers
- Rubber manufacturers
- Pharmaceutical companies
- Concrete producers

Corporate

Corporate Overview

CORPORATE SNAPSHOT: 8 APRIL 2025

Shares on Issue	~1,009.5m
Options & Performance Rights	~149.8m
Share price	\$0.032
Market capitalisation	\$32.30m
52-week high	\$0.066
52-week low	\$0.027
Cash & Cash Equivalents (31 Dec 24)	\$2.7m

TOP SHAREHOLDERS: 8 APRIL 2025

Shareholder	Shares (m)	%
Melbourne Securities Corporation Ltd	87.5	8.7
Mr Aaron Banks	73.7	7.3
Mr Christopher Weed & Mrs Janet Brockman	50.3	5.0
Mr Peter Mark Lewis	25.0	2.5
Mr Robert Kingsley Fitzgerald	17.0	1.7
Ratdog Pty Ltd	16.1	1.6
Dixon Trust Pty Ltd	12.7	1.3
Bearay Pty Limited	12.4	1.2
Total	294.7	29.3



Aaron Banks - Executive Chairman

Specialist business consultant with over 20 years in business development and construction management. Founded and managed Australian Silica Pty Ltd through the discovery of one of the largest high-grade silica sand resources in the world.



Mark Pensabene - Non-Executive Director

20 years of operation and management experience in engineering and construction, including 18 years at ASX-200 Monadelphous Group.



Peter Trinder - Non-Executive Director

Over 45 years of experience in concrete technology, specialising in durability and performance of concrete structures, most recently independent advisor for major infrastructure projects.



Bojan Bogunovic - Chief Executive Officer

Qualified Chartered Accountant with extensive experience in mining, exploration and construction having held several senior roles at ASX-listed mining and exploration companies.



Hanno Van Der Merwe - Chief Operations Officer

25 years of experience in estimating, project management, and production management, successfully delivering projects across mining, oil and gas, renewables, engineering, and construction in both Australia and Africa.

Key Activities and Milestones



Investment Summary

Urgent Market Demand

Australian government has set annual emissions caps on industries, requiring reductions in emissions year-on-year to meet regulatory demands.

Low-Carbon Cement

Developing a low-cost, low-carbon cement alternative, delivering superior performance and a reduced environmental footprint.

Pathway to Market

Executing a commercialisation plan alongside a reputable market leader, focused on near-term widespread industry adoption of low-carbon cement – with product already in the market.

Revenue Generation

Kaolin assets provide an immediate revenue stream and strong financial foundation, supporting innovation and growth.

Contact

REGISTERED OFFICE

Green360 Technologies Limited
Level 11, 40 The Esplanade
Perth, WA 6000
Australia

FURTHER INFORMATION

Aaron Banks – Executive Chairman
Bojan Bogunovic – Chief Executive Officer
info@g360tech.au

ASX:GT3
g360tech.au

Appendix

Appendix 1

Kaolin Mineral Resources Statement - as at 30 June 2024

Category	White Kaolinised Granite (Mt)	ISO Brightness % (457nm)	Yield <45um %	Kaolin (Mt)
Trawalla Resource				
Indicated	9.9	81.0	27.7	2.8
Inferred	2.8	79.8	28.3	0.8
Total	12.7	80.8	27.8	3.6
Pittong Resource				
Indicated	3.6	81.3	35.5	1.3
Inferred	1.9	79.1	33.0	0.7
Total	5.5	80.5	34.6	2.0

Information on the Mineral Resources presented is contained in the ASX announcement dated 27 September 2024. Green360 confirms that it is not aware of any information or data that materially affects the information included in this announcement and that all material assumptions and technical parameters underpinning the estimates continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcements.

Appendix 2

Wind with Purpose MOU

The Joint Venture between Green360 and PERMAcast is granted a first right of refusal to supply low carbon concrete for Wind with Purpose (WWP) large-scale projects¹

Onshore and offshore energy development

WWP is engaged in the potential development of large-scale onshore and offshore wind energy projects in Western Australia

Significant construction requirement

WWP plans to install approx. 3 gigawatts of onshore wind and 2 gigawatts of offshore wind capacity, which would require the construction of between 400-500 wind turbines¹

Potential revenue stream

Volume of concrete required per foundation for an onshore wind turbine can exceed 1,000 cubic metres,² with the current commercial value of concrete being roughly \$300 per cubic meter

