



GULLEWA LIMITED

A
S
X

R
e
l
e
a
s
e

31 January, 2013

ASX Code : GUL

ABN 30 007 547 480
Level 8
49-51 York Street
Sydney NSW 2000
Australia

Tele : +61 2 9397 7555
Fax : +61 2 9397 7575

www.gullewa.com
info@gullewa.com
www.allegiancecoal.com
www.centralironorelimited.com

Quarterly Report For period ended 31 December, 2012

Highlights

Allegiance Coal Limited (Gullewa 56.6%)

Overview

- Maiden JORC resource of 98 Mt Inferred Resources was reported for the Back Creek Project in the Surat Basin.
- Notified of impending grant of Mt Marrow with potential to bring the project into production in near term.
- Continuing attention to reducing operating costs during the Quarter.

Central Iron Ore (Gullewa 36.1%)

Gold

- Initial exploration target on the Emperor structure has been estimated to be between 270,000 to 1,500,000 oz of Au by 1.7 to 4.1 Mt at an expected grade of 5.0g/t Au to 11.5g/t Au.
- Completed Stage 1 Drilling Program with significant gold intercepts being:-
 - 4m at 50.3 g/t Au including 1m at 158 g/t Au from 43m;
 - 7m at 27.1g/t Au including 1m at 159 g/t Au from 46m; and
 - 4m at 23.2 g/t Au including 1m at 81.8 g/t Au from 28m.
- CIO has completed the Stage 1 Farm-in spend to earn a 51% interest in the Barrick JV tenements. CIO can earn an additional 19% interest (equal to a total interest of 70%) by spending an additional AUD\$250,000.

New South Wales

- Drilling of 2 holes was completed at the Company's Dandaloo Project in Central NSW to test soil geochemical anomalies.
- Total 229 metres mud drilling and 198 metres of diamond drilling completed.
- Drilling of 3 additional holes to re-commence early January 2013.



Coal

Allegiance Coal Limited (Gullewa 56.6%)

Project Status

Back Creek Project

The data package generated from the Company's two stages of drilling, coal quality data generated from Stage 2 coal cores, as well as data from Cockatoo Coal Limited and Stanmore Coal Limited on their adjacent tenements, provided sufficient data to allow the reporting of an Inferred Resource of 98 Mt¹ compliant with the JORC Code. The Resource Report was prepared by Runge Limited (now RungePincockMinarco Limited), an independent mining advisory and geological consultant group.

The Inferred Resource significantly exceeded the Company's exploration target of 60-80 Mt.²

The Company anticipates that further drilling will expand the resource at Back Creek.

The 98 Mt of Inferred Resources are of shallow, open cut low ash thermal coal and are located in the central and southern portions of the tenement - *Figure 1*.

Kilmain Project

Planning for crossing the Comet River to undertake drilling on the south eastern portion of the tenement continued. The continuing high flow rates in the river and steep river banks are providing significant challenges to enable drilling to commence.

A data swap arrangement with neighbour Bandanna Energy on their Arcturus and Springsure Creek projects concluded during the previous quarter and enabled the flow of data to commence. Detailed coal quality information from this data, along with that from our three cored holes, will enable Indicative Typical Coal Specifications to be developed.

The Kilmain Project has potential for an underground deposit of coking/thermal coal within the Rangal Coal Measures and has an initial exploration target of 100-200 Mt of coal².

Mintovale Project

Consideration was given as to potential coal preparation and transport routes and methodologies.

Meanwhile the Queensland Government is yet to advise of a mooted ban on future mining within the Scenic Rim Shire.

Potential exists for Mintovale to be a small open cut direct shipping thermal coal project with transport by road and rail to the Port of Brisbane.

¹ Allegiance Coal Limited ASX Announcement 26/11/2012

² Exploration Target Clarification

All statements pertaining to the Company's exploration target and statements as to the potential quantity and grade made in this Statement were conceptual in nature. There was insufficient exploration undertaken at that date to define a coal resource in accordance with the JORC Code, and it was uncertain if further exploration would result in the definition of a coal resource in accordance with the JORC Code.




Figure 1 - Location of Inferred Resources at Back Creek



Mt Marrow

The Company was notified of an impending grant of the Mt Marrow area EPCA2374 which is located within in the West Moreton coalfield west of Ipswich.

The area hosts sequences from the Walloon Coal Measures and the company is targeting shallow open cut coal.

There are numerous parameters which make this tenement very significant: its proximity to existing rail infrastructure (only 90km from Port of Brisbane); Walloon coal is export quality thermal coal with low sulphur and low nitrogen; potential near term producer; potential low capital; and most importantly, low capital cost.

The Company was able to gain access to data from some 200 drill holes (mainly cored) located in the West Moreton Coalfields and drilled in the early 1950's. Over 300 individual coal quality data sets accompany the detailed core logs. Many of the cores are understood to be stored in the State core library.

The Mt Marrow Project EPCA2374 has potential to be a near term open pit thermal coal mine.

Infrastructure

Following actions initiated from the review of infrastructure needs for the two lead projects, Back Creek and Kilmain, the Company has reviewed what, if any, additional actions are needed at this time to ensure that infrastructure will be in place to enable a first coal production from both lead projects in 2017.

Having regard to uncertainties associated with the Surat Basin Rail project no action has been taken at this time in relation to securing rail and port capacity for the Back Creek Project.

In relation to Kilmain, the current underutilisation of existing rail and port capacity, let alone the restrictive nature of take or pay contracts for new port capacity, has caused the Company to defer any decision in relation to securing rail and port capacity for this project which is only 15 km from existing Rolleston rail line.

With the imminent granting of the prospective Mt Marrow project, the company has investigated alternative coal washing, stockpiling and train loading facilities within the West Moreton coalfield as well as potential for export through the Port of Brisbane.

Further Information

Additional information regarding the activities by Allegiance Coal Limited are available in that companies December Quarterly Report for the period ended 31 December, 2012.

Iron Ore and Gold

Central Iron Ore (Gullewa 36.1%)

GOLD

South Darlot Gold Project

On November 08, 2012 Central Iron Ore Limited (CIO) announced that significant gold intercepts had been revealed through the recent drilling program at its South Darlot Gold Project. The results from the first 14 holes, which included gold grades of up to 159 grams per tonne (g/t), support historical and earlier work conducted on the project area. The drilling program by CIO focused on the first 2 (Figure 2) of the 31 gold targets identified within the South Darlot Gold Project Area (being 24 targets located on tenements that are the subject of the Barrick JV and 7 targets on 100% CIO owned tenements).




Figure 2 - South Darlot Gold Prospects

Endeavour Prospect

The drilling at the Endeavour Prospect included 5 holes for resource definition, 2 holes for metallurgical test work and 1 diamond tail 1 hole for geotechnical test work. A total of 554 metres were drilled at the Endeavour Prospect as part of this program. Diamond drilling (END005) totalled 51.6m (40m precollar) and intercepted the gold-hosting shear at 42m. The highlights of the drill results include:

- 4m at 50.3 g/t Au including 1m at 158 g/t Au from 43m;
- 7m at 27.1g/t Au including 1m at 159 g/t Au from 46m; and
- 4m at 23.2 g/t Au including 1m at 81.8 g/t Au from 28m.



The drill results confirm and extend the results from historical drilling while recent surface sampling and mapping infer further extensions. The significant historical results for the Endeavour Prospect were:

- 4m at 70.6 g/t Au from 36m; and
- 8m at 23.6g/t Au from 34m.

The widths described are drill intersection lengths and the true widths have not been estimated. The true widths will be estimated as part of the exploration target process.




Figure 3 – Endeavour Long Section

Emperor Structure (2.5km strike length)

The drilling also confirmed the presence of a west-north-west (WNW) trending shear zone named the Emperor Structure – Figure 2. The shear zone has been interpreted from a linear trend of historical gold workings, gold occurrences within drill holes, as well as observations from the diamond drill core and RC chips of the recent drilling at the Endeavour Prospect. Interpretations generated from aeromagnetic and gravity geophysics supports the view that the structure extends further to the WNW ultimately causing a >100m displacement of stratigraphy. The gives the structure a 2.5km strike length, a direct association with gold endowment, and a favourable geological setting to host significant gold accumulation.



Vein-hosted gold mineralisation has been modelled at the A1 Prospect and the Endeavour Prospect. Potential exists to explore for extensions of the Emperor Structure to the ESE as well as across strike.

A1 Prospect Historical Results

The significant historical results for the A1 Prospect were:

- 1m at 19.2 g/t Au from 22m; and
- 2m at 4.3g/t Au from 37m.

The Company envisages that an exploration target will be completed for the Endeavour prospect in the next few weeks.

Mermaid Prospect

The drilling at the Mermaid Prospect included 3 reverse circulation drill holes for resource definition, 2 holes for metallurgical test work and 1 diamond tail for geotechnical test work. A total of 463 metres was drilled at the Mermaid Prospect as part of this program. Diamond drilling totalled 42.4m (59.9m precollar) and intercepted the gold mineralised quartz vein at 85.8m. The highlight drill results include:

- 3m at 1.8g/t Au including 1m at 3.8 g/t Au from 66m;
- 1m at 1.2 g/t Au from 57m;
- 1m at 1.6 g/t Au from 51m;
- 1m at 1.6 g/t Au from 56m; and
- 1.35m at 1.9 g/t Au from 86.15m.

The drill results confirm the structure identified from historical drilling and recent surface sampling and mapping. The significant historical results for the Mermaid Prospect were:

- 5m at 348.9 g/t Au including 1m at 1510g/t Au from 79m;
- 3m at 13.0g/t Au from 11m; and
- 4m at 13.0g/t Au from 7.9m.

The widths described are drill intersection lengths and the true widths have not been estimated. The true widths will be estimated as part of the exploration target process.

Mermaid Structure

The drilling confirmed the geometry and orientation of a vein-hosted gold structure at the Mermaid Prospect. It has been interpreted that this structure has very high gold intercepts that are not consistent throughout the structure (this feature is commonly known as the “nugget effect”). Future exploration is required to quantify this effect and exploration will continue to the west, to focus on the interpreted intersection of the Mermaid structure and the Emperor shear zone.

Quality Control and Analytical Procedures

CIO has a rigorous QA/QC program in place to ensure best practices in sampling and analysis of drill samples. Commercial standards, blanks and duplicates were inserted in every batch of samples submitted for analysis in accordance with industry practice. Gold analysis was carried out by ASL in Kalgoorlie Western Australia, with a 30g charge by Fire Assay with Atomic Absorption finish method. ALS is certified and registered in each region with global application of standard procedures and audits to maintain standard practice throughout the laboratory network.



Summary of Drill Results :

Prospect	Hole Id	Easting	Northing	AHD (RL)	From	To	Azimuth	Dip Degrees	Width (m)	Grade (g/t Au)
Endeavour	END0001	6905811	328131	446.2	46	53	335	-60	7	27.1
including					46	47			1	159.0
Endeavour	END0002	6905825	328136	446.2	28	32	335	-60	4	23.2
including					29	30			1	81.8
Endeavour	END0003	6905804	328145	446.3	43	47	335	-60	4	50.2
including					44	45			4	158.0
Endeavour	END0004	6905822	328153	446.3			335	-60		
Endeavour	END0005	6905795	328163	446.3			335	-60		
Endeavour	END0006	6905837	328157	446.3			335	-60		
Endeavour	END0007	6905816	328169	446.3			335	-60		
Endeavour	END0008	6905831	328173	446.3			335	-60		
<i>Endeavour</i>	<i>WDRC0101</i>	<i>328138</i>	<i>6905812</i>	<i>450</i>	<i>36</i>	<i>40</i>			<i>3</i>	<i>70.6</i>
<i>Endeavour</i>	<i>WDR1220</i>	<i>328138</i>	<i>6905807</i>	<i>450</i>	<i>34</i>	<i>42</i>			<i>8</i>	<i>23.6</i>
Mermaid	MER0001	6906086	327839	445.5	57	58	335	-60	1	1.2
Mermaid	MER0002	6906082	327860	445.5	66	69	335	-60	3	1.8
including					68	69			1	3.8
Mermaid	MER0003	6906098	327865	445.5	51	52	335	-60	1	1.6
And					56	57			1	1.6
Mermaid	MER0004	6906072	327875	445.6	86.15	87.5	335	-60	1.35	1.9
And					88.5	89			.5	1.9
Mermaid	MER0005	6906094	327882	445.5			335	-60		
Mermaid	MER0006	6906110	327886	445.6			335	-60		
<i>Mermaid</i>	<i>WDRC0099</i>	<i>327858</i>	<i>6906077</i>	<i>450</i>	<i>79</i>	<i>84</i>			<i>5</i>	<i>348.9</i>
<i>including</i>									<i>1</i>	<i>1,510</i>
<i>Mermaid</i>	<i>PDERB0002</i>	<i>327867</i>	<i>6906120</i>	<i>450</i>	<i>11</i>	<i>14</i>			<i>3</i>	<i>13.0</i>
<i>Mermaid</i>	<i>WDRC0111</i>	<i>327829</i>	<i>6906100</i>	<i>450</i>	<i>31</i>	<i>35</i>			<i>4</i>	<i>7.9</i>
A1	BRC0093	327363	6906189	450	22	23			1	19.2
A1	WDRC0033	327363	6906167	450	37	39			2	4.3

*Italics indicates historical results
The widths described are drill intersection lengths*

CIO Events Subsequent to 31 December, 2012

Emperor Structure Exploration Target

On January 22, 2013 CIO announced³ an exploration target of 1.7 to 4.1 million tonnes at 5.0g/t to 11.5g/t Au (270,000 to 1,500,000 Oz of Au) on the Emperor structure at its South Darlot Gold Project. The exploration target⁴ was interpreted as a linear structure from historical gold workings, gold occurrences within historical drill holes, aeromagnetic and gravity geophysics as well as results from the company's recent drilling program.

The exploration target for the Emperor Structure was estimated based on a number of assumptions and limitations which include, among other things:

- The strike length of the structure is 1,400m.
- The geometry of the Structure remains constant over their entire length.
- The model depth extent has been fixed to 150 metres (200m down dip extent).
- The average true width is 3.9 metres.
- 100% recovery and no dilution.
- The specific gravity of the material is 2.51t/m³.
- The grade range reflects the average gold concentrations utilising suitable gold top cuts.
- Tonnage range is +20% and -50%.
- It does not take into account the depth to top or effect of dip of the models and how this may impact potential mining viability.




Figure 4 – Emperor Structure Conceptual Exploration Target

³ Gullewa Limited ASX Announcement 23/01/2013

All statements pertaining to CIO's exploration target and statements as to the potential quantity and grade made in this Statement are conceptual in nature. There was insufficient exploration undertaken at that date to define a resource in accordance with the JORC Code, and it was uncertain if further exploration would result in the definition of a resource in accordance with the JORC Code.

⁴ Exploration Target Clarification

All statements pertaining to CIO's exploration target and statements as to the potential quantity and grade made in this Statement are conceptual in nature. There was insufficient exploration undertaken at that date to define a resource in accordance with the JORC Code, and it was uncertain if further exploration would result in the definition of a resource in accordance with the JORC Code.



Hydromining Coal Australia Pty Ltd “HCA” (Gullewa 80%)

The company has been granted a provisional patent for elements of its non-entry mining method.

HCA, having been advised that it is the priority applicant for an exploration tenement in Queensland, EPCA 2643 (Elatum Project), awaits grant of the area.

Minerals

Dandaloo - New South Wales (Gullewa 100%)

In December 2012, the Company commenced a drilling program of up to five (5) holes to test the two geochemical targets. At the end of the Quarter, two holes (Dan 001 and Dan 002) had been completed. Unconsolidated clays and gravels were intersected to depths of between 110 and 115 metres in both holes. NQ diamond drilling was completed from 114m to 228m in Dan 001 and from 115m to 198m.




Figure 5 – Approximate locations of proposed drill holes at Dandaloo, EL 7022

The Dandaloo tenement (EL 7022) is located in the Narromine district under variable sedimentary cover of the Great Australian Basin within the northern part of the highly prospective Parkes Structural Zone. A review of previous exploration company and Government drilling data around the Company’s license had indicated that altered volcanics and monzonitic-dioritic intrusives similar to those at the Cadia Cu-Au mine, lie at depths between 100 and 300m in this district. A Stage III (250m sample spacing) geochemical program by the Company identified anomalies coincident with interpreted structures and possible magnetic depletion (alteration) zones in interpreted Ordovician and Lower Devonian volcanic basement.



A number of the main anomalies lie along NW trending structures defined by mafic volcanic units in possible Girilambone sediments. This association is typical of the nearby Tottenham and Albert copper deposits and more regionally the Tritton VMS mine.

In 2010, Stage IV detailed soil surveys by the Company (at 100m centres) identified multi-element (including Au, As, Sb, Fe, Co, Ni, Mn, Li, \pm Ag, \pm Cu, \pm Zn, \pm Se) polar geochemical anomalies at two prospects within the tenement area.

The Company expects to complete the drilling in late January 2013 with results of geochemical analyses and petrological studies being available toward the end of the March Quarter, 2013.

Property

The sale of lots 3 & 4 on Pennant Hills Road, Normanhurst was settled for \$660,000.

Contracts were exchanged on Yanko Road, West Pymble and the Company received a deposit of \$47,500.

Corporate

The Gullewa Group's cash at bank at the end of December, 2012 was \$7.5 million

Statement of Qualified Persons

Sections of this quarterly report relating to the reporting of exploration information were written by Colin Randall, Garry Baglin and Darryl Mapleson and in accordance with the 2004 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves' ("JORC Code").

Colin Randall is Managing Director of Allegiance Coal Limited and is a Fellow of the Australasian Institute of Mining and Metallurgy. Garry Baglin is a full-time employee of Gullewa Limited and is a Member of the Australasian Institute of Mining and Metallurgy and a Member the Australasian Institute of Geoscientists. Both have a minimum of fifteen years experience in the field of activity being reported on and are Competent Persons as defined in the JORC Code. This announcement accurately summarises and fairly reports their assessments and where required, they have consented to the report in the form and context in which it appears.

Mr Darryl Mapleson who is a Fellow of Australasian Institute of Mining and Metallurgy has compiled the information within the CIO section of this report relating to mineralization, drilling results and the exploration target. Mr Mapleson is a full time employee of BM Geological Services and has sufficient experience relevant to the style of mineralisation and type of deposit under consideration and to the activity currently being undertaken to qualify as a Competent Person as defined in the 2004 Edition of the Australasian Code for Reporting of Exploration Result, Mineral Resources and Ore Reserves (2004 JORC Code). This announcement accurately summarises and fairly reports Mr Mapleson's assessments and where required, he has consented to the report in the form and context in which it appears.

David Deitz

Director & CEO

B.Comm, MAusIMM, CPA

For any enquiries :

David Deitz

02 9397 7555

Appendix 5B

Mining exploration entity quarterly report

Introduced 1/7/96. Origin: Appendix 8. Amended 1/7/97, 1/7/98, 30/9/2001.

Name of entity

GULLEWA LIMITED

ABN

30 007 547 480

Quarter ended ("current quarter")

31 December, 2012

Consolidated statement of cash flows

	Current quarter \$A'000	Year to date (6 months) \$A'000
Cash flows related to operating activities		
1.1 Receipts from product sales and related debtors		
1.2 Payments for (a) exploration and evaluation	(541)	(1,173)
(b) development		
(c) production		
(d) administration	(546)	(1,419)
1.3 Dividends received		
1.4 Interest and other items of a similar nature received	67	170
1.5 Interest and other costs of finance paid	(1)	(1)
1.6 Income taxes paid		
1.7 Other (Consultant fees billed)	129	129
Net Operating Cash Flows	(892)	(2,294)
Cash flows related to investing activities		
1.8 Payment for purchases of: (a) prospects		
(b) equity investments	(6)	(11)
(c) other fixed assets	(2)	(68)
1.9 Proceeds from sale of: (a) prospects		
(b) equity investments		
(c) other fixed assets		
1.10 Loans to other entities		(2)
1.11 Loans repaid by other entities		
1.12 Other (property) and security deposit	707	707
Net investing cash flows	699	626
1.13 Total operating and investing cash flows (carried forward)	(193)	(1,668)

+ See chapter 19 for defined terms.

Appendix 5B
Mining exploration entity quarterly report

1.13	Total operating and investing cash flows (brought forward)	(193)	(1,668)
	Cash flows related to financing activities		
1.14	Proceeds from issues of shares, options, etc.		
1.15	Proceeds from sale of forfeited shares		
1.16	Proceeds from borrowings		
1.17	Repayment of borrowings		
1.18	Dividends paid		
1.19	Other (provide details if material)		
	Net financing cash flows		
	Net increase (decrease) in cash held	(193)	(1,668)
1.20	Cash at beginning of quarter/year to date	7,697	9,171
1.21	Exchange rate adjustments to item 1.20		
1.22	Cash at end of quarter	7,503	7,503

Payments to directors of the entity and associates of the directors

Payments to related entities of the entity and associates of the related entities

		Current quarter \$A'000
1.23	Aggregate amount of payments to the parties included in item 1.2	110
1.24	Aggregate amount of loans to the parties included in item 1.10	

1.25 Explanation necessary for an understanding of the transactions

--

Non-cash financing and investing activities

2.1 Details of financing and investing transactions which have had a material effect on consolidated assets and liabilities but did not involve cash flows

NIL

2.2 Details of outlays made by other entities to establish or increase their share in projects in which the reporting entity has an interest

NIL

+ See chapter 19 for defined terms.

Financing facilities available

Add notes as necessary for an understanding of the position.

	Amount available \$A'000	Amount used \$A'000
3.1 Loan facilities – Property loan for Pymble property	595	587
Loan facilities – C Randall & Associates – Float	100	100
Loan facilities – C Randall & Associates – Operating	320	311
3.2 Credit standby arrangements		

Estimated cash outflows for next quarter

	\$A'000
4.1 Exploration and evaluation	400
4.2 Development	
4.3 Production	
4.4 Administration	600
Total	1,000

Reconciliation of cash

Reconciliation of cash at the end of the quarter (as shown in the consolidated statement of cash flows) to the related items in the accounts is as follows.

	Current quarter \$A'000	Previous quarter \$A'000
5.1 Cash on hand and at bank	7,503	7,697
5.2 Deposits at call		
5.3 Bank overdraft		
5.4 Other (provide details)		
Total: cash at end of quarter (item 1.22)	7,503	7,697

+ See chapter 19 for defined terms.

Appendix 5B
Mining exploration entity quarterly report

Changes in interests in mining tenements

	Tenement reference	Nature of interest (note (2))	Interest at beginning of quarter	Interest at end of quarter
6.1	Interests in mining tenements relinquished, reduced or lapsed			
6.2	Interests in mining tenements acquired or increased			

Issued and quoted securities at end of current quarter

Description includes rate of interest and any redemption or conversion rights together with prices and dates.

	Total number	Number quoted	Issue price per security (see note 3) (cents)	Amount paid up per security (see note 3) (cents)
7.1	Preference securities <i>(description)</i>			
7.2	Changes during quarter (a) Increases through issues (b) Decreases through returns of capital, buy-backs, redemptions			
7.3	+Ordinary securities	149,723,100	149,723,100	
7.4	Changes during quarter (a) Increases through issues (b) Decreases through returns of capital, buy-backs			
7.5	+Convertible debt securities <i>(description)</i>			

+ See chapter 19 for defined terms.

Appendix 5B
Mining exploration entity quarterly report

7.6	Changes during quarter (a) Increases through issues (b) Decreases through securities matured, converted				
7.7	Options <i>(description and conversion factor)</i>	5,480,000 4,475,000 1,000,000 1,300,000	Nil Nil Nil Nil	<i>Exercise price</i> 11.87 cents 22.30 cents 22.30 cents 10.00 cents	<i>Expiry date</i> 30.11.2014 07.03.2016 16.05.2016 16.05.2017
7.8	Issued during quarter				
7.9	Exercised during quarter				
7.10	Expired during quarter				
7.11	Debentures <i>(totals only)</i>				
7.12	Unsecured notes <i>(totals only)</i>				

+ See chapter 19 for defined terms.

Compliance statement

- 1 This statement has been prepared under accounting policies which comply with accounting standards as defined in the Corporations Act or other standards acceptable to ASX (see note 5).
- 2 This statement does give a true and fair view of the matters disclosed.

Sign here: Date: 31 January, 2013
(Director)

Print name: David Deitz

Notes

- 1 The quarterly report provides a basis for informing the market how the entity’s activities have been financed for the past quarter and the effect on its cash position. An entity wanting to disclose additional information is encouraged to do so, in a note or notes attached to this report.
- 2 The “Nature of interest” (items 6.1 and 6.2) includes options in respect of interests in mining tenements acquired, exercised or lapsed during the reporting period. If the entity is involved in a joint venture agreement and there are conditions precedent which will change its percentage interest in a mining tenement, it should disclose the change of percentage interest and conditions precedent in the list required for items 6.1 and 6.2.
- 3 **Issued and quoted securities** The issue price and amount paid up is not required in items 7.1 and 7.3 for fully paid securities.
- 4 The definitions in, and provisions of, *AASB 6: Exploration for and Evaluation of Mineral Resources* and *AASB 107: Statement of Cash Flows* apply to this report.
- 5 **Accounting Standards** ASX will accept, for example, the use of International Financial Reporting Standards for foreign entities. If the standards used do not address a topic, the Australian standard on that topic (if any) must be complied with.

+ See chapter 19 for defined terms.