

HIGH-GRADE GOLD INTERCEPTS AT CLOUDKICKER DEPOSIT

HIGHLIGHTS

New Murchison Gold Limited (NMG or the Company) is pleased to announce high-grade gold intercepts from recent grade control and resource definition drilling programs at the Cloudkicker deposit. The drill programs have returned positive assay results that confirm the shallow, high-grade gold mineralisation present at Cloudkicker. These areas are higher grade and better widths than seen in the recent resource estimation. Cloudkicker is adjacent to the existing Crown Prince open pit although considered a separate deposit. It was included in the M51/886 mining approval allowing for mining to commence immediately.

Best intersections from this drilling program include:

- **10m @ 13.61g/t Au** from 44m incl. **3m @ 32.17g/t Au** from 46m in **CKGC020**
- **9m @ 9.31g/t Au** from 3m incl. **3m @ 14.30g/t Au** from 3m in **CKGC015**
- **8m @ 9.22g/t Au** from 62m incl. **3m @ 14.32g/t Au** from 67m in **CKRD017**
- **7m @ 8.70g/t Au** from 55m incl. **1m @ 38.30g/t Au** from 59m in **CKGC045A**
- **1m @ 54.80g/t Au** from 58m in **CKGC062**
- **8m @ 6.47g/t Au** from 60m incl. **3m @ 12.87g/t Au** from 60m in **CKRD008**
- **9m @ 5.86g/t Au** from 72m incl. **3m @ 10.27g/t Au** from 75m in **CKRD008**
- **5m @ 7.33g/t Au** from 91m incl. **1m @ 11.10g/t Au** from 91m in **CKRD022**
- **7m @ 5.00g/t Au** from 72m incl. **2m @ 10.38g/t Au** from 73m in **CKRD019**
- **8m @ 4.13g/t Au** from 0m in **CKGC018**
- **4m @ 7.76g/t Au** from 58m incl. **1m @ 22.90g/t Au** from 60m in **CKGC045**

Ore zones at Cloudkicker are divided into domains (4000 series) for modelling. The shallow intercepts have extended caprock mineralisation and have added data to domains 4001-4005 with a particular focus on domain 4001.

Domain 4001 is the most significant ore zone in the Cloudkicker deposit as it has the highest grade and the largest volume. Latest drilling results have shown that domain 4001 is more continuous than previously modelled. The resource definition (RD) drilling and the grade control (GC) drilling have also increased the confidence of domain 4001.

136 GC holes totaling 5,497m and 30 RD holes totaling 2,675m have been drilled for this program.

Multiple standout assay results included 54.8g/t Au in CKGC062 at 58m, 52.6g/t Au in CKGC020 at 59m and 38.3g/t in CKGC045A at 59m. Additionally, high grade shallow intercepts in the caprock were intercepted, including 16.6g/t in CKGC015 at 5m.

Details of the drill holes are included in Table 1 and the distribution of the holes with significant intersections are displayed in Figure 2.



Registered Address

New Murchison Gold Limited
ACN 085 782 994

Level 1, 16 Ord Street
West Perth WA 6005

E: info@newmurchgold.com.au

T: +61 (08) 9389 6927

W: newmurchgold.com.au

Projects

Garden Gully Gold Project

Corporate

Shares on Issue	10,864M
Share Price	\$0.040
Market Cap	\$435M

ASX Code	NMG
----------	-----




Figure 1: Location of the Proposed Cloudkicker Pit area within Crown Prince mine site.




Figure 2: Plan view of the Cloudkicker grade control and resource definition drilling and the extension of Caprock from recent assays.




Figure 3: Cross section showing grade control and resource definition drill holes and domains 4001 to 4005.

NEXT STEPS

The latest drill logging and assays will be incorporated in the Cloudkicker modelling and will be used to update the Cloudkicker resource estimation. The new estimate will be used to update the Cloudkicker Mine Design and Cloudkicker open pit mining schedule.

Cloudkicker open pit mining is included in the Company's approved mining proposal for M51 / 886 (Crown Prince Operation). Mining has commenced at Cloudkicker (Figure 4) and the pit is conservatively expected to add circa 20,000oz Au gold in ore to the Company's production profile over the coming 12-18 months.



Figure 4: Cloudkicker open pit at the end of June 2026

Alex Passmore NMG's CEO commented: "We are very pleased to report these high grade results that will likely increase the grade and tonnage within the Cloudkicker deposit from the initial modelling. The deposit is within the footprint of our existing operations (mineralisation strikes up to the margin of our final waste dump design) and so provides relatively easy additional ounces to be brought into our production profile. Production from Cloudkicker can be brought online with very little additional resourcing on site and so presents a high return project. Mining has commenced and first caprock ore is to be crushed in September 2026."

Table 1: Recent Grade Control and Resource Definition reverse circulation (RC) drill hole details summary

Hole ID	Hole Type	Depth	Easting	Northing	RL	Tenement	Azi	Dip	Prospect
CKGC001	RC	60	646627	7074099	486	MGA20_50	301	-60	Cloud Kicker
CKGC002	RC	66	646635	7074094	486	MGA20_50	301	-60	Cloud Kicker
CKGC004	RC	48	646605	7074100	486	MGA20_50	300	-60	Cloud Kicker
CKGC005	RC	60	646615	7074094	486	MGA20_50	300	-60	Cloud Kicker
CKGC006	RC	72	646631	7074085	486	MGA20_50	301	-61	Cloud Kicker
CKGC007	RC	60	646600	7074091	486	MGA20_50	301	-59	Cloud Kicker
CKGC008	RC	66	646609	7074086	486	MGA20_50	299	-60	Cloud Kicker
CKGC009	RC	66	646616	7074082	486	MGA20_50	300	-60	Cloud Kicker
CKGC010	RC	72	646622	7074074	486	MGA20_50	301	-61	Cloud Kicker
CKGC012	RC	36	646597	7074081	486	MGA20_50	300	-61	Cloud Kicker
CKGC013	RC	54	646611	7074073	486	MGA20_50	299	-60	Cloud Kicker
CKGC014	RC	60	646620	7074068	486	MGA20_50	299	-61	Cloud Kicker
CKGC015	RC	48	646590	7074074	485	MGA20_50	300	-60	Cloud Kicker
CKGC016	RC	54	646598	7074069	485	MGA20_50	299	-61	Cloud Kicker
CKGC017	RC	60	646606	7074064	485	MGA20_50	300	-61	Cloud Kicker
CKGC018	RC	42	646584	7074065	485	MGA20_50	300	-60	Cloud Kicker
CKGC019	RC	54	646593	7074060	485	MGA20_50	302	-60	Cloud Kicker
CKGC020	RC	72	646608	7074051	485	MGA20_50	298	-59	Cloud Kicker
CKGC021	RC	78	646621	7074051	486	MGA20_50	302	-60	Cloud Kicker
CKGC022	RC	48	646585	7074054	485	MGA20_50	300	-61	Cloud Kicker
CKGC023	RC	72	646601	7074045	485	MGA20_50	299	-60	Cloud Kicker
CKGC024	RC	72	646583	7074043	485	MGA20_50	299	-59	Cloud Kicker
CKGC025	RC	66	646592	7074038	485	MGA20_50	300	-60	Cloud Kicker
CKGC026	RC	60	646571	7074039	485	MGA20_50	301	-60	Cloud Kicker
CKGC027	RC	60	646565	7074031	485	MGA20_50	302	-60	Cloud Kicker
CKGC028	RC	72	646573	7074025	485	MGA20_50	300	-60	Cloud Kicker
CKGC030	RC	72	646587	7073949	486	MGA20_50	298	-61	Cloud Kicker
CKGC033	RC	66	646575	7073968	486	MGA20_50	299	-61	Cloud Kicker
CKGC036	RC	72	646565	7073973	486	MGA20_50	300	-60	Cloud Kicker
CKGC037	RC	72	646561	7073964	485	MGA20_50	301	-60	Cloud Kicker
CKGC038	RC	72	646551	7073947	485	MGA20_50	302	-61	Cloud Kicker
CKGC039	RC	72	646567	7073994	485	MGA20_50	300	-61	Cloud Kicker
CKGC040	RC	72	646552	7073969	485	MGA20_50	301	-60	Cloud Kicker
CKGC041	RC	72	646546	7073961	485	MGA20_50	300	-60	Cloud Kicker
CKGC042	RC	72	646542	7073952	485	MGA20_50	301	-61	Cloud Kicker
CKGC043	RC	60	646560	7074022	485	MGA20_50	300	-60	Cloud Kicker
CKGC044	RC	72	646532	7073934	485	MGA20_50	301	-61	Cloud Kicker

Hole ID	Hole Type	Depth	Easting	Northing	RL	Tenement	Azi	Dip	Prospect
CKGC045	RC	72	646568	7074017	485	MGA20_50	300	-60	Cloud Kicker
CKGC045A	RC	72	646567	7074018	485	MGA20_50	303	-60	Cloud Kicker
CKGC050	RC	60	646538	7073966	485	MGA20_50	300	-61	Cloud Kicker
CKGC051	RC	60	646534	7073957	485	MGA20_50	300	-61	Cloud Kicker
CKGC052	RC	60	646528	7073948	485	MGA20_50	300	-60	Cloud Kicker
CKGC055	RC	42	646527	7073961	485	MGA20_50	301	-61	Cloud Kicker
CKGC056	RC	36	646519	7073953	485	MGA20_50	300	-60	Cloud Kicker
CKGC057	RC	48	646550	7074027	485	MGA20_50	299	-60	Cloud Kicker
CKGC058	RC	48	646545	7074019	485	MGA20_50	300	-60	Cloud Kicker
CKGC060	RC	72	646572	7074003	485	MGA20_50	299	-60	Cloud Kicker
CKGC062	RC	66	646582	7073940	486	MGA20_50	299	-60	Cloud Kicker
CKGC063	RC	72	646558	7074000	485	MGA20_50	296	-60	Cloud Kicker
CKGC066	RC	66	646589	7073994	486	MGA20_50	298	-61	Cloud Kicker
CKGC067	RC	48	646492	7073958	485	MGA20_50	1	-60	Cloud Kicker
CKGC068	RC	42	646493	7073969	485	MGA20_50	360	-60	Cloud Kicker
CKGC072	RC	54	646472	7073967	484	MGA20_50	1	-61	Cloud Kicker
CKGC075	RC	48	646566	7074053	485	MGA20_50	299	-59	Cloud Kicker
CKGC076	RC	84	646576	7073990	486	MGA20_50	300	-60	Cloud Kicker
CKGC077	RC	36	646549	7074041	484	MGA20_50	299	-60	Cloud Kicker
CKGC079	RC	72	646557	7073955	485	MGA20_50	299	-60	Cloud Kicker
CKGC080	RC	78	646574	7073944	486	MGA20_50	298	-61	Cloud Kicker
CKGC081	RC	66	646569	7073959	486	MGA20_50	300	-60	Cloud Kicker
CKGC082	RC	72	646582	7074001	485	MGA20_50	298	-60	Cloud Kicker
CKGC084	RC	30	646546	7074053	485	MGA20_50	297	-63	Cloud Kicker
CKGC085	RC	24	646551	7074062	485	MGA20_50	299	-64	Cloud Kicker
CKGC086	RC	24	646570	7074063	485	MGA20_50	299	-60	Cloud Kicker
CKGC087	RC	6	646553	7074073	485	MGA20_50	300	-60	Cloud Kicker
CKGC088	RC	6	646574	7074072	485	MGA20_50	300	-60	Cloud Kicker
CKGC089	RC	6	646563	7074078	485	MGA20_50	300	-60	Cloud Kicker
CKGC090	RC	6	646555	7074083	485	MGA20_50	300	-60	Cloud Kicker
CKGC091	RC	6	646547	7074088	485	MGA20_50	300	-60	Cloud Kicker
CKGC092	RC	27	646581	7074079	486	MGA20_50	298	-60	Cloud Kicker
CKGC093	RC	18	646571	7074084	486	MGA20_50	299	-60	Cloud Kicker
CKGC094	RC	6	646562	7074090	486	MGA20_50	300	-60	Cloud Kicker
CKGC095	RC	33	646587	7074086	486	MGA20_50	298	-60	Cloud Kicker
CKGC096	RC	18	646578	7074091	486	MGA20_50	297	-59	Cloud Kicker
CKGC097	RC	6	646569	7074097	486	MGA20_50	300	-60	Cloud Kicker
CKGC099	RC	6	646592	7074095	486	MGA20_50	300	-60	Cloud Kicker
CKGC102	RC	6	646596	7074106	486	MGA20_50	300	-60	Cloud Kicker
CKGC106	SRC	6	646537	7074058	485	MGA20_50	300	-60	Cloud Kicker

Hole ID	Hole Type	Depth	Easting	Northing	RL	Tenement	Azi	Dip	Prospect
CKGC107	SRC	6	646529	7074063	485	MGA20_50	300	-60	Cloud Kicker
CKGC109	RC	6	646582	7074067	485	MGA20_50	300	-60	Cloud Kicker
CKGC110	RC	6	646591	7074062	485	MGA20_50	300	-60	Cloud Kicker
CKGC111	RC	45	646589	7074073	486	MGA20_50	300	-60	Cloud Kicker
CKGC112	RC	6	646544	7074079	485	MGA20_50	300	-60	Cloud Kicker
CKGC113	RC	6	646542	7074067	485	MGA20_50	300	-60	Cloud Kicker
CKRD001	RC	60	646646	7074111	486	MGA20_50	304	-60	Cloud Kicker
CKRD002	RC	114	646570	7073923	486	MGA20_50	300	-60	Cloud Kicker
CKRD003	RC	96	646559	7073941	486	MGA20_50	301	-61	Cloud Kicker
CKRD006	RC	102	646549	7073925	486	MGA20_50	301	-61	Cloud Kicker
CKRD007	RC	108	646542	7073894	486	MGA20_50	301	-60	Cloud Kicker
CKRD008	RC	126	646610	7074028	485	MGA20_50	300	-60	Cloud Kicker
CKRD010	RC	108	646674	7074060	486	MGA20_50	301	-61	Cloud Kicker
CKRD013	RC	96	646473	7073908	485	MGA20_50	2	-60	Cloud Kicker
CKRD014	RC	84	646473	7073928	485	MGA20_50	300	-60	Cloud Kicker
CKRD016	RC	96	646623	7074043	485	MGA20_50	299	-60	Cloud Kicker
CKRD017	RC	102	646615	7074036	485	MGA20_50	301	-65	Cloud Kicker
CKRD018	RC	108	646625	7074030	485	MGA20_50	301	-66	Cloud Kicker
CKRD019	RC	150	646617	7074027	485	MGA20_50	303	-62	Cloud Kicker
CKRD020	RC	114	646619	7074022	485	MGA20_50	301	-70	Cloud Kicker
CKRD021	RC	114	646611	7074015	485	MGA20_50	301	-69	Cloud Kicker
CKRD022	RC	126	646602	7074013	485	MGA20_50	300	-68	Cloud Kicker

Table 2: Significant gold intercepts above 1g/t Au

Hole ID	From	To	Interval	Grade	Intersection
CKGC001	34	35	1	1.75	1m @ 1.75 g/t Au
	38	39	1	2.61	1m @ 2.61 g/t Au
CKGC002	50	51	1	8.84	1m @ 8.84 g/t Au
CKGC004	4	5	1	1.14	1m @ 1.14 g/t Au
	12	13	1	11.00	1m @ 11.00 g/t Au
	18	19	1	1.13	1m @ 1.13 g/t Au
CKGC005	43	47	4	1.10	4m @ 1.10 g/t Au
CKGC006	45	46	1	4.74	1m @ 4.74 g/t Au
	53	57	4	2.02	4m @ 2.02 g/t Au
CKGC007	3	5	2	1.72	2m @ 1.72 g/t Au
	33	34	1	1.09	1m @ 1.09 g/t Au
CKGC008	25	26	1	4.12	1m @ 4.12 g/t Au
	52	53	1	1.59	1m @ 1.59 g/t Au
CKGC009	6	7	1	1.20	1m @ 1.20 g/t Au
	40	42	2	5.81	2m @ 5.81 g/t Au

Hole ID	From	To	Interval	Grade	Intersection
CKGC010	37	38	1	2.46	1m @ 2.46 g/t Au
	44	55	11	1.34	11m @ 1.34 g/t Au
	64	65	1	1.65	1m @ 1.65 g/t Au
	69	70	1	1.03	1m @ 1.03 g/t Au
CKGC012	0	4	4	4.11	4m @ 4.11 g/t Au
	8	11	3	1.54	3m @ 1.54 g/t Au
	22	23	1	1.51	1m @ 1.51 g/t Au
CKGC013	32	35	3	3.44	3m @ 3.44 g/t Au
	43	47	4	3.49	4m @ 3.49 g/t Au
	51	52	1	3.82	1m @ 3.82 g/t Au
CKGC014	42	46	4	2.13	4m @ 2.13 g/t Au
	50	53	3	2.04	3m @ 2.04 g/t Au
CKGC015	3	12	9	9.31	9m @ 9.31 g/t Au
	27	30	3	1.18	3m @ 1.18 g/t Au
	35	36	1	2.85	1m @ 2.85 g/t Au
CKGC016	0	3	3	1.17	3m @ 1.17 g/t Au
	12	14	2	2.06	2m @ 2.06 g/t Au
	33	35	2	1.17	2m @ 1.17 g/t Au
CKGC017	34	38	4	2.23	4m @ 2.23 g/t Au
	41	42	1	2.07	1m @ 2.07 g/t Au
	46	47	1	3.00	1m @ 3.00 g/t Au
CKGC018	0	8	8	4.13	8m @ 4.13 g/t Au
	28	30	2	2.41	2m @ 2.41 g/t Au
CKGC019	21	29	8	2.23	8m @ 2.23 g/t Au
CKGC020	44	54	10	13.61	10m @ 13.61 g/t Au
	57	58	1	2.49	1m @ 2.49 g/t Au
CKGC021	64	65	1	1.28	1m @ 1.28 g/t Au
CKGC022	1	3	2	1.37	2m @ 1.37 g/t Au
	27	29	2	1.08	2m @ 1.08 g/t Au
	36	38	2	1.88	2m @ 1.88 g/t Au
CKGC023	45	53	8	3.94	8m @ 3.94 g/t Au
	63	65	2	1.69	2m @ 1.69 g/t Au
CKGC024	27	28	1	1.45	1m @ 1.45 g/t Au
	32	33	1	1.33	1m @ 1.33 g/t Au
	39	40	1	1.08	1m @ 1.08 g/t Au
CKGC025	39	41	2	1.65	2m @ 1.65 g/t Au
	53	54	1	2.11	1m @ 2.11 g/t Au
	57	60	3	3.07	3m @ 3.07 g/t Au
CKGC026	0	2	2	1.13	2m @ 1.13 g/t Au
	28	29	1	1.24	1m @ 1.24 g/t Au

Hole ID	From	To	Interval	Grade	Intersection
	32	36	4	0.98	4m @ 0.98 g/t Au
	45	46	1	1.07	1m @ 1.07 g/t Au
CKGC027	42	43	1	2.11	1m @ 2.11 g/t Au
	48	49	1	2.00	1m @ 2.00 g/t Au
CKGC028	31	33	2	1.89	2m @ 1.89 g/t Au
CKGC030	60	61	1	1.73	1m @ 1.73 g/t Au
CKGC033	36	39	3	2.07	3m @ 2.07 g/t Au
CKGC036	0	1	1	1.00	1m @ 1.00 g/t Au
CKGC037	32	33	1	1.11	1m @ 1.11 g/t Au
	62	63	1	5.67	1m @ 5.67 g/t Au
CKGC039	30	32	2	1.49	2m @ 1.49 g/t Au
	52	53	1	4.46	1m @ 4.46 g/t Au
CKGC040	0	2	2	2.28	2m @ 2.28 g/t Au
	41	49	8	1.17	8m @ 1.17 g/t Au
	53	58	5	1.41	5m @ 1.41 g/t Au
CKGC043	24	26	2	2.07	2m @ 2.07 g/t Au
	29	30	1	1.40	1m @ 1.40 g/t Au
	49	50	1	1.32	1m @ 1.32 g/t Au
CKGC045	32	36	4	0.78	4m @ 0.78 g/t Au
	58	62	4	7.76	4m @ 7.76 g/t Au
CKGC045A	0	1	1	4.39	1m @ 4.39 g/t Au
	33	36	3	1.59	3m @ 1.59 g/t Au
	55	62	7	8.7	7m @ 8.70 g/t Au
CKGC057	37	38	1	1.31	1m @ 1.31 g/t Au
CKGC058	38	39	1	1.83	1m @ 1.83 g/t Au
	46	47	1	1.91	1m @ 1.91 g/t Au
CKGC060	38	39	1	1.00	1m @ 1.00 g/t Au
	48	51	3	1.42	3m @ 1.42 g/t Au
	57	58	1	1.07	1m @ 1.07 g/t Au
CKGC062	47	48	1	1.84	1m @ 1.84 g/t Au
	58	59	1	54.8	1m @ 54.80 g/t Au
CKGC063	32	33	1	1.84	1m @ 1.84 g/t Au
CKGC066	48	49	1	1.51	1m @ 1.51 g/t Au
	57	58	1	2.82	1m @ 2.82 g/t Au
CKGC075	0	2	2	2.26	2m @ 2.26 g/t Au
CKGC076	51	52	1	1.34	1m @ 1.34 g/t Au
	65	66	1	2.03	1m @ 2.03 g/t Au
	72	73	1	1.06	1m @ 1.06 g/t Au
	78	79	1	4.22	1m @ 4.22 g/t Au
CKGC077	0	1	1	2.08	1m @ 2.08 g/t Au

Hole ID	From	To	Interval	Grade	Intersection
CKGC080	40	42	2	2.31	2m @ 2.31 g/t Au
CKGC081	31	33	2	2.70	2m @ 2.70 g/t Au
	50	51	1	8.62	1m @ 8.62 g/t Au
	61	62	1	3.01	1m @ 3.01 g/t Au
CKGC082	51	53	2	1.73	2m @ 1.73 g/t Au
	66	69	3	2.16	3m @ 2.16 g/t Au
CKGC084	1	3	2	1.80	2m @ 1.80 g/t Au
CKGC085	1	4	3	1.52	3m @ 1.52 g/t Au
CKGC086	0	2	2	2.36	2m @ 2.36 g/t Au
CKGC087	3	5	2	1.70	2m @ 1.70 g/t Au
CKGC088	1	4	3	1.57	3m @ 1.57 g/t Au
CKGC089	2	3	1	1.16	1m @ 1.16 g/t Au
CKGC090	4	5	1	1.87	1m @ 1.87 g/t Au
CKGC091	4	5	1	1.12	1m @ 1.12 g/t Au
CKGC092	2	5	3	3.58	3m @ 3.58 g/t Au
CKGC093	3	5	2	1.57	2m @ 1.57 g/t Au
CKGC094	4	6	2	1.98	2m @ 1.98 g/t Au
CKGC095	2	6	4	1.54	4m @ 1.54 g/t Au
CKGC096	3	5	2	1.94	2m @ 1.94 g/t Au
CKGC097	4	6	2	2.13	2m @ 2.13 g/t Au
CKGC099	2	6	4	1.76	4m @ 1.76 g/t Au
CKGC102	3	4	1	1.51	1m @ 1.51 g/t Au
CKGC106	3	4	1	1.61	1m @ 1.61 g/t Au
CKGC107	4	5	1	2.22	1m @ 2.22 g/t Au
CKGC109	1	5	4	4.29	4m @ 4.29 g/t Au
CKGC110	0	4	4	2.84	4m @ 2.84 g/t Au
CKGC111	1	11	10	2.00	10m @ 2.00 g/t Au
CKGC112	4	6	2	1.97	2m @ 1.97 g/t Au
CKGC113	4	5	1	1.06	1m @ 1.06 g/t Au
CKRD001	18	20	2	1.52	2m @ 1.52 g/t Au
	34	35	1	2.88	1m @ 2.88 g/t Au
CKRD002	51	52	1	1.03	1m @ 1.03 g/t Au
	55	58	3	2.65	3m @ 2.65 g/t Au
CKRD003	1	2	1	1.30	1m @ 1.30 g/t Au
	45	46	1	5.76	1m @ 5.76 g/t Au
	65	66	1	1.08	1m @ 1.08 g/t Au
	71	75	4	3.08	4m @ 3.08 g/t Au
CKRD006	65	66	1	1.33	1m @ 1.33 g/t Au
	72	76	4	1.34	4m @ 1.34 g/t Au
CKRD007	101	108	7	3.19	7m @ 3.19 g/t Au

Hole ID	From	To	Interval	Grade	Intersection
CKRD008	60	68	8	6.47	8m @ 6.47 g/t Au
	72	81	9	5.86	9m @ 5.86 g/t Au
	91	92	1	1.02	1m @ 1.02 g/t Au
	111	114	3	2.97	3m @ 2.97 g/t Au
CKRD010	53	54	1	2.03	1m @ 2.03 g/t Au
	63	64	1	1.67	1m @ 1.67 g/t Au
	98	100	2	5.15	2m @ 5.15 g/t Au
CKRD013	63	64	1	1.07	1m @ 1.07 g/t Au
CKRD014	48	51	3	2.09	3m @ 2.09 g/t Au
	56	57	1	1.71	1m @ 1.71 g/t Au
	68	69	1	1.68	1m @ 1.68 g/t Au
CKRD016	64	69	5	2.14	5m @ 2.14 g/t Au
	90	91	1	2.95	1m @ 2.95 g/t Au
CKRD017	62	70	8	9.22	8m @ 9.22 g/t Au
	82	83	1	1.51	1m @ 1.51 g/t Au
CKRD018	76	79	3	8.36	3m @ 8.36 g/t Au
	91	93	2	2.80	2m @ 2.80 g/t Au
CKRD019	72	79	7	5.00	7m @ 5.00 g/t Au
	82	86	4	0.89	4m @ 0.89 g/t Au
	91	92	1	1.52	1m @ 1.52 g/t Au
CKRD020	90	94	4	2.78	4m @ 2.78 g/t Au
	100	101	1	1.33	1m @ 1.33 g/t Au
CKRD021	75	78	3	5.57	3m @ 5.57 g/t Au
	81	82	1	1.06	1m @ 1.06 g/t Au
CKRD022	81	82	1	1.62	1m @ 1.62 g/t Au
	91	96	5	7.33	5m @ 7.33 g/t Au
CKGC038	3	5	2	1.10	2m @ 1.10 g/t Au
	33	34	1	2.47	1m @ 2.47 g/t Au
	51	57	6	1.34	6m @ 1.34 g/t Au
	60	62	2	4.27	2m @ 4.27 g/t Au
CKGC041	37	39	2	1.28	2m @ 1.28 g/t Au
	43	46	3	3.15	3m @ 3.15 g/t Au
CKGC042	1	3	2	1.75	2m @ 1.75 g/t Au
	37	38	1	6.70	1m @ 6.70 g/t Au
CKGC044	51	52	1	1.09	1m @ 1.09 g/t Au
CKGC050	0	1	1	1.53	1m @ 1.53 g/t Au
	29	32	3	1.39	3m @ 1.39 g/t Au
	47	48	1	1.72	1m @ 1.72 g/t Au
CKGC051	1	3	2	1.59	2m @ 1.59 g/t Au
	46	47	1	1.96	1m @ 1.96 g/t Au

Hole ID	From	To	Interval	Grade	Intersection
CKGC052	2	3	1	1.54	1m @ 1.54 g/t Au
CKGC055	0	2	2	1.52	2m @ 1.52 g/t Au
CKGC056	0	2	2	2.68	2m @ 2.68 g/t Au
CKGC067	4	5	1	1.94	1m @ 1.94 g/t Au
CKGC068	1	2	1	1.38	1m @ 1.38 g/t Au
CKGC072	46	47	1	5.11	1m @ 5.11 g/t Au
CKGC079	0	2	2	1.24	2m @ 1.24 g/t Au
	56	57	1	1.66	1m @ 1.66 g/t Au

Authorised for release to ASX by the Board of New Murchison Gold Limited.

For further information, please contact:

Alex Passmore

Chief Executive Officer

E: info@newmurchgold.com

newmurchgold.com.au

Jane Morgan

Investor and Media Relations

E: jm@janemorganmanagement.com.au

ABOUT NEW MURCHISON GOLD

New Murchison Gold Limited (ASX:NMG) is a mineral exploration and gold mining company which holds a substantial package of tenements in the prolific Murchison goldfield near Meekatharra, Western Australia.

The Company is focused on the Garden Gully Gold Project which comprises a 619km² tenure package covering the Abbotts Greenstone Belt and other key regional structures. The Company operates the Crown Prince Gold Mine and has multiple gold deposits along the belt.

Gold mineralisation in the belt is controlled by major north trending structures and contact zones between felsic and mafic metamorphosed rocks.

As announced 25 June 2025, the Company made a decision to develop the Crown Prince Gold Mine and completed its first blast on 30 June 2025. NMG commenced production in September 2025. NMG updated its Mineral Resource Estimate and Ore Reserve Estimate in December 2025.

Disclaimer

This release may include forward-looking and aspirational statements. These statements are based on NMG management's expectations and beliefs concerning future events as of the time of the release of this announcement. Forward-looking and aspirational statements are necessarily subject to risks, uncertainties and other factors, some of which are outside the control of NMG, which could cause actual results to differ materially from such statements. NMG makes no undertaking to subsequently update or revise the forward looking or aspirational statements made in this release to reflect events or circumstances after the date of this release, except as required by applicable laws and the ASX Listing.

Refer to www.newmurchgold.com.au for past ASX announcements.

Competent Person's Statement

Exploration Results

Information in this Announcement that relates to results is based upon work undertaken by Mr. Costica Vieru, a Competent Person who is a Member of the Australian Institute of Geoscientists (AIG). Mr Vieru has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a 'Competent Person' as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves' (JORC Code). Mr Vieru is an employee of NMG Limited and consents to the inclusion in this announcement of the matters based on his information in the form and context in which it appears.

Mineral Resources

The information contained in this announcement that relates to Mineral Resources for Crown Prince, Cloud Kicker and Lydia is based upon, and fairly represents, information and supporting documentation compiled by Mr Craig Stokes MAusIMM. Mr Stokes is a Principal Geologist with Stokes Geoscience with over 18 years in the mining industry and a Member of the Australasian Institute of Mining and Metallurgy. The Competent Person has sufficient experience relevant to the style(s) of mineralisation and type(s) of deposit under consideration and to the activity which they are undertaking to qualify as Competent Persons as defined in the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Stokes consents to the inclusion of information relating to the Mineral Resource Estimate as it appears in this report.

The information contained in this announcement that relates to Mineral Resources for Abbotts is based upon, and fairly represents, information and supporting documentation compiled by Mr Lynn Widenbar FAusIMM. Mr Widenbar is the Principal of Widenbar and Associates, a consultant resource geologist with over 50 years experience and a Member of the Australasian Institute of Mining and Metallurgy. The Competent Person has sufficient experience relevant to the style(s) of mineralisation and type(s) of deposit under consideration and to the activity which they are undertaking to qualify as Competent Persons as defined in the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Widenbar consents to the inclusion of information relating to the Mineral Resource Estimate as it appears in this report.

The Competent Person for the Ore Reserve estimate is Mr Hemal Patel, a mining engineer with more than 18 years' experience in the mining industry. Mr Hemal is a Member of the AusIMM, a full-time employee of Has Holdings Pty Ltd and has sufficient open pit mining activity experience relevant to the style of mineralisation and type of deposit under consideration to qualify as a Competent Person as defined in the JORC Code. Mr Hemal consents to the inclusion of information relating to the Ore Reserve in the form and context in which it appears.

Ore Reserves

Past Exploration results and Mineral Resource Estimates reported in this announcement were previously prepared and disclosed by NMG in accordance with JORC Code. The Company confirms that it is not aware of any new information or data that materially affects the information included in these market announcements. The Company confirms that the form and content in which the Competent Person's findings are presented here have not been materially modified from the original market announcement, and all material assumptions and technical parameters underpinning Mineral Resource Estimates in the relevant market announcement continue to apply and have not materially changed. Refer to www.newmurch.com.au for details on past exploration results and Mineral Resource Estimates.

Appendix 1: Assay results from Grade Control and Resource Definition Drilling (>1ppm Au) - Fire Assay 50g charge and analysed by ICP-OES at BV Labs, Kalgoorlie.

Hole ID	From	To	Interval	Au ppm	Au Rpt	Average	Intersection
CKGC001	34	35	1	1.75			1m @ 1.75g/t Au
	38	39	1	2.61			1m @ 2.61g/t Au
CKGC002	50	51	1	8.84			1m @ 8.84g/t Au
CKGC004	4	5	1	1.14			1m @ 1.14g/t Au
	12	13	1	11.00			1m @ 11.00g/t Au
	18	19	1	1.13			1m @ 1.13g/t Au
CKGC005	43	44	1	1.43			4m @ 1.10g/t Au
	44	45	1	0.51			
	45	46	1	0.07			
	46	47	1	2.38			
CKGC006	45	46	1	4.74			1m @ 4.74g/t Au
	53	54	1	2.27			4m @ 2.02g/t Au
	54	55	1	0.26			
	55	56	1	3.73			
	56	57	1	1.83			
CKGC007	3	4	1	1.19			2m @ 1.72g/t Au
	4	5	1	2.25	2.39	2.32	
	33	34	1	1.09			1m @ 1.09g/t Au
CKGC008	25	26	1	4.12			1m @ 4.12g/t Au
	52	53	1	1.59			1m @ 1.59g/t Au
CKGC009	6	7	1	1.20			1m @ 1.20g/t Au
	40	41	1	8.64			2m @ 5.81g/t Au
	41	42	1	2.98			
CKGC010	37	38	1	2.46			1m @ 2.46g/t Au
	44	45	1	5.76			11m @ 1.34g/t Au
	45	46	1	1.75			
	46	47	1	1.75			
	47	48	1	1.03			
	48	49	1	1.47			
	49	50	1	0.04			
	50	51	1	0.02			
	51	52	1	1.77			
	52	53	1	0.12			
	53	54	1	0.04			
	54	55	1	1.00			
	64	65	1	1.65			1m @ 1.65g/t Au
	69	70	1	1.03			1m @ 1.03g/t Au
CKGC012	0	1	1	1.27			4m @ 4.11g/t Au

Hole ID	From	To	Interval	Au ppm	Au Rpt	Average	Intersection
CKGC012	1	2	1	6.28			
	2	3	1	6.86			
	3	4	1	2.01			
	8	9	1	1.48			
	9	10	1	1.50			3m @ 1.54g/t Au
	10	11	1	1.65			
	22	23	1	1.51			1m @ 1.51g/t Au
CKGC013	32	33	1	1.15			3m @ 3.44g/t Au
	33	34	1	3.28			
	34	35	1	5.88			
	43	44	1	8.69			4m @ 3.49g/t Au
	44	45	1	0.09			
	45	46	1	0.08			
	46	47	1	5.12			
	51	52	1	3.82			1m @ 3.82g/t Au
CKGC014	42	43	1	2.14			4m @ 2.13g/t Au
	43	44	1	0.05			
	44	45	1	4.12			
	45	46	1	2.19			
	50	51	1	4.79			3m @ 2.04g/t Au
	51	52	1	0.14			
	52	53	1	1.19			
CKGC015	3	4	1	12.8			9m @ 9.31g/t Au
	4	5	1	13.5			
	5	6	1	16.6			
	6	7	1	26.00			
	7	8	1	8.64			
	8	9	1	0.70			
	9	10	1	0.56			
	10	11	1	3.65			
	11	12	1	1.38			
	27	28	1	1.19			
	28	29	1	0.18			3m @ 1.18g/t Au
	29	30	1	2.18			
	35	36	1	2.85			1m @ 2.85g/t Au
CKGC016	0	1	1	1.38			3m @ 1.17g/t Au
	1	2	1	1.12			
	2	3	1	1.01			
	12	13	1	1.57			2m @ 2.06g/t Au
	13	14	1	2.54			

Hole ID	From	To	Interval	Au ppm	Au Rpt	Average	Intersection
CKGC016	33	34	1	1.11			2m @ 1.17g/t Au
	34	35	1	1.23			
CKGC017	34	35	1	1.67			4m @ 2.23g/t Au
	35	36	1	0.02			
	36	37	1	1.52			
	37	38	1	5.73			
	41	42	1	2.07			1m @ 2.07g/t Au
	46	47	1	3.00			1m @ 3.00g/t Au
CKGC018	0	1	1	2.28			8m @ 4.13g/t Au
	1	2	1	2.49	2.54	2.52	
	2	3	1	5.11			
	3	4	1	1.00			
	4	5	1	3.90			
	5	6	1	7.13			
	6	7	1	5.37			
	7	8	1	5.72			
	28	29	1	3.06			2m @ 2.41g/t Au
	29	30	1	1.77	1.83	1.80	
CKGC019	21	22	1	3.94			8m @ 2.23g/t Au
	22	23	1	3.36			
	23	24	1	0.14			
	24	25	1	2.49			
	25	26	1	4.27			
	26	27	1	1.61			
	27	28	1	0.81	0.71	0.76	
	28	29	1	1.25			
CKGC020	44	45	1	18.10			10m @ 13.61g/t Au
	45	46	1	8.42			
	46	47	1	20.20			
	47	48	1	52.60	53.30	52.95	
	48	49	1	23.70			
	49	50	1	3.01			
	50	51	1	4.12			
	51	52	1	2.48			
	52	53	1	2.31			
	53	54	1	1.15			
	57	58	1	2.49			1m @ 2.49g/t Au
CKGC021	64	65	1	1.28			1m @ 1.28g/t Au
CKGC022	1	2	1	1.40			2m @ 1.37g/t Au
	2	3	1	1.34			

Hole ID	From	To	Interval	Au ppm	Au Rpt	Average	Intersection
CKGC022	27	28	1	1.05			2m @ 1.08g/t Au
	28	29	1	1.11			
	36	37	1	2.36			2m @ 1.88g/t Au
	37	38	1	1.40			
CKGC023	45	46	1	2.50			8m @ 3.94g/t Au
	46	47	1	5.23			
	47	48	1	5.88			
	48	49	1	9.39	8.59	8.99	
	49	50	1	0.58			
	50	51	1	5.50			
	51	52	1	0.39			
	52	53	1	2.03			
	63	64	1	1.49			2m @ 1.69g/t Au
	64	65	1	1.89			
CKGC024	27	28	1	1.45			1m @ 1.45g/t Au
	32	33	1	1.33			1m @ 1.33g/t Au
	39	40	1	1.08			1m @ 1.08g/t Au
CKGC025	39	40	1	1.08			2m @ 1.65g/t Au
	40	41	1	2.22			
	53	54	1	2.11			1m @ 2.11g/t Au
	57	58	1	6.14			3m @ 3.07g/t Au
	58	59	1	1.23			
	59	60	1	1.84			
CKGC026	0	1	1	1.08			2m @ 1.13g/t Au
	1	2	1	1.17	1.16	1.17	
	28	29	1	1.24			1m @ 1.24g/t Au
	32	33	1	1.33			4m @ 0.98g/t Au
	33	34	1	0.18			
	34	35	1	0.01			
	35	36	1	2.40			
	45	46	1	1.07			1m @ 1.07g/t Au
CKGC027	42	43	1	2.11			1m @ 2.11g/t Au
	48	49	1	2.00			1m @ 2.00g/t Au
	31	32	1	2.39			2m @ 1.89g/t Au
CKGC028	32	33	1	1.38			
CKGC030	60	61	1	1.73			1m @ 1.73g/t Au
CKGC033	36	37	1	1.08			3m @ 2.07g/t Au
	37	38	1	3.03			
	38	39	1	2.10			
CKGC036	0	1	1	1.00			1m @ 1g/t Au

Hole ID	From	To	Interval	Au ppm	Au Rpt	Average	Intersection
CKGC037	32	33	1	1.11	1.22	1.17	1m @ 1.11g/t Au
	62	63	1	5.67			1m @ 5.67g/t Au
CKGC038	3	4	1	1.16			2m @ 1.10g/t Au
	4	5	1	1.04			
	33	34	1	2.47	2.36	2.42	1m @ 2.47g/t Au
	51	52	1	3.71			6m @ 1.34g/t Au
	52	53	1	0.02			
	53	54	1	0.62			
	54	55	1	1.37	1.37	1.37	
	55	56	1	0.79			
	56	57	1	1.53			
	60	61	1	5.24			2m @ 4.27g/t Au
	61	62	1	3.31			
CKGC039	30	31	1	1.72			2m @ 1.49g/t Au
	31	32	1	1.25	1.15	1.20	
	52	53	1	4.46			1m @ 4.46g/t Au
CKGC040	0	1	1	2.68			2m @ 2.28g/t Au
	1	2	1	1.87			
	41	42	1	1.35			8m @ 1.17g/t Au
	42	43	1	0.40			
	43	44	1	0.65			
	44	45	1	1.04			
	45	46	1	0.47			
	46	47	1	0.52			
	47	48	1	2.13			
	48	49	1	2.83			
	53	54	1	1.04			5m @ 1.41g/t Au
	54	55	1	0.95			
	55	56	1	2.40			
	56	57	1	1.50			
	57	58	1	1.17			
CKGC041	37	38	1	1.48			2m @ 1.28g/t Au
	38	39	1	1.08			
	43	44	1	1.81	1.59	1.70	3m @ 3.15g/t Au
	44	45	1	4.65			
	45	46	1	2.99			
CKGC042	1	2	1	2.45			2m @ 1.75g/t Au
	2	3	1	1.05			
	37	38	1	6.70			1m @ 6.70g/t Au
CKGC043	24	25	1	2.83			2m @ 2.07g/t Au

Hole ID	From	To	Interval	Au ppm	Au Rpt	Average	Intersection
CKGC043	25	26	1	1.32			
	29	30	1	1.40			1m @ 1.40g/t Au
	49	50	1	1.32			1m @ 1.32g/t Au
CKGC044	51	52	1	1.09	1.01	1.05	1m @ 1.05g/t Au
CKGC045	32	33	1	1.21			4m @ 0.78g/t Au
	33	34	1	0.34			
	34	35	1	0.43			
	35	36	1	1.15			
CKGC045A	58	59	1	6.16	5.97	6.07	4m @ 7.74g/t Au
	59	60	1	0.09			
	60	61	1	22.90			
	61	62	1	1.88			
	0	1	1	4.39			1m @ 4.39g/t Au
	33	34	1	1.59			3m @ 1.59g/t Au
	34	35	1	1.85	1.88	1.87	
	35	36	1	1.33	1.32	1.33	
	55	56	1	9.40			7m @ 8.70g/t Au
	56	57	1	2.88			
	57	58	1	0.08			
	58	59	1	4.34			
	59	60	1	38.30			
	60	61	1	1.96			
CKGC050	61	62	1	3.93			1m @ 1.53g/t Au
	0	1	1	1.53			
	29	30	1	2.59			3m @ 1.39g/t Au
	30	31	1	0.36			
	31	32	1	1.23			
	47	48	1	1.72			1m @ 1.72g/t Au
CKGC050	1	2	1	2.00			2m @ 1.59g/t Au
	2	3	1	1.18			
	46	47	1	1.96			1m @ 1.96g/t Au
CKGC052	2	3	1	1.54			1m @ 1.54g/t Au
CKGC055	0	1	1	1.97			2m @ 1.52g/t Au
	1	2	1	1.07			
CKGC056	0	1	1	1.54			2m @ 2.68g/t Au
	1	2	1	3.83			
CKGC057	37	38	1	1.31			1m @ 1.31g/t Au
CKGC058	38	39	1	1.83			1m @ 1.83g/t Au
	46	47	1	1.91			1m @ 1.91g/t Au
CKGC060	38	39	1	1.00	1.14	1.07	1m @ 1.07g/t Au

Hole ID	From	To	Interval	Au ppm	Au Rpt	Average	Intersection
CKGC060	48	49	1	1.13			3m @ 1.42g/t Au
	49	50	1	0.04			
	50	51	1	3.09			
	57	58	1	1.07			1m @ 1.07g/t Au
CKGC062	47	48	1	1.84			1m @ 1.84g/t Au
	58	59	1	54.80			1m @ 54.80g/t Au
CKGC063	32	33	1	1.84	1.83	1.84	1m @ 1.84g/t Au
CKGC066	48	49	1	1.51			1m @ 1.51g/t Au
	57	58	1	2.82			1m @ 2.82g/t Au
CKGC067	4	5	1	1.94			1m @ 1.94g/t Au
CKGC068	1	2	1	1.38			1m @ 1.38g/t Au
CKGC072	46	47	1	5.11			1m @ 5.11g/t Au
CKGC075	0	1	1	2.04			2m @ 2.26g/t Au
	1	2	1	2.48			
CKGC076	51	52	1	1.34			1m @ 1.34g/t Au
	65	66	1	2.03			1m @ 2.03g/t Au
	72	73	1	1.06			1m @ 1.06g/t Au
	78	79	1	4.22			1m @ 4.22g/t Au
CKGC077	0	1	1	2.08			1m @ 2.08g/t Au
CKGC079	0	1	1	1.02			2m @ 1.24g/t Au
	1	2	1	1.45			
	56	57	1	1.66			1m @ 1.66g/t Au
CKGC080	40	41	1	2.76			2m @ 2.34g/t Au
	41	42	1	1.87	1.96	1.92	
CKGC081	31	32	1	1.81			2m @ 2.70g/t Au
	32	33	1	3.60			
	50	51	1	8.62			1m @ 8.62g/t Au
	61	62	1	3.01			1m @ 3.01g/t Au
CKGC082	51	52	1	1.84			2m @ 1.73g/t Au
	52	53	1	1.61			
	66	67	1	3.10			3m @ 2.16g/t Au
	67	68	1	2.33			
	68	69	1	1.05			
CKGC084	1	2	1	1.62			2m @ 1.80g/t Au
	2	3	1	1.98			
CKGC085	1	2	1	1.03			3m @ 1.52g/t Au
	2	3	1	2.22			
	3	4	1	1.32			
CKGC086	0	1	1	1.84			2m @ 2.36g/t Au
	1	2	1	2.88			

Hole ID	From	To	Interval	Au ppm	Au Rpt	Average	Intersection
CKGC087	3	4	1	2.17			2m @ 1.70g/t Au
	4	5	1	1.22			
CKGC088	1	2	1	1.02			3m @ 1.57g/t Au
	2	3	1	1.30			
	3	4	1	2.39			
CKGC089	2	3	1	1.16			1m @ 1.16g/t Au
CKGC090	4	5	1	1.87			1m @ 1.87g/t Au
CKGC091	4	5	1	1.12			1m @ 1.12g/t Au
CKGC092	2	3	1	3.26			3m @ 3.62g/t Au
	3	4	1	4.51			
	4	5	1	2.96	3.23	3.10	
CKGC093	3	4	1	1.73			2m @ 1.57g/t Au
	4	5	1	1.42			
CKGC094	4	5	1	1.33			2m @ 1.98g/t Au
	5	6	1	2.63			
CKGC095	2	3	1	1.38			4m @ 1.54g/t Au
	3	4	1	1.36			
	4	5	1	2.13			
	5	6	1	1.29			
CKGC096	3	4	1	1.56			2m @ 1.94g/t Au
	4	5	1	2.33			
CKGC097	4	5	1	1.18			2m @ 2.13g/t Au
	5	6	1	3.08			
CKGC099	2	3	1	2.61			4m @ 1.77 /t Au
	3	4	1	1.73			
	4	5	1	1.43	1.54	1.49	
	5	6	1	1.27			
CKGC102	3	4	1	1.51			1m @ 1.51g/t Au
CKGC106	3	4	1	1.61			1m @ 1.61g/t Au
CKGC107	4	5	1	2.22			1m @ 2.22g/t Au
CKGC109	1	2	1	4.75			4m @ 4.29g/t Au
	2	3	1	2.39			
	3	4	1	5.97			
	4	5	1	4.03			
CKGC110	0	1	1	1.38			4m @ 2.84g/t Au
	1	2	1	2.18			
	2	3	1	6.76			
	3	4	1	1.04			
CKGC111	1	2	1	4.29			10m @ 2.00g/t Au
	2	3	1	3.73			

Hole ID	From	To	Interval	Au ppm	Au Rpt	Average	Intersection
CKGC111	3	4	1	2.07			
	4	5	1	1.45			
	5	6	1	2.44			
	6	7	1	3.34			
	7	8	1	0.37			
	8	9	1	1.04			
	9	10	1	0.23			
	10	11	1	1.01			
CKGC112	4	5	1	2.41	2.57	2.49	2m @ 2.01g/t Au
	5	6	1	1.53			
CKGC113	4	5	1	1.06			1m @ 1.06g/t Au
CKRD001	18	19	1	1.67			2m @ 1.52g/t Au
	19	20	1	1.38			
	34	35	1	2.88			1m @ 2.88g/t Au
CKRD002	51	52	1	1.03			1m @ 1.03g/t Au
	55	56	1	5.93			3m @ 2.65g/t Au
	56	57	1	0.02			
	57	58	1	1.99			
CKRD003	1	2	1	1.30			1m @ 1.30g/t Au
	45	46	1	5.76			1m @ 5.76g/t Au
	65	66	1	1.08			1m @ 1.08g/t Au
	71	72	1	1.62			4m @ 3.08g/t Au
	72	73	1	3.93			
	73	74	1	5.58			
	74	75	1	1.19			
CKRD006	65	66	1	1.33			1m @ 1.33g/t Au
	72	73	1	3.81			4m @ 1.34g/t Au
	73	74	1	0.19			
	74	75	1	0.18			
	75	76	1	1.17			
CKRD007	101	102	1	2.82			7m @ 3.19g/t Au
	102	103	1	3.13			
	103	104	1	8.82			
	104	105	1	5.09	5.13	5.11	
	105	106	1	0.79			
	106	107	1	0.18			
	107	108	1	1.50			
CKRD008	60	61	1	14.70			8m @ 6.47g/t Au
	61	62	1	10.70			
	62	63	1	0.48	0.46	0.47	

Hole ID	From	To	Interval	Au ppm	Au Rpt	Average	Intersection
CKRD008	63	64	1	13.20			
	64	65	1	2.01			
	65	66	1	6.37			
	66	67	1	3.05			
	67	68	1	1.26			
	72	73	1	12.6			9m @ 5.86g/t Au
	73	74	1	4.83			
	74	75	1	0.27			
	75	76	1	9.17			
	76	77	1	2.84	3.02	2.93	
	77	78	1	18.8			
	78	79	1	0.65			
	79	80	1	2.10			
	80	81	1	1.48			
	91	92	1	1.02			1m @ 1.02g/t Au
	111	112	1	5.84			3m @ 3.01g/t Au
	112	113	1	0.52			
	113	114	1	2.56	2.77	2.67	
CKRD010	53	54	1	2.03			1m @ 2.03g/t Au
	63	64	1	1.67			1m @ 1.67g/t Au
	98	99	1	7.81			2m @ 5.15g/t Au
	99	100	1	2.50			
CKRD013	63	64	1	1.07			1m @ 1.07g/t Au
CKRD014	48	49	1	1.12			3m @ 2.09g/t Au
	49	50	1	3.20			
	50	51	1	1.94			
	56	57	1	1.71			1m @ 1.71g/t Au
	68	69	1	1.68			1m @ 1.68g/t Au
CKRD016	64	65	1	1.98			5m @ 2.14g/t Au
	65	66	1	4.89			
	66	67	1	0.74			
	67	68	1	0.07			
	68	69	1	3.04	3.29	3.17	
	90	91	1	2.95			1m @ 2.95g/t Au
CKRD017	62	63	1	1.46			8m @ 9.22g/t Au
	63	64	1	0.76			
	64	65	1	19.40			
	65	66	1	1.14			
	66	67	1	8.03			
	67	68	1	24.40			

Hole ID	From	To	Interval	Au ppm	Au Rpt	Average	Intersection
CKRD017	68	69	1	7.86			1m @ 1.51g/t Au
	69	70	1	10.70			
	82	83	1	1.51			
CKRD018	76	77	1	9.90			3m @ 8.36g/t Au
	77	78	1	14.10			
	78	79	1	1.08			
	91	92	1	3.80			2m @ 2.80g/t Au
	92	93	1	1.80			
CKRD019	72	73	1	1.07			7m @ 5.00g/t Au
	73	74	1	17.50			
	74	75	1	3.25			
	75	76	1	0.74			
	76	77	1	0.58			
	77	78	1	5.95			
	78	79	1	5.88			
	82	83	1	1.09			4m @ 0.89g/t Au
	83	84	1	1.24			
	84	85	1	0.09			
	85	86	1	1.15			
	91	92	1	1.52			1m @ 1.52g/t Au
CKRD020	90	91	1	2.77			4m @ 2.78g/t Au
	91	92	1	0.29			
	92	93	1	0.01			
	93	94	1	8.05			
	100	101	1	1.33			1m @ 1.33g/t Au
CKRD021	75	76	1	1.29			3m @ 5.57g/t Au
	76	77	1	8.99			
	77	78	1	6.43			
	81	82	1	1.06			1m @ 1.06g/t Au
CKRD022	81	82	1	1.62			1m @ 1.62g/t Au
	91	92	1	11.10			5m @ 7.33g/t Au
	92	93	1	3.09			
	93	94	1	10.30			
	94	95	1	6.37			
	95	96	1	5.79			

Appendix 2: JORC Table 1 Checklist of Assessment and Reporting Criteria

Section 1. Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code Explanation	Commentary
Sampling techniques	- Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down-hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. - Include reference to measures taken to ensure sample representativity and the appropriate calibration of any measurement tools or systems used. - Aspects of the determination of mineralisation that are material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1m samples from which 3 kg was pulverised to produce a 30g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.	- RC sample was collected and split in even metre intervals where sample was dry. Wet sample was speared or on occasion sampled by scooping. RC drill chips from each metre were examined visually and logged by the geologist. Evidence of alteration or the presence of mineralisation was noted on the drill logs. The RC holes were full hole sampled in 1m intervals with the exception of holes CKRD023 to CKRD032 which were full hole sampled in 4m composites. 4m composites with results above 0.3ppm will have the initial 1m samples assayed. - Duplicate samples are submitted at a rate of approximately 10% of total samples taken (ie one duplicate submitted for every 20 samples). The Vanta XRF Analyser is calibrated before each session and is serviced according to the manufacturer's (Olympus) recommended schedule. - The presence or absence of mineralisation is initially determined visually by the site geologist, based on experience and expertise in evaluating the styles of mineralisation being sought.
Drilling techniques	Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).	Drilling technique was a SlimeLine Reverse Circulation (RC) with a hammer diameter of 5.5" (102mm) using a track mounted Edson 3000W drill rig.
Drill sample recovery	- Method of recording and assessing core and chip sample recoveries and results assessed. - Measures taken to maximise sample recovery and ensure representative nature of the samples. - Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	- Volume of material collected from each metre interval of drilling completed is monitored visually by the site geologist and field assistants. Dry sample recoveries were estimated at ~95%. Wet sample recovery was lower, estimated to an average of 40%. - Samples were collected and dry sample split using a riffle splitter. - Based on the relatively small number of assays received to date, there is no evidence of either a recovery/grade relationship or of sample bias.
Logging	- Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. - Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. - The total length and percentage of the relevant intersections logged.	- RC chips are logged visually by qualified geologists. Lithology, and where possible structures, textures, colours, alteration types and minerals estimates are recorded. - Representative chips are retained in chip trays for each meter interval drilled. - The entire length of each drill hole is logged and evaluated.
Sub-sampling techniques and sample preparation	- If core, whether cut or sawn and whether quarter, half or all core taken. - If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.	RC samples were collected and dry sample split using a riffle splitter. Material too moist for effective riffle splitting was sampled using a 4cm diameter spear. Sample submitted to the laboratory comprised three spear samples in

Criteria	JORC Code Explanation	Commentary
	- For all sample types, the nature, quality and appropriateness of the sample preparation technique. - Quality control procedures adopted for all sub-sampling stages to maximise representativity of samples. - Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling. - Whether sample sizes are appropriate to the grain size of the material being sampled.	different directions into the material for each meter interval. - The samples were sent to Intertek labs in Perth for Au analysis by FA50 (Fire Assay on 50g charge). Sample preparation techniques are well-established standard industry best practice techniques. Drill chips are dried and crushed and pulverised (whole sample) to 95% of the sample passing -75µm grind size. - Field QC procedures include using certified reference materials as assay standards at every 20m. One duplicate sample is submitted for every 20 samples and a blank at 50 samples, approximately. - Evaluation of the standards, blanks and duplicate samples assays show them to be within acceptable limits of variability. - Sample representativity and possible relationship between grain size and grade was confirmed following re-sampling and re-assaying of high-grade interval. - Sample size follows industry standard best practice and is considered appropriate for these style(s) of mineralisation.
Quality of assay data and laboratory tests	- The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. - For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. - Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.	- The assay techniques used for these assays are of international standard and can be considered total. Samples were dried, crushed and pulverised to 95% passing -75µm using 50g Fire Assay and analysed by Inductively Coupled Plasma Optical (Atomic) Emission Spectrometry. - The handheld XRF equipment used is an Olympus Vanta XRF Analyser and NMG Ltd. follows the manufacturer's recommended calibration protocols and usage practices but does not consider XRF readings sufficiently robust for public reporting. NMG Ltd. uses the handheld XRF data as an indicator to support the selection of intervals for submission to laboratories for formal assay. - The laboratory that carried out the assays is an AQIS registered site and is ISO certified. It conducts its own internal QA/QC processes in addition to the QA/QC implemented by NMG Ltd, as its sample submission procedures. Evaluation of the relevant data indicates satisfactory performance of the field sampling protocols in place and of the assay laboratory. The laboratory uses check samples and assay standards to complement the duplicate sampling procedures practiced by NMG Ltd.
Verification of sampling and assaying	- The verification of significant intersections by either independent or alternative company personnel. - The use of twinned holes. - Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. - Discuss any adjustment to assay data.	- All significant intersections are calculated and verified on screen and are reviewed prior to reporting. - The program included no twin holes. - Data is collected and recorded initially on hand-written logs with summary data subsequently transcribed in the field to electronic files that are then copied to head office. - No adjustment to assay data has been needed.
Location of data points	Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches,	Drill hole locations have been established using a differential GPS with an accuracy of ±0.3m.

Criteria	JORC Code Explanation	Commentary
	<i>mine workings and other locations used in Mineral Resource estimation.</i> • <i>Specification of the grid system used.</i> • <i>Quality and adequacy of topographic control.</i>	Regular surveys were undertaken every 18m using a Gyro survey tool. • The map project MGA2020, Zone 50.
<i>Data spacing and distribution</i>	• <i>Data spacing for reporting of Exploration Results.</i> • <i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i> • <i>Whether sample compositing has been applied.</i>	• Drill hole collars were located and oriented to deliver maximum relevant geological information to allow the geological model being tested to be assessed effectively. • All holes were sampled to 1m intervals with the exception of holes CKRD023 to CKRD032 which were sampled using 4m composites.
<i>Orientation of data in relation to geological structure</i>	• <i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i> • <i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i>	• All the current drill holes within this program have been drilled 300 degrees north westerly at -60 degrees dip. Previous reverse circulation and diamond drilling have provided sufficient information to establish the overall orientation of lithologies and ore lodes. • Data collected so far presents no suggestion that any sampling bias has been introduced.
<i>Sample security</i>	• <i>The measures taken to ensure sample security.</i>	• When all relevant intervals have been sampled, the samples are collected and transported by company personnel to secure locked storage in Perth before delivery by company personnel to the laboratory for assay.
<i>Audits or reviews</i>	• <i>The results of any audits or reviews of sampling techniques and data.</i>	• Internal reviews are carried out regularly as a matter of policy. All assay results are considered representative as both the duplicates, standards and blanks from this programme have returned satisfactory replicated results.

Section 2. Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code Explanation	Commentary
<i>Mineral tenement and land tenure status</i>	• <i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i> • <i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i>	• The Garden Gully project comprises of twenty-one granted exploration licenses E51/1737, E51/1661, E51/1708, E51/1609, E51/1790, E51/1791, E51/2150, E51/1709, E51/1888, E51/1924, E51/1936, E51/1963, E51/1989, E51/2002, E51/2012, E51/2013, E51/2014, E51/2015, E51/1932, E51/1972, E51/1973 and five mining leases M51/390, M51/567, M51/886 M51/889 and M51/926, totaling approximately 677km². NMG Limited holds a 100% interest in each lease. The project is partially located in the Yoothapina pastoral lease, 15km north of Meekatharra, in the Murchison of WA. • The licences are in good standing and there are no known impediments to obtaining a licence to operate.
<i>Exploration done by other parties</i>	• <i>Acknowledgment and appraisal of exploration by other parties.</i>	• First workings in the Garden Gully area: 1895-1901 with the Crown Gold Mine. 265 tonnes gold at 1.99 oz/t average (~56 g/t Au). Maximum depth ~24m. Kyarra Gold Mine (1909-1917): 18,790 oz gold from quartz veins in "strongly sheared, decomposed, sericite rich country rock". • Seltrust explored for copper and zinc from 1977, reporting stratigraphically controlled

Criteria	JORC Code Explanation	Commentary
		"gossanous" rock from chip sampling and drilling. • In 1988 Dominion gold exploration at Crown defined a >100ppb gold soil anomaly. RAB to 32m: "no significant mineralisation"; best intersection: 15m at 2.38g/t from 5m. • 1989 at Lydia: Julia Mines RAB drill holes 30m intervals 100m apart across the shear zone targeting the arsenic anomaly. 12m at 5.16 g/t Au from 18m; 6m at 3.04 g/t Au from 18m. No samples deeper than 24m due to poor recovery, so open at depth in the prospective shear zone. Julia also drilled shallow air core at Crown mine, returned best intersection of 2m at 0.4 g/t Au and still open. • 1993 – 2003: St Barbara Mines: RAB, RC on E51/1661. Gold associated with black shale (best: 1m at 0.64 g/t). • In 1996, Australian Gold Resources RAB and RC drilling found Cu, Zn and Ag anomalies (up to 1800ppm Cu, 1650ppm Zn and 3.8 g/t Ag) associated with saprolitic clay and black shales at 60-80m deep on current E51/1661. • 2001-2002, Gamen (Bellissimo & Red Bluff Noms) trenched, sampled, mapped and RC drilled at Crown. Results (up to 0.19 g/t Au) suggested the presence of gold mineralisation further to the east of Crown Gold Mine. • 2008-2009: Accent defined targets N and S of Nineteenth Hole from satellite imagery and airborne magnetics. • 2014 Doray first drilling at Cloud Kicker, 2,820m of Aircore drilling • 2020-2024 Ora Gold carried out RC and AC drilling to define Cloud Kicker • 2025-2026 NMG carried out RC and DD drilling
Geology	• <i>Deposit type, geological setting and style of mineralisation.</i>	• The Garden Gully project comprises most of the Abbots Greenstone Belt; comprised of Archaean rocks of the Greensleeves Formation (Formerly Gabanintha); a bimodal succession of komatiitic volcanic mafics and ultramafics overlain by felsic volcanics and volcanoclastic sediments, black shales and siltstones and interlayered with mafic to ultramafic sills. Regional synclinal succession trending N-NE with a northern fold closure postdating E-W synform, further transected by NE trending shear zones, linearity with the NE trend of the Abernathy Shear, which is a proven regional influence on structurally controlled gold emplacement in Abbots and Meekatharra Greenstone Belts and in the Meekatharra Granite and associated dykes. • Au in the Southernmost tenements (E51/1989, E51/2002, E51/1936) have a similar orogenic depositional style to the rest of the Garden Gully Prospects but is hosted within the Meekatharra-Wydege greenstone belt. The area is characterised by the Norrie group and the

Criteria	JORC Code Explanation	Commentary
		Meekatharra Formation (part of the Poelle Group). The Noorie Group comprises of thick successions of pillowed and massive tholeiitic basalts and conformably overlying felsic volcanics with interbedded Banded Iron Formation and felsic rocks of the Yaloginda Formation. The Meekatharra formation is composed of weakly metamorphosed basalt komatiic basalt and other ultramafic rocks. The Au is associated with the Burnakura Shear Zone which is again typical of a brittle to semi-ductile shear zone which would form semi-continuous dilatational veins. The local Burnakura Mine (under care and maintenance by Monument) is located approximately 3km away from NMG tenements and features mineralisation dominated by steeply dipping quartz ($\pm$minor sulphides) veins orientated parallel to the foliation of the fault zone. • Mineralisation in the West Caledonian tenements (E51/1709 and E51/2013) can be shown in the Kohinoor open pit mine. This is an isolated gold mine and features Au mineralisation located on the contact between banded iron formations and meta basalts and associated with steep SW plunging ore shoots which are structurally controlled by shear zone orientated NW-SE. Within this mine there is a high association with sulphides (pyrite and pyrrhotite) and quartz veining which runs parallel to the shear zone. Much of the tenement is largely untested greenstone belt. • The project is blanketed by broad alluvial flats, occasional lateritic duricrust and drainage channels braiding into the Garden Gully drainage system. Bedrock exposures are limited to areas of dolerite, typically massive and unaltered. Small basalt and metasediment outcrops exist, with some exposures of gossanous outcrops and quartz vein scree. Gold bearing quartz reefs, veins and lodes occur almost exclusively as siliceous impregnations into zones within the Kyarra Schist Series, schistose derivatives of dolerites, gabbros and tuffs, typically occurring close to axial planes of folds and within anastomosing ductile shear zones. • Cloud Kicker is centred on a mineralised dilational zone in the local mafic unit (foliated basalt and dolerite). This zone hosts two sets of sub parallel lodes, a steep dipping NE-SW striking group and a shallow S-SE dipping group which host gold mineralisation in quartz carbonate veins
Drill hole Information	• A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all material drill holes: ◦ easting and northing of the drill hole collar	• No exploration results are being reported.

Criteria	JORC Code Explanation	Commentary
	○ elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar ○ dip and azimuth of the hole ○ down hole length and interception depth ○ hole length. • If the exclusion of this information is justified on the basis that the information is not material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.	
Data aggregation methods	• In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually material and should be stated. • Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. • The assumptions used for any reporting of metal equivalent values should be clearly stated.	• No exploration results are being reported.
Relationship between mineralisation widths and intercept lengths	• These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. • If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg. 'down hole length, true width not known').	• No exploration results are being reported.
Diagrams	• Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to, a plan view of drill hole collar locations and appropriate sectional views.	• No exploration results are being reported.
Balanced reporting	• Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	• No exploration results are being reported.
Other substantive exploration data	• Other exploration data, if meaningful and material, should be reported including, but not limited to: geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density; groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	• No exploration results are being reported.

Criteria	JORC Code Explanation	Commentary
<i>Further work</i>	<i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</i> <i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i>	Additional RC drilling will be undertaken to further test the north western extent of the Caprock mineralisation.