

# NEXUS

## MINERALS

COMPANY PRESENTATION

# DIGGERS AND DEALERS KALGOORLIE

3-5 AUGUST 2026

ASX: NXM  
[nexus-minerals.com](https://nexus-minerals.com)



# DISCLAIMER

This document contains forward looking statements. Forward looking statements are not based on historical facts but are based on Nexus's current expectations of future results or events. These forward looking statements are subject to risks, uncertainties and assumptions which could cause actual results or events to differ materially from the expectations described in such forward looking statements. While Nexus believes that the expectations reflected in the forward looking statements in this document are reasonable, no assurance can be given that such expectations will prove to be correct. Matters as yet not known to Nexus or not currently considered material by Nexus, may cause actual results or events to be materially different from those expressed, implied or projected in any forward looking statements. Any forward looking statement contained in this document is qualified by this cautionary statement.

The information contained in this presentation is for informational purposes only and does not constitute an offer to issue, or arrange to issue, securities or other financial products. The information contained in this presentation is not investment or financial product advice and is not intended to be used as the basis for making an investment decision. The presentation has been prepared without taking into account the investment objectives, financial situation or particular needs of any particular person.

No representation or warranty, express or implied, is made as to the fairness, accuracy, completeness or correctness of the information, opinions and conclusions contained in this presentation. To the maximum extent permitted by law, none of Nexus Minerals Limited, its directors, employees or agents, nor any other person accepts any liability, including, without limitation, any liability arising out of fault of negligence, for any loss arising from the use of the information contained in this presentation. In particular, no representation or warranty, express or implied is given as to the accuracy, completeness or correctness, likelihood of achievement or reasonableness or any forecasts, prospects or returns contained in this presentation nor is any obligation assumed to update such information. Such forecasts, prospects or returns are by their nature subject to significant uncertainties and contingencies.

Before making an investment decision, you should consider, with or without the assistance of a financial adviser, whether an investment is appropriate in light of your particular investment needs, objectives and financial circumstances. Past performance is no guarantee of future performance. The distribution of this document in jurisdictions outside Australia may be restricted by law. Any recipient of this document outside Australia must seek advice on and observe any such restrictions.

In particular, this presentation does not constitute an offer to sell, or a solicitation of an offer to buy, securities in the United States or to any 'U.S. person' (as defined in Regulation S under the U.S. Securities Act of 1933, as amended ('Securities Act')). The securities referred to in this presentation have not been and will not be registered under the Securities Act or under the securities laws of any state in the United States. Securities may not be offered or sold in the United States or to, or for the account or benefit of, any U.S. person, unless the securities have been registered under the Securities Act or an exemption from registration is available.

The information in the report to which this statement is attached that relates to the Pinnacles Mineral Resources based upon information compiled by Mr Mark Drabble, a Competent Person who is a member of The Australian Institute of Mining and Metallurgy and the Australian Institute of Geoscientists. Mr Drabble is a full-time employee of Snowden Optiro Pty Ltd, consultants to Nexus Minerals Limited. Mr Drabble has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Drabble consents to the inclusion in the report of matters based on his information in the form and context in which it appears.

The information in the report to which this statement is attached that relates to Crusader-Templar Mineral Resources based upon information compiled by Mr Paul Blackney, a Competent Person who is a member of the Australian Institute of Geoscientists. Mr Blackney is a full-time employee of Snowden Optiro, consultants to Nexus Minerals Limited. Mr Blackney has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Blackney consents to the inclusion in the report of matters based on his information in the form and context in which it appears.

The information in this release that relates to Exploration Results, Mineral Resources or Ore Reserves is based on, and fairly represents, information and supporting documentation, prepared, compiled or reviewed by Mr Adam James, who is a Member of the Australasian Institute of Mining and Metallurgy and the Australian Institute of Geoscientists. Mr James is the Exploration Manager and full-time employee of Nexus Minerals Limited. Mr James has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity for which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the 'Australian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr James consents to the inclusion in the release of the matters based on his information in the form and context in which it appears.

The information in this report that relates to Exploration Results, Mineral Resources or Ore Reserves is based on, and fairly represents, information and supporting documentation, prepared, compiled or reviewed by Mr Andy Tudor, who is a Member of the Australasian Institute of Mining and Metallurgy and the Australian Institute of Geoscientists. Mr Tudor is the Managing Director and full-time employee of Nexus Minerals Limited. Mr Tudor has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity for which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the 'Australian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Tudor consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

The results are available to be viewed on the Company website [www.nexus-minerals.com](http://www.nexus-minerals.com). The Company confirms that the form and context in which the Competent Persons' findings are presented have not been materially modified from the original announcements.

The exploration results are available to be viewed on the Company website [www.nexus-minerals.com](http://www.nexus-minerals.com). The Company confirms it is not aware of any new information that materially affects the information included in the original announcement. The Company confirms that the form and context in which the Competent Person's findings are present have not been materially modified from the original announcements of 13/10/2016, 7/2/2017, 6/9/2018, 20/9/2018, 16/10/18, 29/11/2018, 24/1/2019, 4/2/2019, 27/2/19, 15/3/2019, 2/4/2019, 9/4/2019, 16/4/2019, 18/4/2019, 29/5/2019, 8/7/2019, 28/8/2019, 8/10/2019, 21/10/2019, 27/2/2020, 13/3/2020, 21/4/2020, 29/6/2020, 15/7/2020, 16/7/2020, 24/7/2020, 13/8/2020, 28/8/2020, 1/8/2020, 5/10/2020, 19/10/2020, 2/11/2020, 17/11/2020 and 23/11/2020, 2/12/2020, 7/12/2020, 15/12/2020, 29/12/2021, 16/2/2021, 21/4/2021, 23/4/2021, 28/4/2021, 27/5/2021, 13/7/2021, 28/7/2021, 16/8/2021, 23/8/2021, 8/9/2021, 11/10/2021, 25/10/2021, 8/11/2021, 9/11/2021, 15/11/2021, 21/12/2021, 24/12/2021, 18/1/2022, 25/1/2022, 3/03/2022, 14/3/2022, 31/3/2022, 11/04/2022, 19/4/2022, 21/04/2022, 3/5/2022, 9/5/2022, 16/5/2022, 24/05/2022, 25/5/2022, 28/6/2022, 7/7/2022, 26/7/2022, 8/8/2022, 16/8/2022, 24/8/2022, 9/9/2022, 20/9/2022, 24/10/2022, 17/11/2022, 23/11/2022, 24/01/2023, 08/02/2023, 09/03/2023, 29/03/2023, 20/04/2023, 26/04/2023, 02/05/2023, 08/05/2023, 02/06/2023, 22/06/2023, 05/07/2023, 19/07/2023, 25/07/2023, 28/07/2023, 07/08/2023, 28/08/2023, 04/09/2023, 12/09/2023, 14/09/2023, 21/09/2023, 29/09/2023, 3/10/2023, 5/10/2023, 17/10/2023, 23/10/2023, 23/10/2023, 17/11/2023, 23/10/2023, 30/10/2023, 17/11/2023, 23/11/2023, 05/12/2023, 30/01/2024, 09/02/2024, 13/03/2024, 14/03/2024, 16/04/2024, 1/05/2024, 6/05/2024, 15/05/2024, 4/06/2024, 27/06/2024, 3/07/2024, 31/7/2024, 27/08/2024, 30/08/2024, 03/09/2024, 04/09/2024, 06/09/2024, 12/09/2024, 23/09/2024, 24/09/2024, 25/09/2024, 30/09/2024, 02/10/2024, 07/09/2024, 25/10/2024, 29/10/2024, 11/11/2024, 13/11/2024, 27/11/2024, 05/12/2024, 09/12/2024, 18/12/2024, 19/12/2024, 23/01/2025, 11/02/2025, 18/02/2025, 25/02/2025, 13/03/2025, 13/03/2025, 19/03/2025, 21/03/2025, 26/03/2025, 31/03/2025, 09/04/2025, 16/04/2025, 30/04/2025, 06/05/2025, 07/05/2025, 08/05/2025, 12/05/2025, 13/05/2025, 15/05/2025, 05/06/2025, 12/06/2025, 24/06/2025, 22/07/2025, 30/07/2025, 4/08/2025, 2/09/2025, 16/09/2025, 19/09/2025, 10/10/2025, 14/10/2025, 21/10/2025, 29/10/2025, 5/11/2025, 12/11/2025, 18/11/2025, 19/11/2025, 25/11/2025, 09/12/2025, 23/12/2025, 30/01/2026, 17/02/2026, 11/03/2026, 19/03/2026, 14/04/2026, 30/04/2026, 4/05/2026, 5/05/2026, 26/05/2026, 04/06/2026, 24/06/2026, 1/07/2026, 08/07/2026, 15/07/2026, 29/07/2026 and 31/07/2026.

No Ore Reserves have currently been defined on the Pinnacles JV Gold Project, nor the Wallbrook Gold Project. There has been insufficient exploration and technical studies to estimate an Ore Reserve and it is uncertain if further exploration and/or technical studies will result in the estimation of an Ore Reserve. The potential for the development of a mining operation and sale of ore from the Pinnacles JV Gold Project or the Wallbrook Gold Project has yet to be established.


## CAUTIONARY STATEMENT – SCOPING STUDY

The Scoping Study referred to in this presentation (slide 12) is based on the material assumptions outlined in the announcement released to ASX on 4 June 2024. The Scoping Study has been undertaken to determine the viability of open pit mining and third-party toll treatment of the Crusader-Templar gold deposit. It is a preliminary technical and economic study of the potential viability of the Project. It is based on low level technical and economic assessments that are not sufficient to support estimation of ore reserves. The Company has concluded that it has reasonable grounds for disclosing a production target which includes an amount of Inferred Mineral Resources. There is a low level of geological confidence associated with Inferred Mineral Resources and there is no certainty that further exploration work will result in the determination of Indicated Mineral Resources or that the production target itself will be realised. Inferred Mineral Resources comprise approximately 27% of the modelled mining inventory. Further evaluation work and appropriate studies are required before Nexus will be able to estimate any ore reserves or to provide any assurance of an economic development case. These include the availability of funding. While Nexus considers all the material assumptions to be based on reasonable grounds, there is no certainty that they will prove to be correct or that the range of outcomes indicated by the Scoping Study will be achieved. To achieve the range of outcomes indicated in this Scoping Study, funding in the order of \$10 million to \$15 million will likely be required. Investors should note that there is no certainty that Nexus will be able to raise that amount of funding when needed. It is also possible funding may only be available on terms that may be dilutive to or otherwise affect the value of Nexus shares. It is also possible that Nexus could pursue other 'value realisation' strategies such as a sale, partial sale or operational joint venture of the Project. If it does, this could materially reduce Nexus' proportionate ownership of the Project. Potential funding options may also include third parties through; right to mine JV, operational JV or a processing agreement. At this stage, the Company has not yet secured any contracts and accordingly cannot make an assurance that it will have a processing contract available and, on the assumptions made, in this Scoping Study. The Company will update the market accordingly if any contracts are entered into. The Study has been completed to a level of accuracy of +/-35% in line with industry standard accuracy for this stage of development. Given the uncertainties involved, investors should not make any investment decisions based solely on the results of the Scoping Study.

The information in this presentation that relates to the Open Pit Mining Scoping Study for Crusader-Templar and to the Production Target derived from the Scoping Study is based on information compiled by Mr Gary McCrae, a Competent Person who is a Member or Fellow of The Australian Institute of Mining and Metallurgy and a full time employee of Minecomp Pty Ltd. Mr McCrae has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 edition of the "Australasian Code for Reporting Exploration Results, Mineral Resources and Ore Reserves". Mr McCrae consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.' The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement of the Scoping Study and, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

## CORPORATE PROFILE

# NEXUS MINERALS (ASX:NXM)



### COMPANY OVERVIEW

|                        |          |
|------------------------|----------|
| NEXUS MINERALS LIMITED | ASX: NXM |
| SHARES                 | 603.8M   |
| SHARE PRICE            | A\$0.041 |
| MARKET CAP             | A\$24.7M |
| CASH (30/06/2026)      | A\$5.3M  |
| ENTERPRISE VALUE       | A\$19.5M |
| TOP 20                 | 49%      |



### CHAIRMAN – MR. PAUL BOYATZIS

+35 years in equity markets & corporate governance.

### NON-EXEC DIRECTOR – MR. BRUCE MALUISH

+38 years experience as a mining professional.

### MANAGING DIRECTOR – MR. ANDY TUDOR

+41 years in roles spanning MD, CEO and Geologist.

### COMPANY SECRETARY – MR. PHIL MACLEOD

+35 years commercial experience.

## COMPANY PROJECTS

# WEST AUSTRALIAN GOLD FOCUS

### WALLBROOK PROJECT

Exploring for large scale gold deposits

Displaying strong spatial continuity

Presenting prime opportunity for development

Growing gold mineral resource base

### PINNACLES PROJECT

High-grade underground deposit

Joint venture (JV) with Northern Star  
Resources

### NSW MINERAL PROJECT

Highly prospective for gold, copper and a  
suite of critical minerals



LARGE SCALE GOLD DEPOSITS

# **WALLBROOK GOLD PROJECT**




## WALLBROOK GOLD PROJECT

# CRUSADER-TEMPLAR PROSPECT



### COMBINED MINERAL RESOURCE ESTIMATE

| Indicated   |                |                 | Inferred    |                |                 | TOTAL       |                |                 |
|-------------|----------------|-----------------|-------------|----------------|-----------------|-------------|----------------|-----------------|
| Tonnes (kt) | Au grade (g/t) | Au ounces (koz) | Tonnes (kt) | Au grade (g/t) | Au ounces (koz) | Tonnes (kt) | Au grade (g/t) | Au ounces (koz) |
| 2,460       | 1.8            | 140             | 3,210       | 1.6            | 164             | 5,670       | 1.7            | 304             |

- Indicated material comprising 46% of the combined MRE
- Metallurgical test work returned high gold recoveries Oxide 98% / Fresh 97.6%
- MRE within optimised open-pit RPEEE shell – using A\$3950 gold price
- Granted Mining Lease - Flora & Fauna and Heritage surveys cleared
- Opportunity exists for low risk, high margin open pit mining operation
- Abuts Northern Star operating Wallbrook Gold Mine



# CRUSADER-TEMPLAR PROSPECT - MRE



# CRUSADER-TEMPLAR MOU SIGNED WITH MINING CONTRACTOR

- / Memorandum of Understanding (MOU) for mine development and mining signed with Macro Gold Mining Services Pty Ltd (MGMS) for a potential mining operation at the Crusader – Templar gold deposit
- / MGMS are to provide a full operational service from funding, the operational approvals process, operational study inputs, planning of grade control drilling, mine design, securing an ore purchase agreement (OPA), working capital requirements and alignment on a profit share arrangement for the potential mining operation
- / The principal of the non-binding MOU is for Nexus Minerals and MGMS to work collaboratively together and move to establish a mutually beneficial profit share arrangement
- / Key permitting and approvals process are now in place, with the native vegetation clearing permit being active from late March 2026
- / Discussions are underway with third party processing plants with the aim to secure an acceptable ore sale and purchase agreement for processing the ore
- / Current gold price being above A\$5,800 provides significant upside potential

# PERMITTING STATUS FOR CRUSADER-TEMPLAR

Pre - Operational Permitting

Operational Permitting


| ITEM                                     | PURPOSE                                                                      | STATUS                                                                                          |   | COMMENT                                                                                                                        |
|------------------------------------------|------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|---|--------------------------------------------------------------------------------------------------------------------------------|
| TENEMENTS                                | To conduct Exploration & Mining.                                             | Tenements in Good Standing                                                                      | ✓ | Granted mining leases                                                                                                          |
| SMALL MINING PROPOSAL                    | Allows for associated site-infrastructure on adjoining tenement (M31/188).   | Approved - August 2025                                                                          | ✓ | Allows for Camp, Magazine, Workshop, and Diesel Storage area. Area concerned is within M31/188.                                |
| WATER ABSTRACTION LICENCE                | Enables extraction and use of water from project                             | Approved - September 2025                                                                       | ✓ | License to extract up to 763 kltrs per annum.                                                                                  |
| MINING DEVELOPMENT & CLOSURE PLAN (MDCP) | Approval for construction of infrastructure and undertake mining activities. | Approved November 2025                                                                          | ✓ | Mining Area covers M31/231 and M31/251                                                                                         |
|                                          | The Closure Plan - Defines rehabilitation and closure prescriptions          |                                                                                                 |   |                                                                                                                                |
| WORKS APPROVAL                           | Permit to construct premises                                                 | Approved December 2025                                                                          | ✓ | Being reviewed by DMPE.                                                                                                        |
| CLEARING PERMIT                          | Authorises clearing of native vegetation for project development             | Approved March 2026                                                                             | ✓ | Being reviewed by DMPE.                                                                                                        |
| OPERATIONAL PARTNER                      | Mining Operation                                                             | MOU executed with MGMS<br>May 2026                                                              | ✓ | Mining experienced technical and operations team                                                                               |
| TOLL TREATMENT PARTNER                   | Ore sale and purchase agreement / Toll treatment agreement                   | Progressing discussions                                                                         |   | Options being pursued                                                                                                          |
| DANGEROUS GOODS LICENSE                  | Explosive magazine, emulsion, and diesel storage licenses.                   | Document/Forms in drafting phase.                                                               |   | Explosive magazine, emulsion, and diesel storage licenses.                                                                     |
| HAULAGE                                  | Allows ore haulage on public roads                                           | Will commence once contractor selection process is completed and contractor has been confirmed. |   | The appointed contractor will be responsible for obtaining the necessary permits and approvals from the relevant stakeholders. |
| OPERATING LICENCE                        | Licence to operate premises                                                  | Document/Forms in drafting phase.                                                               |   | Submission pending                                                                                                             |

## WALLBROOK GOLD PROJECT

# CRUSADER-TEMPLAR SCOPING STUDY

- / Utilising third-party processing plants toll treatment agreement
- / \$3,000 gold price used for study pit shell optimisations
- / Using a gold price of \$3,500 the Production Target mining inventory is:
  - // 1.5Mt at 1.75g/t producing 80koz gold
- / The Production Target generates an undiscounted cash surplus of \$67M
- / Mining is contemplated as a multi-pit campaign over approx. 28 months
- / Average strip ratio across the Stage 1 pits of 16:1
- / Pre-mining capital and start-up costs are estimated ~\$2.2M to \$3.3M
- / Stage 1 project economics are robust for a broad range of gold prices, with positive outcomes returned above a gold price of \$2,635 per ounce

| PIT                 | MINING INVENTORY |       | TOTAL VOLUME | STRIPPING RATIO | OUNCES RECOVERED | OPERATING COSTS | TOTAL COSTS | CASH COST/OUNCE | PROFIT @ 3,500/oz |
|---------------------|------------------|-------|--------------|-----------------|------------------|-----------------|-------------|-----------------|-------------------|
|                     | TONNAGE          | GRADE |              |                 |                  |                 |             |                 |                   |
|                     | (t)              | (g/t) | (bcm)        | (bcm: bcm)      | (oz)             | (\$)            | (\$)        | (\$)            | (\$)              |
| CRUSADER<br>TEMPLAR | 930,960          | 1.63  | 5,836,412    | 14.1            | 46,767           | 118,573,617     | 123,484,114 | 2,640           | 40,199,123        |
|                     | 562,331          | 1.94  | 4,812,888    | 19.2            | 33,685           | 84,863,217      | 88,400,116  | 2,624           | 29,496,536        |
| TOTAL               | 1,493,290        | 1.75  | 10,649,300   | 16.0            | 80,451           | 203,436,833     | 211,884,230 | 2,634           | 69,695,659        |



## WALLBROOK GOLD PROJECT

# EMERGING GOLD CAMP

### Regional “Gold Camp” prospectivity

- / 5 Mineralised Corridors identified to date– MC1 to MC5
- / ~90% of 192km<sup>2</sup> tenement package yet to be explored
- / 18 regional targets subjected to first pass aircore drilling
- / Crusader Templar combined Mineral Resource Estimate (MRE) of 304koz gold
- / Project Gold Discoveries – Branches / Payns / Clement / Amand & Godfrey


### Next Steps through 2026

- / Wallbrook Project MRE resource drilling and MRE update
- / ~22,000m MRE RC drill program completed in July at:

**Branches, Payns and Clement prospects**

**Crusader – Templar MRE extension opportunities**

- / RC drilling at Amand and Godfrey prospects to advance to MRE drill ready





## WALLBROOK GOLD PROJECT

# EMERGING SCALE POTENTIAL

### PROSPECT SUMMARY

| Prospect | Scale        | High light Intercepts                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Geology                                                                                                                                                                                                                                                                                                                                  |
|----------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Branches | 1,500 x 300m | 5m @ 17.91g/t Au (within 8m @ 11.37g/t Au) from 118m<br>7m @ 8.03 g/t Au (within 15m @ 4.45 g/t Au) from 29m<br>5m @ 5.45g/t Au (within 36m @ 2.04g/t Au) from 43m<br>12m @ 5.21g/t Au (within 24m @ 2.23g/t Au) from 25m<br>8m @ 7.59g/t Au (within 25m @ 2.86g/t Au) from 43m<br>4m @ 7.23g/t Au (within 10m @ 3.33g/t Au) from 115m<br>4m @ 7.47g/t Au (within 8m @ 3.96g/t Au) from 73m<br>4m @ 6.79g/t Au (within 12m @ 3.21g/t Au) from 24m<br>3m @ 4.25g/t Au (within 13m @ 2.00g/t Au) from 111m<br>2m @ 5.90g/t Au (within 15m @ 1.28g/t Au) from 26m | Hosted within hematite-altered porphyry dykes intruding intermediate volcanoclastic rocks.<br>Mineralisation associated with quartz-goethite veining in oxide and hematite-silica-pyrite alteration in fresh rock.<br>Mineralised trend aligns with a northwest structure and dips east                                                  |
| Payns    | 900 x 750m   | 5m @ 12.83g/t Au (within 21m @ 3.26g/t Au) from 39m<br>5m @ 8.20g/t Au (within 13m @ 3.35g/t Au) from 30m<br>5m @ 8.10 g/t Au including 1m @ 30.05 g/t Au from 39m<br>8m @ 4.19 g/t Au (within 15m @ 2.37 g/t Au) from 37m<br>4m @ 6.85 g/t Au (within 16m @ 2.74 g/t Au) from 28m<br>4m @ 7.12 g/t Au (within 20m @ 1.77 g/t Au) from 8m<br>4m @ 6.59 g/t Au (within 8m @ 3.44 g/t Au) from 40m<br>4m @ 5.02g/t Au (within 8m @ 2.60g/t Au) from 20m<br>6m @ 3.15g/t Au (within 22m @ 1.14g/t Au) from 28m                                                    | Hosted in volcanic sequences intruded by hematite-altered porphyries.<br>Gold associated with quartz-goethite veining in oxide and quartz-sulphide veining in fresh rock.<br>Higher grades occur near redox boundaries and hematite-altered volcanic units.<br>Two opposing mineralised pods interpreted, reflecting structural offsets. |
| Clement  | 650 x 250m   | 12m @ 3.81g/t Au (within 19m @ 2.51g/t Au) from 76m<br>4m @ 6.36g/t Au (within 13m @ 2.62g/t Au) from 204m<br>5m @ 5.21g/t Au (within 34m @ 2.73g/t Au) from 116m<br>14m @ 3.00g/t Au (within 50m @ 1.03g/t Au) from 35m<br>15m @ 2.02g/t Au (within 22m @ 1.45g/t Au) from 83m<br>3m @ 5.36g/t Au (within 11m @ 2.00g/t Au) from 112m<br>8m @ 2.94 g/t Au (within 28m @ 1.13g/t Au) from 44m<br>8m @ 2.93 g/t Au (within 28m @ 1.05g/t Au) from 28m<br>8m @ 2.33 g/t Au (within 14m @ 1.37g/t Au to EOH) from 32m                                             | Hosted within felsic porphyries and volcanoclastic rocks adjacent to the Wallbrook Gold Mine.<br>Higher grades linked to silicified porphyries with elevated pyrite and quartz veining.<br>Forms stacked, west-dipping lodes trending northwest and extending from surface to ~200 m depth.                                              |
| Amand    | 1,700 x 600m | 23m @ 2.52 g/t Au incl. 8m @ 5.41 g/t Au (within 34m @ 1.73 g/t Au) from 5m<br>6m @ 4.28 g/t Au (within 11m @ 2.60g/t Au) from 76m<br>7m @ 3.56 g/t Au (within 25m @ 1.17 g/t Au) from 28m<br>2m @ 8.75 g/t Au (within 7m @ 3.03 g/t Au) from 96m<br>8m @ 4.00g/t Au (within 21m @ 1.69g/t Au) from 24m<br>6m @ 3.26 g/t Au incl. 2m @ 8.36 g/t Au (Within 95m @ 0.97 g/t Au) from 15m                                                                                                                                                                         | Shear-hosted system dominated by altered andesitic volcanic rocks.<br>Gold correlates with quartz-veining, silica flooding, sulphide and sericite-tourmaline alteration.<br>Mineralisation strongly controlled by shear zones with sub-parallel vein sets.                                                                               |
| Godfrey  | 1,200 x 100m | 4m @ 4.02 g/t Au (within 15m @ 1.30 g/t Au) from 24m<br>4m @ 2.17 g/t Au (within 8m @ 1.33 g/t Au) from 24m<br>5m @ 1.81 g/t Au (within 14m @ 0.76 g/t Au) from 52m<br>5m @ 1.58 g/t Au (within 13m @ 0.96 g/t Au) from 29m                                                                                                                                                                                                                                                                                                                                    | Hosted in felsic porphyry intrusions within volcanic-volcanoclastic rocks<br>Higher grades correlate with strong silicification, quartz veining and elevated pyrite.<br>Two steep northwest-trending zones are defined, offset along strike.                                                                                             |



## WALLBROOK GOLD PROJECT

# BRANCHES PROSPECT

/ Mineralised corridor now 1.5km x 300m (remains open)

/ Gold associated with:

// Quartz-Goethite veining

// Sericite-Rutile-Tourmaline-Albite alteration

// Hematite altered quartz porphyries

/ RC drill results have included:

// 5m @ 17.91g/t Au (within 8m @ 11.37g/t Au) from 118m

// 5m @ 5.45g/t Au (within 36m @ 2.04g/t Au) from 43m


// 12m @ 5.21g/t Au (within 24m @ 2.23g/t Au) from 25m

// 8m @ 7.59g/t Au (within 25m @ 2.86g/t Au) from 43m

// 4m @ 7.23g/t Au (within 10m @ 3.33g/t Au) from 115m

// 4m @ 7.47g/t Au (within 8m @ 3.96g/t Au) from 73m

// 4m @ 6.79g/t Au (within 12m @ 3.21g/t Au) from 24m



## WALLBROOK GOLD PROJECT


# PAYNS PROSPECT: REGIONAL RC/AC SUCCESS

### / Assay results received from Nexus RC drill program incl:

- // 5m at 12.83g/t Au including 1m at 34.77g/t Au within 21m at 3.26g/t Au from 39m
- // 6m at 3.15g/t Au including 1m at 10.46g/t within 22m at 1.14g/t Au from 28m
- // 3m at 3.89g/t Au within 8m at 1.70g/t Au from 37m
- // 5m at 8.20g/t Au including 2m at 19.00g/t Au within 13m at 3.35g/t Au from 30m
- // 5m at 2.67g/t Au including 1m at 10.82g/t Au within 9m at 1.52g/t Au from 48m
- // 5m at 2.49g/t Au within 10m at 1.48g/t Au from 64m
- // 3m at 3.09g/t Au including 1m at 6.15g/t Au within 4m at 2.36g/t Au from 123m
- // 9m at 1.15g/t Au within 17m at 0.74g/t Au from 14m
- // 7m at 1.23g/t Au including 3m at 2.04g/t Au within 15m at 0.68g/t Au from 51m

### / Assay results received from Nexus Aircore drill programs incl:


- // 4m @ 6.85 g/t Au (within 16m @ 2.74 g/t Au) from 28m
- // 4m @ 7.12 g/t Au (within 20m @ 1.77 g/t Au) from 8m
- // 4m @ 6.59 g/t Au (within 8m @ 3.44 g/t Au) from 40m
- // 4m @ 5.02g/t Au (within 8m @ 2.60g/t Au) from 20m
- // 4m @ 5.40 g/t Au from 28m to EOH
- // 4m @ 4.39 g/t Au (within 8m @ 2.72 g/t Au) from 24m
- // 4m @ 3.82 g/t Au (within 8m @ 2.73 g/t Au) from 32m



## WALLBROOK GOLD PROJECT


# CLEMENT PROSPECT: REGIONAL RC/AC SUCCESS

- / Mineralised corridor now 650m x 250m
- / Gold associated with:
  - // Felsic porphyry intrusions within a volcanoclastic host sequence
  - // Strong silicification and quartz veining
  - // Elevated sulphide content in fresh rock
- / Assay results received from Nexus RC drill programs incl:
  - // 12m at 3.81g/t Au including 1m at 26.53g/t Au within 19m at 2.51g/t Au from 76m
  - // 15m at 2.02g/t Au including 2m at 4.10g/t Au and 3m at 3.92g/t Au within 22m at 1.45g/t Au from 83m
  - // 13m at 1.85g/t Au including 2m at 7.59g/t Au within 20m at 1.28g/t Au from 54m
  - // 28m at 1.57g/t Au including 9m at 2.08g/t Au within 43m at 1.15g/t Au from 50m
  - // 1m at 12.37g/t Au within 3m at 4.52g/t Au from 117m
  - // 2m at 5.94g/t Au within 3m at 4.01g/t Au from 90m
  - // 3m at 4.12g/t Au within 5m at 2.65g/t Au from 112m





# PINNACLES JV GOLD PROJECT

- / High-Grade underground deposit
- / Northern Star (NST) 10% of the contributing JV is being acquired by Nexus to be completed by September 2026. Post this Nexus will have 100% ownership of the project
- / JORC 2012 Combined MRE 609,000t @ 4.0g/t Au for 78,000oz (O/P+U/G)
- / JORC 2012 U/G MRE 450,000t @ 4.6g/t Au for 66,000oz Au (U/G only)
- / U/G Mine development options study underway
- / Granted Mining Lease / Flora and Fauna surveys cleared
- / Metallurgical test recoveries ~97%



# PINNACLES JV (WITH NST)

Underground Study 80m – 280m



Conceptual Design Only


Next Steps – Prepare Mining Proposal and Closure Plan + Operational Permits

# NSW MINERALS PROJECT

- / Over 7,500km<sup>2</sup> of prospective tenure
- / First mover advantage allows for regional scale exploration targeting with one of the largest pegging exercises in NSW history
- / Exploration for a range of minerals

## Gold - Copper - Lithium - Caesium - Tantalum - Tin


- / Lithium-caesium-tantalum (LCT) pegmatites are associated with highly fractionated, reduced S-type Silurian granites that often also host tin mineralisation
- / The Wagga-Omeo Zone (WOZ) – host to extensive emplacement of Silurian granites and tin mining operations and occurrences
- / Hence WOZ is determined to be highly prospective for LCT pegmatites and associated tin mineralisation
- / The WOZ extends ~700km in a north-south direction and averages ~80km east-west



## NSW MINERALS PROJECT

# 7,500KM<sup>2</sup> “MEGA PEG”

- / A review of open file geology and whole-rock geochemistry confirmed that much of the exploration ground granted in southern NSW is underlain by reduced, fractionated, peraluminous S-type granites
- / Southern Geoscience Consultants have completed the interpretation and targeting exercise covering the project area
- / Numerous high priority target zones have been identified that are considered prospective for gold, copper, LCT pegmatites and tin mineralisation
- / The targeting exercise reviewed geological and geophysical data with the aim being to identify mineralisation “signatures”
- / These signatures, in conjunction with structural setting, structural complexity, dilatational settings (faults/shear zones) and proximity to known mineral occurrences identified the priority target zones
- / Field crews to continue ground truthing and orientation sampling of priority targets



## PROJECTS

# SUMMARY

### WALLBROOK GOLD PROJECT

#### HIGHLY PROSPECTIVE & STRATEGIC LANDHOLDING

Crusader-Templar Prospect - 300k+ resource

~22,000m MRE RC drill program completed at:

// Branches / Payns / Clement Prospects

// Crusader-Templar MRE extensions

Regional aircore drill success

### PINNACLES U/G GOLD PROJECT

#### HIGH GRADE GOLD OPPORTUNITY

78koz resource @ 4.0g/t

Nexus to acquire Northern Stars  
10% of the Joint Venture. Taking  
Nexus to 100% ownership

### NSW MINERALS PROJECT

#### ~7,500KM<sup>2</sup> GRANTED TENURE

First mover advantage regional  
scale exploration

Regional geophysical datasets  
completed

Ground reconnaissance work  
commenced



## APPENDIX 1

# JORC TABLES

### CRUSADER-TEMPLAR PROSPECT COMBINED JORC 2012 MINERAL RESOURCE ESTIMATE (0.4G/T AU CUT-OFF)

| Indicated   |                |                 | Inferred    |                |                 | TOTAL       |                |                 |
|-------------|----------------|-----------------|-------------|----------------|-----------------|-------------|----------------|-----------------|
| Tonnes (kt) | Au grade (g/t) | Au ounces (koz) | Tonnes (kt) | Au grade (g/t) | Au ounces (koz) | Tonnes (kt) | Au grade (g/t) | Au ounces (koz) |
| 2,460       | 1.8            | 140             | 3,210       | 1.6            | 164             | 5,670       | 1.7            | 304             |

\*Crusader-Templar Mineral Resource Summary (0.4g/t cut off) (Round errors may occur)

### PINNACLES PROJECT COMBINED JORC 2012 MINERAL RESOURCE ESTIMATE

| Cut-off Grade (g/t Au) | Category |           | Tonnes (kt) | Au Grade (g/t) | Au Ounces (kOz) |
|------------------------|----------|-----------|-------------|----------------|-----------------|
| 0.5                    | O/P      | Indicated | 140         | 2.6            | 11              |
|                        |          | Inferred  | 19          | 1.6            | 1               |
|                        |          | Sub-Total | 159         | 2.4            | 12              |
| 1.0                    | U/G      | Indicated | 170         | 5.6            | 30              |
|                        |          | Inferred  | 280         | 4.0            | 36              |
|                        |          | Sub-Total | 450         | 4.6            | 66              |
| Combined Total         |          |           | 609         | 4.0            | 78              |

### Northern Star Resources Ltd Carosue Dam Resource Table as at 31/3/2026

| MINERAL RESOURCES as at 31 March 2026 |                |             |                |                |             |                |                |             |                |
|---------------------------------------|----------------|-------------|----------------|----------------|-------------|----------------|----------------|-------------|----------------|
| NST ATTRIBUTABLE INCLUSIVE OF RESERVE | MEASURED       |             |                | INDICATED      |             |                | INFERRED       |             |                |
|                                       | Tonnes (000's) | Grade (gpt) | Ounces (000's) | Tonnes (000's) | Grade (gpt) | Ounces (000's) | Tonnes (000's) | Grade (gpt) | Ounces (000's) |
| <b>CAROSUE DAM</b>                    |                |             |                |                |             |                |                |             |                |
| Surface                               | 2,371          | 1.7         | 128            | 16,362         | 1.7         | 889            | 30,725         | 1.4         | 482            |
| Underground                           | 4,095          | 2.4         | 319            | 16,156         | 2.3         | 1,185          | 30,338         | 2.6         | 727            |
| Stockpiles                            | 7,338          | 1.3         | 153            | -              | -           | -              | -              | -           | -              |
| Gold in Circuit                       | -              | -           | 5              | -              | -           | -              | -              | -           | 5              |
| Sub-Total Carosue Dam                 | 13,804         | 1.4         | 605            | 32,518         | 2.0         | 2,074          | 21,063         | 2.0         | 1,209          |

### Northern Star Resources Ltd Carosue Dam Reserve Table as at 31/3/2026

| ORE RESERVES as at 31 March 2026 |                |             |                |                |             |                |                |             |                |
|----------------------------------|----------------|-------------|----------------|----------------|-------------|----------------|----------------|-------------|----------------|
| NST ATTRIBUTABLE RESERVE         | PROVED         |             |                | PROBABLE       |             |                | TOTAL RESERVE  |             |                |
|                                  | Tonnes (000's) | Grade (gpt) | Ounces (000's) | Tonnes (000's) | Grade (gpt) | Ounces (000's) | Tonnes (000's) | Grade (gpt) | Ounces (000's) |
| <b>CAROSUE DAM</b>               |                |             |                |                |             |                |                |             |                |
| Surface                          | 186            | 1.7         | 10             | 1,840          | 1.8         | 104            | 2,027          | 1.7         | 114            |
| Underground                      | 1,606          | 2.9         | 151            | 2,615          | 3.3         | 274            | 4,221          | 3.1         | 425            |
| Stockpiles                       | 7,338          | 0.6         | 153            | -              | -           | -              | 7,338          | 0.6         | 153            |
| Gold in Circuit                  | -              | -           | 5              | -              | -           | -              | -              | -           | 5              |
| Sub-Total Carosue Dam            | 9,131          | 1.1         | 319            | 4,456          | 2.6         | 378            | 13,587         | 1.6         | 696            |



# NEXUS

MINERALS

## CONTACT US

2/41-47 Colin Street  
West Perth WA 6005  
P (08) 9481 1749

ASX: NXM

[nexus-minerals.com](http://nexus-minerals.com)