

# ASX Release

5 February 2009

**ASX Code: PTR**

ABN 17 106 806 884

105-106 Greenhill Road  
Unley SA 5061

**T:** +61 8 8274 5000

**F:** +61 8 8272 8141

**W:** [www.petratherm.com.au/](http://www.petratherm.com.au/)

**E:** [admin@petratherm.com.au](mailto:admin@petratherm.com.au)



**PETRATHERM LIMITED**  
**ABN 17 106 806 884**

## **MD presentation to the SA Resources Industry Development Board**

Petratherm's Managing Director, Mr. Terry Kallis presented yesterday to the SA Resources Industry Development Board on the state of the geothermal industry in South Australia.

Key points in the presentation attached are:

- Geothermal energy has the potential to provide large scale, base load and low cost renewable energy.
- Australia has the key ingredients for developing successful EGS projects – high heat producing granites, continent under compression, strong commitment from government and financial markets.
- SA has the best known EGS (hot rock) geothermal resources in Australia with approximately 90% of Australia's activity focused in South Australia.
- EGS projects face a number of challenges, including but not limited to – drilling, achieving adequate flow rates, power conversion efficiency, cost of delivery to market (proximity) and water issues.
- Further government support is needed with increased capital funding coupled with increased industry cooperation (R&D, drilling and network connection).

Yours faithfully

**Terry Kallis**  
Managing Director

### **MEDIA CONTACT:**

Terry Kallis  
Kieran Hall / Tim Hughes

Petratherm Limited  
Hughes Public Relations

08 8274 5000  
08 8412 4100



4 February 2009

Presented to:  
SA Resources Industry Development Board

Status of Geothermal Energy in SA

Presented by:  
Terry Kallis - Managing Director  
Petratherm Limited

***Explorer and Developer of Geothermal Energy***

# ***Disclaimer***

This presentation has been prepared by Petratherm Limited (Petratherm). The information contained in this presentation presentation is a professional opinion only and is given in good faith.

Certain information in this document has been derived from third parties and though Petratherm has no reason to believe believe that it is not accurate, reliable or complete, it may not have been independently audited or verified by Petratherm. Petratherm.

Any forward-looking statements included in this document involve subjective judgment and analysis and are subject to subject to uncertainties, risks and contingencies, many of which are outside the control of, and maybe unknown to, to, Petratherm. In particular, they speak only as of the date of this document, they assume the success of Petratherm's Petratherm's strategies and they are subject to significant regulatory, business, competitive and economic uncertainties uncertainties and risks. Actual future events may vary materially from the forward looking statements and the assumptions on which the forward looking statements are based. Recipients of this document ("Recipients") are cautioned not to place undue reliance on such forward-looking statements.

Petratherm makes no representation or warranty as to the accuracy, reliability or completeness of information in this this document and does not take responsibility for updating any information or correcting any error or omission which may which may become apparent after this document has been issued.

To the extent permitted by law, Petratherm and its officers, employees, related bodies corporate and agents ("Agents") ("Agents") disclaim all liability, direct, indirect or consequential (and whether or not arising out of the negligence, default or default or lack of care of Petratherm and/or any of its Agents) for any loss or damage suffered by a Recipient or other other persons arising out of, or in connection with, any use or reliance on this presentation or information.

All amounts in Australian dollars (AUD) unless stated otherwise.

# ***Presentation Outline***

- Corporate Overview
- Key Messages
- Global context for renewables/geothermal
- Overview of Australian Geothermal Energy industry
- SA geothermal energy sector
- Challenges for geothermal energy projects
- Potential solutions
- Progress reports on selected projects
- Conclusion

# Corporate Overview



## Key Statistics

- Current shares on issue – 57.9m (plus 13.77 m options)
- Market capitalization - \$21.5m (at share price of \$0.37)
- Cash - \$3.3m
- Major shareholder - Minotaur Exploration (34%)

## Projects

- 11 projects spanning **South Australia, Spain and China** – EGS, conventional and direct heat
- **Flagship project** – Paralana
- **Exciting growth projects:**
  - Direct heat, conventional and EGS geothermal projects covering Madrid, Barcelona and the Gran Canaries
  - Exclusive government supported exploration agreement in China

## Joint Venture Partners

- Beach Petroleum (up to 36% for \$30m)
- TRU Energy (up to 30% for \$57m)

# *Key Messages*


- Geothermal energy has the potential to provide large scale, base load and low cost renewable energy.
- Australia has the key ingredients for developing successful EGS projects – high heat producing granites, continent under compression, strong commitment from government and financial markets.
- SA has the best known EGS (hot rock) geothermal resources in Australia with approximately 90% of Australia's activity focused in South Australia.
- EGS projects face a number of challenges, including but not limited to – drilling, achieving adequate flow rates, power conversion efficiency, cost of delivery to market (proximity) and water issues.
- Further government support is needed with increased capital funding coupled with increased industry cooperation (R&D, drilling and network connection).

# ***Global Context for Energy & Renewables***

***(extract PTR Business Plan - December 2007)***


- **Operating in an uncertain global economy and with more volatile financial markets** - European economies expected to slow, Asian economies to continue to grow strongly, Australian economy to remain strong but weakness (recession?) in the US economy.
- **Increasing cost of energy/power globally**, combination of increased electricity demand, increasing cost of fuel and water, pressure on manufacturers and providers of raw materials (developing and developed countries).
- **Global political and social pressure** to implement major greenhouse gas reduction and renewable energy programs, Europe underway, Australia about to expand, parts of Asia moving and more expected from the US.
- **The above issues will combine to drive toward the need for low cost, large scale (preferably base load) renewable/low emission technology** - geothermal, solar, wind and in some countries nuclear and gas.

# Drivers - The Promise of Geothermal




## MIT (Tester, et al 2006)

- 100 GWe hot rock power in the USA by 2050
- ~13.7 billion PJ resource to 10 km.
- 130,000 X annual primary energy use in the USA



# ***Drivers - The Promise of Geothermal***




## **Indicative Resource Map**

**Australia's hot  
rock energy 150°C  
to 5km ~ 1.2  
billion PJ**

**~20,000 X annual  
primary energy  
use in Australia**


Source: Geoscience Australia (2007)

# Geothermal Energy Cost Comparison



**COMBUSTION CO2 EMISSIONS vs LONG RUN COST**  
 (Source: PIRSA Compilation of ESIPC data 2006-07)

# Long Run Costs of Energy Technologies



# ***MMA Report on Geothermal - Findings***

- Geothermal energy expected to build up to 2,200 MWs of base-load capacity by 2020;
- An estimated \$12 billion would be invested to develop that capacity;
- Represents up to 40% of the Federal Government's 2020 Renewable Energy target of 45,000 GWh - the equivalent of the output of around 6,000 MW of wind farms;
- Generation costs are expected to move rapidly down the cost curve from around \$120 /MWh at small scale (10 MW to 50 MW) and decreasing to around \$80/MWh at large scale (300 MW or greater) by 2020; and
- Most of the capacity is expected to come from developments in SA - other states increasing their contribution toward by 2020

# *Renewable Energy Policy & Geothermal*

- Federal Labor Government Clean Energy Plan to ratify Kyoto, Emissions Trading Scheme, 20% Renewable Energy target by 2020, \$485 M Renewable Energy Fund (\$50 M drilling initiative fund - 7 projects, demonstration project funding) & \$150 M Energy Innovation Fund
- The Australian Geothermal Energy Group (AGEG), developers/companies, academic/research institutions and government departments federal/state – collaborative work
- The Australian Geothermal Energy Association (AGEA) – developers/companies and service companies – Policy and Advocacy notably to governments.
- The Australian Geothermal Energy Industry Development Framework – Federal initiative aims to grow the Industry

# Australian Geothermal Energy Association



## The national industry association for the Australian Geothermal Energy Industry

**AGEA's Vision.** Geothermal energy providing the lowest cost emissions-free renewable base load energy to Australian homes and businesses for centuries to come.

**AGEA's Mission.** foster and accelerate the development and commercialisation of Australia's geothermal energy resources by:

- Clearly and accurately articulating the advantages of geothermal energy and the progress of the industry;
- Cooperating across the industry to develop, collect, improve and disseminate information about geothermal energy; and
- Developing good and constructive relationships with government, the investment community and the broader Australian community.

**AGEA's Work.** Increasingly provide both:

- a low cost, emissions free, baseload, reliable and secure supply of energy into the national market over the next decade; and
- a reliable, low cost source of heat to drive energy efficiency and industrial applications.

AGEA works with all Australian Governments, the academic community, relevant scientific organisations and the media to promote information about the progress of the industry and its capabilities.

AGEA seeks to assist government develop prudent policy mechanisms that enable all forms of emissions free energy to increasingly penetrate the national energy market in line with climate change and energy security policy goals that are in the national interest.

AGEA's membership comprises the major geothermal energy project developers, direct heat equipment suppliers and service providers to the industry.

# Australian Geothermal Energy Group (AGEG)

**AGEG'S VISION:** *Geothermal resources to provide the lowest cost emissions-free renewable base load and direct use energy for centuries to come.*

- Currently 88 members and growing
- Includes all companies with geothermal licences, all Federal, State and NT government agencies with a role in upstream energy policy and investment attraction and 10 Australian universities




<http://www.pir.sa.gov.au/geothermal/ageg>

# Geothermal Industry - Challenges

## Cost Drivers


- Temperature
- Drilling Depth
- Flow Rate
- Network Connection
- Generation Plant



High up front costs – drilling, fraccing, connection, plant  
(low O/M + no fuel costs)

# Growth of Australian EGS Industry

**Dec 2008**  
**Snapshot**



## GELS / GELAS

Aust. 367

S.A. 273

## Expenditure

Aust. > \$1000 Mill

S.A. ~ \$ 700 Mill

- **48 Companies**
- **10 ASX listed**

## Geodynamics/Origin/Tata Power/Sentient-SunPower

- 2003-5: Proved flow of geothermal energy with Habanero 1 & 2
- 2007-8: Habanero 1 - 3 closed loop flow tests, Jolokia 1 drilled.
- Next: 1 MW demo, Savina 1 and HOTROCK50 project

# Geothermal Drilling

## Petratherm/Beach Petroleum/TRUenergy

- 2005-7: Drilled Yerila and Paralana, deepened Paralana & recorded MT + seismic
- Next: Petratherm JV to drill deep Paralana well starting in 2Q/09

## Green Rock Energy

- Drilled and Mini-Frac'd – Blanche 1 to 1935m
- Next: Optimise plans for a deep well.

## Geothermal Resources

- 2007-8: drilled 6 Frome area wells up to 500m depth
- Currently drilling deeper test well

## Torrens Energy/AGL

- 2007-8: drilled 5 of 9 wells in Lake Torrens region
- Next: Shallow drilling near Torrens Island

## Inferus Resources (Southern Gold Ltd)

- 2008: Measured temperatures in minerals hole to 1 Km
- Next: Seismic and shallow drilling

## Eden Energy

- 2007-8: Chowilla 1 in Renmark region
- Next – Assessing options for a deeper test well

## Panax


- 2006 – 3 wells to 500m depth & an MT survey in SE SA
- Bid for Osiris - and raising \$20 million
- Next – Drill a deep test well in 2009

## Greenearth


- Gained thermal data from 4 gas wells drilled in '07
- Next – MT surveys to locate deep wells

## KUTh Energy Ltd

- 31 shallow drillholes (~20x20 km grid) for heat flow measures
- Next: Holes to 1,500m, then deep drilling



# Growth in Australian Hot Rock Projects



# ***Drivers - Govt. Legislation and Support***

1. Geothermal Tenure - SA, Vic, Tas, NSW, QLD, WA ( and NT soon)
2. RECS, NGACS, VRECS, Carbon Schemes
3. State and Federal Govt. grants ~ \$100 Million since 2000
4. Geothermal Industry Development Framework – COAG Initiative
5. Australian Geothermal Energy Group (AGEG)  
Australian Geothermal Energy Association (AGEA)

# Hot Rock Projects in South Australia – 31 Dec 08

- 28 companies in the hunt in 273 licences on variety of plays covering >125,683 km<sup>2</sup>

- |                                 |                             |
|---------------------------------|-----------------------------|
| ✓ Geodynamics ✨                 | ✓ Tri-Star Energy           |
| ✓ Petratherm ✨                  | ✓ Clean Energy Australasia  |
| ✓ Geothermal Resources ✨        | ✓ Osiris Energy             |
| ✓ Green Rock ✨                  | ✓ Origin Energy ✨           |
| ✓ Torrens Energy ✨              | ✓ Callabonna                |
| ✓ Eden Energy/Terratherma ✨     | ✓ Deep Energy               |
| ✓ Panax ✨                       | ✓ Inferus (Southern Gold ✨) |
| ✓ Pacific Hydro                 | ✓ A-B-L-R Joint Venture     |
| ✓ Teck Cominco ✨                | ✓ AAA Energy                |
| ✓ Granite Power                 | ✓ Earth Heat                |
| ✓ Gradient Energy               | ✓ New World Energy          |
| ✓ AGL ✨ (w/Torrens Energy)      | ✓ Near Surface Geothermal   |
| ✓ TRUenergy ✨ (w/ Petratherm)   | ✓ Stuart Petroleum ✨        |
| ✓ Tata Power ✨ (w/ Geodynamics) | ✓ Beach Petroleum ✨         |
| ✨ ASX Listed                    | ✨ International SX Listed   |


- > A\$730 million in work programs (excludes demo & up-scaling for deployment)
- Generalised play ingredients: Amagmatic conductive heat source, geothermal reservoir and insulating cover – combining to enable economic flow rates of sufficient heat energy to meet markets



# SA Electricity Market


- SA NEM region electricity demand to require at least 600MW of new capacity
- Does not include potential increase of over 400MW from Olympic Dam.
- Nor the effect of depleting Leigh Creek coal.
- Demand requirements will be between 600 – 1,500MW.

Forecast Supply  
Demand Balance for  
South Australia (source  
SA ESIPC APR 2006)



# Network Access & Connection

- Transmission Costs
- Transportation losses
- Margin Loss Factor
- System Stability
- Development Approvals, Licensing, Easements and Permits
- Network Capacity at connection point



# Necessary Ingredients...


...to successfully take a geothermal project to market




# *Challenges for EGS Projects*

- Securing a quality site – the three locations - resource, market, permits/approvals – optimizing economics in a competitive market.
- Confirming the quality of the potential resource – temperature differential, stress regime / permeability.
- Deep drilling of wells – well design, drilling rig availability and costs.
- Establishing long-term circulation between injection and production wells -permeability, fracturing, flow rate.
- Integration of above-ground generation plant with below-ground thermal resource, achieving reliable power plant output – then followed by up scaling of generation capacity.
- Electrical connection (transmission) to the National Electricity Market.
- Water quality, usage, net losses, rights, obligations, accessibility, environmental impacts – short and long term – small and large scale.

# Transmission Connection - Meshed




# Transmission Connection – Enhanced Meshed




# Drilling Program & Reserves Delineation

- Savina 1 – planned completion March 2009
- Target Depth currently 4,300 m (option to extend to 5,000 m)
- Multi fracture Stimulation at Jolokia 1 or Savina 1 (TBC) - March to June 2009
- Jolokia 2 or Savina 2 (Locations TBC) - July to November 2009



# Paralana 2009 Development Plan

- *Second Quarter 09  
First Deep Well to ~  
4 Kms*
- *Well testing and  
stimulation program*
- *First Quarter 2010  
Second Deep Well*



*Heat Exchanger Within Insulator (HEWI) Model*

# *World's First Commercial EGS Plant Landau Germany*

- Opened Oct. 2008
- 155°C, 60 l/s
- 3 MWe + heat
- Expanding to 8MWe
- ORC Cycle
- Cost \$20 M Euro



# ***Conclusion***

- Geothermal energy has the potential to provide large scale, base load and low cost renewable energy.
- Australia has the key ingredients for developing successful EGS projects – high heat producing granites, continent under compression, strong commitment from government and financial markets.
- SA has the best known EGS (hot rock) geothermal resources in Australia with approximately 90% of Australia's activity focused in South Australia.
- EGS projects face a number of challenges, including but not limited to – drilling, achieving adequate flow rates, power conversion efficiency, cost of delivery to market (proximity) and water issues.
- Further government support is needed with increased capital funding coupled with increased industry cooperation (R&D, drilling and network connection).

*Thank You*



*ASX Code: PTR*

*[www.petratherm.com.au](http://www.petratherm.com.au)*

*Phone: (08) 8274 5000*

