

Media Release

13 October 2021

PHARMAXIS DOSES FIRST PATIENT IN PHASE 2 BONE MARROW CANCER TRIAL

Clinical stage drug development company Pharmaxis Ltd (ASX: PXS) today announced that it has commenced dosing in the phase 2 clinical trial studying its drug PXS-5505 in patients with the bone marrow cancer myelofibrosis.

Pharmaxis CEO Gary Phillips said, "The first patients entering the phase 2 study were participants in the just completed phase 1c dose escalation study. We are pleased that these patients want to continue on PXS-5505 allowing us a rapid start to the next stage of the clinical trial. Having shown that the drug has a good tolerability profile at a dose which can fully inhibit all the family of lysyl oxidase enzymes that are implicated in myelofibrosis, we are confident of being able to assess the impact of this mechanism of action in the ongoing study. The trial infrastructure and funding is in place and we are on track to complete the study by the end of 2022."

The phase 2 trial MF-101 cleared by the FDA under the Investigational New Drug (IND) scheme aims to demonstrate that PXS-5505, the lead asset in Pharmaxis' drug discovery pipeline, is safe and well tolerated as a monotherapy in myelofibrosis patients who are intolerant, unresponsive or ineligible for treatment with approved JAK inhibitor drugs. The trial has additional secondary endpoints to explore the impact of inhibiting lysyl oxidase enzymes on a number of important disease parameters such as bone marrow fibrosis, cytopenia and spleen volume. Trial sites are open to recruit myelofibrosis patients into the 6-month phase 2 study in Australia and South Korea with preparations well advanced to open more sites in Taiwan and the USA.

An effective pan-LOX inhibitor for myelofibrosis would open a market that is conservatively estimated at US\$1 billion per annum.

While Pharmaxis' primary focus is the development of PXS-5505 for myelofibrosis, the drug also has potential in several other cancers including liver and pancreatic cancer where it aims to breakdown the fibrotic tissue in the tumour and enhance the effect of chemotherapy treatment.

#ENDS#

SOURCE: Pharmaxis Ltd, Sydney, Australia

AUTHORISED FOR RELEASE TO ASX BY:

Pharmaxis Ltd Disclosure Committee. Contact: David McGarvey, Chief Financial Officer and Company Secretary: T +61 2 9454 7203, E david.mcgarvey@pharmaxis.com.au

CONTACT:

Media: Felicity Moffatt: T +61 418 677 701, E felicity.moffatt@pharmaxis.com.au

Investor relations: Rudi Michelson (Monsoon Communications) T +61 411 402 737, E rudim@monsoon.com.au

Join the Pharmaxis mailing list [here](#)

Follow us:



About Pharmaxis

Pharmaxis Ltd is an Australian clinical stage drug development company developing drugs for inflammatory and fibrotic diseases, with a focus on myelofibrosis. The company has a highly productive drug discovery engine built on its expertise in the chemistry of amine oxidase inhibitors, with drug candidates in clinical trials. Pharmaxis has also developed two respiratory products which are approved and supplied in global markets, generating ongoing revenue.

Pharmaxis is developing its drug PXS-5505 for the bone marrow cancer myelofibrosis which causes a build up of scar tissue that leads to loss of production of red and white blood cells and platelets. The US Food and Drug Administration has granted Orphan Drug Designation to PXS-5055 for the treatment of myelofibrosis and permission under an Investigational Drug Application (IND) to progress a phase 1c/2 clinical trial that began recruitment in Q1 2021. PXS-5505 is also being investigated as a potential treatment for other cancers such as liver and pancreatic cancer.

Other drug candidates being developed from Pharmaxis' amine oxidase chemistry platform are targeting fibrotic diseases such as kidney fibrosis, NASH, pulmonary fibrosis and cardiac fibrosis; fibrotic scarring from burns and other trauma; and inflammatory diseases such as Duchenne Muscular Dystrophy.

Pharmaxis has developed two products from its proprietary spray drying technology that are manufactured and exported from its Sydney facility; Bronchitol® for cystic fibrosis, which is approved and marketed in the United States, Europe, Russia and Australia; and Aridol® for the assessment of asthma, which is approved and marketed in the United States, Europe, Australia and Asia.

Pharmaxis is listed on the Australian Securities Exchange (PXS). Its head office, manufacturing and research facilities are in Sydney, Australia. www.pharmaxis.com.au

About PXS-5505

PXS-5505 is an orally taken drug that inhibits the lysyl oxidase family of enzymes, two members LOX and LOXL2 are strongly upregulated in human myelofibrosis. In pre-clinical models of myelofibrosis PXS-5505 reversed the bone marrow fibrosis that drives morbidity and mortality in myelofibrosis and reduced many of the abnormalities associated with this disease. It has already received IND approval and Orphan Drug Designation from the FDA.

About myelofibrosis

Myelofibrosis is a disorder in which normal bone marrow tissue is gradually replaced with a fibrous scar-like material. Over time, this leads to progressive bone marrow failure. Under normal conditions, the bone marrow provides a fine network of fibres on which the stem cells can divide and grow. Specialised cells in the bone marrow known as fibroblasts make these fibres.

In myelofibrosis, chemicals released by high numbers of platelets and abnormal megakaryocytes (platelet forming cells) over-stimulate the fibroblasts. This results in the overgrowth of thick coarse fibres in the bone marrow, which gradually replace normal bone marrow tissue. Over time this destroys the normal bone marrow environment, preventing the production of adequate numbers of red cells, white cells and platelets. This results in anaemia, low platelet counts and the production of blood cells in areas outside the bone marrow for example in the spleen and liver, which become enlarged as a result.

Myelofibrosis can occur at any age but is usually diagnosed later in life, between the ages of 60 and 70 years. The cause of myelofibrosis remains largely unknown. It can be classified as either JAK2 mutation positive (having the JAK2 mutation) or negative (not having the JAK2 mutation).

Source: Australian Leukemia Foundation: <https://www.leukaemia.org.au/disease-information/myeloproliferative-disorders/types-of-mpn/primary-myelofibrosis/>

Forward-looking statements

Forward-looking statements in this media release include statements regarding our expectations, beliefs, hopes, goals, intentions, initiatives or strategies, including statements regarding the potential of products and drug candidates. All forward-looking statements included in this media release are based upon information available to us as of the date hereof. Actual results, performance or achievements could be significantly different from those expressed in, or implied by, these forward-looking statements. These forward-looking statements are not guarantees or predictions of future results, levels of performance, and involve known and unknown risks, uncertainties and other factors, many of which are beyond our control, and which may cause actual results to differ materially from those expressed in the statements contained in this document. For example, despite our efforts there is no certainty that we will be successful in developing or partnering any of the products in our pipeline on commercially acceptable terms, in a timely fashion or at all. Except as required by law we undertake no obligation to update these forward-looking statements as a result of new information, future events or otherwise.