



**PRECIOUS METALS
AUSTRALIA LIMITED**

ABN 65 009 131 533

9 February 2007

Company Announcements Office
Australian Stock Exchange
2 The Esplanade
PERTH WA 6000

**WINDIMURRA DRILLING ADDS SIGNIFICANT EXTENSIONS TO VANADIUM,
IRON AND TITANIUM MINERALISATION BOTH PARALLEL TO, AND DOWN DIP
& BELOW THE CURRENT RESERVE AND RESOURCE ENVELOPE**

The directors of Precious Metals Australia (ASX:PMA) are pleased to announce the completion of the Company's reverse circulation drilling program, targeting deeper, fresh mineralisation in the orebody hanging wall at the Windimurra vanadium mine, 650km north east of Perth Western Australia.

A total of 2 426 metres was completed in January 2007, for 26 holes drilled. The program's aim was to increase the minable width of the orebody, and to extend the orebody down-dip and below the current resource envelope.

Assays for 17 of the 26 holes have been received and are reported herein, confirming the presence of significant intercepts of vanadiferous titano-magnetite. The new drilling has added significant extension down-dip, and west of (alongside) currently identified mineralisation, outside current resource and reserve envelopes (see attached schematic cross section through 10 500mN).

The Windimurra resource will be remodelled to include the new drill data and newly completed geological interpretation. Pit optimisation work will then be completed on the upgraded resource model. The optimised mine plan is likely to comprise a wider, shorter and deeper pit, with the objective of increasing the mine economics by further reducing mining costs and increasing the grade of ore, and magnetic recovery of magnetite produced.


Drilling and Assay Methodology

All holes were drilled using a T660 Reverse Circulation rig. Geochemical samples were taken at 1-metre intervals. Assay results from Ultra Trace confirm the presence of significant intercepts of vanadiferous titano-magnetite previously identified by chip logging and magnetic susceptibility meter.

Level 4, 76 Kings Park Road
West Perth Western Australia 6005

PO Box 620
West Perth Western Australia 6872

Telephone: +61 8 9423 1900
Facsimile: +61 8 9423 1999



WINDIMURRA VANADIUM MINE
TYPICAL CROSS SECTION AT 10 500mN

Each hole was geophysically logged by a Surtech wireline unit. This gave down-hole deviation data to ensure accurate positioning of the samples in 3-dimensional space, and also for density and magnetic susceptibility. All holes were drilled at a nominal -60°/065 (MGA94) to intercept normal to the dip / dip direction of -30°/245. All intercepts are therefore reported as true vertical thicknesses (subject to variations of up to 5° between design and actual downhole deviations, and 5° local variation in geological dip).

All the drill holes were located on granted Mining Lease M58/178 held by Windimurra Vanadium Pty Ltd (90% PMA owned), with a 21 year term ending on 11/07/2012. Aboriginal and environmental impact assessments have been completed over the entire tenement, with no major impediments to mine development.

Drilling Results

The vanadiferous titano-magnetite mineralisation at Windimurra remains open down dip and along strike. Three deep holes drilled to 160 metres intercepted the orebody footwall 8 to 10 metres before the end of hole, and the main mineralised zone has a true vertical thickness of 75 to 85 metres. The remaining holes were drilled as 80 metre and 100 metre pairs on each 200 metre-spaced section line, to better define the hanging wall resource down to a depth of 400mRL. The new drilling has added significant extension down-dip, and west of currently identified mineralisation, outside current resource and reserve envelopes.

The new drilling has intercepted a vanadiferous titano-magnetite bed-rock horizon 10 to 20 metres thick overlying 10 to 15 metres of anorthosite waste above the main Windimurra vanadium deposit. Previously identified in 3 scout holes over a 2.3km strike, it can now be continuously modelled over a strike length of 1.2 km. It has higher average iron and titanium than the main mineralised horizon. Mineralisation from this horizon is currently being tested to establish the potential for economic iron and titanium recovery.

One hole (WR280) was drilled alongside the southern margin of the tailings dam to assist with tailings design planning.

A summary table of the drill hole assay results is provided below, using a cut-off grade of 0.275% V₂O₅. Hanging wall waste (below 0.275% V₂O₅) still has in excess of 10% TiO₂ and 20 – 30% Fe over much of the intervals drilled. Full results are appended to this report (Appendix A).

Hole ID	Collar mE (MGA94)	Collar mN (MGA94)	Collar RL	From	To	True Thickness	V ₂ O ₅	Fe	TiO ₂	Description
WR280	650026	6868959	469.7	0	7	7	0.53	34.7	7.2	Surface Detrital
WR282	650250	6868837	473.3	28	42	14	0.43	39.4	18.1	Hanging Wall Mineralisation
WR282				54	80	26	0.41	25.2	8.3	Main Mineralisation
WR283	650199	6869030	472.6	16	25	9	0.43	37.8	16.9	Hanging Wall Mineralisation
WR283				51	80	29	0.39	22.9	7.5	Main Mineralisation
WR284	650082	6869199	471.8	20	39	19	0.43	38.8	18.4	Hanging Wall Mineralisation
WR284				49	79	30	0.41	24.2	8.0	Main Mineralisation
WR285	650032	6869410	472.7	0	26	26	0.51	28.4	13.6	Hanging Wall Mineralisation

Hole ID	Collar mE (MGA94)	Collar mN (MGA94)	Collar RL	From	To	True Thickness	V ₂ O ₅	Fe	TiO ₂	Description
WR285				43	80	37	0.47	26.0	8.0	Main Mineralisation
WR287	649870	6869542	473.5	40	51	11	0.42	38.1	17.6	Hanging Wall Mineralisation
WR287				61	100	39	0.38	23.2	7.5	Main Mineralisation
WR288	649761	6869772	470.9	20	43	23	0.35	32.1	12.8	Hanging Wall Mineralisation
WR288				50	80	30	0.39	23.7	7.7	Main Mineralisation
WR289	649720	6869748	468.2	50	60	10	0.41	36.8	16.7	Hanging Wall Mineralisation
WR289				68	100	32	0.39	23.8	8.0	Main Mineralisation
WR290	649633	6869930	467.9	0	3	3	0.61	34.4	7.1	Surface Detrital
WR290				41	25	16	0.41	38.5	17.6	Hanging Wall Mineralisation
WR290				55	131	76	0.38	22.6	6.8	Main Mineralisation
WR291	649682	6869948	470.3	0	10	10	0.39	41.9	11.9	Hanging Wall Mineralisation
WR291				34	80	46	0.42	25.7	8.3	Main Mineralisation
WR292	649955	6869361	475.9	48	62	14	0.42	37.2	17.5	Hanging Wall Mineralisation
WR292				64	100	36	0.37	23.6	7.7	Main Mineralisation
WR293	649994	6869383	478.3	28	43	15	0.43	38.3	17.3	Hanging Wall Mineralisation
WR293				53	80	27	0.4	24.3	8.1	Main Mineralisation
WR294	650134	6869004	477.3	52	68	16	0.42	38.6	18.2	Hanging Wall Mineralisation
WR294				76	100	24	0.4	24.5	8.2	Main Mineralisation
WR295	650040	6869177	470.7	51	60	9	0.44	40.7	19.6	Hanging Wall Mineralisation
WR295				68	139	71	0.42	24.2	8.2	Main Mineralisation
WR296	650205	6868816	475.5	61	73	12	0.42	38.5	17.9	Hanging Wall Mineralisation
WR296				77	152	75	0.41	24.3	8.1	Main Mineralisation
WR297	650465	6868492	471.1	5	24	19	0.42	37.9	17.0	Hanging Wall Mineralisation
WR297				27	80	53	0.36	21.3	6.6	Main Mineralisation
WR298	650435	6868483	474.5	31	45	14	0.45	40.4	19.1	Hanging Wall Mineralisation
WR298				58	80	22	0.4	24.5	8.1	Main Mineralisation

- Results for WR281, WR286, and WR299 to WR306 are still pending.
- All holes angled normal to dip and strike, all depths are true vertical
- Samples collection and preparation:
 - Samples were collected from the RC cyclone, split down to a 3 to 4 kg sample, and placed in a calico sample bag;
 - Samples were trucked to Ultra Trace, sorted, dried, split, and pulverised;
 - XRF beads were cast, and analysed for V₂O₅, Fe, TiO₂, SiO₂, Al₂O₃, MnO, CaO, P, S, Cr₂O₃, BaO, K₂O, Zn, Pb, Cu, Ni, Co, and LOI;
 - For QA/QC purposes, 1 in 20 samples were split from the calico bags and submitted blind to the laboratory to provide a check assay.

Preliminary Whittle Evaluation Work

Preliminary Whittle Evaluation work was completed by Coffey Mining in January 2007. A series of sales prices were incorporated into the Windimurra cost model, and used with evaluation cost parameters to generate cash-flows for iteratively created shells.

Results were highly encouraging, with the Whittle shells taking 98% of the resource at a sales price of US\$4.50. The shells were constrained only by a lack of further resource information, since many holes at Windimurra stopped still in economic mineralisation, having not reached

the footwall. Further detailed work is required before the resource can be reclassified as reserve.

The Whittle shells were all within the main mining tenement of M58/178, and were not overlain by any current or planned infrastructure.

Geological Interpretation and Resource Modelling

The Windimurra geological model has been fully reinterpreted, and new results are being appended to the interpretation as they are received. Resource modelling by Coffey Mining will begin at the end of February 2007, with a new resource model available at the end of March 2007. Interpolations will be run for vanadium, titanium, and iron to evaluate mineralisation that is below vanadium cut-off grade but still has potentially viable iron and titanium.

Mine Planning and Pit Optimisation

The new model will be used for pit optimisation and mine planning studies prior to production restarting in January 2008.

The optimised mine plan is likely to comprise a wider, shorter and deeper pit, with the objective of increasing the mine economics by further reducing mining costs and increasing the grade of ore, and magnetic recovery of magnetite produced.

Yours sincerely

PRECIOUS METALS AUSTRALIA LIMITED



RODERICK SMITH
Managing Director

The information in the report to which this statement is attached that relates to Exploration Results, Mineral Resources or Ore Reserves is based on information compiled by Ian Hassall, who is a Member of the Australian Institute of Mining and Metallurgy, and a full-time employee of Windimurra Vanadium Pty Ltd. Ian Hassall has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2004 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Ian Hassall consents to the inclusion in the report of matters based on his information in the form and context in which it appears.

APPENDIX A

DRILLING RESULTS FOR REVERSE CIRCULATION DRILL HOLES

WR280 TO WR297

Precious Metals Australia

HOLE NUMBER: WR280

LOCATION: 650025mE, 6868959mN, 469.7mRL

DIP / AZI: -60°/065

SECTION 10250mN (Local Grid)

From	To	V2O5	Fe	TiO2	From	To	V2O5	Fe	TiO2
0	1	0.527	28.7	5.0	52	53	0.032	15.8	5.3
1	2	0.727	35.9	7.0	53	54	0.026	12.2	7.8
2	3	0.635	34.2	7.3	54	55	0.025	12.9	4.2
3	4	0.577	36.8	9.4	55	56	0.024	14.8	4.2
4	5	0.536	36.5	8.9	56	57	0.017	11.9	4.2
5	6	0.340	35.5	6.5	57	58	0.035	17.0	6.0
6	7	0.343	35.4	6.6	58	59	0.033	17.1	6.3
7	8	0.097	25.6	4.3	59	60	0.032	16.9	6.8
8	9	0.102	19.1	3.8	60	61	0.033	17.3	6.4
9	10	0.051	15.4	2.9	61	62	0.033	17.0	6.9
10	11	0.039	13.9	3.7	62	63	0.034	16.7	6.7
11	12	0.031	12.6	4.2	63	64	0.033	17.0	7.0
12	13	0.037	14.4	3.9	64	65	0.033	17.2	7.2
13	14	0.006	11.0	2.5	65	66	0.035	18.0	7.5
14	15	0.013	12.5	3.2	66	67	0.036	18.2	7.7
15	16	0.012	13.8	3.5	67	68	0.041	17.8	7.7
16	17	0.019	16.6	5.3	68	69	0.053	19.1	8.4
17	18	0.011	14.2	4.5	69	70	0.058	19.2	8.5
18	19	0.020	15.5	4.5	70	71	0.053	18.5	8.2
19	20	0.013	19.2	5.0	71	72	0.071	22.0	10.3
20	21	0.013	17.2	4.6	72	73	0.057	20.1	10.2
21	22	0.012	15.4	4.8	73	74	0.060	20.3	10.4
22	23	0.017	16.3	5.0	74	75	0.070	21.1	10.9
23	24	0.009	12.8	3.0	75	76	0.069	20.4	9.8
24	25	0.007	9.6	3.0	76	77	0.087	21.7	11.0
25	26	0.018	16.3	5.4	77	78	0.086	21.6	11.8
26	27	0.020	16.3	5.2	78	79	0.081	20.8	11.7
27	28	0.016	14.2	4.7	79	80	0.085	19.9	11.4
28	29	0.022	16.2	5.1					
29	30	0.026	15.6	6.6					
30	31	0.021	13.4	4.7					
31	32	0.010	10.7	3.3					
32	33	0.016	14.6	4.4					
33	34	0.021	14.5	4.7					
34	35	0.022	13.0	4.4					
35	36	0.028	14.6	5.2					
36	37	0.014	11.2	3.5					
37	38	0.025	14.8	4.3					
38	39	0.024	11.5	4.2					
39	40	0.028	12.3	3.8					
40	41	0.021	11.4	3.9					
41	42	0.017	9.9	3.2					
42	43	0.020	11.8	4.1					
43	44	0.004	4.4	1.4					
44	45	0.003	3.3	0.9					
45	46	0.021	13.1	3.3					
46	47	0.020	15.5	4.0					
47	48	0.032	15.5	5.8					
48	49	0.025	15.5	4.5					
49	50	0.024	14.1	5.0					
50	51	0.024	13.6	4.2					
51	52	0.032	14.2	4.6					

**Sterilisation Hole - Drilled
on southern margin of tailings
storage facility**

Precious Metals Australia

HOLE NUMBER: WR282

LOCATION: 650250mE, 6868837mN, 473.3mRL

DIP / AZI: -60°/065

SECTION 10050mN (Local Grid)

From	To	V2O5	Fe	TiO2	From	To	V2O5	Fe	TiO2
0	1	0.142	20.7	6.4	52	53	0.131	10.4	3.6
1	2	0.055	13.4	6.2	53	54	0.209	15.1	5.4
2	3	0.066	16.7	7.4	54	55	0.435	28.5	10.1
3	4	0.087	20.6	9.6	55	56	0.503	32.1	11.5
4	5	0.099	23.5	12.3	56	57	0.504	31.9	11.4
5	6	0.090	22.3	12.0	57	58	0.517	32.5	11.5
6	7	0.079	23.0	10.1	58	59	0.479	29.9	10.2
7	8	0.110	24.8	11.6	59	60	0.228	16.9	5.4
8	9	0.111	24.2	11.3	60	61	0.455	28.0	9.5
9	10	0.098	24.5	10.9	61	62	0.289	18.8	6.2
10	11	0.092	25.4	12.7	62	63	0.142	15.0	3.5
11	12	0.105	24.5	11.4	63	64	0.046	7.4	1.0
12	13	0.106	25.4	11.0	64	65	0.111	9.8	2.5
13	14	0.126	24.8	11.7	65	66	0.224	15.2	5.1
14	15	0.131	25.3	11.6	66	67	0.304	20.6	7.2
15	16	0.094	23.3	12.0	67	68	0.366	23.9	8.4
16	17	0.104	24.8	12.9	68	69	0.662	38.3	13.2
17	18	0.126	23.9	12.0	69	70	0.515	31.2	10.5
18	19	0.130	23.4	11.5	70	71	0.399	27.0	8.0
19	20	0.094	23.0	15.8	71	72	0.747	41.5	14.2
20	21	0.116	21.6	12.0	72	73	0.590	33.7	11.1
21	22	0.118	21.6	13.1	73	74	0.778	42.5	14.3
22	23	0.114	21.3	11.9	74	75	0.115	8.5	2.3
23	24	0.115	21.5	12.5	75	76	0.274	16.6	5.3
24	25	0.050	14.2	12.7	76	77	0.255	15.9	5.0
25	26	0.117	24.1	17.7	77	78	0.574	32.4	10.6
26	27	0.201	32.2	20.7	78	79	0.740	40.0	12.8
27	28	0.254	36.1	22.2	79	80	0.294	17.8	5.4
28	29	0.280	38.9	24.0					
29	30	0.307	39.5	25.4					
30	31	0.350	41.5	25.2					
31	32	0.399	43.0	24.2					
32	33	0.425	44.7	22.1					
33	34	0.521	45.4	19.2					
34	35	0.522	43.4	17.7					
35	36	0.541	45.5	17.0					
36	37	0.561	43.7	16.9					
37	38	0.474	36.3	14.0					
38	39	0.447	33.8	13.0					
39	40	0.470	35.3	13.0					
40	41	0.424	32.3	12.0					
41	42	0.355	27.7	10.0					
42	43	0.236	20.2	6.4					
43	44	0.221	17.0	5.9					
44	45	0.123	11.1	3.7					
45	46	0.040	5.9	1.1					
46	47	0.047	7.3	1.1					
47	48	0.196	16.5	4.9					
48	49	0.194	17.2	4.9					
49	50	0.147	11.8	3.9					
50	51	0.270	19.0	6.9					
51	52	0.197	14.5	5.2					

Finished in mineralisation

Precious Metals Australia

HOLE NUMBER: WR283

LOCATION: 650199mE, 6869030mN, 472.6mRL

DIP / AZI: -60°/065

SECTION 10250mN (Local Grid)

From	To	V2O5	Fe	TiO2	From	To	V2O5	Fe	TiO2
0	1	0.085	17.6	8.2	52	53	0.768	42.5	14.3
1	2	0.113	21.3	12.0	53	54	0.516	29.7	9.7
2	3	0.089	18.9	11.2	54	55	0.692	38.4	12.9
3	4	0.097	22.1	18.3	55	56	0.036	3.6	0.8
4	5	0.163	29.5	17.6	56	57	0.231	14.4	4.5
5	6	0.190	30.4	20.3	57	58	0.261	15.7	5.0
6	7	0.163	30.3	17.7	58	59	0.668	36.9	12.0
7	8	0.243	35.2	22.8	59	60	0.541	29.7	9.5
8	9	0.262	37.9	22.4	60	61	0.310	18.7	5.7
9	10	0.300	38.9	24.6	61	62	0.468	26.0	8.3
10	11	0.337	40.9	25.4	62	63	0.358	21.4	6.2
11	12	0.413	43.7	23.8	63	64	0.054	6.3	1.0
12	13	0.406	42.6	25.1	64	65	0.244	14.8	4.3
13	14	0.458	45.1	20.6	65	66	0.357	21.4	6.6
14	15	0.552	42.2	19.6	66	67	0.647	35.9	11.2
15	16	0.493	40.4	16.2	67	68	0.293	17.0	5.2
16	17	0.580	42.4	18.7	68	69	0.259	15.8	4.9
17	18	0.522	42.3	16.0	69	70	0.348	19.8	6.0
18	19	0.407	37.3	12.3	70	71	0.754	38.9	12.2
19	20	0.412	34.6	11.6	71	72	0.439	24.6	7.4
20	21	0.416	38.1	11.7	72	73	0.470	26.1	7.8
21	22	0.489	35.5	13.9	73	74	0.641	33.3	10.3
22	23	0.443	33.0	12.4	74	75	0.783	39.9	12.2
23	24	0.330	24.4	9.0	75	76	0.123	11.2	2.3
24	25	0.353	24.0	10.0	76	77	0.362	19.9	6.3
25	26	0.259	22.3	7.2	77	78	0.717	36.6	10.9
26	27	0.235	19.8	6.7	78	79	0.395	20.9	6.2
27	28	0.165	14.5	4.9	79	80	0.306	17.5	5.7
28	29	0.213	17.1	5.9					
29	30	0.628	38.9	15.6					
30	31	0.250	20.3	6.4					
31	32	0.162	13.2	4.3					
32	33	0.312	22.9	7.9					
33	34	0.211	15.9	5.5					
34	35	0.181	14.5	4.9					
35	36	0.123	11.2	3.7					
36	37	0.264	16.7	6.1					
37	38	0.574	32.8	11.8					
38	39	0.559	31.9	11.4					
39	40	0.545	31.7	11.8					
40	41	0.542	33.2	12.3					
41	42	0.136	14.0	3.0					
42	43	0.156	13.0	3.8					
43	44	0.105	7.9	2.6					
44	45	0.272	17.5	6.0					
45	46	0.244	15.7	5.4					
46	47	0.246	15.8	5.4					
47	48	0.245	15.8	5.3					
48	49	0.596	35.2	12.3					
49	50	0.310	19.0	6.4					
50	51	0.362	18.6	7.2					
51	52	0.663	37.8	12.9					

Finished in mineralisation

Precious Metals Australia

HOLE NUMBER: WR284

LOCATION: 650082mE, 6869199mN, 471.8mRL

DIP / AZI: -60°/065

SECTION 10450mN (Local Grid)

From	To	V2O5	Fe	TiO2	From	To	V2O5	Fe	TiO2
0	1	0.073	22.6	6.3	52	53	0.551	34.6	12.7
1	2	0.074	25.9	7.8	53	54	0.532	33.1	12.0
2	3	0.077	26.4	8.1	54	55	0.317	23.1	6.7
3	4	0.073	27.2	7.6	55	56	0.164	15.4	3.8
4	5	0.067	27.2	8.0	56	57	0.117	9.4	3.0
5	6	0.072	27.1	8.6	57	58	0.205	13.6	4.8
6	7	0.098	27.1	10.0	58	59	0.279	17.5	6.0
7	8	0.114	25.1	10.1	59	60	0.262	16.6	5.7
8	9	0.120	25.3	10.8	60	61	0.460	27.7	9.4
9	10	0.093	27.0	11.4	61	62	0.523	30.0	10.2
10	11	0.103	23.3	10.7	62	63	0.202	13.5	4.2
11	12	0.120	23.6	10.8	63	64	0.645	36.7	12.6
12	13	0.090	25.8	11.1	64	65	0.761	40.8	13.7
13	14	0.113	25.3	12.0	65	66	0.491	28.9	9.3
14	15	0.121	23.1	13.2	66	67	0.599	33.8	11.2
15	16	0.105	26.0	20.9	67	68	0.111	8.9	2.5
16	17	0.184	32.0	20.3	68	69	0.104	9.4	2.2
17	18	0.198	32.8	21.8	69	70	0.254	16.1	5.0
18	19	0.226	35.5	23.6	70	71	0.601	30.0	10.6
19	20	0.293	39.1	24.7	71	72	0.703	33.6	12.6
20	21	0.309	40.3	26.1	72	73	0.451	26.6	8.1
21	22	0.334	41.6	25.0	73	74	0.295	18.3	5.5
22	23	0.395	41.4	27.0	74	75	0.252	15.9	4.7
23	24	0.417	42.3	26.5	75	76	0.667	35.6	11.4
24	25	0.418	45.1	23.3	76	77	0.296	17.6	5.3
25	26	0.444	44.9	23.4	77	78	0.328	19.0	5.8
26	27	0.504	47.1	21.3	78	79	0.851	42.5	13.8
27	28	0.515	46.5	20.2	79	80	0.267	15.9	4.8
28	29	0.505	42.3	17.0					
29	30	0.584	46.6	18.4					
30	31	0.555	42.3	17.0					
31	32	0.518	40.2	16.1					
32	33	0.484	35.4	14.1					
33	34	0.474	35.9	13.5					
34	35	0.459	35.6	13.3					
35	36	0.411	33.9	12.0					
36	37	0.263	19.3	7.9					
37	38	0.296	24.1	8.0					
38	39	0.412	33.2	12.9					
39	40	0.183	15.5	5.4					
40	41	0.189	17.5	5.3					
41	42	0.597	37.6	14.9					
42	43	0.513	34.8	12.7					
43	44	0.253	19.4	7.1					
44	45	0.162	13.5	4.7					
45	46	0.255	18.8	6.8					
46	47	0.188	14.5	5.4					
47	48	0.132	14.4	3.9					
48	49	0.147	13.1	4.5					
49	50	0.396	25.9	10.0					
50	51	0.246	20.0	6.0					
51	52	0.494	32.0	11.5					

Finished in mineralisation

Precious Metals Australia

HOLE NUMBER: WR285

LOCATION: 650032mE, 6869410mN, 472.7mRL

DIP / AZI: -60°/065

SECTION 10650mN (Local Grid)

From	To	V2O5	Fe	TiO2	From	To	V2O5	Fe	TiO2
0	1	0.303	26.5	14.8	52	53	0.229	16.0	4.4
1	2	0.540	36.9	18.2	53	54	0.383	22.0	6.9
2	3	0.630	43.0	19.7	54	55	0.506	28.2	8.8
3	4	0.567	38.5	18.8	55	56	0.454	25.6	8.0
4	5	0.620	42.2	18.6	56	57	0.024	4.8	0.6
5	6	0.570	39.0	16.8	57	58	0.785	40.8	12.5
6	7	0.473	37.3	13.7	58	59	0.269	16.2	4.8
7	8	0.450	36.2	13.0	59	60	0.250	14.8	4.5
8	9	0.538	35.8	15.0	60	61	0.442	23.8	7.3
9	10	0.515	34.3	14.9	61	62	0.840	42.9	13.4
10	11	0.486	31.3	13.8	62	63	0.263	16.5	4.7
11	12	0.330	19.6	9.4	63	64	0.677	35.4	10.7
12	13	0.422	23.2	12.4	64	65	0.630	33.4	9.8
13	14	0.332	14.8	10.1	65	66	0.711	38.2	10.9
14	15	0.295	12.6	7.4	66	67	0.203	13.7	3.8
15	16	0.324	12.8	7.5	67	68	0.486	25.6	7.8
16	17	0.559	18.3	12.5	68	69	0.721	35.7	12.1
17	18	0.453	14.7	5.8	69	70	0.389	21.1	6.1
18	19	0.611	19.7	10.4	70	71	0.270	16.0	4.5
19	20	0.607	25.9	12.1	71	72	0.522	28.7	8.4
20	21	0.671	31.9	15.4	72	73	0.884	43.4	12.9
21	22	0.635	29.5	14.9	73	74	0.559	28.8	8.3
22	23	0.644	29.2	15.5	74	75	0.739	36.5	10.6
23	24	0.641	29.5	16.0	75	76	0.760	37.5	10.8
24	25	0.628	28.6	15.7	76	77	0.292	16.6	4.6
25	26	0.509	27.1	11.4	77	78	0.445	23.5	6.5
26	27	0.216	16.3	3.7	78	79	0.249	15.0	3.9
27	28	0.117	34.8	2.2	79	80	0.705	34.6	9.9
28	29	0.132	38.9	3.0					
29	30	0.095	26.8	2.3					
30	31	0.103	10.4	2.9					
31	32	0.081	8.4	2.2					
32	33	0.343	20.6	8.3					
33	34	0.247	20.2	5.5					
34	35	0.259	17.2	6.1					
35	36	0.325	20.9	7.1					
36	37	0.088	12.1	2.0					
37	38	0.559	33.3	11.8					
38	39	0.505	30.2	10.7					
39	40	0.149	10.2	3.2					
40	41	0.562	32.5	11.4					
41	42	0.768	41.5	14.4					
42	43	0.675	37.6	12.8					
43	44	0.740	39.3	13.8					
44	45	0.173	13.8	3.4					
45	46	0.031	6.2	0.8					
46	47	0.250	18.5	5.3					
47	48	0.183	13.6	4.0					
48	49	0.518	29.4	9.8					
49	50	0.632	33.4	11.6					
50	51	0.440	23.5	7.9					
51	52	0.305	18.3	5.7					

Finished in mineralisation

Precious Metals Australia

HOLE NUMBER: WR287

LOCATION: 649870mE, 6869542mN, 473.5mRL

DIP / AZI: -60°/065

SECTION 10850mN (Local Grid)

From	To	V2O5	Fe	TiO2	From	To	V2O5	Fe	TiO2
0	1	0.084	29.9	8.9	52	53	0.246	21.4	7.0
1	2	0.070	28.6	9.5	53	54	0.234	19.4	6.7
2	3	0.080	27.6	10.4	54	55	0.198	16.0	5.6
3	4	0.051	24.6	9.6	55	56	0.386	28.2	9.7
4	5	0.053	22.5	9.1	56	57	0.200	16.6	5.3
5	6	0.061	22.2	9.6	57	58	0.159	13.8	4.4
6	7	0.057	22.2	7.6	58	59	0.234	18.8	6.2
7	8	0.062	18.9	8.3	59	60	0.192	15.7	5.5
8	9	0.069	18.6	8.9	60	61	0.124	11.0	3.8
9	10	0.074	20.8	9.7	61	62	0.286	21.9	7.4
10	11	0.065	18.7	10.5	62	63	0.528	33.3	12.4
11	12	0.068	20.5	10.0	63	64	0.477	32.2	11.1
12	13	0.072	21.1	10.2	64	65	0.527	33.3	12.0
13	14	0.068	17.8	9.2	65	66	0.478	30.6	11.2
14	15	0.080	22.1	10.5	66	67	0.213	19.3	5.2
15	16	0.093	22.1	11.6	67	68	0.116	9.6	3.0
16	17	0.077	21.2	10.8	68	69	0.162	11.8	4.1
17	18	0.074	20.2	9.0	69	70	0.311	19.6	6.9
18	19	0.071	17.8	9.0	70	71	0.265	17.2	6.1
19	20	0.089	21.1	10.6	71	72	0.310	21.0	7.0
20	21	0.088	21.2	9.7	72	73	0.577	34.8	12.0
21	22	0.081	19.5	9.4	73	74	0.163	12.3	3.6
22	23	0.071	18.0	8.4	74	75	0.623	36.6	12.8
23	24	0.085	20.9	11.2	75	76	0.633	36.8	12.8
24	25	0.101	21.9	10.5	76	77	0.700	38.7	13.7
25	26	0.102	20.9	9.7	77	78	0.464	26.4	9.3
26	27	0.107	21.0	9.6	78	79	0.035	4.4	1.0
27	28	0.086	19.5	11.1	79	80	0.221	14.4	4.6
28	29	0.109	20.8	10.4	80	81	0.284	17.7	5.8
29	30	0.087	19.2	12.7	81	82	0.477	28.3	8.6
30	31	0.102	20.5	11.2	82	83	0.579	32.1	10.8
31	32	0.110	20.0	11.9	83	84	0.277	17.5	5.5
32	33	0.075	17.7	15.7	84	85	0.251	15.7	4.9
33	34	0.153	29.0	16.8	85	86	0.276	17.7	5.3
34	35	0.181	30.4	18.7	86	87	0.308	19.1	5.8
35	36	0.200	33.0	21.2	87	88	0.368	22.0	7.0
36	37	0.235	36.7	21.1	88	89	0.645	35.7	11.3
37	38	0.270	37.6	23.8	89	90	0.268	16.6	4.9
38	39	0.269	38.5	21.9	90	91	0.275	16.9	5.2
39	40	0.236	36.0	17.7	91	92	0.428	24.0	7.3
40	41	0.347	41.4	24.1	92	93	0.292	17.1	5.1
41	42	0.362	41.1	24.7	93	94	0.306	18.1	5.4
42	43	0.455	43.4	21.8	94	95	0.456	26.4	7.9
43	44	0.372	41.1	24.2	95	96	0.435	25.1	7.6
44	45	0.486	40.0	16.4	96	97	0.664	35.7	10.9
45	46	0.483	42.8	17.8	97	98	0.115	9.9	2.5
46	47	0.511	39.6	15.9	98	99	0.592	31.7	9.6
47	48	0.416	33.5	12.8	99	100	0.422	23.3	6.7
48	49	0.415	31.9	12.2					
49	50	0.427	32.8	12.4	Finished in mineralisation				
50	51	0.397	32.1	11.5					
51	52	0.225	18.4	6.4					

Precious Metals Australia

HOLE NUMBER: WR288

LOCATION: 649761mE, 6869772mN, 470.9mRL

DIP / AZI: -60°/065

SECTION 11100mN (Local Grid)

From	To	V2O5	Fe	TiO2	From	To	V2O5	Fe	TiO2
0	1	0.118	27.8	6.7	52	53	0.411	27.0	9.1
1	2	0.072	28.2	8.3	53	54	0.156	14.7	3.8
2	3	0.092	30.9	7.2	54	55	0.151	12.2	3.8
3	4	0.059	30.8	6.8	55	56	0.100	8.3	2.5
4	5	0.083	30.8	6.6	56	57	0.255	17.0	6.0
5	6	0.075	31.8	6.6	57	58	0.237	15.8	5.5
6	7	0.057	35.5	7.8	58	59	0.227	15.5	5.3
7	8	0.085	33.4	7.0	59	60	0.417	26.4	9.2
8	9	0.082	29.5	8.0	60	61	0.282	18.1	6.1
9	10	0.061	35.1	8.5	61	62	0.454	27.5	9.3
10	11	0.101	32.5	12.0	62	63	0.752	42.3	14.4
11	12	0.111	33.7	12.2	63	64	0.464	27.6	9.1
12	13	0.081	29.1	12.8	64	65	0.583	33.0	11.0
13	14	0.094	27.4	20.3	65	66	0.262	12.0	5.5
14	15	0.178	37.2	20.6	66	67	0.180	17.8	3.8
15	16	0.167	36.3	19.8	67	68	0.508	27.3	9.4
16	17	0.232	39.5	21.5	68	69	0.603	32.8	10.8
17	18	0.252	40.3	22.4	69	70	0.357	21.4	6.7
18	19	0.261	41.7	22.7	70	71	0.416	23.6	7.6
19	20	0.270	41.7	22.7	71	72	0.481	27.4	8.5
20	21	0.284	44.6	21.6	72	73	0.305	18.5	5.5
21	22	0.347	44.2	24.8	73	74	0.746	38.1	12.5
22	23	0.364	43.3	23.8	74	75	0.373	24.0	6.8
23	24	0.429	44.5	21.0	75	76	0.491	27.9	8.7
24	25	0.531	46.4	18.7	76	77	0.276	16.8	5.1
25	26	0.492	43.4	16.6	77	78	0.441	25.0	7.7
26	27	0.511	42.9	16.1	78	79	0.589	32.5	10.0
27	28	0.524	42.9	16.0	79	80	0.275	17.1	5.1
28	29	0.423	35.4	12.8	Finished in mineralisation				
29	30	0.414	32.9	12.7					
30	31	0.432	32.3	13.4					
31	32	0.436	33.8	13.0					
32	33	0.450	34.4	13.2					
33	34	0.425	32.0	12.4					
34	35	0.351	30.7	10.4					
35	36	0.287	22.5	7.8					
36	37	0.208	20.5	6.0					
37	38	0.207	17.1	6.1					
38	39	0.206	16.3	5.9					
39	40	0.132	15.0	4.1					
40	41	0.109	16.3	3.1					
41	42	0.288	21.3	8.2					
42	43	0.294	25.4	7.4					
43	44	0.226	18.5	6.4					
44	45	0.153	14.0	4.7					
45	46	0.297	22.0	7.8					
46	47	0.187	17.2	5.6					
47	48	0.141	12.8	4.2					
48	49	0.270	19.2	7.1					
49	50	0.296	23.6	6.2					
50	51	0.509	31.8	11.5					
51	52	0.508	31.2	11.4					

Precious Metals Australia

HOLE NUMBER: WR289

LOCATION: 649719mE, 6869748mN, 468.2mRL

DIP / AZI: -60°/065

SECTION 11100mN (Local Grid)

From	To	V2O5	Fe	TiO2	From	To	V2O5	Fe	TiO2
0	1	0.530	29.3	4.9	52	53	0.420	43.7	23.3
1	2	0.539	31.6	6.2	53	54	0.502	44.2	18.0
2	3	0.489	33.8	7.5	54	55	0.542	43.3	17.3
3	4	0.581	35.0	7.6	55	56	0.442	34.8	13.8
4	5	0.391	36.9	10.0	56	57	0.439	33.6	12.9
5	6	0.353	38.7	9.1	57	58	0.456	34.6	13.4
6	7	0.271	37.5	7.0	58	59	0.309	27.2	9.9
7	8	0.219	34.5	6.1	59	60	0.292	23.8	8.5
8	9	0.147	32.8	4.7	60	61	0.226	18.6	6.5
9	10	0.133	28.4	6.1	61	62	0.192	15.2	5.5
10	11	0.070	20.0	8.8	62	63	0.451	31.9	11.7
11	12	0.062	17.8	8.4	63	64	0.196	19.1	5.3
12	13	0.063	21.2	8.7	64	65	0.149	12.7	4.2
13	14	0.053	29.6	6.5	65	66	0.261	19.3	7.0
14	15	0.050	35.0	6.5	66	67	0.186	14.7	5.4
15	16	0.059	34.7	7.1	67	68	0.182	14.7	5.1
16	17	0.068	28.1	8.0	68	69	0.439	28.9	10.7
17	18	0.048	27.4	8.6	69	70	0.471	30.8	11.7
18	19	0.058	32.9	8.6	70	71	0.468	29.5	11.0
19	20	0.115	31.0	9.7	71	72	0.501	31.9	11.3
20	21	0.071	27.7	10.3	72	73	0.187	14.8	4.4
21	22	0.069	25.7	10.0	73	74	0.143	10.9	3.6
22	23	0.070	25.2	9.4	74	75	0.092	7.9	2.5
23	24	0.083	26.8	11.2	75	76	0.315	20.1	7.2
24	25	0.079	27.3	10.2	76	77	0.234	15.3	5.4
25	26	0.100	27.7	10.7	77	78	0.223	15.0	5.2
26	27	0.077	24.2	11.3	78	79	0.547	33.7	12.0
27	28	0.091	24.8	11.0	79	80	0.310	20.0	7.0
28	29	0.099	24.7	11.0	80	81	0.412	25.1	8.8
29	30	0.098	24.4	10.7	81	82	0.634	35.0	12.9
30	31	0.096	23.1	10.3	82	83	0.628	36.2	12.3
31	32	0.093	22.5	10.5	83	84	0.644	36.7	12.4
32	33	0.088	24.3	12.5	84	85	0.053	5.6	1.7
33	34	0.091	22.6	10.5	85	86	0.210	14.4	4.5
34	35	0.115	23.7	11.6	86	87	0.197	13.7	4.5
35	36	0.129	24.3	11.9	87	88	0.571	33.0	11.0
36	37	0.115	23.5	10.6	88	89	0.614	34.8	11.1
37	38	0.098	21.8	13.6	89	90	0.295	18.6	5.7
38	39	0.116	23.5	11.3	90	91	0.252	16.0	5.2
39	40	0.103	21.5	10.2	91	92	0.558	31.4	9.9
40	41	0.108	22.7	15.3	92	93	0.302	18.6	5.7
41	42	0.115	22.7	12.7	93	94	0.528	28.2	9.2
42	43	0.107	20.7	12.4	94	95	0.265	16.5	5.1
43	44	0.040	12.2	11.4	95	96	0.229	15.1	4.6
44	45	0.133	25.7	20.3	96	97	0.486	27.7	9.2
45	46	0.202	32.7	21.4	97	98	0.720	38.8	11.9
46	47	0.207	33.4	22.0	98	99	0.625	34.6	10.6
47	48	0.235	35.8	22.4	99	100	0.375	22.3	6.8
48	49	0.258	38.0	23.1					
49	50	0.307	40.3	24.2	Finished in mineralisation				
50	51	0.335	41.3	25.3					
51	52	0.375	41.9	25.0					

Precious Metals Australia

HOLE NUMBER: WR290

LOCATION: 649633mE, 6869930mN, 467.9mRL

DIP / AZI: -60°/065

SECTION 11300mN (Local Grid)

From	To	V2O5	Fe	TiO2	From	To	V2O5	Fe	TiO2	104	105	0.316	18.0	5.3
0	1	0.647	34.2	7.9	52	53	0.358	23.8	8.8	105	106	0.600	31.9	9.5
1	2	0.759	36.5	7.4	53	54	0.217	15.8	5.7	106	107	0.859	42.8	12.8
2	3	0.417	32.4	6.0	54	55	0.176	14.2	4.5	107	108	0.080	7.8	1.8
3	4	0.256	32.4	6.0	55	56	0.522	29.0	10.2	108	109	0.704	35.0	10.1
4	5	0.179	36.8	5.1	56	57	0.282	18.8	6.5	109	110	0.704	35.5	10.5
5	6	0.166	33.6	5.5	57	58	0.520	31.8	11.7	110	111	0.281	16.4	4.6
6	7	0.153	29.7	8.3	58	59	0.511	31.6	10.7	111	112	0.747	37.6	10.6
7	8	0.114	19.8	10.4	59	60	0.538	32.2	11.2	112	113	0.267	17.4	4.1
8	9	0.110	27.2	10.1	60	61	0.586	34.4	12.1	113	114	0.246	17.9	3.6
9	10	0.124	32.4	10.1	61	62	0.149	13.4	3.4	114	115	0.698	34.7	9.4
10	11	0.075	32.3	9.6	62	63	0.180	13.4	4.1	115	116	0.156	11.3	2.8
11	12	0.101	28.5	10.0	63	64	0.116	9.0	2.8	116	117	0.059	7.4	1.1
12	13	0.109	25.5	10.4	64	65	0.119	9.6	2.9	117	118	0.041	5.3	0.8
13	14	0.109	29.4	14.1	65	66	0.330	20.6	7.2	118	119	0.060	7.0	1.1
14	15	0.124	24.5	14.1	66	67	0.271	17.5	5.9	119	120	0.069	7.5	1.1
15	16	0.067	18.2	15.3	67	68	0.144	10.7	3.4	120	121	0.087	8.9	1.4
16	17	0.122	27.5	18.2	68	69	0.518	31.9	11.0	121	122	0.266	16.0	3.9
17	18	0.169	33.6	20.0	69	70	0.505	30.9	10.5	122	123	0.244	14.6	3.5
18	19	0.149	30.9	17.6	70	71	0.162	11.2	3.6	123	124	0.346	22.1	5.8
19	20	0.211	34.5	21.6	71	72	0.538	31.7	10.9	124	125	0.788	38.5	10.3
20	21	0.207	35.8	21.0	72	73	0.680	39.5	13.5	125	126	0.346	18.9	4.9
21	22	0.199	37.0	20.5	73	74	0.741	42.1	14.3	126	127	0.136	9.8	2.3
22	23	0.236	38.7	22.1	74	75	0.475	28.8	9.4	127	128	0.365	21.0	6.2
23	24	0.267	40.7	22.8	75	76	0.792	44.2	14.7	128	129	0.206	13.3	3.2
24	25	0.270	42.3	23.8	76	77	0.057	5.0	1.5	129	130	0.512	27.0	6.8
25	26	0.300	42.0	24.4	77	78	0.243	15.4	4.8	130	131	0.432	22.2	5.6
26	27	0.328	42.0	25.5	78	79	0.230	15.3	4.7	131	132	0.212	13.4	3.3
27	28	0.372	42.8	25.2	79	80	0.596	34.4	11.6	132	133	0.178	11.8	2.9
28	29	0.368	41.2	24.4	80	81	0.380	22.5	6.9	133	134	0.083	7.2	2.0
29	30	0.124	21.2	9.4	81	82	0.569	32.6	10.2	134	135	0.085	8.8	2.2
30	31	0.417	43.2	22.6	82	83	0.312	19.2	5.8	135	136	0.361	18.9	5.1
31	32	0.483	45.6	21.2	83	84	0.461	26.3	7.9	136	137	0.221	14.5	3.4
32	33	0.471	42.9	17.0	84	85	0.313	18.7	5.6	137	138	0.141	11.0	2.4
33	34	0.529	43.8	17.5	85	86	0.481	27.9	8.6	138	139	0.230	14.6	3.7
34	35	0.517	42.6	16.4	86	87	0.362	20.7	6.3	139	140	0.366	19.0	5.4
35	36	0.507	41.3	15.5	87	88	0.529	28.9	9.1	140	141	0.162	12.5	2.6
36	37	0.421	34.7	13.0	88	89	0.129	10.7	2.4	141	142	0.142	9.8	2.8
37	38	0.455	34.6	14.2	89	90	0.114	10.4	2.2	142	143	0.118	9.3	2.7
38	39	0.407	33.5	11.8	90	91	0.171	11.0	3.2	143	144	0.069	6.8	1.5
39	40	0.444	33.6	12.9	91	92	0.128	12.4	2.5	144	145	0.125	9.1	2.7
40	41	0.371	30.9	10.4	92	93	0.236	15.1	4.4	145	146	0.195	11.8	2.9
41	42	0.257	21.4	7.4	93	94	0.532	29.1	9.1	146	147	0.535	26.5	6.7
42	43	0.246	20.8	6.9	94	95	0.542	31.1	9.6	147	148	0.132	10.5	2.2
43	44	0.216	17.4	6.2	95	96	0.567	31.1	9.5	148	149	0.152	12.4	2.6
44	45	0.209	17.1	5.8	96	97	0.719	38.8	11.8	149	150	0.116	10.4	2.1
45	46	0.538	37.1	13.8	97	98	0.205	13.7	3.9	150	151	0.203	17.5	3.2
46	47	0.322	23.3	8.2	98	99	0.718	37.7	11.5	151	152	0.087	7.7	1.6
47	48	0.346	26.4	8.8	99	100	0.703	36.8	11.1	152	153	0.204	12.6	3.0
48	49	0.165	15.4	4.3	100	101	0.099	8.6	2.3	153	154	0.117	8.9	2.0
49	50	0.183	14.6	4.9	101	102	0.475	25.4	7.7	154	155	0.070	5.7	1.4
50	51	0.214	16.1	5.7	102	103	0.660	34.4	10.2	155	156	0.079	6.5	1.5
51	52	0.143	12.0	3.9	103	104	0.426	23.6	7.1	156	157	0.145	9.0	2.1

Precious Metals Australia

HOLE NUMBER: WR291

LOCATION: 649682mE, 6869948mN, 470.3mRL

DIP / AZI: -60°/065

SECTION 11300 mN (Local Grid)

From	To	V2O5	Fe	TiO2	From	To	V2O5	Fe	TiO2
0	1	0.479	46.4	16.6	52	53	0.385	24.3	8.2
1	2	0.442	41.4	14.3	53	54	0.573	34.7	11.6
2	3	0.538	44.7	17.0	54	55	0.737	41.5	14.5
3	4	0.245	46.2	7.5	55	56	0.552	32.9	11.1
4	5	0.524	43.4	15.2	56	57	0.784	44.2	14.9
5	6	0.304	38.4	9.1	57	58	0.227	14.7	4.6
6	7	0.289	40.2	8.4	58	59	0.155	10.6	3.2
7	8	0.370	40.2	11.0	59	60	0.193	13.0	4.0
8	9	0.340	38.7	10.1	60	61	0.272	17.4	5.5
9	10	0.323	39.5	9.4	61	62	0.609	34.9	11.4
10	11	0.237	44.8	6.8	62	63	0.780	43.1	14.0
11	12	0.144	37.9	4.1	63	64	0.273	17.1	5.1
12	13	0.208	40.5	6.1	64	65	0.250	16.0	4.9
13	14	0.269	39.4	7.6	65	66	0.455	25.6	8.1
14	15	0.209	32.5	5.7	66	67	0.470	27.5	8.3
15	16	0.294	29.2	8.6	67	68	0.291	17.9	5.3
16	17	0.051	17.7	1.3	68	69	0.439	24.7	7.6
17	18	0.076	15.5	2.0	69	70	0.747	38.0	12.2
18	19	0.076	17.1	2.1	70	71	0.285	17.6	5.0
19	20	0.137	27.6	3.6	71	72	0.262	15.7	4.8
20	21	0.161	22.0	4.4	72	73	0.206	13.6	3.9
21	22	0.138	28.5	3.4	73	74	0.292	17.5	5.4
22	23	0.072	38.5	1.6	74	75	0.474	26.0	8.0
23	24	0.235	30.1	6.3	75	76	0.696	36.9	11.5
24	25	0.217	25.8	5.7	76	77	0.579	31.7	9.7
25	26	0.311	23.5	7.9	77	78	0.258	16.2	4.7
26	27	0.228	20.3	6.7	78	79	0.718	37.2	11.6
27	28	0.234	22.2	6.6	79	80	0.401	23.5	6.8
28	29	0.259	21.4	7.5					
29	30	0.088	20.3	1.8					
30	31	0.066	17.3	1.6					
31	32	0.053	19.7	1.5					
32	33	0.040	18.4	1.1					
33	34	0.078	20.2	2.4					
34	35	0.567	27.1	14.3					
35	36	0.480	36.5	11.3					
36	37	0.499	34.7	12.0					
37	38	0.525	33.1	12.7					
38	39	0.558	34.6	13.1					
39	40	0.599	33.3	13.9					
40	41	0.685	42.1	15.2					
41	42	0.112	31.6	2.3					
42	43	0.161	18.4	4.0					
43	44	0.212	16.5	5.0					
44	45	0.129	10.8	3.2					
45	46	0.098	7.4	2.3					
46	47	0.389	24.0	8.5					
47	48	0.294	20.0	6.2					
48	49	0.259	18.1	5.7					
49	50	0.483	30.6	10.5					
50	51	0.625	37.7	13.3					
51	52	0.181	13.5	4.4					

Finished in mineralisation

Precious Metals Australia

HOLE NUMBER: WR292

LOCATION: 649955mE, 6869361mN, 475.9mRL

DIP / AZI: -60°/065

SECTION 10650mN (Local Grid)

From	To	V2O5	Fe	TiO2	From	To	V2O5	Fe	TiO2
0	1	0.139	31.4	4.2	52	53	0.457	42.8	22.1
1	2	0.122	33.5	4.6	53	54	0.508	44.7	19.0
2	3	0.092	31.7	6.6	54	55	0.515	42.5	17.1
3	4	0.033	27.1	6.9	55	56	0.570	45.4	18.0
4	5	0.031	30.1	6.7	56	57	0.495	38.3	14.9
5	6	0.026	27.1	6.1	57	58	0.450	34.2	13.2
6	7	0.050	27.5	6.3	58	59	0.477	35.5	13.5
7	8	0.048	25.9	6.6	59	60	0.477	35.5	13.1
8	9	0.026	25.2	6.4	60	61	0.246	20.1	7.1
9	10	0.043	29.4	8.6	61	62	0.277	23.0	7.6
10	11	0.040	28.8	7.4	62	63	0.241	18.6	6.8
11	12	0.044	27.8	7.1	63	64	0.179	14.3	5.0
12	13	0.065	29.8	10.2	64	65	0.400	27.7	10.1
13	14	0.054	26.4	9.8	65	66	0.311	23.7	7.9
14	15	0.058	26.7	10.0	66	67	0.155	12.4	4.2
15	16	0.061	24.8	10.8	67	68	0.213	18.1	5.4
16	17	0.062	24.6	10.1	68	69	0.136	14.3	3.6
17	18	0.055	22.6	7.6	69	70	0.238	17.6	6.2
18	19	0.066	24.1	10.0	70	71	0.142	15.1	3.8
19	20	0.082	22.7	11.5	71	72	0.131	11.9	3.6
20	21	0.077	22.5	11.1	72	73	0.346	25.3	8.4
21	22	0.075	22.0	11.5	73	74	0.522	35.0	12.2
22	23	0.071	20.9	11.8	74	75	0.506	34.4	11.8
23	24	0.071	20.4	10.5	75	76	0.513	33.9	11.7
24	25	0.073	19.8	10.2	76	77	0.564	34.3	12.8
25	26	0.081	20.4	10.8	77	78	0.522	31.1	10.9
26	27	0.100	23.7	12.3	78	79	0.187	20.0	4.0
27	28	0.079	21.0	11.2	79	80	0.137	15.8	3.2
28	29	0.078	20.2	9.8	80	81	0.124	10.1	3.0
29	30	0.097	22.1	10.6	81	82	0.228	14.9	4.8
30	31	0.087	19.7	9.6	82	83	0.234	15.9	5.0
31	32	0.085	19.3	8.8	83	84	0.552	31.3	10.7
32	33	0.069	17.5	8.8	84	85	0.447	26.4	8.6
33	34	0.079	18.8	9.3	85	86	0.478	26.3	9.1
34	35	0.094	20.2	9.2	86	87	0.648	36.7	12.2
35	36	0.107	19.9	10.1	87	88	0.712	39.1	13.2
36	37	0.093	20.1	8.9	88	89	0.708	38.4	13.0
37	38	0.103	20.7	9.5	89	90	0.065	7.6	1.4
38	39	0.086	18.8	10.3	90	91	0.305	18.1	5.9
39	40	0.094	19.2	9.8	91	92	0.213	15.4	4.3
40	41	0.100	18.9	8.8	92	93	0.652	32.6	11.4
41	42	0.088	18.3	12.0	93	94	0.797	37.1	13.9
42	43	0.104	19.6	10.8	94	95	0.317	19.8	5.8
43	44	0.077	16.3	12.2	95	96	0.287	20.5	5.4
44	45	0.112	23.6	17.3	96	97	0.227	15.2	4.4
45	46	0.198	32.2	20.3	97	98	0.528	28.7	9.2
46	47	0.186	32.1	19.3	98	99	0.507	27.5	8.8
47	48	0.248	36.6	21.3	99	100	0.312	18.8	6.1
48	49	0.294	37.8	24.3					
49	50	0.327	39.1	24.8	Finished in mineralisation				
50	51	0.361	41.1	25.3					
51	52	0.382	41.4	24.9					

Precious Metals Australia

HOLE NUMBER: WR293

LOCATION: 649994mE, 6869383mN, 478.3mRL

DIP / AZI: -60°/065

SECTION 10650mN (Local Grid)

From	To	V2O5	Fe	TiO2	From	To	V2O5	Fe	TiO2
0	1	0.053	28.3	7.3	52	53	0.166	23.6	3.7
1	2	0.046	35.3	6.1	53	54	0.445	27.0	10.1
2	3	0.052	29.4	5.7	54	55	0.518	31.8	11.1
3	4	0.064	26.9	7.6	55	56	0.551	33.3	12.1
4	5	0.080	33.3	8.4	56	57	0.599	31.8	13.1
5	6	0.085	33.2	9.0	57	58	0.635	29.7	15.0
6	7	0.093	27.9	7.2	58	59	0.205	16.0	4.0
7	8	0.073	32.5	8.2	59	60	0.166	21.8	3.7
8	9	0.067	39.3	7.8	60	61	0.125	11.0	3.0
9	10	0.068	38.5	7.2	61	62	0.140	10.2	3.2
10	11	0.071	33.2	7.7	62	63	0.301	19.3	6.5
11	12	0.089	32.1	9.2	63	64	0.271	17.3	5.9
12	13	0.085	32.1	11.1	64	65	0.288	19.1	6.2
13	14	0.095	36.5	9.6	65	66	0.589	35.0	12.0
14	15	0.105	34.7	9.5	66	67	0.140	10.7	3.0
15	16	0.122	31.7	10.8	67	68	0.519	30.4	10.4
16	17	0.091	29.3	11.3	68	69	0.762	40.8	14.5
17	18	0.110	29.2	11.3	69	70	0.585	32.3	11.4
18	19	0.125	28.2	11.3	70	71	0.282	23.3	5.3
19	20	0.099	27.0	14.7	71	72	0.840	39.5	15.8
20	21	0.120	26.1	13.1	72	73	0.111	10.9	2.4
21	22	0.117	30.0	12.5	73	74	0.046	9.3	0.9
22	23	0.084	20.8	13.7	74	75	0.262	17.5	5.6
23	24	0.107	30.6	18.9	75	76	0.181	15.4	3.3
24	25	0.186	37.3	20.1	76	77	0.426	23.5	8.4
25	26	0.193	35.1	20.9	77	78	0.545	30.2	10.1
26	27	0.249	38.8	22.9	78	79	0.596	32.9	11.0
27	28	0.272	39.9	23.2	79	80	0.654	35.2	11.5
28	29	0.299	40.4	24.9					
29	30	0.339	42.0	25.6					
30	31	0.387	42.7	25.5					
31	32	0.408	43.1	25.9					
32	33	0.501	45.1	22.6					
33	34	0.520	45.2	18.6					
34	35	0.492	41.5	16.2					
35	36	0.573	44.8	18.0					
36	37	0.497	39.1	15.5					
37	38	0.447	35.7	12.6					
38	39	0.455	34.9	13.5					
39	40	0.474	35.0	13.2					
40	41	0.498	38.5	13.7					
41	42	0.215	20.0	6.0					
42	43	0.294	25.8	8.0					
43	44	0.251	26.4	7.0					
44	45	0.226	24.7	6.3					
45	46	0.216	24.0	6.2					
46	47	0.100	20.3	1.8					
47	48	0.664	30.7	19.2					
48	49	0.209	18.5	5.4					
49	50	0.257	23.3	6.8					
50	51	0.295	24.7	7.5					
51	52	0.245	25.4	5.2					

Finished in mineralisation

Precious Metals Australia

HOLE NUMBER: WR294

LOCATION: 650134mE, 6869004mN, 477.3mRL

DIP / AZI: -60°/065

SECTION 10250mN (Local Grid)

From	To	V2O5	Fe	TiO2	From	To	V2O5	Fe	TiO2
0	1	0.219	29.2	4.3	52	53	0.298	38.8	24.1
1	2	0.203	33.1	6.0	53	54	0.332	40.5	24.9
2	3	0.183	30.3	7.5	54	55	0.354	41.5	25.3
3	4	0.096	24.1	7.8	55	56	0.361	41.8	26.4
4	5	0.067	23.4	8.5	56	57	0.410	42.3	24.1
5	6	0.041	21.2	6.9	57	58	0.459	44.6	22.6
6	7	0.044	21.7	8.1	58	59	0.505	45.4	19.3
7	8	0.115	28.9	7.2	59	60	0.508	43.3	17.5
8	9	0.048	20.7	8.8	60	61	0.574	46.5	18.5
9	10	0.044	22.1	8.4	61	62	0.568	45.4	17.8
10	11	0.045	21.1	8.5	62	63	0.490	38.0	14.8
11	12	0.061	23.5	9.2	63	64	0.445	34.0	13.3
12	13	0.071	25.2	11.1	64	65	0.460	34.8	13.2
13	14	0.053	22.6	9.0	65	66	0.454	33.6	12.9
14	15	0.055	23.1	9.6	66	67	0.286	23.1	8.2
15	16	0.055	23.1	10.0	67	68	0.277	23.5	8.2
16	17	0.061	24.5	10.0	68	69	0.200	16.9	5.8
17	18	0.063	21.9	9.5	69	70	0.175	16.2	5.0
18	19	0.069	21.9	10.2	70	71	0.284	21.9	7.4
19	20	0.072	22.8	9.2	71	72	0.208	17.6	5.5
20	21	0.064	22.0	8.3	72	73	0.167	13.6	4.5
21	22	0.075	23.9	9.4	73	74	0.245	17.5	6.7
22	23	0.081	23.5	10.7	74	75	0.183	14.2	5.1
23	24	0.074	21.6	11.5	75	76	0.226	16.2	5.8
24	25	0.066	21.7	10.4	76	77	0.445	29.0	10.7
25	26	0.056	19.3	8.9	77	78	0.508	32.8	11.8
26	27	0.057	18.3	8.4	78	79	0.531	33.2	12.4
27	28	0.065	18.8	9.1	79	80	0.595	35.3	13.3
28	29	0.056	17.0	7.8	80	81	0.125	12.8	2.9
29	30	0.059	16.7	7.5	81	82	0.185	13.4	4.4
30	31	0.080	19.6	9.2	82	83	0.117	9.0	3.0
31	32	0.076	19.0	9.5	83	84	0.163	12.2	3.8
32	33	0.063	17.2	8.4	84	85	0.279	17.6	6.1
33	34	0.066	17.1	7.8	85	86	0.307	19.3	6.6
34	35	0.078	18.2	8.3	86	87	0.630	36.3	12.4
35	36	0.078	18.9	8.8	87	88	0.187	12.3	3.9
36	37	0.079	17.9	8.1	88	89	0.599	34.0	11.5
37	38	0.073	17.0	7.8	89	90	0.740	40.8	13.5
38	39	0.082	19.0	10.1	90	91	0.511	30.4	10.1
39	40	0.088	18.6	8.7	91	92	0.474	27.8	8.9
40	41	0.092	19.4	8.5	92	93	0.191	13.3	3.9
41	42	0.090	18.2	8.1	93	94	0.231	15.2	4.5
42	43	0.091	19.8	11.3	94	95	0.544	30.3	9.8
43	44	0.114	20.6	10.4	95	96	0.668	36.1	11.8
44	45	0.090	18.6	11.6	96	97	0.455	27.0	9.2
45	46	0.112	20.1	12.0	97	98	0.327	20.1	6.2
46	47	0.065	14.9	12.4	98	99	0.250	15.7	4.6
47	48	0.117	24.0	19.4	99	100	0.626	33.9	10.7
48	49	0.205	33.0	21.2					
49	50	0.197	31.7	20.2					
50	51	0.259	36.0	22.8					
51	52	0.273	38.1	22.8					

Finished in mineralisation

Precious Metals Australia

HOLE NUMBER: WR295

DIP / AZI: -60°/065

LOCATION: 650040mE, 6869177mN, 470.7mRL

SECTION 104450mN (Local Grid)

From	To	V2O5	Fe	TiO2	From	To	V2O5	Fe	TiO2	From	To	V2O5	Fe	TiO2
										105	106	0.600	31.9	10.0
										106	107	0.712	36.9	11.4
0	1	0.047	19.9	6.7	52	53	0.343	41.8	25.4	107	108	0.184	13.3	3.7
1	2	0.047	22.1	8.3	53	54	0.383	42.8	24.8	108	109	0.415	22.5	6.7
2	3	0.042	21.4	7.8	54	55	0.435	44.0	23.2	109	110	0.754	40.5	12.9
3	4	0.046	22.6	8.4	55	56	0.527	45.2	18.7	110	111	0.276	19.2	7.2
4	5	0.046	19.6	7.5	56	57	0.546	44.0	17.3	111	112	0.870	44.2	13.7
5	6	0.046	22.5	8.3	57	58	0.520	41.2	15.8	112	113	0.801	41.3	13.2
6	7	0.034	21.7	7.7	58	59	0.448	34.7	13.2	113	114	0.268	17.7	7.3
7	8	0.057	23.2	8.0	59	60	0.430	32.8	12.1	114	115	0.127	17.6	8.7
8	9	0.053	23.4	9.1	60	61	0.230	19.2	6.5	115	116	0.085	15.1	8.0
9	10	0.045	21.1	7.3	61	62	0.273	22.4	7.3	116	117	0.471	29.2	10.8
10	11	0.069	23.4	9.8	62	63	0.204	16.9	5.4	117	118	0.665	38.1	14.5
11	12	0.072	25.1	11.4	63	64	0.154	13.6	4.4	118	119	0.606	31.1	9.1
12	13	0.051	21.2	8.9	64	65	0.210	16.4	5.8	119	120	0.268	16.1	4.6
13	14	0.054	21.8	10.1	65	66	0.341	22.4	8.6	120	121	0.172	11.5	3.0
14	15	0.059	21.3	10.3	66	67	0.259	19.8	6.6	121	122	0.608	33.1	10.9
15	16	0.069	22.6	10.7	67	68	0.158	14.1	4.3	122	123	0.696	36.1	10.7
16	17	0.060	20.2	8.6	68	69	0.306	19.6	7.9	123	124	0.276	17.9	4.8
17	18	0.060	19.7	7.6	69	70	0.162	12.8	4.5	124	125	0.287	16.7	4.6
18	19	0.073	21.2	10.3	70	71	0.138	10.5	3.8	125	126	0.471	23.8	6.4
19	20	0.089	23.7	11.5	71	72	0.394	23.0	9.6	126	127	0.827	39.1	10.7
20	21	0.068	20.1	10.5	72	73	0.486	25.2	11.1	127	128	0.775	40.5	12.8
21	22	0.076	22.0	10.9	73	74	0.531	21.3	12.8	128	129	0.413	24.9	8.6
22	23	0.072	20.5	10.5	74	75	0.642	41.2	13.9	129	130	0.297	18.6	5.0
23	24	0.071	20.5	10.5	75	76	0.405	26.7	9.2	130	131	0.245	14.3	3.8
24	25	0.068	18.9	9.5	76	77	0.121	12.5	2.7	131	132	0.271	15.7	4.3
25	26	0.074	19.9	9.3	77	78	0.157	11.0	3.8	132	133	0.753	36.0	9.8
26	27	0.096	22.3	10.9	78	79	0.162	11.5	3.9	133	134	0.211	17.4	8.7
27	28	0.087	21.5	10.7	79	80	0.299	18.9	6.8	134	135	0.213	18.9	9.1
28	29	0.077	20.3	10.7	80	81	0.218	14.5	5.0	135	136	0.286	17.9	5.6
29	30	0.079	20.1	10.2	81	82	0.470	29.0	10.0	136	137	0.249	17.3	6.1
30	31	0.096	22.6	10.6	82	83	0.326	20.3	7.2	137	138	0.515	27.8	8.5
31	32	0.093	21.0	10.0	83	84	0.303	18.8	6.5	138	139	0.527	28.6	8.5
32	33	0.081	18.5	8.8	84	85	0.757	42.0	14.8	139	140	0.261	23.3	13.1
33	34	0.078	19.2	9.2	85	86	0.712	39.3	13.3	140	141	0.168	17.0	8.4
34	35	0.077	19.2	9.7	86	87	0.717	38.5	13.1	141	142	0.084	9.9	4.0
35	36	0.072	18.0	9.2	87	88	0.045	6.3	1.1	142	143	0.188	15.2	5.7
36	37	0.067	17.7	8.6	88	89	0.226	14.2	4.6	143	144	0.273	18.6	5.9
37	38	0.077	18.3	9.3	89	90	0.240	15.6	4.9	144	145	0.184	15.3	5.9
38	39	0.089	20.5	9.2	90	91	0.585	32.0	10.5	145	146	0.403	25.5	8.7
39	40	0.104	20.4	9.5	91	92	0.658	33.9	11.8	146	147	0.244	19.4	8.8
40	41	0.092	18.4	8.3	92	93	0.322	19.6	6.1	147	148	0.558	32.9	12.4
41	42	0.080	18.7	11.2	93	94	0.282	17.9	5.8	148	149	0.109	12.7	5.9
42	43	0.101	19.3	9.3	94	95	0.538	29.6	10.0	149	150	0.113	10.7	4.1
43	44	0.090	19.3	11.3	95	96	0.407	24.0	7.9	150	151	0.077	8.6	3.1
44	45	0.104	20.4	11.4	96	97	0.310	18.8	6.0	151	152	0.075	10.1	4.6
45	46	0.110	20.4	12.1	97	98	0.559	30.0	9.5	152	153	0.231	19.1	7.9
46	47	0.049	14.1	12.4	98	99	0.283	17.2	5.8	153	154	0.196	19.5	8.8
47	48	0.118	23.2	18.8	99	100	0.274	19.0	7.9	154	155	0.149	20.1	9.5
48	49	0.206	33.2	21.5	100	101	0.326	20.4	7.5	155	156	0.282	19.2	6.4
49	50	0.200	33.2	19.9	101	102	0.234	15.2	4.8	156	157	0.105	8.7	2.1
50	51	0.273	38.0	23.4	102	103	0.536	28.9	8.9	157	158	0.192	18.7	5.9
51	52	0.315	39.5	25.5	103	104	0.543	32.6	11.6	158	159	0.109	11.0	3.5
					104	105	0.679	36.2	11.5	159	160	0.306	22.4	4.2

Precious Metals Australia

HOLE NUMBER: WR296

LOCATION: 650205mE, 6868816mN, 478.5mRL

SECTION 9650mN (Local Grid)

DIP / AZI: -60°/065

From	To	V2O5	Fe	TiO2						From	To	V2O5	Fe	TiO2
										104	105	0.271	16.8	5.3
										105	106	0.189	12.5	3.9
										106	107	0.426	24.4	8.0
										107	108	0.665	36.2	11.7
0	1	0.043	16.2	4.6	52	53	0.102	20.1	9.7	108	109	0.610	33.4	10.5
1	2	0.028	22.6	3.9	53	54	0.093	18.5	10.5	109	110	0.314	18.8	5.7
2	3	0.036	27.0	4.0	54	55	0.105	19.6	10.6	110	111	0.305	18.1	5.8
3	4	0.082	21.0	7.3	55	56	0.103	18.5	10.9	111	112	0.567	31.0	9.5
4	5	0.093	22.6	7.7	56	57	0.072	16.7	15.7	112	113	0.291	18.5	5.6
5	6	0.067	20.3	7.8	57	58	0.151	25.1	15.6	113	114	0.435	24.4	7.6
6	7	0.083	21.9	7.5	58	59	0.158	26.1	16.2	114	115	0.671	34.6	10.6
7	8	0.082	27.6	8.0	59	60	0.221	32.2	20.0	115	116	0.263	15.8	4.7
8	9	0.048	22.2	9.1	60	61	0.272	35.4	22.3	116	117	0.263	14.9	4.5
9	10	0.043	21.2	9.1	61	62	0.310	39.1	24.5	117	118	0.488	26.2	7.9
10	11	0.046	25.4	9.4	62	63	0.330	40.4	25.1	118	119	0.800	40.8	12.0
11	12	0.045	22.9	9.8	63	64	0.377	42.6	25.3	119	120	0.606	32.3	9.7
12	13	0.042	25.0	9.2	64	65	0.405	42.9	24.4	120	121	0.187	12.4	3.6
13	14	0.053	27.3	9.6	65	66	0.477	45.4	21.1	121	122	0.710	36.5	10.9
14	15	0.040	22.7	9.1	66	67	0.281	31.4	10.7	122	123	0.477	26.6	7.7
15	16	0.070	28.8	11.4	67	68	0.505	41.8	16.2	123	124	0.615	32.2	9.3
16	17	0.052	24.4	9.7	68	69	0.537	43.1	16.6	124	125	0.347	23.8	10.6
17	18	0.051	22.8	10.4	69	70	0.457	35.4	13.4	125	126	0.373	26.7	12.7
18	19	0.067	28.5	10.4	70	71	0.440	33.9	12.7	126	127	0.295	21.7	9.3
19	20	0.072	29.4	12.1	71	72	0.479	35.6	13.3	127	128	1.040	49.9	16.7
20	21	0.066	27.1	10.5	72	73	0.404	31.0	11.1	128	129	0.875	43.9	13.6
21	22	0.065	27.0	11.6	73	74	0.255	20.9	7.3	129	130	0.571	31.5	10.6
22	23	0.063	26.0	11.0	74	75	0.232	20.0	6.4	130	131	0.732	39.9	13.0
23	24	0.079	27.6	12.7	75	76	0.185	16.3	5.5	131	132	0.655	35.2	11.6
24	25	0.061	26.4	10.8	76	77	0.232	17.9	6.5	132	133	0.191	15.1	4.9
25	26	0.081	24.8	11.2	77	78	0.410	28.1	10.6	133	134	0.728	37.3	11.3
26	27	0.092	26.7	11.6	78	79	0.254	20.7	6.6	134	135	0.254	20.7	8.9
27	28	0.087	24.3	12.2	79	80	0.150	13.5	4.0	135	136	0.084	9.8	3.6
28	29	0.081	24.0	11.3	80	81	0.311	20.1	8.2	136	137	0.062	7.9	2.9
29	30	0.099	25.4	12.5	81	82	0.164	12.6	4.5	137	138	0.065	7.7	2.5
30	31	0.067	20.1	8.8	82	83	0.142	11.7	3.9	138	139	0.060	9.3	4.4
31	32	0.091	22.7	12.6	83	84	0.231	17.6	5.7	139	140	0.059	9.8	3.8
32	33	0.083	22.7	11.0	84	85	0.518	33.3	12.3	140	141	0.063	7.2	2.1
33	34	0.078	21.8	11.2	85	86	0.477	30.9	11.1	141	142	0.732	36.0	9.8
34	35	0.075	20.6	10.9	86	87	0.506	32.1	11.5	142	143	0.850	43.7	14.3
35	36	0.069	19.5	9.6	87	88	0.516	32.3	11.6	143	144	0.255	18.0	6.5
36	37	0.061	20.1	9.1	88	89	0.527	32.4	11.9	144	145	0.254	17.8	6.6
37	38	0.066	19.7	9.3	89	90	0.180	14.3	4.2	145	146	0.269	19.4	7.1
38	39	0.094	22.4	10.6	90	91	0.140	10.4	3.4	146	147	0.816	41.6	12.9
39	40	0.095	23.3	10.7	91	92	0.095	7.2	2.3	147	148	0.085	11.3	4.8
40	41	0.071	20.3	9.7	92	93	0.282	17.7	6.1	148	149	0.312	22.4	9.3
41	42	0.073	19.0	9.9	93	94	0.237	15.0	5.3	149	150	0.344	23.7	9.1
42	43	0.088	19.5	9.3	94	95	0.257	16.0	5.6	150	151	0.329	23.2	9.8
43	44	0.093	20.0	9.5	95	96	0.387	24.0	8.1	151	152	0.880	41.3	11.0
44	45	0.086	19.4	8.8	96	97	0.621	36.9	12.4	152	153	0.198	13.4	4.8
45	46	0.079	18.2	8.2	97	98	0.208	13.2	4.4	153	154	0.179	16.1	6.9
46	47	0.072	17.4	8.6	98	99	0.449	26.1	9.1	154	155	0.083	12.9	6.1
47	48	0.082	18.2	9.1	99	100	0.527	33.5	10.3	155	156	0.066	10.1	4.1
48	49	0.098	20.0	9.1	100	101	0.768	42.5	14.1	156	157	0.324	21.3	6.8
49	50	0.100	20.3	8.7	101	102	0.463	28.6	8.9	157	158	0.223	14.1	4.2
50	51	0.096	19.3	8.3	102	103	0.796	44.3	14.6	158	159	0.195	17.5	8.0
51	52	0.087	18.6	11.0	103	104	0.092	7.1	2.0	159	160	0.167	17.2	7.6

Precious Metals Australia

HOLE NUMBER: WR297

LOCATION: 650465mE, 6868492mN, 471.1mRL

DIP / AZI: -60°/065

SECTION 9650mN (Local Grid)

From	To	V2O5	Fe	TiO2	From	To	V2O5	Fe	TiO2
0	1	0.169	27.9	15.1	56	57	0.578	31.9	10.0
1	2	0.238	36.4	21.6	57	58	0.313	18.9	5.5
2	3	0.250	36.3	22.0	58	59	0.316	18.9	5.7
3	4	0.241	36.1	21.1	59	60	0.392	22.0	7.1
4	5	0.249	39.3	19.9	60	61	0.408	22.8	7.0
5	6	0.290	40.4	22.5	61	62	0.316	17.8	5.5
6	7	0.296	39.4	22.4	62	63	0.557	29.9	9.4
7	8	0.336	40.8	24.8	63	64	0.624	34.1	10.0
8	9	0.379	41.2	26.1	64	65	0.296	17.4	5.1
9	10	0.391	42.5	26.1	65	66	0.289	17.3	5.1
10	11	0.469	45.6	22.4	66	67	0.214	13.2	3.8
11	12	0.513	46.1	20.0	67	68	0.317	18.0	5.2
12	13	0.539	44.1	18.0	68	69	0.377	20.5	6.1
13	14	0.535	44.0	17.6	69	70	0.053	7.7	1.1
14	15	0.592	46.1	18.2	70	71	0.511	27.8	8.2
15	16	0.537	41.4	15.8	71	72	0.871	44.5	13.5
16	17	0.469	35.9	13.8	72	73	0.369	21.4	6.1
17	18	0.443	34.3	12.8	73	74	0.188	12.8	3.7
18	19	0.445	34.3	12.6	74	75	0.755	39.6	12.2
19	20	0.416	33.1	11.7	75	76	0.364	21.8	7.2
20	21	0.467	35.2	13.0	76	77	0.841	42.6	12.7
21	22	0.393	30.6	10.5	77	78	0.119	9.3	2.3
22	23	0.240	20.9	6.5	78	79	0.487	25.3	7.6
23	24	0.298	24.1	8.3	79	80	0.855	42.7	12.9
24	25	0.232	19.2	6.2					
25	26	0.182	13.8	4.7					
26	27	0.207	15.2	5.5					
27	28	0.465	31.5	11.5					
28	29	0.333	23.8	8.5					
29	30	0.074	9.5	1.8					
30	31	0.063	8.2	1.5					
31	32	0.062	8.9	1.5					
32	33	0.065	7.8	1.6					
33	34	0.064	7.7	1.6					
34	35	0.056	7.4	1.4					
35	36	0.056	7.5	1.5					
36	37	0.056	7.2	1.4					
37	38	0.021	3.7	0.7					
38	39	0.520	31.1	11.3					
39	40	0.497	31.9	11.3					
40	41	0.472	29.5	10.6					
41	42	0.557	32.8	11.8					
42	43	0.121	8.9	2.8					
43	44	0.163	11.3	3.6					
44	45	0.279	17.3	5.8					
45	46	0.216	14.1	4.7					
46	47	0.544	32.3	10.7					
47	48	0.218	13.5	4.4					
48	49	0.474	27.3	9.0					
49	50	0.714	38.9	13.2					
50	51	0.495	28.8	9.4					
51	52	0.185	12.7	3.6					

Finished in mineralisation

Precious Metals Australia

HOLE NUMBER: WR298

LOCATION: 650435mE, 6868483mN, 474.5mRL

DIP / AZI: -60°/065

SECTION 9650mN (Local Grid)

From	To	V2O5	Fe	TiO2	From	To	V2O5	Fe	TiO2
0	1	0.083	30.6	6.7	52	53	0.243	16.0	6.0
1	2	0.073	31.6	5.8	53	54	0.204	15.3	5.1
2	3	0.108	20.9	9.7	54	55	0.147	11.6	3.9
3	4	0.129	18.9	11.5	55	56	0.173	13.0	4.5
4	5	0.106	17.1	12.2	56	57	0.191	14.2	4.7
5	6	0.099	18.3	11.5	57	58	0.260	18.9	6.2
6	7	0.091	21.1	9.2	58	59	0.496	31.9	11.2
7	8	0.088	31.5	6.7	59	60	0.526	33.3	11.8
8	9	0.101	24.8	11.9	60	61	0.531	33.4	12.1
9	10	0.099	23.7	9.7	61	62	0.559	34.2	13.2
10	11	0.111	25.5	10.1	62	63	0.272	19.3	6.2
11	12	0.108	23.5	10.2	63	64	0.192	14.1	4.2
12	13	0.120	24.3	10.3	64	65	0.103	8.4	2.5
13	14	0.106	22.1	8.8	65	66	0.362	21.9	7.5
14	15	0.099	23.0	11.6	66	67	0.283	17.6	5.9
15	16	0.099	22.1	10.9	67	68	0.374	22.7	7.4
16	17	0.117	24.3	9.8	68	69	0.555	31.8	10.5
17	18	0.108	21.9	9.2	69	70	0.157	10.4	3.3
18	19	0.097	24.0	12.3	70	71	0.598	34.0	11.3
19	20	0.081	19.8	6.5	71	72	0.751	41.5	13.9
20	21	0.079	20.3	6.6	72	73	0.607	34.4	11.1
21	22	0.093	19.0	10.1	73	74	0.100	8.1	2.1
22	23	0.040	14.9	12.2	74	75	0.241	16.1	4.7
23	24	0.083	22.5	17.5	75	76	0.208	13.7	4.0
24	25	0.123	26.4	14.5	76	77	0.576	32.0	10.1
25	26	0.170	29.8	17.6	77	78	0.754	41.1	12.8
26	27	0.176	29.6	17.6	78	79	0.319	19.2	5.7
27	28	0.169	30.8	18.3	79	80	0.327	19.8	6.0
28	29	0.242	35.8	21.7					
29	30	0.242	35.9	21.7					
30	31	0.263	36.9	22.5					
31	32	0.282	38.4	22.1					
32	33	0.318	39.6	24.2					
33	34	0.325	39.1	23.8					
34	35	0.350	39.9	24.6					
35	36	0.388	42.2	25.1					
36	37	0.482	45.7	21.8					
37	38	0.542	46.2	19.5					
38	39	0.522	43.1	17.1					
39	40	0.604	47.1	18.6					
40	41	0.573	43.7	16.7					
41	42	0.474	36.6	14.2					
42	43	0.451	34.6	12.7					
43	44	0.483	35.9	13.4					
44	45	0.472	34.4	12.9					
45	46	0.203	18.2	5.6					
46	47	0.270	23.2	7.3					
47	48	0.073	9.6	2.1					
48	49	0.033	6.9	1.0					
49	50	0.037	7.6	1.2					
50	51	0.457	30.0	11.2					
51	52	0.180	16.1	4.6					

Finished in mineralisation