

MOUNT BURGESS MINING N.L.

ACN: 009 067 476

Level 4, 109 St Georges Terrace, Perth, Western Australia, 6000
PO Box Z5301, St Georges Terrace, Perth, Western Australia, 6831
Telephone: (61 8) 9322 6311 Email: mtb@mountburgess.com
Facsimile: (61 8) 9322 4607 Website: www.mountburgess.com

QUARTERLY REPORT 30 June 2006

Highlights

AFRICA

BOTSWANA - KIHABE BASE METALS PROJECT

2,334 metres of drilling were conducted during the quarter on the southwest portion of the 2.4km long Kihabe zone of mineralisation. Mineralised zones intersected in this drilling have yielded average grades of 3.17% zinc, 1.81% lead and 11.04 g/t silver, with credits for copper and vanadium.

During this coming quarter, the Company will be delineating a partial resource designed to extend over 1km of strike in the south western portion of the 2.4km long zone of mineralisation.

A new zinc/lead anomaly with a strike length of 1.1km has been generated 2.5km east northeast of the Kihabe zone of mineralisation.

NAMIBIA, TSUMKWE -DIAMOND EXPLORATION

The Company is endeavouring to mobilise a ground gravity crew to follow up on the recovery of very fresh Kimberlitic indicator minerals.

AUSTRALIA

TELFER, WESTERN AUSTRALIA - GOLD EXPLORATION

The Company is attending to a number of joint venture enquiries.

REPORT FOR THE QUARTER ENDED 30 JUNE 2006

BOTSWANA, KIHABE - BASE METALS EXPLORATION

PL 69/2003

(Mount Burgess Mining N.L. 100%)

Infill Drilling

Following the positive scoping study conducted by ProMet Engineers, the Company continued with the Reverse Circulation (RC) infill drilling programme on its Kihabe base metals project during the quarter with the intention of upgrading this 2.4 km long zone of mineralisation to a JORC compliant resource/reserve, to support a probable open cut mining operation to 150m vertical depth.

A total of 2,334 metres was drilled on the Kihabe zone of mineralisation during the quarter. A total of 700 metres of strike between Sections 5 and 10 has now been drilled at the south western end of the 2.4km long zone of mineralisation (refer to Fig. 1 showing Sections).

During the quarter, the Company variously announced assay results obtained from the ICP-OES method. These were returned from holes drilled on Sections 6 to 9 and are summarised as follows:

SECTION 6

KRC 016 821628N/500904E -60deg/340deg

Drilled to test for mineralisation down to 100m vertical depth.

Zinc

44 – 82 m	38 m	@ 7.69%
The above includes a 10 metre zone with individual metre grades of up to 30% zinc. The assays for this zone were rechecked using the AAS method and are as follows:		
57 – 67 m	10 m	@ 22.75%
Further drill down results were as follows:		
89 – 92 m	3 m	@ 3.25%
97 – 103 m	6 m	@ 2.38%

Lead

10 – 19 m	9 m	@ 2.00%
47 – 56 m	9 m	@ 2.10%
70 – 73 m	3 m	@ 2.10%
79 – 84 m	5 m	@ 1.76%

Silver

47 – 56 m	9 m	@ 10.96 g/t
71 – 73 m	2 m	@ 12.99 g/t
79 – 86 m	7 m	@ 14.90 g/t

Vanadium - credits were recorded as follows:

9 – 19 m	10 m	@ 2.718ppm (0.2718%)
35 – 37 m	2 m	@ 1.277ppm (0.1277%)

KRC 017**7821566/500942E -60deg/339deg**

Drilled to test for mineralisation to 150m vertical depth.

6 – 108m Hanging Wall Dolomite

Zinc

110 – 113 m	3 m	@ 1.54%
188 – 189 m	1 m	@ 3.69%
197 – 198 m	1 m	@ 4.65%

Lead

129 – 130 m	1 m	@ 1.72%
188 – 189 m	1 m	@ 2.55%
197 – 198 m	1 m	@ 2.55%
199 – 200 m	1 m	@ 4.03%

Silver

108 – 118 m	11 m	@ 3.57 g/t
122 – 126 m	4 m	@ 2.98 g/t
129 – 131 m	2 m	@ 10.86 g/t
161 – 162 m	1 m	@ 3.19 g/t
197 – 198 m	1 m	@ 9.58 g/t
199 – 200 m	1 m	@ 20.82 g/t

Vanadium - credits were recorded as follows:

107 – 109 m	2 m	@ 1,972ppm(0.1972%)
120 – 121 m	1 m	@ 612ppm
128 – 130 m	1 m	@ 776ppm

SECTION 7**KRC 018****7821651N/501008E -60deg/339deg**

Drilled to test for mineralisation down to 100m vertical depth.

7 – 36m Hanging Wall Dolomite

Zinc

6 – 7 m	1 m	@ 2.08%
39 – 44 m	5 m	@ 2.49%
52 – 54 m	2 m	@ 6.73%
59 – 63 m	4 m	@ 1.97%
100 – 102 m	2 m	@ 1.24%
108 – 121 m	13 m	@ 1.47%
123 – 126 m	3 m	@ 1.51%
127 – 131 m	4 m	@ 1.66%
143 – 151 m	8 m	@ 3.46%
(Incl.147–151m)	4 m	@ 5.36%
Hole ended in mineralisation		

Lead

40 – 43 m	3 m	@ 1.51%
56 – 62 m	6 m	@ 1.43%
147 – 151 m	4 m	@ 1.65%

Silver

40 – 42 m	2 m	@ 15.1 g/t
56 – 62 m	6 m	@ 24.1 g/t

Vanadium - credits were recorded as follows:

35 – 40 m	5 m	@ 650ppm
Incl. 39 – 40m	1 m	@ 1746ppm (0.1746%)

KRC 019

7821625N/501023E, -60deg/339deg

Drilled to test for mineralisation to 150m vertical depth.

6 – 92m Hanging Wall Dolomite

Zinc

92 – 94 m	2 m	@ 1.30 %
95 – 99 m	4 m	@ 2.36 %
101 – 103 m	2 m	@ 2.08 %
107 – 111 m	4 m	@ 1.54 %
118 – 120 m	2 m	@ 1.14 %
135 – 141 m	6 m	@ 2.20 %
143 – 145 m	2 m	@ 1.65 %
149 – 173 m	24 m	@ 2.56 %
(Incl. 149–156m and 158 – 162m)	7 m 4 m	@ 3.09 % @ 4.09 %
175 – 192 m	17 m	@ 2.32 %
(Incl. 180 –185m)	5 m	@ 3.08 %

Lead

95 – 98 m	3 m	@ 1.26 %
101 -102 m	1 m	@ 1.44 %
119 – 120 m	1 m	@ 1.87 %
150 – 155 m	5 m	@ 1.23 %
158 – 162 m	4 m	@ 1.49 %
167 – 168 m	1 m	@ 1.14 %
181 – 185 m	4 m	@ 1.07 %
190 – 191 m	1 m	@ 1.00 %

Silver

95 – 96 m	1 m	@ 19.95 g/t
119 – 120 m	1 m	@ 27.93 g/t
149 – 192 m	43 m	@ 4.65 g/t

Vanadium - credits were recorded as follows:

91 - 96m	5 m	@ 582.8ppm
----------	-----	------------

KRC 020 7821688N/500982E, -60deg/339deg

Zinc

98 - 100 m	2 m	@ 3.19 %
------------	-----	----------

SECTION 8

KRC 021 7821706N/501091E, -60deg/339deg

Drilled to test for mineralisation to 100m vertical depth.

4 - 30m Hanging Wall Dolomite

Zinc

38 - 40 m	2 m	@ 1.58 %
64 - 74 m	10 m	@ 3.80 %
83 - 86 m	3 m	@ 2.77 %
124 - 127 m	3 m	@ 1.49 %
129 - 134 m	5 m	@ 2.99 %

Lead

66 - 69 m	3 m	@ 2.14 %
71 - 74 m	3 m	@ 2.12 %
90 - 91 m	1 m	@ 1.33%
132 - 133 m	1 m	@ 1.71 %

Silver

66 - 69 m	3 m	@ 25.67 g/t
71 - 74 m	3 m	@ 18.03 g/t
90 - 91 m	1 m	@ 40.93 g/t

Vanadium - credits were recorded as follows:

41 - 43 m	2 m	@ 534 ppm
45 - 46 m	1 m	@ 375 ppm
57 - 59 m	2 m	@ 250 ppm
63 - 66 m	3 m	@ 226 ppm

KRC 022 7821675N/501110E, -60deg/339deg

Drilled to test for mineralisation to 150m vertical depth.

9 - 74 m Hanging Wall Dolomite

Zinc

104 - 106 m	2 m	@ 1.38%
113 - 115 m	2 m	@ 2.72%
124 - 128 m	4 m	@ 3.20%
129 - 135 m	6 m	@ 2.80%
139 - 154 m	15 m	@ 2.52%
(Incl. 139 - 146m	7 m	@ 3.18%)
158 - 160 m	2 m	@ 1.90 %
161 - 163 m	2 m	@ 1.94%
170 - 174 m	4 m	@ 1.13%

Lead

114 – 115 m	1 m	@ 1.04%
124 – 125 m	1 m	@ 1.92%
126 – 127 m	1 m	@ 2.60%
130 – 133 m	3 m	@ 1.38%
143 – 146 m	3 m	@ 1.59%
147 – 150 m	3 m	@ 2.47%
161 – 162 m	1 m	@ 1.28%

Silver

124 – 125 m	1 m	@ 10.90 g/t
126 – 127 m	1 m	@ 15.30 g/t
130 – 131 m	1 m	@ 12.70 g/t
138 – 139 m	1 m	@ 11.00 g/t
144 – 145 m	1 m	@ 11.10 g/t
161 – 162 m	1 m	@ 10.50 g/t

Vanadium - credits were recorded as follows:

90 – 94 m	4 m	@ 383.6 ppm
95 – 97 m	2 m	@ 257.2 ppm
98 – 99 m	1 m	@ 461.0 ppm

KRC 023

7821725N/501080E, -60deg/339deg

Drilled to test for mineralisation to 50m vertical depth.

Zinc

80 – 81 m	1 m	@ 1.36%
85 – 91 m	6 m	@ 1.12%
93 – 95 m	2 m	@ 3.63%
149 – 153 m	4 m	@ 3.39%

Lead

93 – 96 m	3 m	@ 1.84%
105 – 106 m	1 m	@ 2.39%
149 – 152 m	3 m	@ 1.18%

Silver

105 – 106 m	1 m	@ 50.7 g/t
-------------	-----	------------

Copper - credits were recorded as follows:

104 m	2 m	@ 0.17%
-------	-----	---------

KRC 024**7821748N/501067E, -60deg/339deg**

Drilled to test for mineralisation up dip of that encountered in KRC 023.

Lead

26 – 27 m	1 m	@ 2.04%
28 – 30 m	2 m	@ 1.52%

Vanadium - credits were recorded as follows:

25 – 26 m	1 m	@ 598 ppm
27 – 28 m	1 m	@ 850 ppm
20 – 31 m	1 m	@ 563 ppm

KRC 025**7821764N/501174E, -60deg/339deg**

Drilled to test for mineralisation to 50m vertical depth.

Zinc

19 – 22 m	3 m	@ 1.45%
29 – 31 m	2 m	@ 3.37%
33 – 43 m	10 m	@ 3.06%

Lead

22 – 24 m	2 m	@ 1.64%
32 – 34 m	2 m	@ 3.56%

Silver

33 – 34 m	1 m	@ 45.8 g/t
-----------	-----	------------

Vanadium - credits were recorded as follows:

12 – 14 m	2 m	@ 545 ppm
42 – 43 m	1 m	@ 490 ppm

KRC 026**7821790N/501159E, -60deg/159deg**

Drilled to test for mineralisation to 50m vertical depth.

Zinc

25 – 39 m	14 m	@ 5.39%
(Incl. 25 – 31 m)	6 m	@ 10.38%
46 – 48 m	2 m	@ 2.19%
60 – 61 m	1 m	@ 3.09%

Vanadium - credits were recorded as follows:

24 – 27 m	3 m	@ 343 ppm
49 – 50 m	1 m	@ 378 ppm

KRC 027**7821820N/501142E, -60deg/159deg**

Drilled to test for mineralisation to 100m vertical depth

Zinc

74 – 80 m	6 m	@ 1.48%
81 – 87 m	6 m	@ 1.92%

Lead

72 – 73 m	1 m	@ 1.40%
-----------	-----	---------

Silver

72 – 74 m	2 m	@ 21.75 g/t
-----------	-----	-------------

KRC 028**7821860N/5011129E, -60deg/159deg**

Drilled to test for mineralisation to 150m vertical depth.

Zinc

92 – 94 m	2 m	@ 1.85%
115 – 136 m	21 m	@ 3.25%
(Incl. 119 – 129 m)	10 m	@ 4.46%
145 – 150 m	5 m	@ 1.59%
151 – 159m	8 m	@ 2.09%

Lead

115 – 117 m	2 m	@ 3.44%
119 – 123 m	4 m	@ 1.64%
126 – 129 m	3 m	@ 1.28%
133 – 136 m	3 m	@ 1.08%

Silver

114 – 123 m	9 m	@ 15.8 g/t
-------------	-----	------------

Copper - credits were recorded as follows:

114 – 117 m	3 m	@ 0.06%
121 – 127 m	6 m	@ 0.06%
130 – 131 m	1 m	@ 0.08%

SECTION 9**KRC 029****7821835N/501235E, -60deg/159deg**

Drilled to test for mineralisation down to 100m vertical depth.

Zinc

55 – 58 m	3 m	@ 1.23%
-----------	-----	---------

Lead

36 – 37 m	1 m	@ 1.13%
40 – 41 m	1 m	@ 1.13%
55 – 56 m	1 m	@ 1.68%

Vanadium - credits were recorded as follows:

58 – 59 m	1 m	@ 442 ppm
65 – 67 m	2 m	@ 651 ppm

KRC 030

7821857N/501235E, -60deg/159deg

Drilled to test for mineralisation down to 100m vertical depth.

Zinc

71 – 72 m	1 m	@ 2.06%
79 – 81 m	2 m	@ 2.01 %

Lead

71 – 72 m	1 m	@ 2.08%
-----------	-----	---------

Vanadium - credits were recorded as follows:

98 – 100 m	2 m	@ 314 ppm
101 – 102 m	1 m	@ 340 ppm

KRC 031

7821900N/501210E, -60deg/159deg

Drilled to test for mineralisation down to 150m vertical depth.

Zinc

141 – 143 m	2 m	@ 1.36%
151 – 153 m	2 m	@ 1.82%
155 – 162 m	7 m	@ 1.92%

Lead

155 – 156 m	1 m	@ 1.18%
-------------	-----	---------

Silver

156 – 157 m	1 m	@ 19.5%
-------------	-----	---------

Copper - credits were recorded as follows:

155 – 158 m	3 m	@ 0.12%
-------------	-----	---------

The overall average grades of the above intersections assayed from drilling conducted by the Company at Kihabe **during this quarter**, are as follows:

Zinc	3.17%
Lead	1.81%
Silver	11.04 g/t (no low or high grade cuts)
Copper	Only a few significant copper credits were intersected in the SW section of the mineralised zone.
Vanadium	950ppm (credits on Sections 6, 7, 8, 2 and 9)

The overall average grades of intersections assayed from drilling conducted by the Company at Kihabe, **since commencement of drilling in 2003**, are as follows:

Zinc	3.02%
Lead	1.50%
Silver	29.67 g/t (no low or high grade cuts)
Copper	0.16% credit on Section 3 increasing to 0.34% credit on Section 4 in the NE section of the mineralised zone.
Vanadium	700ppm (credits on Sections 5, 6, 7, 8, 2, 9 and 3).

The results so far confirm the grades used by ProMet Engineering in their scoping study, which were 3% zinc, 1% lead and 28 g/t silver.

From drilling done to date, a near surface undulating high grade oxide facies has been recognised over about 300 m of strike in the SW sector of the mineralised zone. The mineralogy is currently being identified prior to the recovery and metallurgical test work being undertaken by the Company's consulting metallurgist.

Drilling has also confirmed that the Kihabe mineralisation is zoned with an increase in silver, lead, copper and vanadium tenor to the north east.

Vanadium appears to occur as a specific supergene horizon and is possibly linked to any uranium (carnotite) occurrence. U308 as carnotite was previously identified by Billiton. Consequently the Company is testing each drill metre for Uranium by Geiger Counter. It is thought that the carnotite occurs as a result of the breakdown of lead and vanadium and as such an increase in Uranium content should occur to the north east as both the vanadium and lead increases in grade.

During the coming quarter, drilling will initially concentrate on defining a partial resource calculation, covering 1km of strike in the south western sector of the 2.4km long zone of mineralisation.

Soil Geochemical Sampling

Results have now been received from a 200m x 200m soil geochemical sampling programme conducted about 2.5km east north east of the main Kihabe zone of mineralization. A fold shaped coincident zinc/lead elevated anomaly (up to 147 ppm zinc) has been generated over a strike length of 1.1km.

Further infill geochemical sampling and mapping will be conducted on this anomaly during this quarter to generate a defined drill target.

NAMIBIA, TSUMKWE – DIAMOND EXPLORATION

EPL's 2012, 2014, 2817, 2818, 2819, 3019 and 3020

(In joint venture between MTB (Namibia) (Proprietary) Ltd 90% and Kimberlite Resources (Pty) Ltd 10%) EPL's 3021 and 3022 MTB (Namibia)(Proprietary) Ltd 100%

The Company is currently trying to mobilise a ground gravity crew to conduct a gravity programme in the western area of the Company's diamond tenements, which produced very fresh Kimberlitic indicator minerals in the latter half of last year.

NAMIBIA, TSUMKWE – BASE METAL EXPLORATION

A base metal soil geochemical sampling programme is currently being planned based on the genesis of the Kihabe (silver, lead, zinc) style of mineralisation within that portion of Damaran stratigraphy that is situated on the Namibian side of the border.



AUSTRALIA, TELFER - WESTERN AUSTRALIA - GOLD EXPLORATION

The Company is following up on a number of potential joint venture proposals on its Telfer tenements.

The information in this report that relates to exploration results, together with any related assessments and interpretations, is based on information compiled by Martin Spence, B.Sc., who is a Member of The Australasian Institute of Mining and Metallurgy.


Mr Spence is a full time employee of the Company.

Mr Spence has sufficient experience which is relevant to the style of mineralisation under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2004 Edition of the "Australasian Code for Reporting of Mineral Resources and Ore Reserves". Mr Spence consents to the inclusion in the report of the matters based on this information in the form and context in which it appears.



MOUNT BURGESS MINING N.L.

**Kihabe Project - Botswana
2006 Drilling**



-  Zinc Soil Anomaly
-  2003-2004 Drilling
-  2006 Drilling
-  Soil Geochem Sampling Area

Appendix 5B

Mining exploration entity quarterly report

Introduced 1/7/96. Origin: Appendix 8. Amended 1/7/97, 1/7/98, 30/9/2001.

Name of entity

MOUNT BURGESS MINING N.L.

ABN

31009067476

Quarter ended ("current quarter")

30 June 2006

Consolidated statement of cash flows

		Current quarter \$A'000	Year to date (12 months) \$A'000
Cash flows related to operating activities			
1.1	Receipts from product sales and related debtors	-	-
1.2	Payments for:		
	(a) exploration and evaluation	(624)	(1680)
	(b) development	-	-
	(c) production	-	-
	(d) administration	(134)	(785)
1.3	Dividends received	-	-
1.4	Interest and other items of a similar nature received	5	17
1.5	Interest and other costs of finance paid	(1)	(3)
1.6	Income taxes paid	-	-
1.7	Other (provide details if material)	-	-
Net Operating Cash Flows		(754)	(2,451)
Cash flows related to investing activities			
1.8	Payment for purchases of:		
	(a) prospects	-	-
	(b) equity investments	-	-
	(c) other fixed assets	(6)	(24)
1.9	Proceeds from sale of:		
	(a) prospects	-	-
	(b) equity investments	-	-
	(c) other fixed assets	-	-
1.10	Loans to other entities	-	-
1.11	Loans repaid by other entities	-	-
1.12	Other (provide details if material)	-	-
Net investing cash flows		(6)	(24)
1.13	Total operating and investing cash flows (carried forward)	(760)	(2,475)

+ See chapter 19 for defined terms.

1.13	Total operating and investing cash flows (brought forward)	(760)	(2,475)
Cash flows related to financing activities			
1.14	Proceeds from issues of shares, options, etc.	1,002	2,409
1.15	Proceeds from sale of forfeited shares	-	-
1.16	Proceeds from borrowings	-	-
1.17	Repayment of borrowings	-	-
1.18	Dividends paid	-	-
1.19	Other — Placement Fees	(44)	(127)
	Other — Lease Liability repayments	(16)	(26)
	Net financing cash flows	942	2,256
	Net increase (decrease) in cash held	182	(219)
1.20	Cash at beginning of quarter/year to date	164	538
1.21	Exchange rate adjustments to item 1.20	(6)	21
1.22	Cash at end of quarter	340	340

Payments to directors of the entity and associates of the directors

Payments to related entities of the entity and associates of the related entities

		Current quarter \$A'000
1.23	Aggregate amount of payments to the parties included in item 1.2	104
1.24	Aggregate amount of loans to the parties included in item 1.10	NIL

1.25 Explanation necessary for an understanding of the transactions

N/A

Non-cash financing and investing activities

2.1 Details of financing and investing transactions which have had a material effect on consolidated assets and liabilities but did not involve cash flows

N/A

2.2 Details of outlays made by other entities to establish or increase their share in projects in which the reporting entity has an interest

N/A

Financing facilities available

Add notes as necessary for an understanding of the position.

	Amount available \$A'000	Amount used \$A'000
3.1 Loan facilities	-	-
3.2 Credit standby arrangements	205	9

Estimated cash outflows for next quarter

	\$A'000
4.1 Exploration and evaluation	300
4.2 Development	-
Total	300

Reconciliation of cash

Reconciliation of cash at the end of the quarter (as shown in the consolidated statement of cash flows) to the related items in the accounts is as follows.	Current quarter \$A'000	Previous quarter \$A'000
5.1 Cash on hand and at bank	52	137
5.2 Deposits at call	288	27
5.3 Bank overdraft	-	-
5.4 Other (provide details)	-	-
Total: cash at end of quarter (item 1.22)	340	164

Changes in interests in mining tenements

	Tenement reference	Nature of interest (note (2))	Interest at beginning of quarter	Interest at end of quarter
6.1 Interests in mining tenements relinquished, reduced or lapsed				
6.2 Interests in mining tenements acquired or increased				

+ See chapter 19 for defined terms.

Issued and quoted securities at end of current quarter

Description includes rate of interest and any redemption or conversion rights together with prices and dates.

		Total number	Number quoted	Issue price per security (see note 3) (cents)	Amount paid up per security (see note 3) (cents)
7.1	Preference + securities <i>(description)</i>	N/A			
7.2	Changes during quarter (a) Increases through issues (b) Decreases through returns of capital, buy-backs, redemptions				
7.3	+Ordinary securities	188,915,000	188,915,000		
7.4	Changes during quarter (a) Increases through issues (b) Decreases through returns of capital, buy-backs	10,025,000 N/A	10,025,000		
7.5	+Convertible debt securities <i>(description)</i>	N/A			
7.6	Changes during quarter (a) Increases through issues (b) Decreases through securities matured, converted				
7.7	Options Employee Share Plans	850,000 100,000 2,100,000 3,000,000 2,800,000	Nil Nil Nil Nil Nil	<i>Exercise Price</i> 25 cents 25 cents 25 cents 25 cents 25 cents	<i>Expiry date</i> 31/12/06 31/12/07 31/12/09 31/12/10 31/12/11
7.8	Issued during quarter	NIL			
7.9	Exercised during quarter	NIL			
7.10	Expired during quarter	NIL			
7.11	Debentures <i>(totals only)</i>	N/A			
7.12	Unsecured notes <i>(totals only)</i>	N/A			

+ See chapter 19 for defined terms.

Compliance statement

1 This statement has been prepared under accounting policies which comply with accounting standards as defined in the Corporations Act or other standards acceptable to ASX (see note 4).

2 This statement does give a true and fair view of the matters disclosed.

Sign here: *Dean Scarparolo*
(Company Secretary)

Date: 27 July 2006

Print name: DEAN A SCARPAROLO

Notes

1 The quarterly report provides a basis for informing the market how the entity's activities have been financed for the past quarter and the effect on its cash position. An entity wanting to disclose additional information is encouraged to do so, in a note or notes attached to this report.

2 The "Nature of interest" (items 6.1 and 6.2) includes options in respect of interests in mining tenements acquired, exercised or lapsed during the reporting period. If the entity is involved in a joint venture agreement and there are conditions precedent which will change its percentage interest in a mining tenement, it should disclose the change of percentage interest and conditions precedent in the list required for items 6.1 and 6.2.

3 **Issued and quoted securities** The issue price and amount paid up is not required in items 7.1 and 7.3 for fully paid securities.

4 The definitions in, and provisions of, *AASB 1022: Accounting for Extractive Industries* and *AASB 1026: Statement of Cash Flows* apply to this report.

5 **Accounting Standards** ASX will accept, for example, the use of International Accounting Standards for foreign entities. If the standards used do not address a topic, the Australian standard on that topic (if any) must be complied with.

+ See chapter 19 for defined terms.